smacc2::ISmaccClientBehavior
- stateMachine_
- currentState
- currentOrthogonal
+ ISmaccClientBehavior()
+ ~ISmaccClientBehavior()
+ getStateMachine()
+ getName()
+ requiresClient()
+ requiresComponent()
+ requiresComponent()
+ onEntry()
+ onExit()
+ executeOnEntry()
+ executeOnExit()
# runtimeConfigure()
# postEvent()
# postEvent()
# getCurrentState()
# dispose()
# getNode()
# getLogger()
- onStateOrthogonalAllocation()

smacc2::SmaccAsyncClient
Behavior
- onEntryThread_
- onExitThread_
- postFinishEventFn_
- postSuccessEventFn_
- postFailureEventFn_
- onFinished_
- onSuccess_
- onFailure_
- isShutdownRequested_
+ onStateOrthogonalAllocation()
+ ~SmaccAsyncClientBehavior()
+ onSuccess()
+ onFinished()
+ onFailure()
+ requestForceFinish()
+ executeOnEntry()
+ executeOnExit()
+ waitOnEntryThread()
+ onSuccess()
+ onFinished()
+ onFailure()
# postSuccessEvent()
# postFailureEvent()
# dispose()
# isShutdownRequested()
- waitFutureIfNotFinished()

smacc2::SmaccClientBehavior

+ ~SmaccClientBehavior()
+ onEntry()
+ onExit()

smacc2::client_behavior
_bases::CbActionClientBehavior
Base< nav2_msgs::action::AssistedTeleop >
actionClient_
actionClientName_
actionResult_
goalResponseTimeout_
- resultConnectionsInitialized_
- goalInFlight_
- goalActivitySeen_
+ onStateOrthogonalAllocation()
+ ~CbActionClientBehaviorBase()
+ onExit()
# sendGoal()
# cancelGoal()
# onActionSuccess()
# onActionAbort()
# onActionFeedback()
# setActionClientName()
- dispatchActionSuccess()
- dispatchActionAbort()
- dispatchActionFeedback()

smacc2::client_behavior
_bases::CbActionClientBehavior
Base< nav2_msgs::action::BackUp >
actionClient_
actionClientName_
actionResult_
goalResponseTimeout_
- resultConnectionsInitialized_
- goalInFlight_
- goalActivitySeen_
+ onStateOrthogonalAllocation()
+ ~CbActionClientBehaviorBase()
+ onExit()
# sendGoal()
# cancelGoal()
# onActionSuccess()
# onActionAbort()
# onActionFeedback()
# setActionClientName()
- dispatchActionSuccess()
- dispatchActionAbort()
- dispatchActionFeedback()

smacc2::client_behavior
_bases::CbActionClientBehavior
Base< nav2_msgs::action::DockRobot >
actionClient_
actionClientName_
actionResult_
goalResponseTimeout_
- resultConnectionsInitialized_
- goalInFlight_
- goalActivitySeen_
+ onStateOrthogonalAllocation()
+ ~CbActionClientBehaviorBase()
+ onExit()
# sendGoal()
# cancelGoal()
# onActionSuccess()
# onActionAbort()
# onActionFeedback()
# setActionClientName()
- dispatchActionSuccess()
- dispatchActionAbort()
- dispatchActionFeedback()

smacc2::client_behavior
_bases::CbActionClientBehavior
Base< nav2_msgs::action::DriveOnHeading >
actionClient_
actionClientName_
actionResult_
goalResponseTimeout_
- resultConnectionsInitialized_
- goalInFlight_
- goalActivitySeen_
+ onStateOrthogonalAllocation()
+ ~CbActionClientBehaviorBase()
+ onExit()
# sendGoal()
# cancelGoal()
# onActionSuccess()
# onActionAbort()
# onActionFeedback()
# setActionClientName()
- dispatchActionSuccess()
- dispatchActionAbort()
- dispatchActionFeedback()

smacc2::client_behavior
_bases::CbActionClientBehavior
Base< nav2_msgs::action::NavigateToPose >
actionClient_
actionClientName_
actionResult_
goalResponseTimeout_
- resultConnectionsInitialized_
- goalInFlight_
- goalActivitySeen_
+ onStateOrthogonalAllocation()
+ ~CbActionClientBehaviorBase()
+ onExit()
# sendGoal()
# cancelGoal()
# onActionSuccess()
# onActionAbort()
# onActionFeedback()
# setActionClientName()
- dispatchActionSuccess()
- dispatchActionAbort()
- dispatchActionFeedback()

smacc2::client_behavior
_bases::CbActionClientBehavior
Base< nav2_msgs::action::Spin >
actionClient_
actionClientName_
actionResult_
goalResponseTimeout_
- resultConnectionsInitialized_
- goalInFlight_
- goalActivitySeen_
+ onStateOrthogonalAllocation()
+ ~CbActionClientBehaviorBase()
+ onExit()
# sendGoal()
# cancelGoal()
# onActionSuccess()
# onActionAbort()
# onActionFeedback()
# setActionClientName()
- dispatchActionSuccess()
- dispatchActionAbort()
- dispatchActionFeedback()

smacc2::client_behavior
_bases::CbActionClientBehavior
Base< nav2_msgs::action::UndockRobot >
actionClient_
actionClientName_
actionResult_
goalResponseTimeout_
- resultConnectionsInitialized_
- goalInFlight_
- goalActivitySeen_
+ onStateOrthogonalAllocation()
+ ~CbActionClientBehaviorBase()
+ onExit()
# sendGoal()
# cancelGoal()
# onActionSuccess()
# onActionAbort()
# onActionFeedback()
# setActionClientName()
- dispatchActionSuccess()
- dispatchActionAbort()
- dispatchActionFeedback()

smacc2::client_behaviors
::CbServiceCall< slam_toolbox
::srv::Pause >
+ resultFuture_
# client_
# serviceName_
# request_
# result_
# pollRate_
+ CbServiceCall()
+ CbServiceCall()
+ onEntry()
# onServiceResponse()

cl_gcalcli::CbDetectCalendar
Event
- pattern_
- use_regex_
- minutes_before_
- listener_
- client_
- detected_event_
- triggered_
+ CbDetectCalendarEvent()
+ ~CbDetectCalendarEvent()
+ onEntry()
+ onExit()
+ getDetectedEvent()
- onEventStarted()

cl_gcalcli::CbEventDetect
- pattern_
- use_regex_
- minutes_before_
- listener_
- client_
- detected_event_
- triggered_
+ CbEventDetect()
+ ~CbEventDetect()
+ onEntry()
+ onExit()
+ getDetectedEvent()
- onEventStarted()

cl_gcalcli::CbQuickAdd
- text_
- calendar_
- client_
+ CbQuickAdd()
+ ~CbQuickAdd()
+ onEntry()

cl_gcalcli::CbWaitConnection
- timeout_
- client_
+ CbWaitConnection()
+ ~CbWaitConnection()
+ onEntry()

cl_isaac_apriltag::
CbDetectAprilTag
- postEvAprilTagDetected_
- tracker_
- missionState_
+ CbDetectAprilTag()
+ ~CbDetectAprilTag()
+ onOrthogonalAllocation()
+ onEntry()
+ onAprilTagDetected()

cl_lifecycle_node::
CbActivate
- lifecycleNodeClient_
- eventMonitor_
+ CbActivate()
+ ~CbActivate()
+ onStateOrthogonalAllocation()
+ onEntry()
+ onTransitionSuccess()
+ onTransitionFailure()

cl_lifecycle_node::
CbCleanup
- lifecycleNodeClient_
- eventMonitor_
+ CbCleanup()
+ ~CbCleanup()
+ onStateOrthogonalAllocation()
+ onEntry()
+ onTransitionSuccess()
+ onTransitionFailure()

cl_lifecycle_node::
CbConfigure
- lifecycleNodeClient_
- eventMonitor_
+ CbConfigure()
+ ~CbConfigure()
+ onStateOrthogonalAllocation()
+ onEntry()
+ onTransitionSuccess()
+ onTransitionFailure()

cl_lifecycle_node::
CbDeactivate
- lifecycleNodeClient_
- eventMonitor_
+ CbDeactivate()
+ ~CbDeactivate()
+ onStateOrthogonalAllocation()
+ onEntry()
+ onTransitionSuccess()
+ onTransitionFailure()

cl_lifecycle_node::
CbDeactivateOnExit
- lifecycleNodeClient_
- eventMonitor_
+ CbDeactivateOnExit()
+ ~CbDeactivateOnExit()
+ onStateOrthogonalAllocation()
+ onExit()
+ onTransitionSuccess()
+ onTransitionFailure()

cl_lifecycle_node::
CbDestroy
- lifecycleNodeClient_
- eventMonitor_
+ CbDestroy()
+ ~CbDestroy()
+ onStateOrthogonalAllocation()
+ onEntry()

cl_lifecycle_node::
CbShutdown
- lifecycleNodeClient_
- eventMonitor_
+ CbShutdown()
+ ~CbShutdown()
+ onStateOrthogonalAllocation()
+ onEntry()
+ onTransitionSuccess()
+ onTransitionFailure()

cl_mission_tracker
::CbBatteryDecission
- decisionManager_
- postEventFn_
+ CbBatteryDecission()
+ ~CbBatteryDecission()
+ onEntry()
+ onExit()
+ onOrthogonalAllocation()

cl_modbus_tcp_relay
::CbAllRelaysOff
- client_
- relayComponent_
+ CbAllRelaysOff()
+ ~CbAllRelaysOff()
+ onStateOrthogonalAllocation()
+ onEntry()

cl_modbus_tcp_relay
::CbAllRelaysOn
- client_
- relayComponent_
+ CbAllRelaysOn()
+ ~CbAllRelaysOn()
+ onStateOrthogonalAllocation()
+ onEntry()

cl_modbus_tcp_relay
::CbRelayOff
- channel_
- client_
- relayComponent_
+ CbRelayOff()
+ ~CbRelayOff()
+ onStateOrthogonalAllocation()
+ onEntry()

cl_modbus_tcp_relay
::CbRelayOn
- channel_
- client_
- relayComponent_
+ CbRelayOn()
+ ~CbRelayOn()
+ onStateOrthogonalAllocation()
+ onEntry()

cl_modbus_tcp_relay
::CbRelayStatus
- channel_
- client_
- relayComponent_
- channelStates_
+ CbRelayStatus()
+ CbRelayStatus()
+ ~CbRelayStatus()
+ onStateOrthogonalAllocation()
+ onEntry()
+ getChannelStates()
+ onStatusRead()
- readSingleChannel()
- readAllChannels()

cl_moveit2z::CbMoveit2zClient
BehaviorBase
cpMoveGroup_
cpMotionPlanner_
cpTrajectoryExecutor_
cpTrajectoryHistory_
+ onStateOrthogonalAllocation()
+ ~CbMoveit2zClientBehavior
Base()
# postMotionSuccess()
# postMotionFailure()

cl_nav2z::CbAbortNavigation
- nav2ActionInterface_
+ CbAbortNavigation()
+ onStateOrthogonalAllocation()
+ onEntry()
+ onExit()

cl_nav2z::CbActiveStop
- cmd_vel_pub_
+ CbActiveStop()
+ onEntry()
+ onExit()

cl_nav2z::CbLoadWaypointsFile
+ filepath_
+ parameterName_
+ packageNamespace_
+ waypointsNavigator_
+ CbLoadWaypointsFile()
+ CbLoadWaypointsFile()
+ onEntry()
+ onExit()

cl_nav2z::CbPositionControl
FreeSpace
+ yaw_goal_tolerance
rads
+ threshold_distance_
+ target_pose_
- targetYaw_
- goalReached_
- k_betta_
- max_angular_yaw_speed_
- prev_error_linear_
- prev_error_angular_
- integral_linear_
- integral_angular_
- max_linear_velocity
- max_angular_velocity
- cmd_vel_pub_
+ CbPositionControlFreeSpace()
+ updateParameters()
+ onEntry()
+ onExit()

cl_nav2z::CbPureSpinning
+ yaw_goal_tolerance
rads
- targetYaw__rads
- goalReached_
- k_betta_
- max_angular_yaw_speed_
- cmd_vel_pub_
+ CbPureSpinning()
+ updateParameters()
+ onEntry()
+ onExit()

cl_nav2z::CbSpiralMotion
- cmdVelPub_
- options_
+ CbSpiralMotion()
+ onEntry()
+ onExit()

cl_nav2z::CbTrackPathOdometry

+ CbTrackPathOdometry()
+ onEntry()
+ onExit()

cl_nav2z::CbTrackPathSLAM

+ CbTrackPathSLAM()
+ onEntry()
+ onExit()

cl_nav2z::CbWaitNav2Nodes
- topicname_
- sub_
- receivedAliveMsg_
- waitNodes_
+ CbWaitNav2Nodes()
+ CbWaitNav2Nodes()
+ onEntry()
- onMessageReceived()

cl_nav2z::CbWaitPose
nav2zClient_
+ CbWaitPose()
+ CbWaitPose()
+ ~CbWaitPose()
+ onStateOrthogonalAllocation()
+ onEntry()

cl_nav2z::CbWaitTransform
tfBuffer_
tfListener_
targetFrame_
referenceFrame_
timeout_
result_
+ CbWaitTransform()
+ ~CbWaitTransform()
+ onStateOrthogonalAllocation()
+ onEntry()

cl_px4_mr::CbPx4ClientBehaviorBase
vehicleCommand_
vehicleStatus_
trajectorySetpoint_
goalChecker_
localPosition_
offboardKeepAlive_
- completed_
- timeoutMs_
- watchdogStart_
+ onStateOrthogonalAllocation()
+ ~CbPx4ClientBehaviorBase()
+ setTimeout()
+ hasTimeout()
+ update()
# wireCompletionSignals()
# postPx4Success()
# postPx4Failure()

smacc2::client_behavior
_bases::CbActionClientBehavior
Base< TAction >
actionClient_
actionClientName_
actionResult_
goalResponseTimeout_
- resultConnectionsInitialized_
- goalInFlight_
- goalActivitySeen_
+ onStateOrthogonalAllocation()
+ ~CbActionClientBehaviorBase()
+ onExit()
# sendGoal()
# cancelGoal()
# onActionSuccess()
# onActionAbort()
# onActionFeedback()
# setActionClientName()
- dispatchActionSuccess()
- dispatchActionAbort()
- dispatchActionFeedback()

smacc2::client_behaviors
::CbRosLaunch
+ packageName_
+ launchFileName_
+ launchMode_
# result_
# client_
# future_
- detached_futures_
+ CbRosLaunch()
+ CbRosLaunch()
+ ~CbRosLaunch()
+ onStateOrthogonalAllocation()
+ onEntry()

smacc2::client_behaviors
::CbRosLaunch2
+ packageName_
+ launchFileName_
+ launchMode_
# result_
# client_
# future_
- detached_futures_
+ CbRosLaunch2()
+ CbRosLaunch2()
+ ~CbRosLaunch2()
+ onStateOrthogonalAllocation()
+ onEntry()

smacc2::client_behaviors
::CbRosStop2
+ packageName_
+ launchFileName_
# result_
# client_
# future_
- detached_futures_
+ CbRosStop2()
+ CbRosStop2()
+ ~CbRosStop2()
+ onStateOrthogonalAllocation()
+ onEntry()

smacc2::client_behaviors
::CbSequence
- sequenceNodes_
- conn_
- conn2_
- bh_
- consume_

+ CbSequence()
+ onEntry()
+ onExit()
+ then()
- onSubNodeSuccess()
- onSubNodeAbort()
- recursiveConsumeNext()

smacc2::client_behaviors
::CbServiceCall< ServiceType >
+ resultFuture_
# client_
# serviceName_
# request_
# result_
# pollRate_
+ CbServiceCall()
+ CbServiceCall()
+ onEntry()
# onServiceResponse()

smacc2::client_behaviors
::CbSleepFor
- sleeptime_
+ CbSleepFor()
+ onEntry()
+ onExit()

smacc2::client_behaviors
::CbWaitActionServer
- client_
- timeout_
+ CbWaitActionServer()
+ ~CbWaitActionServer()
+ onStateOrthogonalAllocation()
+ onEntry()

smacc2::client_behaviors
::CbWaitActionServer2<
ActionT >
- cp_action_client_
- timeout_
+ onStateOrthogonalAllocation()
+ CbWaitActionServer2()
+ ~CbWaitActionServer2()
+ onEntry()

smacc2::client_behaviors
::CbWaitNode
nodeName_
rate_
+ CbWaitNode()
+ onEntry()

smacc2::client_behaviors
::CbWaitTopic
topicName_
rate_
+ CbWaitTopic()
+ ~CbWaitTopic()
+ onEntry()

smacc2::client_behaviors
::CbWaitTopicMessage< TMessage >
success
sub_
guardFn_
topicname_
+ CbWaitTopicMessage()
+ ~CbWaitTopicMessage()
+ onEntry()
+ onMessageReceived()

cl_nav2z::CbAssistedTeleop
- timeAllowance_
+ CbAssistedTeleop()
+ onEntry()
# onActionAbort()

cl_nav2z::CbBackUp
- distance_
- speed_
- timeAllowance_
+ CbBackUp()
+ onEntry()

cl_nav2z::CbDockRobot
- useDockId_
- dockId_
- dockPose_
- dockType_
+ CbDockRobot()
+ CbDockRobot()
+ onEntry()

cl_nav2z::CbDriveOnHeading
- distance_
- speed_
- timeAllowance_
+ CbDriveOnHeading()
+ onEntry()

cl_nav2z::CbNav2ZClientBehaviorBase
nav2ActionInterface_
navigationResult_
+ ~CbNav2ZClientBehaviorBase()
+ onStateOrthogonalAllocation()
# onNavigationActionSuccess()
# onNavigationActionAbort()
# onActionSuccess()
# onActionAbort()

cl_nav2z::CbAbsoluteRotate
+ listener
+ absoluteGoalAngleDegree
+ yawGoalTolerance
+ maxVelTheta
+ spinningPlanner
- oldYawTolerance
- oldMaxVelTheta
- oldMinVelTheta
+ CbAbsoluteRotate()
+ CbAbsoluteRotate()
+ onEntry()
+ onExit()
- updateTemporalBehaviorParameters()

cl_nav2z::CbNavigateBackwards
+ backwardDistance
+ backwardSpeed
+ goalChecker_
+ odomTracker_
+ CbNavigateBackwards()
+ onEntry()
+ onExit()

cl_nav2z::CbNavigateForward
+ options
# odomTracker_
# goalPose_
# forwardDistance_
+ CbNavigateForward()
+ CbNavigateForward()
+ CbNavigateForward()
+ ~CbNavigateForward()
+ onEntry()
+ onExit()
+ setForwardDistance()

cl_nav2z::CbNavigateGlobal
Position
+ goalYaw
+ options
+ goalPosition
+ CbNavigateGlobalPosition()
+ CbNavigateGlobalPosition()
+ setGoal()
+ onEntry()
+ onExit()
+ execute()
- readStartPoseFromParameter
Server()

cl_nav2z::CbNavigateNext
Waypoint
waypointsNavigator_
options_
+ CbNavigateNextWaypoint()
+ ~CbNavigateNextWaypoint()
+ onEntry()
+ onExit()

cl_nav2z::CbRotate
+ rotateDegree
+ goalChecker_
+ spinningPlanner
+ CbRotate()
+ CbRotate()
+ onEntry()

cl_nav2z::CbUndoPathBackwards
- odomTracker
- options_
+ CbUndoPathBackwards()
+ onEntry()
+ onExit()

cl_nav2z::CbRotateLookAt
+ listener
+ lookAtPose_
+ CbRotateLookAt()
+ CbRotateLookAt()
+ onEntry()

cl_nav2z::CbStopNavigation

+ CbStopNavigation()
+ onEntry()
+ onExit()

cl_nav2z::CbNavigateNamed
Waypoint
+ waypointsNavigator_
+ waypointname_
+ CbNavigateNamedWaypoint()
+ ~CbNavigateNamedWaypoint()
+ onEntry()
+ onExit()

cl_nav2z::CbNavigateNext
WaypointUntilReached
- goalWaypointName_
- postEvGoalWaypointReached_
+ CbNavigateNextWaypointUntil
Reached()
+ ~CbNavigateNextWaypointUntil
Reached()
+ onStateOrthogonalAllocation()
+ onEntry()
+ onExit()
+ onNavigationActionSuccess()

cl_nav2z::CbSpin
- targetYaw_
- timeAllowance_
+ CbSpin()
+ onEntry()
+ setTargetYaw()

cl_nav2z::CbUndockRobot
- dockType_
- maxUndockingTime_
+ CbUndockRobot()
+ onEntry()

cl_nav2z::CbPauseSlam
slam_
+ CbPauseSlam()
+ onEntry()

cl_nav2z::CbResumeSlam
slam_
+ CbResumeSlam()
+ onEntry()

cl_moveit2z::CbAttachObject
+ targetObjectName_
- graspingComponent_
+ CbAttachObject()
+ CbAttachObject()
+ onStateOrthogonalAllocation()
+ onEntry()
+ onExit()

cl_moveit2z::CbDetachObject
- graspingComponent_
+ onStateOrthogonalAllocation()
+ onEntry()
+ onExit()

cl_moveit2z::CbMoveEndEffector
+ targetPose
+ tip_link_
+ group_
+ CbMoveEndEffector()
+ CbMoveEndEffector()
+ onEntry()
# moveToAbsolutePose()

cl_moveit2z::CbMoveEndEffector
Trajectory
+ group_
+ tipLink_
+ allowInitialTrajectoryState
JointDiscontinuity_
endEffectorTrajectory_
cpTrajectoryVisualizer_
cpJointSpaceTrajectoryPlanner_
cpTfListener_
beahiorMarkers_
- markersPub_
- iksrv_
- m_mutex_
- postJointDiscontinuityEvent
- postIncorrectInitialState
Event
- postMotionExecutionFailure
Events
- autocleanmarkers
+ CbMoveEndEffectorTrajectory()
+ CbMoveEndEffectorTrajectory()
+ onStateOrthogonalAllocation()
+ onEntry()
+ onExit()
# computeJointSpaceTrajectory()
# executeJointSpaceTrajectory()
# generateTrajectory()
# createMarkers()
# getCurrentEndEffectorPose()
- initializeROS()

cl_moveit2z::CbMoveJoints
+ scalingFactor_
+ jointValueTarget_
+ group_
+ CbMoveJoints()
+ CbMoveJoints()
+ onEntry()
+ onExit()
# moveJoints()
# currentJointStatesToString()

cl_moveit2z::CbCircularPivot
Motion
+ angularSpeed_rad_s_
+ linearSpeed_m_s_
+ relativeInitialPose_
# planePivotPose_
# deltaRadians_
+ CbCircularPivotMotion()
+ CbCircularPivotMotion()
+ CbCircularPivotMotion()
+ generateTrajectory()
+ createMarkers()
- computeCurrentEndEffector
PoseRelativeToPivot()

cl_moveit2z::CbMoveCartesian
Relative2
+ offset_
+ linearSpeed_m_s_
- globalFrame_
+ CbMoveCartesianRelative2()
+ CbMoveCartesianRelative2()
+ ~CbMoveCartesianRelative2()
+ generateTrajectory()

cl_moveit2z::CbUndoLastTrajectory
- backIndex_
- trajectory
- reversed
+ CbUndoLastTrajectory()
+ CbUndoLastTrajectory()
+ ~CbUndoLastTrajectory()
+ onEntry()
+ generateTrajectory()

cl_moveit2z::CbEndEffector
Rotate
+ tipLink
+ CbEndEffectorRotate()
+ ~CbEndEffectorRotate()
+ onEntry()

cl_moveit2z::CbMoveKnown
State
- pkg_
- config_path_
+ CbMoveKnownState()
+ ~CbMoveKnownState()
+ onEntry()
- loadJointStatesFromFile()

cl_nav2z::CbNavigateNext
WaypointFree
waypointsNavigator_
+ CbNavigateNextWaypointFree()
+ ~CbNavigateNextWaypointFree()
+ onEntry()
+ onSucessCallback()
+ onExit()

cl_px4_mr::CbArmPX4
- armed_
- MAX_RETRIES
- RETRY_INTERVAL_SEC
+ CbArmPX4()
+ onEntry()
+ wireCompletionSignals()
+ onExit()
- onArmedCallback()

cl_px4_mr::CbChangeAltitude
- targetAltitude_
+ CbChangeAltitude()
+ onEntry()
+ wireCompletionSignals()
+ onExit()
- onGoalReachedCallback()

cl_px4_mr::CbConnectMicro
RosAgent
- microRosAgent_
- timeoutSec_
- rate_
- failsafeSub_
- healthOk_
- attitudeInvalid_
- localAltitudeInvalid_
- localPositionInvalid_
+ CbConnectMicroRosAgent()
+ onEntry()
+ onStateOrthogonalAllocation()
+ onExit()

cl_px4_mr::CbDisarmPX4
- retryCount_
- MAX_RETRIES
+ CbDisarmPX4()
+ onEntry()
+ wireCompletionSignals()
+ onExit()
- onDisarmedCallback()

cl_px4_mr::CbFigureEight
- centerX_
- centerY_
- altitude_
- size_
- speed_
- numLoops_
- heading_
- t_
- lastUpdateTime_
+ CbFigureEight()
+ setCenter()
+ setHeading()
+ onEntry()
+ onExit()
+ update()

cl_px4_mr::CbFollowWaypoints
- waypoints_
- xyTol_
- zTol_
- currentIndex_
+ CbFollowWaypoints()
+ onEntry()
+ wireCompletionSignals()
+ onExit()
- onGoalReachedCallback()
- commandCurrentWaypoint()

cl_px4_mr::CbGoToLocation
- targetX_
- targetY_
- targetZ_
- yaw_
+ CbGoToLocation()
+ setTarget()
+ onEntry()
+ wireCompletionSignals()
+ onExit()
- onGoalReachedCallback()

cl_px4_mr::CbHoldPosition
- durationSeconds_
- startTime_
+ CbHoldPosition()
+ onEntry()
+ onExit()
+ update()

cl_px4_mr::CbLand

+ CbLand()
+ onEntry()
+ wireCompletionSignals()
+ onExit()
- onLandedCallback()

cl_px4_mr::CbLoadKmlMission
- kmlLoader_
- path_
- fallback_
+ CbLoadKmlMission()
+ setFilePath()
+ setFallback()
+ onStateOrthogonalAllocation()
+ onEntry()
+ onExit()

cl_px4_mr::CbOrbitLocation
- centerX_
- centerY_
- altitude_
- radius_
- angularVelocity_
- numOrbits_
- currentAngle_
- startAngle_
- lastUpdateTime_
+ CbOrbitLocation()
+ onEntry()
+ onExit()
+ update()

cl_px4_mr::CbPx4PathFollowerBase
followerParams_
tunnelCentering_
- path_
- cumLen_
- totalLen_
- sCarrot_
- carrotVertex_
- entryHeading_
- lastCmd_
- lastProgressDecile_
- active_
- lastUpdateTime_
+ CbPx4PathFollowerBase()
+ ~CbPx4PathFollowerBase()
+ onStateOrthogonalAllocation()
+ setFollowerParams()
+ followerParams()
+ onEntry()
+ onExit()
+ update()
# buildPath()
# behaviorName()
# onPathStarted()
# onPathCompleted()
# totalLength()
# progressFraction()
# carrotVertexIndex()
- commandFor()
- applyCentering()
- tangentYawAt()

cl_px4_mr::CbReturnToHome
- homeX_
- homeY_
- homeZ_
- homeYaw_
+ CbReturnToHome()
+ onEntry()
+ wireCompletionSignals()
+ onExit()
- onGoalReachedCallback()

cl_px4_mr::CbSineAltitude
Cruise
- groundSpeed_
- amplitude_
- wavelength_
- heading_
- startX_
- startY_
- baseZ_
- arcLength_
- lastCmdX_
- lastCmdY_
- active_
- lastUpdateTime_
+ CbSineAltitudeCruise()
+ onEntry()
+ onExit()
+ update()

cl_px4_mr::CbSpiralPattern
- centerX_
- centerY_
- altitude_
- maxRadius_
- spacing_
- speed_
- theta_
- lastUpdateTime_
+ CbSpiralPattern()
+ onEntry()
+ onExit()
+ update()

cl_px4_mr::CbSpiralUp
- params_
- startAltitude_
- startAngle_
- currentAngle_
- lastReportedOrbit_
- lastUpdateTime_
+ CbSpiralUp()
+ onEntry()
+ onExit()
+ update()
+ params()
- command()

cl_px4_mr::CbTakeOff
- targetAltitude_
+ CbTakeOff()
+ onEntry()
+ wireCompletionSignals()
+ onExit()
- onGoalReachedCallback()

cl_px4_mr::CbWaitForHeading
Stable
- params_
+ CbWaitForHeadingStable()
+ onEntry()
+ onExit()

cl_px4_mr::CbYawRotate
- targetYawRad_
- relative_
- absoluteTargetYaw_
+ CbYawRotate()
+ onEntry()
+ onExit()
+ update()

cl_px4_mr::CbYawScan
- amplitude_
- period_
- baseHeading_
- holdX_
- holdY_
- holdZ_
- elapsed_
- active_
- lastUpdateTime_
+ CbYawScan()
+ onEntry()
+ onExit()
+ update()

cl_px4_mr::CbAscendToAltitude
- params_
+ CbAscendToAltitude()
+ CbAscendToAltitude()
+ setParams()
+ setTargetXy()
+ params()
# buildPath()
# behaviorName()

cl_px4_mr::CbFollowNedPath
- path_
+ CbFollowNedPath()
+ setPath()
+ path()
+ reachedCount()
# buildPath()
# behaviorName()

cl_px4_mr::CbGridPattern
- params_
+ CbGridPattern()
+ setParams()
+ params()
+ setOrigin()
# buildPath()
# behaviorName()

cl_px4_mr::CbLawnmower
- params_
+ CbLawnmower()
+ CbLawnmower()
+ setParams()
+ params()
+ setOrigin()
# buildPath()
# behaviorName()

cl_px4_mr::CbLemniscate
- params_
+ CbLemniscate()
+ CbLemniscate()
+ setParams()
+ params()
+ setCenter()
# buildPath()
# behaviorName()

cl_px4_mr::CbLoiter
- params_
+ CbLoiter()
+ CbLoiter()
+ setParams()
+ params()
+ setCenter()
# buildPath()
# behaviorName()

cl_px4_mr::CbSineWaveHorizontal
- params_
+ CbSineWaveHorizontal()
+ setParams()
+ params()
+ setEndPoint()
# buildPath()
# behaviorName()

cl_px4_mr::CbSineWaveVertical
- params_
+ CbSineWaveVertical()
+ setParams()
+ params()
+ setEndPoint()
# buildPath()
# behaviorName()

cl_px4_mr::CbSpiral
- params_
+ CbSpiral()
+ setParams()
+ params()
+ setCenter()
# buildPath()
# behaviorName()

cl_px4_mr::CbSquareSpiral
- params_
+ CbSquareSpiral()
+ CbSquareSpiral()
+ setParams()
+ params()
+ setOrigin()
# buildPath()
# behaviorName()

cl_px4_mr::CbVSSearch
- params_
+ CbVSSearch()
+ setParams()
+ params()
+ setDatum()
# buildPath()
# behaviorName()

< nav2_msgs::action
::AssistedTeleop >

< nav2_msgs::action
::BackUp >

< nav2_msgs::action
::DockRobot >

< nav2_msgs::action
::DriveOnHeading >

< nav2_msgs::action
::NavigateToPose >

< nav2_msgs::action
::Spin >

< nav2_msgs::action
::UndockRobot >

< slam_toolbox::srv
::Pause >

cl_nav2z::CbSaveSlamMap
< nav2_msgs::srv::SaveMap >

+ CbSaveSlamMap()
+ onExit()
+ getRequest()

cl_foundation_pose
::CbTrackObjectPause
- objectTracker_
+ CbTrackObjectPause()
+ ~CbTrackObjectPause()
+ onEntry()
+ onExit()

cl_foundation_pose
::CbTrackObjectPose
- globalFrame_
- objectToTrackId_
- objectTracker_
+ CbTrackObjectPose()
+ ~CbTrackObjectPose()
+ onEntry()
+ onExit()
+ update()

cl_gcalcli::CbMonitorConnection
- client_
- connection_
+ CbMonitorConnection()
+ ~CbMonitorConnection()
+ onEntry()
+ onExit()
- onConnectionLost()
- onConnectionRestored()

cl_gcalcli::CbRefreshAgenda
- client_
- success_

+ CbRefreshAgenda()
+ ~CbRefreshAgenda()
+ onEntry()
+ wasSuccessful()

cl_gcalcli::CbStatus
- client_
- connection_state_
- events_
- active_events_
+ CbStatus()
+ ~CbStatus()
+ onEntry()
+ getConnectionState()
+ isConnected()
+ getEvents()
+ getActiveEvents()

cl_generic_sensor::
CbDefaultGenericSensorBehavior
< ClientType >
+ sensor_

+ subscriberComponent_
+ timeoutComponent_
+ deferredComponentConnection
+ CbDefaultGenericSensorBehavior()
+ onStateOrthogonalAllocation()
+ propagateMessageEvent()
+ propagateTimeoutEvent()
+ onEntry()
+ onExit()
+ onMessageCallback()
+ getEventLabel()

cl_http::CbHttpRequestBase
- kRequestType
- requestExecutor_
+ CbHttpRequestBase()
+ onStateOrthogonalAllocation()
+ runtimeConfigure()
+ onResponseReceived()
+ onEntry()
+ onExit()

cl_keyboard::CbDefaultKeyboard
Behavior
+ cpSubscriber1
+ postEventKeyPress
+ postEventArrowPress
+ onEntry()
+ onStateOrthogonalAllocation()
+ OnKeyPress()
+ OnArrowPress()
+ postKeyEvent()

cl_keyboard::CbKeyboardTwist
Teleop
- keyboardListener_
- twistPublisher_
- linearStep_
- angularStep_
- idleTwist_
- mutex_
- heldTwist_
- lastArrowTime_
- deadman_
+ CbKeyboardTwistTeleop()
+ onEntry()
+ onExit()
+ update()
- onArrowPress()

cl_nav2z::CbSeekWaypoint
+ waypointsNavigator_
+ options_
- count_
- seekWaypointName_
+ CbSeekWaypoint()
+ ~CbSeekWaypoint()
+ onEntry()
+ onExit()

cl_px4_mr::CbObstacleGuard
- guard_
- postTooClose_
- postCleared_
+ CbObstacleGuard()
+ ~CbObstacleGuard()
+ onStateOrthogonalAllocation()
+ onEntry()
+ onExit()
- onTooClose()
- onCleared()

cl_ros2_timer::CbTimerCountdownLoop
- loopDuration_
- wallTimer_
- postCountDownEvent_
- onTimerTick_
+ CbTimerCountdownLoop()
+ CbTimerCountdownLoop()
+ onEntry()
+ onExit()
+ onStateOrthogonalAllocation()
+ onTimerTick()

cl_ros2_timer::CbTimerCountdownOnce
- targetDuration_
- wallTimer_
- postCountDownEvent_
- onTimerTick_
+ CbTimerCountdownOnce()
+ CbTimerCountdownOnce()
+ onEntry()
+ onExit()
+ onStateOrthogonalAllocation()
+ onTimerTick()

smacc2::CbServiceServerCallback
Base< TService >
attachedClient_
+ onEntry()
+ onServiceRequestReceived()

smacc2::client_behaviors
::CbSubscriptionCallbackBase
< TMsg >
attachedClient_
+ onEntry()
+ onMessageReceived()

cl_http::CbHttpGetRequest

+ CbHttpGetRequest()

cl_http::CbHttpPostRequest

+ CbHttpPostRequest()