

smacc2::ISmaccComponent
stateMachine_ # owner_
+ ISmaccComponent() + ~ISmaccComponent() + getName() # onInitialize() # onComponentInitialization() # postEvent() # postEvent() # onOrthogonalAllocation() # onStateOrthogonalAllocation() # requiresComponent() # requiresComponent() # requiresComponent() # requiresComponent() # requiresClient() # createSiblingComponent() # createSiblingNamedComponent() # getNode() # getLogger() # getStateMachine() - initialize() - setStateMachine()



cl_nav2z::CpPlannerSwitcher
- desired_planner_ - desired_controller_ - set_planners_mode_flag_ - planner_selector_pub_ - controller_selector_pub_ - goal_checker_selector_pub_
+ CpPlannerSwitcher() + onInitialize() + setDesiredGlobalPlanner() + setDesiredController() + commitPublish() + setBackwardPlanner() + setUndoPathBackwardPlanner() + setForwardPlanner() + setPureSpinningPlanner() + setDefaultPlanners() + CpPlannerSwitcher() + onInitialize() + setDesiredGlobalPlanner() + setDesiredController() + commitPublish() + setBackwardPlanner() + setUndoPathBackwardPlanner() + setForwardPlanner() + setPureSpinningPlanner() + setDefaultPlanners()