
smacc2::ISmaccComponent
stateMachine_
owner_
+ ISmaccComponent()
+ ~ISmaccComponent()
+ getName()
+ onInitialize()
# onComponentInitialization()
# postEvent()
# postEvent()
# onStateOrthogonalAllocation()
# requiresComponent()
# requiresComponent()
# requiresClient()
# createSibling Component()
# createSiblingNamedComponent()
# getNode()
# getLogger()
# getStateMachine()
- initialize()
- setStateMachine()
smacc2::client_core _components::CpActionClient < ActionType >
+ actionServerName
+ serverTimeout
+ onActionSucceeded_
+ onActionAborted_
+ onActionCancelled_
+ onActionFeedback_
+ onGoalAccepted_
+ onGoalRejected_
+ postSuccessEvent
+ postAbortedEvent
+ postCancelledEvent
+ postFeedbackEvent
- client_
- lastRequest_
- lastCancelResponse_
- feedbackCallback_
- actionMutex_
+ CpActionClient()
+ ~CpActionClient()
+ sendGoal()
+ cancelGoal()
+ isServerReady()
+ waitForServer()
+ onInitialize()
+ onComponentInitialization()
+ onSucceeded()
+ onAborted()
+ onCancelled()
+ onFeedback()
+ onResult()
+ postResultEvent()
cl_keyboard::components ::CpKeyboardListener1
+ OnKeyPress_
- postEventKeyPress
+ CpKeyboardListener1()
+ ~CpKeyboardListener1()
+ onComponentInitialization()
+ OnKeyPress()
+ onKeyboardMessage()
+ postKeyEvent()
cl_lifecycle_node:: CpLifecycleEventMonitor
+ onTransitionCreate_
+ onTransitionConfigure_
+ onTransitionActivate_
+ onTransitionDeactivate_
+ onTransitionCleanup_
+ onTransitionUnconfigured Shutdown_
+ onTransitionInactiveShutdown_
+ onTransitionActiveShutdown_
+ onTransitionDestroy_
+ onTransitionOnConfigureSuccess_
+ onTransitionOnConfigureFailure_
+ onTransitionOnConfigureError_
+ onTransitionOnActivateSuccess_
+ onTransitionOnActivateFailure_
+ onTransitionOnActivateError_
+ onTransitionOnDeactivate Success_
+ onTransitionOnDeactivate Failure_
+ onTransitionOnDeactivate Error_
+ onTransitionOnCleanupSuccess_
+ onTransitionOnCleanupFailure_
+ onTransitionOnCleanupError_
+ onTransitionOnShutdownSuccess_
+ onTransitionOnShutdownFailure_
+ onTransitionOnShutdownError_
+ onTransitionOnActiveShutdown Success_
+ onTransitionOnActiveShutdown Failure_
+ onTransitionOnActiveShutdown Error_
+ onTransitionOnErrorSuccess_
+ onTransitionOnErrorFailure_
+ onTransitionOnErrorError_
- nodeName_
- subscription_
- lastTransitionEvent_
- eventMutex_
- postEventConfigure_
- postEventActivate_
- postEventDeactivate_
- postEventCleanup_
- postEventUnconfiguredShutdown_
- postEventInactiveShutdown_
- postEventActiveShutdown_
- postEventDestroy_
- postEventOnConfigureSuccess_
- postEventOnConfigureFailure_
- postEventOnConfigureError_
- postEventOnActivateSuccess_
- postEventOnActivateFailure_
- postEventOnActivateError_
- postEventOnDeactivateSuccess_
- postEventOnDeactivateFailure_
- postEventOnDeactivateError_
- postEventOnCleanupSuccess_
- postEventOnCleanupFailure_
- postEventOnCleanupError_
- postEventOnShutdownSuccess_
- postEventOnShutdownFailure_
- postEventOnShutdownError_
- postEventOnErrorSuccess_
- postEventOnErrorFailure_
+ CpLifecycleEventMonitor()
+ ~CpLifecycleEventMonitor()
+ setOwner()
+ getLastTransitionEvent()
+ onInitialize()
+ onStateOrthogonalAllocation()
- onTransitionEvent()
cl_lifecycle_node: CpLifecycleStateTracker
- currentState_
- stateMutex_
+ CpLifecycleStateTracker()
+ ~CpLifecycleStateTracker()
+ updateState()
+ getCurrentState()
+ getCurrentStateLabel()
+ getCurrentStateId()
+ onInitialize()
cl_moveit2c:CpGraspingComponent
+ fingerTipNames
+ gripperLink_
+ currentAttachedObjectName
- graspingObjects
+ getGraspingObject()
+ createGraspableBox()
cl_moveit2c:CpJointSpace TrajectoryPlanner
- moveit2cClient_
- ikClient_
+ CpJointSpaceTrajectoryPlanner()
+ ~CpJointSpaceTrajectoryPlanner()
+ onInitialize()
+ planFromWaypoints()
cl_moveit2c:CpMotionPlanner
- moveit2cClient_
+ CpMotionPlanner()
+ ~CpMotionPlanner()
+ onInitialize()
+ planToPose()
+ planToJointTarget()
+ planCartesianPath()
+ getCurrentState()
- applyPlanningOptions()
cl_moveit2c::CpTfListener
- tfBuffer
- tfListener_
- tfMutex_
+ CpTfListener()
+ ~CpTfListener()
+ onInitialize()
+ lookupTransform()
+ transformPose()
+ canTransform()
+ getBuffer()
cl_moveit2c::CpTrajectory Executor
- moveit2cClient_
- trajectoryHistory_
+ CpTrajectoryExecutor()
+ ~CpTrajectoryExecutor()
+ onInitialize()
+ execute()
+ executePlan()
+ cancel()
+ getTrajectoryHistory()
- applyExecutionOptions()
- recordToHistory()
cl_moveit2c::CpTrajectory History
- trajectoryHistory_
+ getLastTrajectory()
+ getLastTrajectory()
+ pushTrajectory()
cl_moveit2c::CpTrajectory Visualizer
- markersPub_
- markers_
- markersMutex_
- markersReady_
- enabled_
- markerScale_
- markerColor_
- publishRate_
- lastPublishTime_
+ CpTrajectoryVisualizer()
+ ~CpTrajectoryVisualizer()
+ onInitialize()
+ update()
+ setTrajectory()
+ clearMarkers()
+ setColor()
+ setScale()
+ setEnabled()
+ isEnabled()
cl_nav2z::CpAmcl
- initialPosePub_
+ CpAmcl()
+ ~CpAmcl()
+ getName()
+ onInitialize()
+ setInitialPose()
cl_nav2z::CpCostmap2dSwitch
+ layerNames
- costmapProxies
- nav2zClient_
+ CpCostmap2dSwitch()
+ onInitialize()
+ exists()
+ enable()
+ enable()
+ disable()
+ disable()
+ registerProxyFromDynamic ReconfigureServer()
+ getStandardCostmapName()
cl_nav2z::CpGoalCheckerSwitcher
- goal_checker_selector _topic_
- default_goal_checker _name_
- goal_checker_selector_pub_
+ CpGoalCheckerSwitcher()
+ onInitialize()
+ ~CpGoalCheckerSwitcher()
+ setDefaultGoalChecker()
+ setGoalCheckerId()
cl_nav2z::CpPlannerSwitcher
- desired_planner_
- desired_controller_
- set_planners_mode_flag_
- planner_selector_pub_
- controller_selector_pub_
- goal_checker_selector_pub_
+ CpPlannerSwitcher()
+ onInitialize()
+ setDesiredGlobalPlanner()
+ setDesiredController()
+ commitPublish()
+ setBackwardPlanner()
+ setUndoPathBackwardPlanner()
+ setForwardPlanner()
+ setPureSpinningPlanner()
+ setDefaultPlanners()
cl_nav2z::CpPose
+ isInitialized
+ frozenReferenceFrameTime
- pose_
- poseFrameName_
- referenceFrame_
- m_mutex_
- tfBuffer
- tfListener_
- listenerMutex_
+ CpPose()
+ CpPose()
+ onInitialize()
+ update()
+ waitTransformUpdate()
+ toPoseMsg()
+ toPoseStampedMsg()
+ getYaw()
+ getX()
+ getY()
+ getZ()
+ setReferenceFrame()
+ getReferenceFrame()
+ getFrameId()
+ freezeReferenceFrame()
+ unfreezeReferenceFrame()
cl_nav2z::CpSlamToolbox
- state_
+ CpSlamToolbox()
+ ~CpSlamToolbox()
+ getState()
+ toggleState()
cl_nav2z::CpWaypointsVisualizer
+ waypointsNavigator_
- m_mutex_
- markersPub_
- markers_
- markerLabels_
+ CpWaypointsVisualizer()
+ onInitialize()
# update()
- createMarker()
- createMarkerLabel()
cl_nav2z::components ::CpNav2zActionInterface
+ onNavigationSucceeded_
+ onNavigationAborted_
+ onNavigationCancelled_
+ onNavigationFeedback_
+ postNavigationSuccessEvent
+ postNavigationAbortedEvent
+ postNavigationCancelledEvent
+ postNavigationFeedbackEvent
- actionClient_
+ CpNav2zActionInterface()
+ ~CpNav2zActionInterface()
+ sendGoal()
+ cancelNavigation()
+ isNavigationServerReady()
+ waitForNavigationServer()
+ onComponentInitialization()
+ onInitialize()
+ getActionClient()
+ onNavigationSucceeded()
+ onNavigationAborted()
+ onNavigationCancelled()
+ onNavigationFeedback()
- onNavigationSuccessCallback()
- onNavigationAbortedCallback()
- onNavigationCancelledCallback()
- onNavigationFeedbackCallback()
cl_nav2z::odom_tracker ::CpOdomTracker
robotBasePathPub_
robotBasePathStackedPub_
odomSub_
robotPose_
robotPoseTimer_
recordPointDistanceThreshold_
recordAngularDistanceThreshold_
clearPointDistanceThreshold_
clearAngularDistanceThreshold_
odomFrame_
odomTopicName_
publishMessages_
baseTrajectory_
workingMode_
pathStack_
pathInfos_
aggregatedStackPathMsg_
strategy_
currentMotionGoal_
currentPathName_
param_callback_handle_
m_mutex_
+ CpOdomTracker()
+ processNewPose()
+ odomMessageCallback()
+ update()
+ setWorkingMode()
+ setPublishMessages()
+ pushPath()
+ pushPath()
+ popPath()
+ clearPath()
+ setStartPoint()
+ setStartPoint()
+ setCurrentMotionGoal()
+ setCurrentPathName()
+ getCurrentMotionGoal()
+ getPath()
+ logStateString()
+ updateParameters()
+ setOdomFrame()
# onInitialize()
# updateConfiguration()
# rtPublishPaths()
# updateRecordPath()
# updateClearPath()
# updateAggregatedStackPath()
# parametersCallback()
cl_ros2_timer::components ::CpTimerListener1
+ onTimerCompleted_
- timerComponent_
- postTimerEvent_
+ CpTimerListener1()
+ ~CpTimerListener1()
+ onStateOrthogonalAllocation()
+ onInitialize()
+ onTimerCompleted()
- onTimerTickCallback()
cl_nav2z::CpWaypointNavigatorBase
+ waypointsEventDispatcher
+ currentWaypoint_
# waypoints_
# waypointsNames_
+ CpWaypointNavigatorBase()
+ ~CpWaypointNavigatorBase()
+ onInitialize()
+ onStateOrthogonalAllocation()
+ loadWayPointsFromFile()
+ loadWayPointsFromFile2()
+ setWaypoints()
+ setWaypoints()
+ getWaypoints()
+ getWaypointNames()
+ getNamedPose()
+ getPose()
+ getCurrentPose()
+ getCurrentWaypointIndex()
+ getCurrentWaypointName()
+ rewind()
+ forward()
+ seekName()
+ loadWaypointsFromYamlParameter()
+ notifyGoalReached()
# insertWaypoint()
# removeWaypoint()
smacc2::client_core _components::CpRos2Timer
+ onTimerTick_
- timer_
- duration_
- oneshot_
- initialized_
+ CpRos2Timer()
+ ~CpRos2Timer()
+ onInitialize()
+ startTimer()
+ stopTimer()
+ cancelTimer()
+ onTimerTick()
- timerCallback()
smacc2::client_core _components::CpServiceClient < ServiceType >
+ serviceName
+ serviceTimeout
+ onServiceResponse_
+ onServiceRequestSent_
+ onServiceFailure_
+ postResponseEvent
+ postRequestSentEvent
+ postFailureEvent
- client_
- lastRequest_
- serviceMutex_
+ CpServiceClient()
+ CpServiceClient()
+ CpServiceClient()
+ ~CpServiceClient()
+ sendRequest()
+ sendRequestSync()
+ isServiceReady()
+ waitForService()
+ onInitialize()
+ onComponentInitialization()
+ onResponse()
+ onRequestSent()
+ onFailure()
+ getServiceClient()
smacc2::client_core _components::CpTopicPublisher < MessageType >
+ CpTopicPublisher()
+ ~CpTopicPublisher()
+ publish()
+ onInitialize()
smacc2::client_core _components::CpTopicSubscriber < MessageType >
+ queueSize
+ postMessageEvent
+ postInitialMessageEvent
+ onFirstMessageReceived_
+ onMessageReceived_
- sub_
- firstMessage_
- initialized_
- topicName_
+ CpTopicSubscriber()
+ CpTopicSubscriber()
+ ~CpTopicSubscriber()
+ onMessageReceived()
+ onFirstMessageReceived()
+ onStateOrthogonalAllocation()
+ onInitialize()
- messageCallback()
smacc2::client_core _components::CpActionClient < nav2_msgs::action::NavigateToPose >
+ actionServerName
+ serverTimeout
+ onActionSucceeded_
+ onActionAborted_
+ onActionCancelled_
+ onActionFeedback_
+ onGoalAccepted_
+ onGoalRejected_
+ postSuccessEvent
+ postAbortedEvent
+ postCancelledEvent
+ postFeedbackEvent
- client_
- lastRequest_
- lastCancelResponse_
- feedbackCallback_
- actionMutex_
+ CpActionClient()
+ CpActionClient()
+ ~CpActionClient()
+ sendGoal()
+ cancelGoal()
+ isServerReady()
+ waitForServer()
+ onInitialize()
+ onComponentInitialization()
+ onSucceeded()
+ onAborted()
+ onCancelled()
+ onFeedback()
+ getActionClient()
- onFeedback()
- onResult()
- postResultEvent()
smacc2::client_core _components::CpActionClient < ActionT >
+ actionServerName
+ serverTimeout
+ onActionSucceeded_
+ onActionAborted_
+ onActionCancelled_
+ onActionFeedback_
+ onGoalAccepted_
+ onGoalRejected_
+ postSuccessEvent
+ postAbortedEvent
+ postCancelledEvent
+ postFeedbackEvent
- client_
- lastRequest_
- lastCancelResponse_
- feedbackCallback_
- actionMutex_
+ CpActionClient()
+ CpActionClient()
+ ~CpActionClient()
+ sendGoal()
+ cancelGoal()
+ isServerReady()
+ waitForServer()
+ onInitialize()
+ onComponentInitialization()
+ onSucceeded()
+ onAborted()
+ onCancelled()
+ onFeedback()
+ getActionClient()
- onFeedback()
- onResult()
- postResultEvent()
cl_nav2z::CpWaypointNavigator
+ client_
+ nav2ActionInterface_
+ onNavigationRequestSucceded
+ onNavigationRequestAborted
+ onNavigationRequestCancelled
- succeddedNav2ZClientConnection_
- abortedNav2ZClientConnection_
- cancelledNav2ZClientConnection_
+ CpWaypointNavigator()
+ onInitialize()
+ onStateOrthogonalAllocation()
+ sendNextGoal()
+ stopWaitingResult()
+ onNavigationResult()
- onGoalReached()
- onGoalCancelled()
- onGoalAborted()
nav2_msgs::action ::NavigateToPose
ActionT