

cl_moveit2z::CbAttachObject
::onStateOrthogonalAllocation

cl_moveit2z::CbDetachObject
::onStateOrthogonalAllocation

cl_moveit2z::CbMoveEndEffector
Trajectory::onStateOrthogonalAllocation

cl_moveit2z::CbMoveit2zClient
BehaviorBase::onStateOrthogonalAllocation

```
graph LR; A[cl_moveit2z::CbAttachObject::onStateOrthogonalAllocation] --> D[cl_moveit2z::CbMoveit2zClientBehaviorBase::onStateOrthogonalAllocation]; B[cl_moveit2z::CbDetachObject::onStateOrthogonalAllocation] --> D; C[cl_moveit2z::CbMoveEndEffectorTrajectory::onStateOrthogonalAllocation] --> D;
```

The diagram illustrates a dependency or inheritance relationship. Three source boxes on the left, each containing a function name and its associated allocation type, have blue arrows pointing to a single target box on the right. The target box contains the name of the client class and its associated allocation type. The source boxes are: 1. cl_moveit2z::CbAttachObject::onStateOrthogonalAllocation, 2. cl_moveit2z::CbDetachObject::onStateOrthogonalAllocation, and 3. cl_moveit2z::CbMoveEndEffectorTrajectory::onStateOrthogonalAllocation. The target box is: cl_moveit2z::CbMoveit2zClientBehaviorBase::onStateOrthogonalAllocation.