

smacc2::ISmaccClientBehavior
- stateMachine_ - currentState - currentOrthogonal
+ ISmaccClientBehavior() + ~ISmaccClientBehavior() + getStateMachine() + getName() + requiresClient() + requiresComponent() + requiresComponent() + onEntry() + onExit() + executeOnEntry() + executeOnExit() # runtimeConfigure() # postEvent() # postEvent() # getCurrentState() # dispose() # getNode() # getLogger() - onStateOrthogonalAllocation()



smacc2::SmaccAsyncClientBehavior
- onEntryThread_ - onExitThread_ - postFinishEventFn_ - postSuccessEventFn_ - postFailureEventFn_ - onFinished_ - onSuccess_ - onFailure_ - isShutdownRequested_
+ onStateOrthogonalAllocation() + ~SmaccAsyncClientBehavior() + onSuccess() + onFinished() + onFailure() + requestForceFinish() + executeOnEntry() + executeOnExit() + waitOnEntryThread() + onSuccess() + onFinished() + onFailure() # postSuccessEvent() # postFailureEvent() # dispose() # isShutdownRequested() - waitFutureIfNotFinished()

smacc2::ISmaccUpdatable
- periodDuration_ - lastUpdate_
+ ISmaccUpdatable() + ISmaccUpdatable() + executeUpdate() + setUpdatePeriod() # update()



cl_px4_mr::CbPx4ClientBehaviorBase
vehicleCommand_ # vehicleStatus_ # trajectorySetpoint_ # goalChecker_ # localPosition_ # offboardKeepAlive_ - completed_ - timeoutMs_ - watchdogStart_
+ onStateOrthogonalAllocation() + ~CbPx4ClientBehaviorBase() + setTimeout() + hasTimeout() + update() # wireCompletionSignals() # postPx4Success() # postPx4Failure()



cl_px4_mr::CbReturnToHome
- homeX_ - homeY_ - homeZ_ - homeYaw_
+ CbReturnToHome() + onEntry() + wireCompletionSignals() + onExit() - onGoalReachedCallback()