

| smacc2::ISmaccComponent                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| # stateMachine_<br># owner_                                                                                                                                                                                                                                                                                                                                                                                                   |
| + ISmaccComponent()<br>+ ~ISmaccComponent()<br>+ getName()<br># onInitialize()<br># onComponentInitialization()<br># postEvent()<br># postEvent()<br># onStateOrthogonalAllocation()<br># requiresComponent()<br># requiresComponent()<br># requiresClient()<br># createSiblingComponent()<br># createSiblingNamedComponent()<br># getNode()<br># getLogger()<br># getStateMachine()<br>- initialize()<br>- setStateMachine() |

| smacc2::ISmaccUpdatable                                                                              |
|------------------------------------------------------------------------------------------------------|
| - periodDuration_<br>- lastUpdate_                                                                   |
| + ISmaccUpdatable()<br>+ ISmaccUpdatable()<br>+ executeUpdate()<br>+ setUpdatePeriod()<br># update() |

| cl_px4_mr::CpGoalChecker                                                                                                      |
|-------------------------------------------------------------------------------------------------------------------------------|
| + onGoalReached_<br>- localPosition_<br>- goalX_<br>- goalY_<br>- goalZ_<br>- xyTolerance_<br>- zTolerance_<br>- goalActive_  |
| + CpGoalChecker()<br>+ ~CpGoalChecker()<br>+ onInitialize()<br>+ update()<br>+ setGoal()<br>+ clearGoal()<br>+ isGoalActive() |

