
smacc2::ISmaccClientBehavior
- stateMachine_
- currentState_
- onSmaccSignal
+ ISmaccClientBehavior()
+ ~ISmaccClientBehavior()
+ getStateMachine()
+ getName()
+ requiresClient()
+ requiresComponent()
+ onEntry()
+ onExit()
+ executeOnEntry()
+ executeOnExit()
# runtimeConfigure()
# postEvent()
# postEvent()
# getCurrentState()
# getGlobal()
# getNode()
# get_logger()
- onOrthogonalAllocation()
- onStateOrthogonalAllocation()
smacc2::SmaccAsyncClientBehavior
- onEntryThread_
- onExitThread_
- postFinishEventFn_
- postSuccessEventFn_
- postFailureEventFn_
- getFinished_
- onSuccess_
- getFailure_
isShutdownRequested_
+ onOrthogonalAllocation()
+ onStateOrthogonalAllocation()
+ ~SmaccAsyncClientBehavior()
+ onSuccess()
+ onFailure()
+ setFailure()
+ requestFinish()
+ executeOnEntry()
+ executeOnExit()
+ waitOnEntryThread()
+ onSuccess()
+ getFinished()
+ onFailure()
# postSuccessEvent()
# postFailureEvent()
# dispose()
# isShutdownRequested()
- setPostEventMethod()
smacc2::client_behaviors::CbSaveStartPose
+ resultFuture_
+ result_
- poiPlate_
client_
serviceName_
request_
+ CbServiceCall()
+ CbServiceCall()
+ onEntry()
# onServiceResponse()
smacc2::client_behaviors::CbSaveStartPoseFromTopic
- resultFuture_
- result_
- poiPlate_
client_
serviceName_
request_
+ CbServiceCall()
+ CbServiceCall()
+ onEntry()
# onServiceResponse()
cl_nav2z::CbSaveSlamMap
+ nav2_msgs::srv::SaveMap >
+ CbSaveSlamMap()
+ onExit()
- getRequest()
- CbSaveSlamMap()
+ onExit()
- getRequest()
cl_nav2z::CbPauseSlam
slam_
+ CbPauseSlam()
+ onEntry()
+ CbPauseSlam()
+ onEntry()
cl_nav2z::CbResumeSlam
slam_
+ CbResumeSlam()
+ onEntry()
+ CbResumeSlam()
+ onEntry()
cl_lifecyclenode::CbActivate
- lifecycleNodeClient_
+ CbActivate()
+ ~CbActivate()
+ onOrthogonalAllocation()
+ onEntry()
cl_lifecyclenode::CbDeactivate
- lifecycleNodeClient_
+ CbDeactivate()
+ ~CbDeactivate()
+ onOrthogonalAllocation()
+ onEntry()
cl_lifecyclenode::CbConfigure
- lifecycleNodeClient_
+ CbConfigure()
+ ~CbConfigure()
+ onOrthogonalAllocation()
+ onEntry()
cl_lifecyclenode::CbCleanup
- lifecycleNodeClient_
+ CbCleanup()
+ ~CbCleanup()
+ onOrthogonalAllocation()
+ onEntry()
cl_lifecyclenode::CbDeactivateOnExit
- lifecycleNodeClient_
+ CbDeactivateOnExit()
+ ~CbDeactivateOnExit()
+ onOrthogonalAllocation()
+ onExit()
cl_lifecyclenode::CbDestroy
- lifecycleNodeClient_
+ CbDestroy()
+ ~CbDestroy()
+ onOrthogonalAllocation()
+ onEntry()
cl_lifecyclenode::CbShutdown
- lifecycleNodeClient_
+ CbShutdown()
+ ~CbShutdown()
+ onOrthogonalAllocation()
+ onEntry()
cl_move2z::CbAttachObject
+ targetObjectName_
+ CbAttachObject()
+ ~CbAttachObject()
+ onEntry()
+ onExit()
cl_move2z::CbDetachObject
+ ~CbDetachObject()
+ onEntry()
+ onExit()
cl_move2z::CbMoveCartesianRelative
+ offset_
+ scalingFactor_
+ group_
+ moveGroupClient_
+ CbMoveCartesianRelative()
+ CbMoveCartesianRelative()
+ onEntry()
+ onExit()
+ moveRelativeCartesian()
cl_move2z::CbMoveEndEffectorRelative
+ targetPose
+ tip_link_
+ group_
# moveGroupClient_
+ CbMoveEndEffectorRelative()
+ CbMoveEndEffectorRelative()
+ onEntry()
+ onExit()
# moveToAbsolutePose()
cl_move2z::CbMoveEndEffectorRelative
+ transVarname_
+ group_
# moveGroupClient_
+ CbMoveEndEffectorRelative()
+ CbMoveEndEffectorRelative()
+ onEntry()
+ onExit()
# moveRelative()
cl_move2z::CbMoveEndEffectorTrajectory
+ group_
+ tip_link_
+ globalStartTrajectoryState
+ globalEndTrajectory_
# endEffectorTrajectory_
# movegroupClient_
+ bwdVisMarkers_
- markersPub_
- markersInitialized_
- trsrv_
- m_mutex_
- poseJointDiscontinuityEvent
- jointMovementInitialized_
- pose
- publishExecutionFailureEvents
- autoclearmarkers
+ CbMoveEndEffectorTrajectory()
+ CbMoveEndEffectorTrajectory()
+ onOrthogonalAllocation()
+ onEntry()
+ onExit()
+ update()
+ computeJointSpaceTrajectory()
+ computeCartSpaceTrajectory()
+ generateTrajectory()
+ createMarkers()
# getCurrentEndEffectorPose()
- initializeROS()
cl_move2z::CbMoveJoints
+ scalingFactor_
+ jointValueTarget_
+ group_
# movegroupClient_
+ CbMoveJoints()
+ CbMoveJoints()
+ onEntry()
+ onExit()
# moveJoints()
cl_move2z::CbMoveNamedTarget
movegroupClient_
namedTarget_
+ CbMoveNamedTarget()
+ onEntry()
+ onExit()
+ getNamedTargetValues()
cl_nav2z::CbMoveNavigation
- navActionInterface_
- navClient_
+ CbMoveNavigation()
+ CbMoveNavigation()
+ onOrthogonalAllocation()
+ onEntry()
+ onExit()
+ onExit