

Semi-Humanoid Robot Catalog 2026

206 robots (+11 borderline/excluded, marked)
Compiled 2 August 2026

Roboteur Research

Andreas Köpf (x.com/neurosp1ke)

compiled by Claude Fable 5

Contents

Section	Robots	Page
China	60	p. 4
USA & Canada	43	p. 20
Europe	36	p. 32
Japan 日本	31	p. 42
South Korea 한국	15	p. 51
Rest of world	21	p. 56
Annex: borderline & excluded	11	p. 63

Alphabetical robot index overleaf. Entries and section names are clickable in PDF viewers that support internal links.

Robot index (A–Z)

A2-W AgiBot (Zhiyuan Roboti	5	GARMi TUM MIRMI (Geriatric	40	PR2 Willow Garage	30
Abi Andromeda Robotics	57	Gary Unlimited Robotics	58	Promobot V.4 Promobot	58
ADA-7 AKINROBOTICS (AKINSOFT	57	GenBot Genrobotics (Genroboti	59	ProWhite 2.0 (+ Zeus 1) PL-Universe	17
ADAM Richtech Robotics Inc.	23	Genie G2 AgiBot (Zhiyuan Roboti	5	Psi V1 PsiBot / Lingchu Intel	17
Adam-U PNDbotics	10	Ginger (Nepal) Paaila Technology	58	Punyo Toyota Research Instit	27
Aeo Aeolus Robotics, Inc.	21	Ginger (XR-1 / Cloud Ginger 1. CloudMinds / Dataa Rob	19	Q5 Robot Era	11
AEON Hexagon Robotics (Hexa	65	GoMate GAC Group	64	QTrobot LuxAI S.A.	33
AGIRobots Worker AGIRobots Inc.	45	GRW Fourier Intelligence	14	Quanta X2 X Square Robot	18
AI Worker (FFW-SG2 / FFW-B... ROBOTIS	52	Guardian XT Palladyne AI (formerly	29	R-noid Robot.com (ex-Kiwibot)	24
AICO 2 Flexiv	14	H1 Zerith Robotics	13	R1 Robbyant (Ant Lingbo T	15
AILA DFKI Robotics Innovati	41	Helios Rokae Robotics	15	R1 Istituto Italiano di T	39
AIREC (Dry-AIREC ver. 1.0) Waseda University Suga	48	HERB 2.0 CMU Personal Robotics	28	R1 Pro Galaxea AI	7
Alex Boardwalk Robotics	21	HIVA (Haiwa) Haier (platform: Robot	14	R1-D Unitree Robotics	12
Alfie RobCo	36	HMND 01 (wheeled) / Alpha ... Humanoid (Humanoi...	38	R2D3 Open Droids	22
Alfie Prosper Robotics	38	Hobbs / Hobbs W1 Noetix Robotics	10	RB-Y1 Rainbow Robotics	52
ALICE M1 A Robot / AeIROBOT	52	HoLLiE (HoLLIE C) FZI Research Center fo	39	Reachy 2 Pollen Robotics (Huggi	35
ALLEX WIRobotics	54	Honda Avatar Robot Honda Motor Co., Ltd.	47	RealBot-S2 / RealBot-L2 RealMan Robotics	15
Alpha Duatic AG	37	Human Support Robot (HSR) Toyota	66	Reflex Reflex Robotics	23
ALPHA (Automated Litter Proces TeknTrash	38	I-Series (wheeled variant) Simplicity Robotics	18	ROBEAR RIKEN / Sumitomo Riko	49
AlphaBot 2 AI² Robotics	5	ibuki Osaka University Ishig	47	RoBee Oversonic Robotics	34
Alter-Ego (Alter-Ego X) Univ. Pisa Centro Piag	40	iggyRob igus GmbH	35	ROBIN Roboligient Inc.	25
AMBIDEX NAVER LABS	55	ILBOT I.L	54	Robina Toyota Motor Corporati	50
Ameca Engineered Arts	33	InMoov Open-source project (G	34	Robo-C / Robo-C2 Promobot	61
AMIGO Tech United, TU Eindhoven	41	Isaac 1 Weave Robotics	25	Robody Devanthro GmbH (The Ro	37
ARI PAL Robotics	34	Juliet Haohai Xingkong (HHS R	8	Robonaut 2 (R2) NASA JSC + General Mot	29
ARMAR-7 KIT H2T (High Performa	39	K1W JAKA Robotics	9	Robovie-R3 Vstone (ATR lineage)	44
Astra (with Apollo wheeled/ped Aptronik	28	Kargo JAKA Robotics	9	Rollin' Justin DLR Institute of Robot	39
AstroD. AD-01 (AstroDroid) Elu.AI / INFIFORCE	16	KIKI Alfa Robotics	61	RoNA (Robotic Nursing Assistan Hstar Technologies	28
Axol Almond (Almond Robotic	21	Kime Macco Robotics	33	S1 Astribot (Stardust Int	6
BamBot B0 Open-source project (T	57	KNEWBOTS wheel-arm robot KNEWBOTS	14	S1 Galbot / Galaxy Genera	8
Baxter Rethink Robotics	30	KP-BOT Asimov Robotics Pvt Lt	61	SageMan (iSAGE STAR) iSAGEBOT / Shanghai SA	16
BEAR (Battlefield Extraction-A Vecna Technologies	30	KR1 / Kinisi 01 Kinisi Robotics	26	Sanbot Max (King Kong) Qihan Technology	19
Beomni 1.0 Beyond Imagination, In	26	L1 Moon Dynamics	64	Sara QSS AI & Robots	60
Billy Neubility	53	Leenby Cybedroid	40	Sciurus17 RT Corporation	44
Bimanual Svaya Robotics	59	LIFT2 (ARX-LIFT2) ARX Robotics	5	Sean Zeroth Robotics	18
Bot Handy Samsung Research (Sams	66	M-Hubo KAIST Hubo Lab	54	SEED-Noid (SEED-R7 series) THK / SEED Solutions	44
ByteMini ByteDance Seed	19	M1 Mobile Manipulator Meka Robotics	29	Simba (V1, Medium Payload ... Deft Robotics	21
Calvin-40 Wandercraft	65	Maker H01 GigaAI	17	Songyi Siasun Robot & Automat	18
Care-O-bot 4 Mojin Robotics (now 4a	41	Mech Dexterity, Inc.	22	Sophia Hanson Robotics	57
CASBOT W1 / W2 CASBOT (Beijing Zhongk	6	MELTANT-beta MELTIN MMI	49	Spaceo M1 / Spaceo Pro Muks Robotics	59
CASIVBOT CasiVision	13	Memo Sunday Robotics (Sunda	25	Steve Sulu.be (Jan De Coster	35
Centaur-G1 Elite Robots	13	Mercury X1 Elephant Robotics	7	Stretch 3 Hello Robot	64
CIROS KIST	55	MH3 Mirsee Robotics	31	Syntro (V17) WorkFar Inc.	26
CLOiD LG Electronics	52	MiPa NEURA Robotics GmbH	36	T1 Astribot / Stardust In	6
Clone Torso Clone Robotics	36	MIRO U Midea Group	10	TARA GEN1 iHub Robotics (IHUB Re	58
Cobot Magic AgileX Robotics	6	Mirokai Enchanted Tools	33	The Five (XiaoWu) Tencent Robotics X	64
Cody Georgia Tech Healthcar	28	Mitra Invento Robotics	61	TIAGo Pro PAL Robotics	34
Cosero University of Bonn — N	41	Mobile AI Trossen Robotics	24	TIAGo++ / TIAGo OMNI++ PAL Robotics	35
Cruze S2 UBTech Robotics	12	Mobile ALOHA Stanford University (I	27	Tian Yi 2.0 X-Humanoid (Beijing Hu	13
D7 Pudu Robotics	11	Mobile FR3 Duo Franka Robotics	37	TITAN RoboForce	23
DAL-e Hyundai Motor Group (R	55	Moby Noble Machines (ex-Und	65	TM Xplore 1 Techman Robot	60
DEUX XYZ Inc.	53	Model-T Telexistence Inc.	50	Tobi TwoLabs	27
Dex Richtech Robotics Inc.	25	Modular O-ID	45	TOPIO Dio TOSY Robotics JSC	62
DiaroID Mitsubishi Electric	46	Monty Anybots	65	TORA-ONE PaXini Tech	10
Domo MIT CSAIL Humanoid Rob	29	MOTOMAN NEXT-NHC10DE Yaskawa Electric	45	Torobo (Torobo2) Tokyo Robotics Inc.	44
DYNA-1 Dyna Robotics	22	MOVO Kinova	31	TR Works T-Robotics	54
e3 (e³-Mobile / e³-Desktop / e HexFellow Robotics	8	Moz1 Spirit AI	12	TWENDY-ONE Waseda University Suga	48
Eden I Eden Robotics, Inc.	37	Nadine NTU Singapore (IMI); h	60	TWH020 (Xiaotuo) Topstar Technology	16
Eggie Tangible Robots	27	NEXTAGE / NEXTAGE Fillie Kawada Robotics	43	U05 (UU U05) Canbot	7
EIR Neuromeka	53	Northstar UMA	38	uBot series (uBot-5/6/7) UMass Amherst Laborato	30
ELEY Toyota	47	Nurabot Foxconn (Hon Hai) + Ka	46	ugo Pro ugo, Inc. (ex-Mira Rob	45
EMIEW3 Hitachi	66	Nyokkey Kawasaki Heavy Industr	46	Vega Dexmate, Inc.	22
Eno Genesis AI	26	Nyro Individual maker (Ryot	46	VersaBot VB1 / VB1-I / VB2 Lanxin Robotics	9
enon Fujitsu Frontech / Fuj	48	Onero H1 SwitchBot (OneRobotics	15	Vinci SVT Robot (Hangzhou Sp	17
EVE 1X Technologies (ex-Ha	40	Operator OP1 Ultra (Ultra Robotics)	24	Vyommitra ISRO (Vikram Sarabhai	60
FlashBot Arm Pudu Robotics	11	OriHime-D OryLab Inc. (Ory Labor	43	W1 Pro DexForce	7
Foodly RT Corporation	43	Panda dual-arm mobile manip... PRIN Lab (NII)	47	wakamaru Mitsubishi Heavy Indus	49
Friday Holiday Robotics	53	Pepper SoftBank Robotics (ori	50	Walden W0.5 Walden Robotics	24
Futuring 2 Futuring Robot	16	Phoenix (Generation 8) Sanctuary AI	31	Wanda 2.0 UniX AI	12
G1 Galbot (Galaxy General	8	pib.Pro isento GmbH / isento r	36	WorkSense W-01 Seiko Epson	49
G1 GITAI	48	PR-34D Perceptyne	59	X1-PRO (with X1 predecessor... SEER Robotics	11

XLeRobot Open-source project (V
XMAN-R1 Keenon Robotics

23 Zero-shiki Jinki ver.2.0 / Mul Jinki Ittai (developer
9 Zoomlion wheeled humanoid (... Zoomlion

43
19

China

60 robots

34 shipping · 12 announced · 11 prototype · 1 research · 2 discontinued




AlphaBot 2 爱宝 (Aibao)
AI² Robotics · China · **shipping**

Base	wheeled mobile base with retractable waist-leg torso
Size	— mm / — kg
DoF	34 total / — per arm
Payload	10 kg/arm
Speed/runtime	— m/s / 6 h
End effector	5-finger dexterous hands (official imagery); parall...
Compute	on-device (edge) inference for AlphaBrain GOVLA; ha...
Price	—
Web	ai2robotics.com/en/about



LIFT2 (ARX-LIFT2) ARX-LIFT2
ARX Robotics · China · **shipping**

Base	omnidirectional wheeled base with motorized lift co...
Size	— mm / — kg
DoF	— total / 6 per arm
Payload	5 kg/arm
Speed/runtime	— m/s / — h
End effector	parallel-jaw grippers; leader-arm / VR teleop
Compute	onboard mini-PC + CAN hub (per vendor setup photos)
Price	from CNY 249,800
Web	arx-x.com



A2-W 远征A2-W
AgiBot (Zhiyuan Robotics) · China · **shipping**

Base	wheeled (4WD omni, zero turning radius, crab-walk)
Size	1630 mm / 230 kg
DoF	22 total / 7 per arm
Payload	5 kg/arm
Speed/runtime	— m/s / 5 h
End effector	swappable; two-finger grippers in industrial deploy...
Compute	275 TOPS onboard AI compute (platform not named)
Price	RMB 400k-800k (~USD 56k-112k) insider range, not of...
Web	www.agibot.com/products/A2_W



Genie G2 精灵G2
AgiBot (Zhiyuan Robotics) · China · **shipping**

Base	wheeled (4-DoF omnidirectional chassis: omni, crab-...
Size	1795 mm / 185 kg
DoF	26 total / 7 per arm
Payload	5 kg/arm
Speed/runtime	1.5 m/s / 4 h
End effector	quick-swap end-effectors: optional 19-DOF dexterous...
Compute	NVIDIA Jetson Thor T5000, 2070 TFLOPS (FP4), <10ms ...
Price	not disclosed; predecessor Genie G1 at RMB 450k (~U...
Web	www.agibot.com/products/G2




Cobot Magic Cobot Magic (Mobile ALOHA platform)
AgileX Robotics · China · **shipping**

Base	Tracer two-wheel differential AGV base, 685x570x155...
Size	— mm / 30 kg
DoF	24 total / 6 per arm
Payload	1.5 kg/arm
Speed/runtime	— m/s / — h
End effector	parallel grippers (gripper ROS package); leader-fol...
Compute	NVIDIA Jetson Orin Nano 8GB dev kit (data acquisiti...
Price	~USD 48k class via distributors (India listing ₹3,9...
Web	global.agilex.ai/products/cobot-magic



S1 Astribot S1
Astribot (Stardust Intelligence) · China · **shipping**

Base	wheeled (3-DoF omnidirectional base) + flexing tors...
Size	1700 mm / 90 kg
DoF	23 total / 7 per arm
Payload	10 kg/arm
Speed/runtime	— m/s / 5 h
End effector	parallel-jaw grippers standard; dexterous-hand inte...
Compute	onboard AI processors for real-time control and sen...
Price	research edition ~RMB 500k (~USD 69k); B2B quote; T...
Web	www.astribot.com




T1 Astribot T1
Astribot / Stardust Intelligence · China · **shipping**

Base	wheeled (compact base)
Size	1550 mm / 66 kg
DoF	23 total / — per arm
Payload	5 kg/arm
Speed/runtime	1.4 m/s / 4-6 h
End effector	interchangeable: parallel gripper or 5-finger dexte...
Compute	—
Price	from RMB 89,900 (~USD 13k); higher-spec variant ~RM...
Web	www.guijicankao.com/products/astribot-astribot-t1



CASBOT W1 / W2 灵贰
CASBOT (Beijing Zhongke Huiling Robot Technology) · China · **shipping**

Base	bipedal legs (NOTE: discovery misclassified 02 as w...
Size	1630 mm / 55 kg
DoF	33 total / 7 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	multi-functional bionic dexterous hands; dual-finge...
Compute	275 TOPS onboard AI compute
Price	from RMB 328,800 on JD.com (02); 02 Lite dev platfo...
Web	www.geekpark.net/news/352008




2019
CES
ASIA

U05 (UU U05) 优友U05

Canbot · China · shipping

Base	three-wheel wheeled base, auto-docking charging
Size	1300 mm / — kg
DoF	22 total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / 8 h
End effector	gesturing hands only, no functional gripper
Compute	—
Price	HKD 320,000 (HK reseller, historical/out-of-stock)
Web	www.uurobot.com/en



W1 Pro 跨维W1 Pro

DexForce · China · shipping

Base	wheeled; omnidirectional (40 DoF config) or differe...
Size	1636 mm / 100 kg
DoF	34 (dif... total / 7 per arm
Payload	10 kg/arm
Speed/runtime	— m/s / 8 h
End effector	configurable: 5-finger dexterous hand or 2-finger g...
Compute	>=300 TOPS proprietary platform; distributed PC arc...
Price	—
Web	www.dexforce.com



Mercury X1 Mercury X1 水星X1

Elephant Robotics · China · shipping

Base	wheeled AGV base (torso = Mercury B1)
Size	1180 mm / 55 kg
DoF	19 total / 7 per arm
Payload	1 kg/arm
Speed/runtime	1.2 m/s / 8 h
End effector	flange for myCobot-ecosystem grippers/suction; no d...
Compute	Jetson Orin Nano SUPER 8GB (67 TOPS) + 128-CUDA-cor...
Price	USD 15,999 (X1); Mercury B1 torso ~EUR 17,599 at EU...
Web	www.elephantrobotics.com/en/mercury-x1-en



R1 Pro 星海图 R1 Pro

Galaxea AI · China · shipping


Base	wheeled omnidirectional; 3 self-developed steering-...
Size	1700 mm / 96 kg
DoF	26 total / 7 per arm
Payload	3.5 kg/arm
Speed/runtime	1.5 m/s / — h
End effector	Galaxea G1 force-controlled parallel gripper (100 N...
Compute	NVIDIA Jetson AGX Orin 32GB class: 8-core 2.2 GHz, ...
Price	USD 69,999 (US reseller Robotopian)
Web	docs.galaxea-ai.com/Guide/R1Pro/hardware_introduction/R1P...



G1 Galbot G1

Galbot (Galaxy General) · China · shipping


Base	wheeled omnidirectional base + single telescoping/f...
Size	1730 mm / 85 kg
DoF	24 total / 7 per arm
Payload	5 kg/arm
Speed/runtime	1.5 m/s / 10 h
End effector	parallel 2-finger grippers (deployments); dexterous...
Compute	NVIDIA Jetson AGX Orin 64GB (275 TOPS)
Price	JD.com RMB 690-700k (~USD 97k); flash sale RMB 630k...
Web	www.galbot.com



S1 Galbot S1 (银河通用)

Galbot / Galaxy General · China · shipping

Base	four-wheel omnidirectional AMR base with mast
Size	1793 mm / 320 kg
DoF	— total / — per arm
Payload	30 kg/arm
Speed/runtime	1.5 m/s / 8 h
End effector	2-finger industrial grippers/claws
Compute	NVIDIA Jetson AGX Orin 64 GB (275 TOPS)
Price	~USD 55,000 listed (inquire; likely marketing ancho...
Web	www.galbot.com



Juliet 朱丽叶

Haohai Xingkong (HHS Robotics) · China · shipping

Base	wheeled composite humanoid (concealed wheeled base)
Size	— mm / — kg
DoF	— total / — per arm
Payload	10 kg/arm
Speed/runtime	— m/s / 24h opera... h
End effector	two-finger gripper with wrist camera (from photos);...
Compute	—
Price	—
Web	www.guancha.cn/GongSi/2026_07_20_824397.shtml



e3 (e³-Mobile / e³-Desktop / e³-Mobile-π) e³

HexFellow Robotics · China · shipping

Base	modular: TRIGGER-A3 3-omni-wheel holonomic (π varia...
Size	— mm / — kg
DoF	— total / 6 per arm
Payload	2 kg/arm
Speed/runtime	2 m/s / — h
End effector	GP-100 gripper (30N, 100mm span, pressure-sensor co...
Compute	HEXCOMPUTER-P1 module (spec not disclosed)
Price	not disclosed (quote-based storefront)
Web	hexfellow.com



K1W 节卡 K1W

JAKA Robotics · China · shipping

Base	wheeled omnidirectional base + lifting/pitching wai...
Size	— mm / — kg
DoF	21 total / 7 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	application-specific grippers from JAKA cobot ecosy...
Compute	—
Price	—
Web	sh.chinadaily.com.cn/a/202508/06/WS68932e4fa310ebef36290 b...



Kargo JAKA Kargo (节卡)

JAKA Robotics · China · shipping

Base	omnidirectional wheeled AMR base with integrated ca...
Size	1565 mm / 180 kg
DoF	21 total / 7 per arm
Payload	5 kg/arm
Speed/runtime	1.1 m/s / 4 h
End effector	application-specific grippers via JAKA cobot tool e...
Compute	Intel Core i5 12th gen, 128 GB SSD
Price	~USD 65,000
Web	www.jaka.com



XMAN-R1 XMAN-R1 (擎朗具身服务机器人)

Keenon Robotics · China · shipping

Base	wheeled (2-DoF chassis, two wheel modules under kne...
Size	1740 mm / 110 kg
DoF	36 total / 7 per arm
Payload	3 kg/arm
Speed/runtime	0.8 m/s / 3 h
End effector	2x 6-DoF anthropomorphic five-finger dexterous hands
Compute	275 TOPS AI compute, 64GB VRAM, 64GB storage
Price	~USD 100,000
Web	www.keenon.com/en/product/XMAN-R1



VersaBot VB1 / VB1-I / VB2 VersaBot (蓝芯科技)

Lanxin Robotics · China · shipping

Base	VB1/VB2: four-wheel omnidirectional AMR; VB1-I: dua...
Size	1650 mm / — kg
DoF	— total / 6 per arm
Payload	2 kg/arm
Speed/runtime	1.2 m/s / 2-3 (VB1/... h
End effector	two-finger grippers (per vendor imagery); tool opti...
Compute	—
Price	~USD 120,000 (third-party listing, unconfirmed)
Web	www.lanxinrobotics.com/humanoid-robots/vb1



MIRO U 美罗U

Midea Group · China · **shipping**


Base	wheeled-(legged) column chassis, 360° in-place rota...
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	six biomimetic arms with quick-swap end-effectors
Compute	—
Price	—
Web	www.midea.com.cn/zh/about-midea/news/news12



Hobbs / Hobbs W1 Hobbs W1 (松延动力)

Noetix Robotics · China · **shipping**

Base	W1: wheeled omnidirectional platform (enclosed skir...
Size	— mm / — kg
DoF	54 total / 5 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	five-finger dexterous hands, 6 DoF each (W1)
Compute	dual 8 GB GPUs edge compute (W1); embedded x86/ARM ...
Price	Hobbs bust ~USD 35,000; Hobbs W1 USD 73,500
Web	www.robotsasia.com/Hobbs-W1.htm



Adam-U Adam-U

PNDbotics · China · **shipping**

Base	fixed pedestal (lifting column + chassis, ~40 kg co...
Size	1350-1770 (... mm / 48 kg
DoF	31 total / 7 arm... per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	Inspire RH56E2 6-DoF dexterous hands
Compute	Intel NUC12WSK17 (motion) + NVIDIA Jetson Orin NX 1...
Price	USD 45,000 (reseller in-stock)
Web	wiki.pndbotics.com/en/half_robot/half_robot



TORA-ONE TORA-ONE

PaXini Tech · China · **shipping**

Base	wheeled base, laser-SLAM navigation
Size	1860 mm / — kg
DoF	53 total / — per arm
Payload	5 kg/arm
Speed/runtime	0.6 m/s / 8 h
End effector	DexH-series bionic hands, 16 DoF each (13 active + ...
Compute	—
Price	—
Web	www.paxini.com/cn/robot



D7 PUDU D7 (半人形)

Pudu Robotics · China · shipping

Base	wheeled (omnidirectional chassis)
Size	1650 mm / 45 kg
DoF	30 total / 7 per arm
Payload	— kg/arm
Speed/runtime	2.0 m/s / 8 h
End effector	gripper standard; optional PUDU DH11 dexterous hand...
Compute	—
Price	not announced
Web	www.pudurobotics.com/en/news/917



FlashBot Arm 闪电匣Arm

Pudu Robotics · China · shipping

Base	wheeled delivery-robot base (FlashBot platform), 53...
Size	1440 mm / 70 kg
DoF	36 total / 7 per arm
Payload	— kg/arm
Speed/runtime	1.25 m/s / 8 h
End effector	PUDU DH11 dexterous hands, 11 DoF each (6 active + ...
Compute	—
Price	~USD 34,000 (unofficial; base FlashBot ~\$28k; offic...
Web	www.pudurobotics.com/en/products/flashbot-arm



Q5 星动Q5

Robot Era · China · shipping

Base	wheeled, with 3-DoF flexing/height-adjusting leg se...
Size	1650 mm / 65-70 (so... kg
DoF	44 total / 7 per arm
Payload	10 kg/arm
Speed/runtime	— m/s / — h
End effector	11-DoF dexterous 'spirit hand' (精灵手, XHAND direct-d...
Compute	—
Price	—
Web	www.robothot.com/product/robo-tera-q5



X1-PRO (with X1 predecessor and C1-D universal humanoid chassis) 仙工 X1 PRO / C1-D 通用人形底盘

SEER Robotics · China · shipping

Base	wheeled omnidirectional chassis with cargo buffer t...
Size	— mm / — kg
DoF	40 total / 7 per arm
Payload	6 kg/arm
Speed/runtime	— m/s / — h
End effector	application grippers (tote-edge grippers in WAIC de...
Compute	SRC-5000 integrated embodied-AI controller (heterog...
Price	—
Web	www.leaderobot.com/news/6602



Moz1 小墨 (Xiaomo)

Spirit AI · China · shipping

Base	4-wheel mecanum omnidirectional wheeled base
Size	1850 mm / 70 kg
DoF	26 total / 7 per arm
Payload	— kg/arm
Speed/runtime	0.5 m/s / — h
End effector	2-finger grippers standard (docs); 5-finger dextero...
Compute	—
Price	~USD 150,000 (aggregator estimate)
Web	www.spirit-ai.com



Cruzr S2 克鲁泽S2

UBTech Robotics · China · shipping

Base	wheeled (full-size wheeled humanoid; drive type not...
Size	1760 mm / 185 kg
DoF	44 total / — per arm
Payload	— kg/arm
Speed/runtime	2.0 m/s / 8 h
End effector	UBTech industrial dexterous hands (official page: g...
Compute	—
Price	—
Web	www.ubtrobot.com/en/commercial/products/cruzr-s2



Wanda 2.0 万达 2.0

UniX AI · China · shipping

Base	wheeled chassis (quiet, obstacle-avoiding; conceale...
Size	1680 mm / — kg
DoF	33 total / 8 per arm
Payload	— kg/arm
Speed/runtime	1.5 m/s / 8-16 h
End effector	biomimetic 2-finger adaptive underactuated gripper ...
Compute	up to 275 TOPS onboard
Price	from RMB 88,000 (pre-sale base config, 2024-12-25)
Web	www.unix-group.ai/wanda/181.html



R1-D 宇树R1-D双臂机器人

Unitree Robotics · China · shipping

Base	dual-arm upper body; fixed bench base (A5/A7) or wh...
Size	683 collaps... mm / ~11 (A5) ... kg
DoF	15 (A5)... total / 5 or 7 per arm
Payload	2-4 (ma... kg/arm
Speed/runtime	— m/s / 1.5 h
End effector	gripper (±0.1 mm accuracy claim); optional wrist ca...
Compute	body 8-core CPU; head 8-core CPU + 10 TOPS accelera...
Price	from RMB 26,900 / USD 4,290 (R1-A5)
Web	www.unitree.com/mobile/R1-D



Tian Yi 2.0 天轶2.0

X-Humanoid (Beijing Humanoid Robot Innovation Center) · China · **shipping**

Base	wheeled AMR-style base with articulated torso pitch...
Size	— mm / — kg
DoF	— total / 7 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	dexterous five-finger hands, 20 Hz control (灵巧手:20H...
Compute	NVIDIA Jetson AGX Orin 64GB
Price	~USD 60,000 (third-party listing)
Web	www.x-humanoid.com/detail/tianyi.html



H1 Zerith H1

Zerith Robotics · China · **shipping**


Base	universal-wheel compact chassis (corridor/elevator ...
Size	1800 mm / 55 kg
DoF	23 total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / 5 h
End effector	grippers capable of scrubbing, floor pickup, amenit...
Compute	dual Intel Core i7-1265U
Price	—
Web	www.originofbots.com/robot/zerith-h1-by-zerith-details-sp...



CASIVIBOT CASIVIBOT (中科慧远)

CasiVision · China · **announced**

Base	wheeled AMR base (enclosed, drive type n/a)
Size	1400 mm / 55 kg
DoF	14 total / 7 per arm
Payload	— kg/arm
Speed/runtime	0.97 m/s / 8 h
End effector	2-finger gripping claws (2-3 DoF each), interchange...
Compute	industrial CPU + embedded GPU (Jetson-class, listin...
Price	~USD 29,000 (configuration-dependent)
Web	en.zhongkehuiyuan.com



Centaur-G1 Centaur-G1

Elite Robots · China · **announced**

Base	mecanum-wheel omnidirectional base, ±10mm chassis p...
Size	1750 mm / — kg
DoF	20 total / 7 per arm
Payload	5 kg/arm
Speed/runtime	— m/s / 4 h
End effector	multi-finger dexterous hands in renders; gripper to...
Compute	—
Price	—
Web	www.eliterobots.com




AICO 2 爱可 AICO 2
Flexiv · China · **announced**

Base	dual-wheel differential-drive AMR base, laser SLAM
Size	— mm / 281 kg
DoF	— total / 7 per arm
Payload	4 kg/arm
Speed/runtime	— m/s / 6 h
End effector	flange-mounted tooling; Flexiv Grav gripper optional
Compute	—
Price	—
Web	www.flexiv.com/product/robot-system

GRW正式亮相：让具身智能走进重载辅助场景

傅利叶正式发布首款高负载轮式双臂机器人GRW，进一步拓展傅利叶具身智能产品体系。作为傅利叶自主研发的新一代辅助型交互机器人，GRW凭借最高16公斤稳定负载能力、2米级超大作业空间及灵活移动能力，聚焦仓储物流、工业制造、康养照护等高负载人机协同场景，为机器人辅助作业提供了全新的解决方案。



GRW 傅利叶GRW轮式双臂机器人
Fourier Intelligence · China · **announced**

Base	wheeled (parallel mechanism, independent drive + st...
Size	1160-1650 (... mm / 160 kg
DoF	29 total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / 4 h
End effector	quick-change, 3 families: parallel gripper / suction...
Compute	—
Price	—
Web	ai.zol.com.cn/1213/12130171.html




HIVA (Haiwa) 海娃
Haier (platform: Robot Era) · China · **announced**

Base	wheeled (Robot Era Q5 platform)
Size	1650 mm / 70 kg
DoF	44 total / 7 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	dexterous hands (Q5: 11-DoF hands)
Compute	see Robot Era Q5 dossier
Price	—
Web	gagadget.com/en/664165-terminator-of-household-chores-hai...




KNEWBOTS wheel-arm robot 晓悟智能轮臂式机器人
KNEWBOTS · China · **announced**

Base	wheeled AMR chassis
Size	1280-1630 (... mm / 88 kg
DoF	35 total / 7 per arm
Payload	4.5 kg/arm
Speed/runtime	— m/s / 4 h
End effector	dexterous hand rated 3 kg (grippers visible in phot...
Compute	Intel i7-1355U control unit + NVIDIA Orin AGX 275 T...
Price	—
Web	www.knewbots.com/wheelarm-robot




RealBot-S2 / RealBot-L2 RealBot-S2 / RealBot-L2 (睿尔曼)
RealMan Robotics · China · **announced**

Base	S2: wheeled four-steer four-drive + folding leg; L2...
Size	1700 mm / S2 ~125 / ... kg
DoF	S2: 20 ... total / 7 per arm
Payload	5 kg/arm
Speed/runtime	1.5 m/s / 6 h
End effector	quick-swap 2-finger gripper or 5-finger dexterous h...
Compute	NVIDIA Jetson AGX Orin 64GB (L2 alt: D-Robotics S10...
Price	—
Web	www.realman-robotics.com/en/products/realbot-s2.html



R1 蚂蚁灵波 R1
Robbyant (Ant Lingbo Technology, Ant Group) · China · **announced**

Base	wheeled pedestal (single-column, circular base)
Size	1600 mm / 110 kg
DoF	34 total / — per arm
Payload	— kg/arm
Speed/runtime	1.5 m/s / 4-6 h
End effector	two-finger grippers (per verified image)
Compute	—
Price	from ~USD 55,000
Web	www.robbyant.com




Helios 轮式双臂机器人 Helios
Rokae Robotics · China · **announced**

Base	omnidirectional wheeled base (3 DoF planar)
Size	1736 mm / 190 kg
DoF	42 total / 7 per arm
Payload	5 kg/arm
Speed/runtime	1.5 m/s / 6 h
End effector	optional 10-DoF dexterous hands; configurable gripp...
Compute	NVIDIA Jetson AGX Orin NX 8GB (117 TOPS) or AGX Ori...
Price	—
Web	www.rokae.com/cn/product/show/583/%E8%BD%AE%E5%BC%8F%E5%8...



Onero H1 Onero H1
SwitchBot (OneRobotics) · China · **announced**

Base	cylindrical wheeled base (vacuum-robot-style puck; ...
Size	1300 mm / 40 kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	5-finger dexterous hands (both arms); 22 DoF combin...
Compute	on-device inference (chipset not disclosed)
Price	USD 9,999 official store listing ('coming soon'); C...
Web	switch-bot.com/products/onerobot-h1



TWH020 (Xiaotuo) TWH020 小拓

Topstar Technology · China · **announced**

Base	4 steering-wheel (四舵轮) omnidirectional chassis, 360°
Size	1800 mm / — kg
DoF	21 total / 7 per arm
Payload	10 kg/arm
Speed/runtime	1.5 m/s / 6 h
End effector	modular: industrial grippers, vacuum cups, dexterou...
Compute	claimed 3352 TOPS onboard (as printed on datasheet;...
Price	—
Web	www.topstarltd.com/lang-cn/productview/2239.html



SageMan (iSAGE STAR) 赛智四臂人形机器人 SageBot/SageMan

iSAGEBOT / Shanghai SAGE Intelligent Technology · China · **announced**

Base	wheeled (AMR-derived platform)
Size	1560 mm / 280 kg
DoF	52 total / 7 per arm
Payload	3-16 (c... kg/arm
Speed/runtime	— m/s / — h
End effector	dexterous hands offered; details n/a
Compute	SageBrain controller (millisecond response)
Price	—
Web	en.sage-modi.com/ProductSeries/info.aspx?itemid=1322&lcid...



AstroD. AD-01 (AstroDroid) AstroDroid AD-01 (原力无限)

Elu.AI / INFIFORCE · China · **prototype**


Base	wheeled AMR base with articulated pitch linkage to ...
Size	1700 mm / 120 kg
DoF	40-43 total / — per arm
Payload	3 kg/arm
Speed/runtime	2.0 m/s / 2 h
End effector	11-DoF dexterous five-finger hands with force-torqu...
Compute	NVIDIA Jetson AGX Orin 64 GB; cloud-edge collaborat...
Price	~USD 100,000 (inquire)
Web	elu-ai.com



Futuring 2 未来不远 二代

Futuring Robot · China · **prototype**

Base	wheeled base with slim column under dual-arm torso
Size	1550 mm / 70 kg
DoF	26 total / — per arm
Payload	— kg/arm
Speed/runtime	1.1 m/s / 3 h
End effector	2-finger gripping claws (12 hand DoF total per guid...
Compute	AI edge computing unit (likely NVIDIA-based); Ether...
Price	USD 5,000 (inquire)
Web	futuringrobot.com



Maker H01 Maker H01 (极佳科技)

GigaAI · China · **prototype**


Base	omnidirectional all-wheel-drive chassis
Size	1600 mm / 64 kg
DoF	28 total / 7 per arm
Payload	5 kg/arm
Speed/runtime	2.2 m/s / 4 h
End effector	modular: grippers or 5-finger dexterous hands
Compute	not disclosed; glass-to-action latency 250-450ms re...
Price	~USD 160,000 (listed, unverified)
Web	x.com/XRoboHub/status/1993604526449074473



ProWhite 2.0 (+ Zeus 1) ProWhite Robot 2.0 (普罗宇宙)

PL-Universe · China · **prototype**


Base	four-wheel omnidirectional wheeled base
Size	2035 mm / 400 kg
DoF	— total / 7 per arm
Payload	7 kg/arm
Speed/runtime	2.5 m/s / 8 h
End effector	parallel grippers (vendor imagery); PL-WitHand dext...
Compute	—
Price	ProWhite: not disclosed (humanoid.guide \$45k entry ...
Web	en.pl-universe.com



Psi V1 Psi V1 (灵初智能)

PsiBot / Lingchu Intelligence · China · **prototype**

Base	wheeled (rounded chassis, hub-motor style side whee...
Size	1750 mm / — kg
DoF	32 total / 7 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	PsiBot H1 five-finger dexterous hands, 16 DoF each,...
Compute	—
Price	—
Web	www.psibot.ai/en/about-us



Vinci Vinci 轮式人形机器人

SVT Robot (Hangzhou Spacetime Variable Technology) · China · **prototype**

Base	4-wheel-drive / 4-wheel-steer omnidirectional wheel...
Size	— mm / — kg
DoF	— total / 7 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	two-finger grippers in demos; details not disclosed
Compute	—
Price	—
Web	svtrobot.com



Songyi 松羿

Siasun Robot & Automation · China · **prototype**


Base	wheeled (Siasun AMR-heritage mobile platform; drive...
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	grippers/multi-finger hands in demos (details not d...
Compute	—
Price	—
Web	www.siasun.com/index.php/news-detail162.html



I-Series (wheeled variant)

Simplexity Robotics · China · **prototype**

Base	omnidirectional mecanum-wheel base with articulated...
Size	1750 mm / 60 kg
DoF	20 total / — per arm
Payload	— kg/arm
Speed/runtime	0.83 m/s / 2 h
End effector	5-finger dexterous hands, 10 hand DoF total (likely...
Compute	AI compute platform (GPU + edge accelerators, guide...
Price	USD 78,000
Web	humanoid.guide/product/simplexity-robotics-i-series



Quanta X2 量子X2

X Square Robot · China · **prototype**

Base	wheeled (low sculpted chassis, concealed wheels)
Size	1720 mm / 95 kg
DoF	62 total / — per arm
Payload	6 kg/arm
Speed/runtime	1.0 m/s / 2 h
End effector	dual 5-finger dexterous hands, 20 DoF total in hand...
Compute	—
Price	~USD 80,000
Web	www.x2robot.com



Sean Sean (ZeroTh)

Zeroth Robotics · China · **prototype**


Base	wheeled pedestal (rounded enclosed base, corner whe...
Size	1550 mm / 45 kg
DoF	16 total / — per arm
Payload	— kg/arm
Speed/runtime	0.83 m/s / 2 h
End effector	three-finger grippers (~6 DoF hands total)
Compute	Jetson-class edge AI (listing estimate)
Price	~USD 65,000
Web	www.zeroth0.com



Zoomlion wheeled humanoid (unnamed, 2 models) 中联重科轮式人形机器人

Zoomlion · China · **prototype**


Base	wheeled chassis with dual-arm humanoid torso (one v...
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	—
Compute	—
Price	n/a (internal use, not for sale)
Web	www.zoomlion.com/content/details16_32477.html



ByteMini ByteMini

ByteDance Seed · China · **research**

Base	wheeled mobile base with lift column
Size	— mm / — kg
DoF	22 total / 7 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	parallel grippers (GR-3); multi-finger hands in GR...
Compute	—
Price	n/a (internal research platform)
Web	seed.bytedance.com/en/blog/seed-research-gr-3-released-a-...



Ginger (XR-1 / Cloud Ginger 1.0 / 2.0) Cloud Ginger 云端机器人小姜

CloudMinds / Dataa Robotics · China · **discontinued**

Base	3-wheel omnidirectional self-balancing chassis (ski...
Size	1600 mm / 65 kg
DoF	34 total / 7 per arm
Payload	— kg/arm
Speed/runtime	1.01 m/s / 8 h
End effector	five-finger hands with SCA-driven fingers (gesture ...
Compute	onboard processors + HARIX cloud brain over 4G/5G (...
Price	CNY 698,000 (JD.com listing)
Web	www.dataarobotics.com/zh/product-44



Sanbot Max (King Kong) Sanbot King Kong


Qihan Technology · China · **discontinued**

Base	four-wheel mecanum omnidirectional
Size	1455 mm / 100 kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	5 m/s / — h
End effector	two bionic arms, gesturing/simple handling; no mani...
Compute	—
Price	—
Web	en.wikipedia.org/wiki/Sanbot

USA & Canada

43 robots

17 shipping · 5 announced · 6 prototype · 2 research · 13 discontinued



Aeolus aeolus	
Aeolus Robotics, Inc. · USA · shipping	
Base	wheeled (drive type not disclosed; appears diff-dri...
Size	— mm / — kg
DoF	— total / 7 per arm
Payload	3.6 kg/arm
Speed/runtime	— m/s / — h
End effector	simple grippers; plug-and-play task attachments (UV...
Compute	—
Price	n/a (not disclosed); RaaS leasing/subscription only
Web	aeolusbot.com



Axol	
Almond (Almond Robotics) · USA · shipping	
Base	standalone / Axol Mount (fixed) / Axol Cart (wheele...
Size	— mm / — kg
DoF	14 total / 7 per arm
Payload	6.5 kg/arm
Speed/runtime	— m/s / — h
End effector	2x 2-finger grippers; 180-deg wrist pitch/yaw; 1 mm...
Compute	ZED Box Orin NX 16GB (in \$11,999 full kit)
Price	from USD 7,999; USD 11,999 full kit (cameras + Orin...
Web	almond.bot



Alex	
Boardwalk Robotics · USA · shipping	
Base	pedestal (fixed) or third-party AMR mounting; no bu...
Size	— mm / — kg
DoF	19 total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	interchangeable grippers; improved generation with ...
Compute	—
Price	—
Web	www.boardwalkrobotics.com



Simba (V1, Medium Payload Unit)	
Deft Robotics · USA · shipping	
Base	wheeled (holonomic) AMR base with lift column
Size	— mm / — kg
DoF	15 total / 6 per arm
Payload	4 kg/arm
Speed/runtime	— m/s / 24 h
End effector	1-DoF parallel grippers with deformable fingertip o...
Compute	—
Price	USD 34,900 (store 2026); earlier USD 40,000 + 30,00...
Web	www.deftai.co



Vega

Vega
Dexmate, Inc. · USA · **shipping**

Base	wheeled (omni-directional)
Size	1710 mm / 135 kg
DoF	36 total / 7 per arm
Payload	4.5 kg/arm
Speed/runtime	1.1 m/s / 10 h
End effector	modular; 12-DoF five-finger dexterous hand option (...)
Compute	Intel x86 CPU + NVIDIA Jetson AGX Orin (32/64 GB) a...
Price	USD 89,999 MSRP (\$999 preorder deposit); some third...
Web	dexmate.ai/product/vega



Mech

Mech
Dexterity, Inc. · USA · **shipping**

Base	omnidirectional rover, 4 independently steerable wh...
Size	— mm / — kg
DoF	— total / — per arm
Payload	29 kg/arm
Speed/runtime	— m/s / — h
End effector	vacuum suction-cup array grippers, dual onboard vac...
Compute	onboard 'AI supercomputer' in rover; edge stand-alo...
Price	—
Web	dexterity.ai/mech



DYNA-1

DYNA-1
Dyna Robotics · USA · **shipping**

Base	stationary workcell (table/cart mounted); mobile ba...
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / 24 h
End effector	task-specific grippers (quick-swap per discovery no...
Compute	—
Price	n/a (not disclosed); RaaS monthly 'sell labor not h...
Web	www.dyna.co



R2D3

R2D3
Open Droids · USA · **shipping**

Base	wheeled AMR (Woosh chassis, diff-drive est.)
Size	— mm / — kg
DoF	16 total / 7 per arm
Payload	5 kg/arm
Speed/runtime	— m/s / — h
End effector	EG2-4C2 2-finger grippers std; optional RealMan RM5...
Compute	NVIDIA Jetson AGX Orin
Price	USD 55,000-60,000
Web	www.opendroids.com

Open-source Household Dual-arm Mobile Robot for \$660 & 4hrs assembly

XLeRobot

Open-source project (Vector Wang / Rice University RobotPi Lab) · USA · shipping

Base	wheeled (3 omni wheels, holonomic; IKEA RASKOG cart...
Size	— mm / — kg
DoF	14 total / 6 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	SO-101 parallel grippers
Compute	offboard laptop or Raspberry Pi 5 (+\$79 option)
Price	from ~\$660 self-build; Wowrobo kit \$579 (CNY 3699)
Web	github.com/Vector-Wang/XLeRobot

REFLEX

Reflex

Reflex Robotics · USA · shipping

Base	compact wheeled base, footprint <2x2 ft (<61x61 cm)
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / 16 h
End effector	two-finger parallel-jaw grippers (photo evidence: a...
Compute	—
Price	lease/RaaS only; reported target <USD 50,000/unit
Web	www.reflexrobotics.com

ADAM

Richtech Robotics Inc. · USA · shipping

Base	stationary pedestal / counter-integrated workstatio...
Size	— mm / — kg
DoF	— total / 6 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	cup/utensil-adapted gripper fingers (details undisc...
Compute	—
Price	USD 180,000 list; RaaS USD 3,500/robot/month (25-un...
Web	richtechrobotics.com/adam

TITAN

RoboForce · USA · shipping

Base	interchangeable wheeled OR tracked mobile base (out...
Size	2100 mm / — kg
DoF	— total / — per arm
Payload	40 kg/arm
Speed/runtime	— m/s / 8 h
End effector	multiple end-effector options on dual-arm assembly;...
Compute	NVIDIA Jetson module; WiFi + 5G connectivity
Price	—
Web	www.roboforce.ai



R-noid

Robot.com (ex-KiwiBot) · USA · shipping

Base	holonomic wheeled base, 0.55 m footprint
Size	1700 mm / 90 kg
DoF	21 total / 7 per arm
Payload	4 kg/arm
Speed/runtime	— m/s / 3 h
End effector	modular end-effector options per task role
Compute	—
Price	RaaS subscription, rates not disclosed
Web	www.robot.com/r-noid



Mobile AI Trossen AI Mobile Kit

Trossen Robotics · USA · shipping

Base	wheeled (differential drive, SLATE UGV, 2x 350 W hu...
Size	— mm / — kg
DoF	— total / 6 per arm
Payload	1.5 kg/arm
Speed/runtime	1.0 m/s / — h
End effector	precision parallel grippers (followers); ambidextro...
Compute	none onboard by default; optional high-performance ...
Price	USD 33,695.95 list / 22,995 sale (no laptop); 37,84...
Web	www.trossenrobotics.com/mobile-ai



Operator OP1

Ultra (Ultra Robotics) · USA · shipping


Base	STATIONARY workcell on locking casters (no locomoti...
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / 24 h
End effector	2-finger parallel grippers on both manipulation arms
Compute	n/a; dedicated 10 Mbps Ethernet uplink required (cl...
Price	RaaS USD 2,500-3,000/month; 3-month trial
Web	www.ultra.tech



Walden W0.5

Walden Robotics · USA · shipping


Base	wheeled (legless; drive type not disclosed)
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	parallel-jaw grippers with swappable task-tuned jaw...
Compute	—
Price	—
Web	waldenrobotics.com/news/walden-robotics-launches-from-ste...



Isaac 1	Isaac 1
	Weave Robotics · USA · shipping
Base	wheeled base (3 DoF) with central column, passively...
Size	1753 mm / — kg
DoF	21 total / 6 per arm
Payload	— kg/arm
Speed/runtime	— m/s / 8 h
End effector	1-DoF two-finger parallel grippers (in-house), oran...
Compute	—
Price	USD 7,999 up-front or USD 449/month; USD 250 refund...
Web	www.weaverobotics.com/isaac-1




Dex	Dex
	Richtech Robotics Inc. · USA · announced
Base	wheeled AMR base (Richtech Titan delivery-series te...
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / 4 h
End effector	modular end-effectors: hands, clamps, or specialize...
Compute	NVIDIA Jetson Thor
Price	—
Web	www.globenewswire.com/news-release/2025/10/28/3175859/0/e...



ROBIN	ROBIN
	Roboligent Inc. · USA · announced
Base	wheeled AMR base
Size	1500 mm / 80 kg
DoF	14 total / — per arm
Payload	— kg/arm
Speed/runtime	1.25 m/s / 8 h
End effector	grippers; Tesollo DG-5F 5-finger dexterous hand dem...
Compute	—
Price	USD 85,000 (aggregator-listed, unverified)
Web	www.roboligent.com/robin



Memo	Memo
	Sunday Robotics (Sunday Inc.) · USA · announced
Base	wheeled platform with central telescoping column (n...
Size	— mm / 77 kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	simplified 3-finger gripper co-designed as mirror o...
Compute	—
Price	not announced; ~\$20k hand-built cost today; >=50% c...
Web	www.wired.me/story/this-home-robot-clears-tables-and-load...



Syntro (V17)

WorkFar Inc. · USA · **announced**


Base	3-wheel omnidirectional skirted pedestal base
Size	1700 mm / 108 kg
DoF	45 total / 7 per arm
Payload	— kg/arm
Speed/runtime	0.83 m/s / 8 h
End effector	two 4-finger dexterous hands, 12 DoF each
Compute	Intel multicore CPU; GPU n/a; 5G LTE + Wi-Fi 6
Price	USD 9,999.99-59,999.99 by tier; USD 29,999 commonly...
Web	www.workfar.com/product/syntro



Beomni 1.0

Beyond Imagination, Inc. · USA · **prototype**


Base	humanoid torso on wheeled mobile base or fixed work...
Size	1800 mm / — kg
DoF	— total / 12 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	dexterous hands (details n/a)
Compute	—
Price	—
Web	mikekalil.com/blog/ray-kurzweil-beomni-robot



Eno

Genesis AI · USA · **prototype**


Base	wheeled base with foldable articulated tower torso
Size	1700 mm / 120 kg
DoF	40 total / — per arm
Payload	— kg/arm
Speed/runtime	1.7 m/s / 8 h
End effector	two 5-finger dexterous hands co-developed with Wuji...
Compute	cloud-connected; onboard compute not disclosed
Price	~USD 90,000 (aggregator-reported, unconfirmed by ve...
Web	www.humanoidsdaily.com/news/genesis-ai-unveils-eno-the-mi...



KR1 / Kinisi 01

Kinisi Robotics · USA · **prototype**


Base	wheeled (omnidirectional, zero-turn round base)
Size	1620 mm / 100 kg
DoF	21 total / — per arm
Payload	— kg/arm
Speed/runtime	2.4 m/s / 8 h
End effector	modular 2-DoF gripper, quick-swap interface, vacuum...
Compute	NVIDIA Jetson, Linux
Price	USD 75,000
Web	kinisi.com



Eggie

Tangible Robots · USA · **prototype**


Base	wheeled (squat four-wheel base under column torso)
Size	1600 mm / 45 kg
DoF	20 total / — per arm
Payload	— kg/arm
Speed/runtime	0.83 m/s / 7 h
End effector	five-finger hands, 3 DoF per hand
Compute	embedded AI board (Jetson-class, estimate)
Price	~USD 32,000
Web	tangiblerobots.ai



Tobi

TwoLabs · USA · **prototype**

Base	wheeled box base with articulated spine/waist column
Size	1500 mm / 60 kg
DoF	16 total / — per arm
Payload	— kg/arm
Speed/runtime	1.1 m/s / 5 h
End effector	5-finger hands, 6 hand DoF total (underactuated), 1...
Compute	—
Price	USD 50,000 (target)
Web	www.twolabs.ai



Mobile ALOHA

Stanford University (IRIS Lab) · USA · **research**


Base	wheeled (diff-drive, AgileX Tracer AGV)
Size	— mm / — kg
DoF	14 total / 6 per arm
Payload	1.5 kg/arm
Speed/runtime	1.42 m/s / — h
End effector	parallel-jaw grippers with custom low-cost fingers
Compute	consumer laptop: Intel i7-12800H, RTX 3070 Ti 8GB
Price	~USD 32,000 self-build BOM; Trossen Mobile AI kit ~...
Web	www.trossenrobotics.com/aloha



Punyo

Toyota Research Institute · USA · **research**


Base	stationary upper-body rig (no mobile base published)
Size	— mm / — kg
DoF	— total / 7 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	fingerless 'paws': high-friction latex bubbles with...
Compute	lab/off-board compute (not disclosed)
Price	—
Web	punyo.tech



Astra (with Apollo wheeled/pedestal variants)

Apptронik · USA · discontinued


Base	Astra: fixed stand or third-party AMR. Apollo: modu...
Size	1400 mm / — kg
DoF	24 total / — per arm
Payload	10 kg/arm
Speed/runtime	— m/s / 4 h
End effector	Astra: five-fingered force-controlled hands; Apollo...
Compute	—
Price	—
Web	apptронik.com/news-collection/apptронik-unveils-apollo



HERB 2.0

CMU Personal Robotics Lab · USA · discontinued

Base	wheeled (Segway RMP 200, 2-wheel + casters), 655x62...
Size	1400 mm / 127 kg
DoF	27 total / 7 per arm
Payload	— kg/arm
Speed/runtime	1.5 m/s / 6 h
End effector	2x BarrettHand 4-DoF three-finger hands
Compute	3x Dell Precision M6500 mobile workstations, 12GB R...
Price	—
Web	personalrobotics.cs.washington.edu



Cody

Georgia Tech Healthcare Robotics Lab · USA · discontinued


Base	wheeled omnidirectional (Segway RMP 50 Omni, mecanu...
Size	1550 mm / 136 kg
DoF	18 total / 7 per arm
Payload	— kg/arm
Speed/runtime	0.35 m/s / — h
End effector	padded end-effectors / specialized bath mitt (task-...
Compute	2x Mac Mini + Dell Studio Hybrid real-time PC for a...
Price	—
Web	www.hizook.com/blog/2010/03/15/cody-new-humanoid-mobile-m...



RoNA (Robotic Nursing Assistant)

Hstar Technologies · USA · discontinued

Base	wheeled omnidirectional (mecanum)
Size	— mm / — kg
DoF	— total / — per arm
Payload	68 kg/arm
Speed/runtime	— m/s / — h
End effector	cradle-carry arms (whole-arm patient lifting, no gr...
Compute	—
Price	—
Web	ieeexplore.ieee.org/abstract/document/6869137



Domo

MIT CSAIL Humanoid Robotics Group · USA · discontinued


Base	stationary upper torso (no mobility)
Size	860 mm / 19 kg
DoF	29 total / 6 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	2x 4-DoF compliant hands
Compute	5 embedded Motorola 56F807 DSPs @1kHz, 4x CANBus; o...
Price	—
Web	people.csail.mit.edu/edsinger/domo.htm



M1 Mobile Manipulator

Meka Robotics · USA · discontinued

Base	wheeled holonomic omnidirectional (Meka B1 base), 4...
Size	1600 mm / 165 kg
DoF	33 total / 7 per arm
Payload	— kg/arm
Speed/runtime	1.0 m/s / 1 h
End effector	2x Meka H2 5-DoF underactuated hands
Compute	3x 2.5GHz Intel Core2 Duo
Price	USD 320,000-340,000 depending on configuration
Web	robotsguide.com/robots/m1



Robonaut 2 (R2)

NASA JSC + General Motors · USA · discontinued

Base	modular: ISS pedestal/stanchion; Centaur 2 4-wheel ...
Size	— mm / 150 kg
DoF	42 total / 7 per arm
Payload	9 kg/arm
Speed/runtime	— m/s / — h
End effector	two 12-DoF five-finger dexterous hands (2-DoF wrist...
Compute	38 PowerPC processors onboard
Price	—
Web	www.nasa.gov/robonaut2



Guardian XT

Palladyne AI (formerly Sarcos Technology and Robotics) · USA · discontinued


Base	platform-agnostic torso: mounts on tracked bases (G...
Size	1830 mm / — kg
DoF	— total / 7 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	3-DoF end effectors operating hand-held power tools...
Compute	—
Price	never commercialized; RaaS subscription planned (XO...
Web	www.robotics247.com/article/sarcos_completes_beta_develop...



Baxter

Rethink Robotics · USA · **discontinued**


Base	stationary torso on optional caster pedestal (no po...
Size	1910 mm / 139 kg
DoF	16 total / 7 per arm
Payload	2.2 kg/arm
Speed/runtime	— m/s / — h
End effector	interchangeable electric parallel gripper or vacuum...
Compute	onboard Intel Core-class PC in torso
Price	USD 22,000 base (2012); ~USD 25k with pedestal/opti...
Web	robotsguide.com/robots/baxter



uBot series (uBot-5/6/7)

UMass Amherst Laboratory for Perceptual Robotics · USA · **discontinued**

Base	two-wheel dynamically self-balancing (postural tran...
Size	950 mm / 27 kg
DoF	14 total / 4 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	unactuated spherical 'hands' (uBot-5); simple effec...
Compute	—
Price	—
Web	www-robotics.cs.umass.edu/index.php/Robots/UBot-5



BEAR (Battlefield Extraction-Assist Robot)

Vecna Technologies · USA · **discontinued**


Base	tracked, articulated dual tracked 'legs' with dynam...
Size	1956 mm / 181.4 kg
DoF	20 total / 6 per arm
Payload	— kg/arm
Speed/runtime	6.0 m/s / — h
End effector	simple hands/forks for whole-body carrying; fine ha...
Compute	two onboard computers
Price	—
Web	robotsguide.com/robots/bear



PR2

Willow Garage · USA · **discontinued**

Base	wheeled omnidirectional (4 powered caster modules),...
Size	1650 mm / 226.8 kg
DoF	20 total / 7 per arm
Payload	1.8 kg/arm
Speed/runtime	1.0 m/s / 2 h
End effector	1-DoF parallel grippers with fingertip pressure arr...
Compute	2x quad-core Intel Xeon i7 servers, 24GB RAM, 500GB...
Price	USD 400,000 (dual-arm); USD 285,000 single-arm SE; ...
Web	robotsguide.com/robots/pr2



MH3

Mirsee Robotics · Canada · **announced**

Base	wheeled AMR base (skirted, bumpered); wheels chosen...
Size	1800 mm / 125 kg
DoF	31 total / — per arm
Payload	30 kg/arm
Speed/runtime	1.4 m/s / 10 h
End effector	5-finger dexterous hands, 6 DoF per hand
Compute	NVIDIA-based; WiFi, cellular, satellite connectivity
Price	USD 200,000
Web	www.mirsee.com



Phoenix (Generation 8)

Sanctuary AI · Canada · **prototype**

Base	wheeled (small mobile base; legs dropped as 'too fr...
Size	1700 mm / 70 kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	two 21-DoF hydraulic dexterous hands, four fingers ...
Compute	—
Price	n/a (not for open sale)
Web	www.sanctuary.ai/blog/sanctuary-ai-releases-new-generatio...



MOVO


Kinova · Canada · **discontinued**

Base	wheeled holonomic (4 Swedish wheels), 508x762mm foo...
Size	1570 mm / — kg
DoF	27 total / 7 per arm
Payload	2.2 kg/arm
Speed/runtime	— m/s / — h
End effector	Kinova KG-2 / KG-3 underactuated 2/3-finger grippers
Compute	onboard PCs (x86)
Price	—
Web	github.com/Kinovarobotics/kinova-movo

Europe


36 robots

12 shipping · 3 announced · 9 prototype · 6 research · 6 discontinued




Mirokai Mirokaï (characters: Miroki, Miroka)
Enchanted Tools · Europe · **shipping**

Base	ballbot (balances on a sphere driven by 3 omnidirec...
Size	1230 mm / 26 kg
DoF	28 total / — per arm
Payload	— kg/arm
Speed/runtime	0.9 m/s / 8 h
End effector	2 hands with opposable thumbs; grasps standardized ...
Compute	2 processing units (2 CPUs + 2 GPUs); Nvidia Jetson...
Price	~EUR 50,000 purchase + several hundred EUR/month su...
Web	enchanted.tools/robot



Ameca Ameca
Engineered Arts · Europe · **shipping**

Base	fixed pedestal (non-walking; Gen 2.6 articulated no...
Size	1870 mm / 49 kg
DoF	52 total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	multi-fingered expressive hands (gesturing, not man...
Compute	—
Price	~USD 130k-250k full body (quote-only); head configs...
Web	blog.robozaps.com/b/ameca-review




QTrobot QTrobot
LuxAI S.A. · Europe · **shipping**

Base	stationary desk pedestal (no locomotion)
Size	640 mm / 5 kg
DoF	12 total / 3 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	2-DoF unactuated hands (gesture only, no grasping)
Compute	Intel NUC i7, 16 GB RAM, 256 GB SSD
Price	Home: \$1,977 + \$149/mo support (2021); professional...
Web	luxai.com



Kime Kime
Macco Robotics · Europe · **shipping**

Base	fixed kiosk pedestal (~2 m2 enclosure); manually-mo...
Size	2000 mm / — kg
DoF	22 total / — per arm
Payload	1 kg/arm
Speed/runtime	— m/s / — h
End effector	grippers for glasses/bottles/taps; pours beer <8-23...
Compute	NVIDIA Jetson Xavier NX (v5)
Price	—
Web	thespoon.tech/macco-robotics-beer-pouring-kime-bot-has-bi...



InMoov

Open-source project (Gael Langevin) · Europe · shipping


Base	none official (torso platform); community DIY wheel...
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	5-finger tendon-driven 3D-printed hands (origin: fi...
Compute	Arduino Mega + Nervo Board; host PC
Price	under USD 1,000 in parts (2013 estimate) + printing
Web	inmoov.fr



RoBee RoBee

Oversonic Robotics · Europe · shipping

Base	wheeled (diff-drive; omnidirectional on request)
Size	1900 mm / 180 kg
DoF	40 total / — per arm
Payload	5 kg/arm
Speed/runtime	1.2 m/s / 8 h
End effector	anthropomorphic hands/grippers, application-configu...
Compute	—
Price	—
Web	www.oversonicrobotics.com/robee-r



ARI ARI

PAL Robotics · Europe · shipping

Base	wheeled (diff-drive, 2 DoF), skirt-covered base
Size	1650 mm / — kg
DoF	14 total / 5 per arm
Payload	— kg/arm
Speed/runtime	— m/s / 12 h
End effector	none; cosmetic non-actuated hands, gestural arms on...
Compute	Intel i5/i7/i9, 8-32 GB RAM, up to 1 TB SSD; option...
Price	not disclosed (quote-based)
Web	pal-robotics.com/robot/ari



TIAGo Pro TIAGo Pro


PAL Robotics · Europe · shipping

Base	wheeled omnidirectional (4x mecanum wheels, 4 DoF)
Size	1550 mm / 80 kg
DoF	23 total / 7 per arm
Payload	3 kg/arm
Speed/runtime	— m/s / 8 h
End effector	2x PAL parallel grippers (default), quick tool chan...
Compute	Intel i5, 16 GB RAM, 512 GB SSD (upgrade: i7, 32 GB...
Price	not disclosed (quote-based); ~USD 85-95k reported i...
Web	pal-robotics.com/robot/tiago-pro




TIAGo++ / TIAGo OMNI++ TIAGo++ / TIAGo OMNI++
PAL Robotics · Europe · **shipping**

Base	wheeled; differential drive (TIAGo++) or omnidirec...
Size	1450 mm / 70 kg
DoF	19 total / 7 per arm
Payload	3 kg/arm
Speed/runtime	1.5 m/s / 5 h
End effector	PAL parallel gripper (default), PAL Hey5 5-finger h...
Compute	Intel i5 8 GB/250 GB SSD (upgrade i7 16 GB/500 GB);...
Price	TIAGo++ from ~EUR 90,000 (2019, config-dependent); ...
Web	pal-robotics.com/robot/tiago



Reachy 2 Reachy 2
Pollen Robotics (Hugging Face) · Europe · **shipping**

Base	wheeled omnidirectional (3 omniwheels); stationary ...
Size	1660 mm / 50 kg
DoF	17 total / 7 per arm
Payload	3 kg/arm
Speed/runtime	— m/s / — h
End effector	2-finger parallel gripper
Compute	SolidRun Bedrock v3000 fanless industrial PC (CPU-o...
Price	~USD 70,000 (dual-arm + mobile base)
Web	pollen-robotics.com/reachy-2



Steve
Sulu.be (Jan De Coster studio) · Europe · **shipping**

Base	wheeled cart base (large front drive wheels + caste...
Size	2100 mm / 140 kg
DoF	22 total / — per arm
Payload	— kg/arm
Speed/runtime	2.2 m/s / 2 h
End effector	styled 5-finger hands, 2 hand DoF total; grip ~5 kg...
Compute	Arduino-based control, WiFi
Price	USD 60,000
Web	jandecoster.com



iggyRob iggyRob (Iggy Rob)
igus GmbH · Europe · **shipping**

Base	wheeled AMR (ReBeLMove Pro, differential drive, thr...
Size	1700 mm / 101 kg
DoF	16 total / 6 per arm
Payload	2 kg/arm
Speed/runtime	2 m/s / 8 h
End effector	bionic hands (igus ReBeL Hand); included: 1x suction...
Compute	—
Price	EUR 47,999 (~USD 54,500); iggyRob Home variant pric...
Web	press.igus.com/2025/04/29/iggy-rob-humanoid




MiPA MiPA (My intelligent Personal Assistant)
NEURA Robotics GmbH · Europe · **announced**

Base	wheeled (actuated wheels, geometry not disclosed) +...
Size	— mm / — kg
DoF	17 total / — per arm
Payload	3 kg/arm
Speed/runtime	— m/s / 2-8 (moti... h
End effector	multi-finger underactuated hands (renders); modular...
Compute	—
Price	EUR 9,999 introductory (MiPA Home, private househol...
Web	neura-robotics.com/products/mipa




Alfie
RobCo · Europe · **announced**

Base	mobile base shown in simulation (promo video 0:14):...
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	—
Compute	—
Price	RaaS, terms undisclosed
Web	www.rob.co/resources/news/press/autonomous-alfie



pib.Pro pib (printable intelligent bot) Pro
isento GmbH / isento robotics (pib.robots) · Europe · **announced**

Base	two-wheeled self-balancing (hoverboard-style) mobil...
Size	800 mm / — kg
DoF	20 total / — per arm
Payload	— kg/arm
Speed/runtime	0.7 m/s / 2 h
End effector	5-finger 3D-printed hands with linkage fingers
Compute	Raspberry Pi-class / modular compute (guide inferen...
Price	USD 5,999
Web	pib.robots



Clone Torso Clone Torso
Clone Robotics · Europe · **prototype**

Base	none — stationary mounted upper body/torso (full an...
Size	— mm / — kg
DoF	164 total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	anatomical Clone Hands (also sold separately, pre-o...
Compute	—
Price	not published for Torso; manufacturing cost <\$20k/u...
Web	www.humanoidsdaily.com/news/the-synthetic-human-roadmap-c...



Robody Robody
Devanthro GmbH (The Robody Company) · Europe · **prototype**

Base	wheeled mobile base (drive type not disclosed)
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	two hands/grippers for fine bimanual household task...
Compute	edge AI onboard + cloud; 5G / WiFi 6 low-latency li...
Price	n/a — care-service model (Robody Cares), pricing un...
Web	www.devanthro.com



Alpha Alpha
Duatic AG · Europe · **prototype**

Base	wheeled (mecanum omnidirectional)
Size	1750 mm / 90 kg
DoF	19 total / — per arm
Payload	6 kg/arm
Speed/runtime	2 m/s / 8 h
End effector	modular flange; jaw gripper in 20 kg bag demo
Compute	NVIDIA Jetson AGX (unconfirmed)
Price	n/a (not disclosed); USD 150k third-party estimate
Web	www.duatic.com/alpha



Eden I
Eden Robotics, Inc. · Europe · **prototype**

Base	floor-standing rounded base + lift column (seen in ...
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	parallel-jaw grippers (both arms, seen in video)
Compute	—
Price	RaaS from USD 10/hour, USD 0 setup; no purchase opt...
Web	www.ycombinator.com/launches/QXU-eden-autonomous-service S...



Mobile FR3 Duo
Franka Robotics · Europe · **prototype**

Base	wheeled (omnidirectional TMR base, 800x580x294 mm)
Size	— mm / — kg
DoF	14 total / 7 per arm
Payload	3 kg/arm
Speed/runtime	1.75 m/s / — h
End effector	optional 2x Robotiq 2F-85 grippers
Compute	NVIDIA Jetson AGX Orin
Price	not published (early access)
Web	franka.de/de/mobile-fr3-duo




HMND 01 (wheeled) / Alpha Wheeled HMND 01 Alpha Wheeled
Humanoid (Humanoid Ltd / SKL Robotics Ltd) · Europe · **prototype**

Base	wheeled (omnidirectional pedestal base)
Size	2200 mm / 300 kg
DoF	29 total / — per arm
Payload	— kg/arm
Speed/runtime	2.0 m/s / 4 h
End effector	modular: 12-DoF five-finger hand or 1-DoF parallel ...
Compute	NVIDIA Jetson Thor (edge)
Price	n/a (not disclosed); RaaS subscription incl. fleet ...
Web	thehumanoid.ai/hmnd-01-alpha-wheeled




Alfie Alfie
Prosper Robotics · Europe · **prototype**

Base	wheeled (indoor, single-floor)
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	interchangeable tools: planned toolbox of 50-100 at...
Compute	—
Price	target ~USD 5,000-15,000 hardware + ~USD 500/month ...
Web	sifted.eu/articles/robot-butler-openai-prosper-robotics




ALPHA (Automated Litter Processing Humanoid Assistant)
TeknTrash · Europe · **prototype**

Base	wheeled AMR base with tall lift column and integrat...
Size	2000 mm / 90 kg
DoF	13 total / 6 per arm
Payload	— kg/arm
Speed/runtime	0.25 m/s / 7 h
End effector	parallel grippers (2 gripper DoF total); rake-style...
Compute	NVIDIA Orin AGX 64 GB (275 TOPS), WiFi
Price	USD 55,000
Web	www.tekntrash.com



Northstar Northstar
UMA · Europe · **prototype**

Base	wheeled (V0 initial platform; bipedal only on later...
Size	1650 mm / 40 kg
DoF	24 total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	five-finger hands (discovery sweep, unverified)
Compute	—
Price	~USD 70,000 (discovery sweep, unconfirmed)
Web	electrek.co/2026/07/07/tesla-optimus-scientist-uma-humanoid...



Rollin' Justin Rollin' Justin (Agile Justin variant)
DLR Institute of Robotics and Mechatronics · Europe · [research](#)

Base	wheeled, 4 independently steered spring-suspended w...
Size	1910 mm / 200 kg
DoF	51 total / 7 per arm
Payload	14 kg/arm
Speed/runtime	2.0 m/s / 1 h
End effector	2x DLR Hand II four-finger dexterous hands, 12 DoF ...
Compute	—
Price	n/a (not for sale)
Web	www.dlr.de/en/rm/research/robotic-systems/humanoids/rolli...




HoLLiE (HoLLiE C) HoLLiE — House of Living Labs intelligent Escort
FZI Research Center for Information Technology · Europe · [research](#)

Base	Clearpath Ridgeback omnidirectional (mecanum) comme...
Size	— mm / 135 kg
DoF	— total / 6 per arm
Payload	— kg/arm
Speed/runtime	1.1 m/s / — h
End effector	interchangeable: Schunk SVH 5-finger hands, vacuum ...
Compute	3 networked onboard PCs (platform / mid-level / hig...
Price	n/a (not for sale)
Web	www.fzi.de/en/research/projekt-details/hollie



R1 R1 — your personal humanoid
Istituto Italiano di Tecnologia (IIT) · Europe · [research](#)

Base	two driving wheels (diff-drive) + 3 pivoting 75 mm ...
Size	1200 mm / 51 kg
DoF	— total / 8 per arm
Payload	1 kg/arm
Speed/runtime	0.6 m/s / 3 h
End effector	2x underactuated hands, 4 DoF / 2 DoA, distributed ...
Compute	2x Nano-ITX i7 PCs + MYIR Xilinx Z-turn board; onbo...
Price	target 'cost of a small family car' (~EUR 20-30k cl...
Web	icub.iit.it/products/r1-robot



ARMAR-7 ARMAR-7
KIT H2T (High Performance Humanoid Technologies Lab) · Europe · [research](#)

Base	holonomic wheeled platform, 3 omni-wheels
Size	— mm / — kg
DoF	32 total / 8 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	2x underactuated five-finger humanoid hands, 4 DoF,...
Compute	not published for ARMAR-7 (ARMAR-6: 4 onboard PCs + ...
Price	n/a (not for sale)
Web	h2t.iar.kit.edu/397.php



GARMi GARMi

TUM MIRMI (Geriatrics) · Europe · **research**


Base	wheeled mobile base (stable, low CoG) + extendable ...
Size	— mm / — kg
DoF	— total / 7 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	anthropomorphic artificial hand (demonstrated); tel...
Compute	—
Price	n/a (not for sale)
Web	www.mirmi.tum.de/en/mirmi/research/projects/geriatrics



Alter-Ego (Alter-Ego X) ALTER-EGO

Univ. Pisa Centro Piaggio + IIT SoftBots · Europe · **research**

Base	two-wheel self-balancing (inverted pendulum)
Size	1200 mm / — kg
DoF	— total / 5 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	Pisa/IIT SoftHand per arm: 5 fingers, 19 joints, 1 ...
Compute	Intel NUC mini-PCs (Linux) integrated in body
Price	n/a (not for sale)
Web	www.unipi.it/en/news/alter-ego-bring-robotics-into-hospit...



EVE EVE

1X Technologies (ex-Halodi Robotics) · Europe · **discontinued**


Base	two-wheel self-balancing wheeled base, multi-terrai...
Size	1860 mm / 87 kg
DoF	25 total / — per arm
Payload	— kg/arm
Speed/runtime	4.0 m/s / 6 h
End effector	Robotiq 3-Finger Adaptive Gripper (visible in offic...
Compute	Intel Core i7 (real-time control) + NVIDIA Xavier (...)
Price	RaaS: ~NOK 500,000 (~USD 50k)/unit/year under 2022 ...
Web	web.archive.org/web/2024/www.1x.tech/androids/eve



Leenby Leenby

Cybedroid · Europe · **discontinued**

Base	wheeled base under skirt (drive type not disclosed)
Size	1350 mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / 10 h
End effector	gesture hands (handshake capable), no manipulation ...
Compute	—
Price	—
Web	silvereco.com/a-600000e-fund-raising-of-cybedroid-for-its...




AILA AILA (Artificial Intelligence Lightweight Android)
DFKI Robotics Innovation Center · Europe · **discontinued**

Base	six-wheeled omnidirectional base, each wheel a 2-Do...
Size	1700 mm / — kg
DoF	32 total / 7 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	grippers/hands (variants incl. 'new hands' version;...
Compute	3 onboard computers, GigE network, 5 CAN buses
Price	n/a (never for sale)
Web	robotik.dfki-bremen.de/en/research/robot-systems/aila




Care-O-bot 4 Care-O-bot 4 ("Paul")
Mojin Robotics (now 4am Robotics) / Fraunhofer IPA · Europe · **discontinued**

Base	wheeled omnidirectional
Size	1480 mm / 140 kg
DoF	23 total / 7 per arm
Payload	— kg/arm
Speed/runtime	1.2 m/s / 5 h
End effector	2-DoF gripper (one-finger style) with integrated se...
Compute	multiple Intel i7 NUC PCs
Price	USD 66,000-232,000 by configuration (historical)
Web	www.care-o-bot.de/en/care-o-bot-4.html



AMIGO AMIGO (Autonomous Mate for IntelliGent Operations);
successor SERGIO
Tech United, TU Eindhoven · Europe · **discontinued**

Base	four omni wheels (soccer-robot drive technology); b...
Size	1350 mm / 80 kg
DoF	— total / 7 per arm
Payload	1.5 kg/arm
Speed/runtime	— m/s / 0.5 h
End effector	1-DoF grippers, 90 mm max opening
Compute	3x AOpen DE57-HA PCs (Core i5, 8 GB); EtherCAT 1 kH...
Price	n/a (self-built)
Web	wiki.roboticopenplatform.org/wiki/AMIGO



Cosero Cosero (Cognitive Service Robot); predecessor Dynamaid
University of Bonn — NimbRo · Europe · **discontinued**

Base	omnidirectional: 4 individually steerable wheel-pai...
Size	— mm / — kg
DoF	— total / 7 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	2-DoF grippers
Compute	consumer notebook onboard (Dynamaid: Lenovo X200)
Price	n/a (self-built)
Web	www.nimb-ro.net/@Home/robots.html

Japan 日本

31 robots

9 shipping · 3 announced · 4 prototype · 6 research · 9 discontinued



Zero-shiki Jinki ver.2.0 / Multifunctional Railway Heavy Machine 零式人機 ver.2.0 / 多機能鉄道重機

Jinki Ittai (developer/licensor) + Nippon Signal (manufacturer) + JR West (customer) · Japan · **shipping**

Base	humanoid torso on telescoping crane boom of road-ra...
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	interchangeable heavy tools: powered cutters/saws, ...
Compute	—
Price	—
Web	toyokeizai.net/articles/-/797495



NEXTAGE / NEXTAGE Fillie ネクステージ / ネクステージ フィリー

Kawada Robotics · Japan · **shipping**

Base	fixed pedestal (manual repositioning between cells;...
Size	— mm / — kg
DoF	15 total / 6 per arm
Payload	2 kg/arm
Speed/runtime	— m/s / — h
End effector	application-specific grippers/tools; optional wrist...
Compute	pedestal-integrated controller; details n/a
Price	Fillie from ¥6,000,000 (pedestal, hand cameras opti...
Web	nextage.kawadarobot.co.jp



OriHime-D オリヒメD (分身ロボット)

OryLab Inc. (Ory Laboratory) · Japan · **shipping**

Base	wheeled base (forward/backward/rotate, teleoperated)
Size	1200 mm / — kg
DoF	14 total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	simple arm ends for tray/cup carrying and gestures;...
Compute	—
Price	n/a (service/employment model, not sold retail)
Web	orylab.com/product/dawn2021



Foodly フードリー

RT Corporation · Japan · **shipping**

Base	pedestal on casters (manual repositioning, no self-...
Size	1500 mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / 8 h
End effector	interchangeable washable sanitary food grippers
Compute	NVIDIA Jetson-class embedded GPU (RT stack); detail...
Price	n/a (made-to-order, customized); monthly rental ava...
Web	rt-net.jp/service/foodly

**Sciurus17** シューラス17RT Corporation · Japan · **shipping**

Base	bench-mount torso; optional S17-LIFT 700mm lift col...
Size	665 mm / 6 kg
DoF	17 total / 7 per arm
Payload	0.5 kg/arm
Speed/runtime	— m/s / — h
End effector	simple servo grippers (dedicated hand actuators eac...
Compute	external PC (USB 3.0 / LAN); no onboard computer
Price	JPY 3,300,000 base; OP1 head JPY 55,000; Lift and K...
Web	rt-net.jp/products/sciurus17

**SEED-Noid (SEED-R7 series)** シードノイド (SEED-R7シリーズ)THK / SEED Solutions · Japan · **shipping**

Base	modular: SEED-Mover omnidirectional cart (4 omni wh...
Size	1700 mm / 80 kg
DoF	22 total / 7 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	parallel grippers, force-parameterized grasp/releas...
Compute	onboard Linux mini-PC
Price	n/a (quotation-based; units sold individually)
Web	github.com/seed-solutions/seed_r7_ros_pkg

**Torobo (Torobo2)** トロボTokyo Robotics Inc. · Japan · **shipping**


Base	wheeled omnidirectional cart (4-axis)
Size	1615 mm / 120 kg
DoF	24 total / 7 per arm
Payload	7 kg/arm
Speed/runtime	— m/s / 3 h
End effector	force-controlled gripper option or Torobo Hand (10-...
Compute	optional vision PC with NVIDIA RTX 4070/5070
Price	n/a (quotation)
Web	robotics.tokyo/technologies/torobo

**Robovie-R3** ロボビー・アル3 (Robovie-R Ver.3)Vstone (ATR lineage) · Japan · **shipping**


Base	wheeled differential drive (2x40W); optional omnidi...
Size	1080 mm / 35 kg
DoF	17 total / 4 per arm
Payload	— kg/arm
Speed/runtime	0.69 m/s / — h
End effector	1-DoF gripper hands (light grasping/gesture)
Compute	Windows notebook PC (main) + VS-RC003HV ARM7 60MHz ...
Price	JPY ~3,800,000
Web	www.vstone.co.jp/products/robovie_r3/index.html




ugo Pro ugo Pro (ユーゴー プロ)	
ugo, Inc. (ex-Mira Robotics) · Japan · shipping	
Base	wheeled (drive type n/a; diff-drive est.) + torso l...
Size	1800 mm / 54 kg
DoF	— total / 7 per arm
Payload	— kg/arm
Speed/runtime	1.0 m/s / 8 h
End effector	simple actuation tips/grippers for buttons, IC card...
Compute	—
Price	n/a (RaaS via partners, 'negotiable'); armless sibl...
Web	ugo.plus/products/ugo-pro



AGIRobots Worker AGIRobots Worker (車輪型セミヒューマノイド)	
AGIRobots Inc. · Japan · announced	
Base	wheeled — swerve-type steered-wheel modules, omnidi...
Size	— mm / 70 kg
DoF	— total / — per arm
Payload	4 kg/arm
Speed/runtime	— m/s / — h
End effector	modular: parallel-link gripper with integrated came...
Compute	—
Price	n/a (not disclosed)
Web	innovatopia.jp/robot/robot-news/106664



Modular	
O-ID · Japan · announced	
Base	wheeled base with wheel hub motors (flat-floor); hu...
Size	1720 mm / 70 kg
DoF	30 total / — per arm
Payload	— kg/arm
Speed/runtime	1.4 m/s / 4 h
End effector	multi-finger claw-style grippers (10 fingers total)...
Compute	not disclosed; Ethernet + WiFi
Price	USD 70,000
Web	o-id.net



MOTOMAN NEXT-NHC10DE MOTOMAN NEXT-NHC10DE	
Yaskawa Electric · Japan · announced	
Base	stationary dual-arm (pedestal/cell mount; no mobile...
Size	— mm / — kg
DoF	— total / — per arm
Payload	10 kg/arm
Speed/runtime	— m/s / — h
End effector	multi-finger grippers with tactile fingertip sensor...
Compute	—
Price	—
Web	www.today-jp.com/news/irex-2025-yaskawa-ai-cobots-enginee...




Nurabot Nurabot (護理機器人)
Foxconn (Hon Hai) + Kawasaki Heavy Industries, AI by NVIDIA · Japan · **prototype**

Base	wheeled AMR (Nyokkey-derived) + dual-arm torso + ca...
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	grasping arms (wound-care kits, medication, specime...
Compute	NVIDIA Jetson Orin onboard
Price	—
Web	global.kawasaki.com/en/corp/newsroom/news/detail/?f=20250...




Nyro
Individual maker (Ryota Kobayashi) · Japan · **prototype**

Base	none (upper body on camera tripod; no mobile base y...
Size	900 mm / 8 kg
DoF	— total / 7 per arm
Payload	0.5 kg/arm
Speed/runtime	— m/s / — h
End effector	Amazing Hand open-source 5-finger hands (Feetech se...
Compute	LattePanda 3 Delta x86 SBC
Price	—
Web	hackaday.io/project/204888



Nyokkey ニョッキー
Kawasaki Heavy Industries / Kawasaki Robotics · Japan · **prototype**

Base	wheeled AMR base + humanoid torso
Size	1500 mm / 75 kg
DoF	— total / 6 per arm
Payload	6 kg/arm
Speed/runtime	— m/s / — h
End effector	task-specific grippers (specimen containers, trays)...
Compute	—
Price	not for sale (pilot placements only)
Web	kawasakirobotics.com/asia-oceania/blog/story_16



Diaroid ディアロイド
Mitsubishi Electric · Japan · **prototype**

Base	tracked — CuboRex CuGo MEGA electric crawlers (inde...
Size	— mm / — kg
DoF	42 total / — per arm
Payload	20 kg/arm
Speed/runtime	— m/s / 1 h
End effector	multi-finger hands, dynamic range cream-puff-delica...
Compute	control electronics housed in torso; controllers au...
Price	n/a (not commercialized)
Web	www.giho.mitsubishielectric.co.jp/giho/pdf/2023/2301008.p...



Honda Avatar Robot Honda アバターロボット

Honda Motor Co., Ltd. · Japan · [research](#)


Base	wheeled mobile base under dual-arm upper body
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	ASIMO-derived multi-finger hand: 4 fingers, 16 join...
Compute	—
Price	n/a (research program)
Web	global.honda.jp/stories/025



ibuki イブキ

Osaka University Ishiguro Lab / JST ERATO · Japan · [research](#)

Base	wheeled mobility unit: 2 active wheels + eccentric ...
Size	1200 mm / — kg
DoF	47 total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	5-finger expressive hands (hand signs, gestures); l...
Compute	—
Price	one-off research platform, never sold
Web	eng.irl.sys.es.osaka-u.ac.jp/projects/ibuki



Panda dual-arm mobile manipulator

PRIN Lab (NII) · Japan · [research](#)


Base	omnidirectional (TriOrb ball-drive base)
Size	— mm / — kg
DoF	— total / 7 per arm
Payload	3 kg/arm
Speed/runtime	— m/s / — h
End effector	2x qb SoftHand2 Research (anthropomorphic 19-DoF so...
Compute	—
Price	n/a (self-integrated)
Web	prinlab.org/en/equipment



ELEY エレイ (Embodied LEarning robot for Enhanced Yield)


Toyota · Japan · [research](#)

Base	wheeled (rounded mobile base per official render)
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	grippers (render); details undisclosed
Compute	—
Price	n/a (research)
Web	global.toyota/en/mobility/frontier-research/44105171.html




AIREC (Dry-AIREC ver. 1.0) アイレック (AI-driven Robot for Embrace and Care)
Waseda University Sugano Lab / JST Moonshot Goal 3 · Japan · [research](#)

Base	wheeled round mobile base with articulated single-c...
Size	— mm / 150 kg
DoF	— total / 7 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	multi-finger humanlike hands (DoF n/a)
Compute	—
Price	target >= JPY 10M (~USD 67k) at ~2030 introduction
Web	airec-waseda.jp/en/about_en




TWENDY-ONE トウエンディワン
Waseda University Sugano Laboratory · Japan · [research](#)

Base	omnidirectional wheeled cart
Size	1470 mm / 111 kg
DoF	47 total / 7 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	13-DoF anthropomorphic 4-finger hands (x2), stable ...
Compute	—
Price	n/a (never sold)
Web	www.twendyone.com/tech.html



enon エノン
Fujitsu Frontech / Fujitsu Laboratories · Japan · [discontinued](#)

Base	wheeled (two drive wheels, 2 DoF per wheel)
Size	1300 mm / 50 kg
DoF	— total / 5 per arm
Payload	0.5 kg/arm
Speed/runtime	0.83 m/s / — h
End effector	1-DoF hand per arm, 0.5 kg grasp for handing objects
Compute	—
Price	individual quotation; no list price
Web	www.fujitsu.com/global/about/resources/news/press-release...




G1 GITAI G1
GITAI · Japan · [discontinued](#)


Base	humanoid torso, fixed/rail mount (microgravity-orie...
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	dual grippers/hands for tools, control boards, scie...
Compute	—
Price	n/a (never sold)
Web	gitai.tech/2019/03/25/gitai-developers-of-a-human-substit...

**MELTANT-beta** MELTANT-β (メルタント・ベータ)MELTIN MMI · Japan · **discontinued**

Base	pedestal/frame-mounted upper body (no self-locoti...
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	5-finger wire-driven dexterous hands; tool use (gri...
Compute	—
Price	never sold
Web	www.meltin.jp/en/news/265

**wakamaru** ワカマルMitsubishi Heavy Industries · Japan · **discontinued**

Base	wheeled (two drive wheels + casters), 450 mm base d...
Size	1000 mm / 30 kg
DoF	— total / — per arm
Payload	0 kg/arm
Speed/runtime	0.28 m/s / — h
End effector	none (gesture hands; handshake capable)
Compute	—
Price	JPY 1,575,000 incl. tax (2005 retail); rental JPY 2...
Web	www.mhi.com/jp/news/200706144594.html

**ROBEAR** ロベアRIKEN / Sumitomo Riko · Japan · **discontinued**

Base	wheeled base with extendable stabilizing outrigger ...
Size	1500 mm / 140 kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	no hands; full compliant arms used as lifting surfa...
Compute	—
Price	never sold
Web	www.riken.jp/press/2015/20150223_2

**WorkSense W-01** ワークセンス W-01Seiko Epson · Japan · **discontinued**

Base	passive wheeled stand (manually repositioned; no au...
Size	— mm / — kg
DoF	— total / 7 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	multipurpose hands: grasp/grip/clamp varied object ...
Compute	—
Price	quotation-based, never published
Web	press.epson.eu/en_IE/news/epson-to-launch-autonomous-dual...




心をつかんで、あなたを動かす。pepper+

Pepper ペッパー

SoftBank Robotics (orig. Aldebaran / SoftBank Robotics Europe) · Japan · **discontinued**

Base	wheeled (3 omnidirectional wheels)
Size	1210 mm / 28 kg
DoF	20 total / 5 per arm
Payload	— kg/arm
Speed/runtime	0.83 m/s / 12 h
End effector	5-finger cosmetic hands (1 DoF open/close), touch s...
Compute	embedded Atom-class PC in head, NAOqi OS; cloud 'em...
Price	2015: ¥198,000 + 36-mo subscription ≈ ¥1.08M 3-yr; ...
Web	www.softbankrobotics.com/jp/product/pepper-plus



Model-T モデルT

Telexistence Inc. · Japan · **discontinued**

Base	wheeled base + vertical axis under dual-arm torso
Size	— mm / — kg
DoF	22 total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	Andrea-Yamaura End Effector: hybrid vacuum suction ...
Compute	—
Price	n/a (service model, never sold)
Web	tx-inc.com/en/blog/2020/07/21/10624



Robina ロビーナ (TPR-Robina)

Toyota Motor Corporation (Partner Robot division) · Japan · **discontinued**

Base	wheeled under skirt: 2 drive wheels + 4 maneuvering...
Size	1200 mm / 60 kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	jointed five-finger hands; dexterity demonstrated b...
Compute	—
Price	never sold (2 units built)
Web	global.toyota/en/detail/279478

South Korea 한국

15 robots

2 shipping · 5 announced · 4 prototype · 2 research · 2 discontinued



AI Worker (FFW-SG2 / FFW-BG2) AI워커

ROBOTIS · Korea · shipping

Base	wheeled (swerve drive, 3 independent steer+drive mo...
Size	1623 mm / 90 kg
DoF	25 total / 7 per arm
Payload	3.0 kg/arm
Speed/runtime	1.5 m/s / — h
End effector	RH-P12-RN 1-DoF two-finger gripper (5 kg); 16-20 Do...
Compute	NVIDIA Jetson AGX Orin 32GB
Price	FFW-BG2 ~USD 40,000 incl. VAT (EU reseller); quotes...
Web	ai.robotis.com/ai_worker/hardware_ai_worker



RB-Y1 이동형 양팔로봇 RB-Y1

Rainbow Robotics · Korea · shipping


Base	wheeled (2-wheel drive; optional Mecanum omnidirect...
Size	1400 mm / 131 kg
DoF	24 total / 7 per arm
Payload	3 kg/arm
Speed/runtime	2.5 m/s / — h
End effector	1-DoF parallel gripper x2 (module-exchangeable); op...
Compute	onboard control PC + optional user PC (UPC) for AI ...
Price	USD 80,000 (research) / USD 120,000 (commercial), V...
Web	www.rainbow-robotics.com/rby1



ALICE M1 앨리스 M1

A Robot / AeIROBOT · Korea · announced

Base	wheeled AMR platform (drive layout not disclosed) +...
Size	1800 mm / 97 kg
DoF	31 total / 7 per arm
Payload	— kg/arm
Speed/runtime	— m/s / 3 h
End effector	two 6-DoF five-finger hands
Compute	NVIDIA AGX Orin + AFE-R360
Price	—
Web	www.arobot4all.com/ALICE_M1



CLOiD LG 클로이드

LG Electronics · Korea · announced


Base	wheeled autonomous base, low center of gravity
Size	— mm / — kg
DoF	— total / 7 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	five independently actuated fingers per hand
Compute	—
Price	n/a (not disclosed); USD 15,000-25,000 industry est...
Web	www.lg.com/global/newsroom/news/home-appliance-solution/l...

**Billy** 빌리Neubility · Korea · **announced**


Base	wheeled (4-wheel vehicle base with cargo compartmen...
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	two five-fingered hands
Compute	—
Price	—
Web	en.sedaily.com/news/2026/03/05/neubility-unveils-half-hum...

**EIR** 에이르Neuromeka · Korea · **announced**


Base	wheeled cart-based mobile base (explicitly no legs;...
Size	— mm / — kg
DoF	18 total / 7 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	Tesolto Delto grippers + AIDIN F/T wrist sensors se...
Compute	—
Price	—
Web	en.neuromeka.com/post/neuromeka-to-unveil-eir-a-physical-...

**DEUX** 듀스 (Deuce)XYZ Inc. · Korea · **announced**


Base	wheeled (swerve drive, 360° omnidirectional; fixed-...
Size	1550 mm / 60 kg
DoF	30 total / 7 per arm
Payload	5.5 kg/arm
Speed/runtime	— m/s / — h
End effector	proprietary 3-finger dexterous hand, 7 DoF per hand...
Compute	standalone on-device compute (1 kHz processing); NV...
Price	Mobile DEUX USD 39,900; fixed DEUX USD 29,900; Glov...
Web	xyzcorp.imweb.me/DEUX

**Friday** FridayHoliday Robotics · Korea · **prototype**


Base	wheeled mobile base (enclosed, compact two-section ...
Size	1760 mm / 115 kg
DoF	63 total / 7 per arm
Payload	— kg/arm
Speed/runtime	1.9 m/s / 4 h
End effector	in-house five-finger tactile hands, 20 DoF each, hi...
Compute	NVIDIA Jetson Orin
Price	~USD 200,000 listed; mass-production target ~KRW 10...
Web	holiday-robotics.com

**ILBOT** 아이엘봇I.L · Korea · **prototype**

Base	wheeled (legless mobile base)
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	interchangeable: five-fingered hands / Omni Picker ...
Compute	—
Price	—
Web	en.sedaily.com/finance/2026/02/24/il-deploys-humanoid-rob...

**TR Works** TR웍스T-Robotics · Korea · **prototype**


Base	wheeled (company's own AMR mounted beneath humanoid...
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	in-house patented finger modules / robot-hand techn...
Compute	—
Price	—
Web	www.k-robot.co.kr/k-robot/en/company_booth.php?com=48204

**ALLEX** 알렉스WIRobotics · Korea · **prototype**

Base	pedestal (upper-body system); wheeled mobile config...
Size	1700 mm / 60 kg
DoF	— total / — per arm
Payload	3 kg/arm
Speed/runtime	— m/s / — h
End effector	15-DoF human-hand-sized compliant hands, 5 fingers ...
Compute	—
Price	USD 180,000
Web	rih.wirobotics.com/en/allex

**M-Hubo**KAIST Hubo Lab · Korea · **research**

Base	wheeled (omnidirectional base)
Size	— mm / — kg
DoF	20 total / 7 per arm
Payload	10 kg/arm
Speed/runtime	0.97 m/s / — h
End effector	shape-adaptive 3-finger grippers, 2 kg payload at f...
Compute	Vision PC: Alienware ASM201 (i7, 16GB, GTX 960); Mo...
Price	—
Web	techxplore.com/news/2020-01-m-hubo-wheeled-humanoid-robo...

**AMBIDEX** 앰비덱스NAVER LABS · Korea · **research**

Base	fixed pedestal/stand (upper-body dual-arm research ...
Size	1860 mm / — kg
DoF	— total / 7 per arm
Payload	3 kg/arm
Speed/runtime	— m/s / — h
End effector	interchangeable research end-effectors: grippers to...
Compute	onboard control or 'brainless' 5G cloud control via...
Price	—
Web	www.naverlabs.com/en/ambidex

**DAL-e** 달이Hyundai Motor Group (Robotics Lab) · Korea · **discontinued**

Base	wheeled, 4 omnidirectional wheels
Size	1160 mm / 80 kg
DoF	— total / — per arm
Payload	0 kg/arm
Speed/runtime	— m/s / — h
End effector	none - gesture-only arms, no grippers
Compute	—
Price	—
Web	www.hyundai.com/worldwide/en/newsroom/detail/hyundai-mot-0...

**CIROS**KIST · Korea · **discontinued**

Base	wheeled (omnidirectional)
Size	1600 mm / 150 kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	dexterous hands identical to HUBO's; can hold tools...
Compute	—
Price	—
Web	geekswipe.net/technology/electronics/ciros-html

Rest of world

21 robots

8 shipping · 3 announced · 4 prototype · 1 research · 5 discontinued



ADA-7 ADA-7 Sosyal Robot

AKINROBOTICS (AKINSOFT) · Other · shipping


Base	wheeled (concealed base), 360-degree rotation on th...
Size	— mm / — kg
DoF	— total / 4 per arm
Payload	— kg/arm
Speed/runtime	0.6 m/s / — h
End effector	robotic hands with movable joints, basic object gra...
Compute	—
Price	n/a (sale and rental via akinoid.com, prices on req...
Web	www.akinrobotics.com/en/social-robot-ada-7



Abi

Andromeda Robotics · Other · shipping


Base	wheeled
Size	1200 mm / 50 kg
DoF	12 total / — per arm
Payload	— kg/arm
Speed/runtime	0.83 m/s / 2 h
End effector	five-fingered gesture hands (4 DoF total in hands)
Compute	ARM CPU + edge AI accelerator
Price	~USD 25,000
Web	andromedarobotics.ai



Sophia Sophia (索菲亞)

Hanson Robotics · Other · shipping

Base	wheeled tripod (passive standard; motorized RC or a...
Size	1670 mm / 20 kg
DoF	83 total / 15 per arm
Payload	0.5 kg/arm
Speed/runtime	— m/s / — h
End effector	five-finger articulated hands (within 15 DoF/arm); ...
Compute	—
Price	n/a (never officially published); third-party estim...
Web	www.hansonrobotics.com/sophia



BamBot B0

Open-source project (Tim Qian) · Other · shipping

Base	wheeled (small differential base, 3D-printed)
Size	— mm / — kg
DoF	— total / 6 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	SO-ARM100-style parallel grippers
Compute	browser/host computer via WebSerial (feetech.js); n...
Price	~USD 300 in parts
Web	bambot.org



Ginger (Nepal)

Paaila Technology · Other · shipping

Base	wheeled (concealed base under humanoid torso)
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / full work... h
End effector	gestural arms / tray carrying; no manipulation
Compute	—
Price	—
Web	www.ktm2day.com/2018/09/01/naulo-restaurant-where-robots-...



Promobot V.4 Промобот V.4

Promobot · Other · shipping

Base	wheeled (2-wheel diff-drive + support casters)
Size	1485 mm / 130 kg
DoF	18 total / 7 per arm
Payload	0 kg/arm
Speed/runtime	— m/s / 8 h
End effector	static hand shells with touch sensors; no gripper
Compute	onboard PC (x86), details n/a
Price	from USD 25,000; ~\$2,000/day rental
Web	promo-bot.ai/wp-content/uploads/2024/05/Promobot-V.4-User...



Gary Gary

Unlimited Robotics · Other · shipping


Base	wheeled (four-wheel skirted base)
Size	1400 mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	1.2 m/s / — h
End effector	two-finger parallel grippers; tray/supply carrying
Compute	—
Price	~USD 30,000 + monthly fee (hospital model); 2021 co...
Web	israel21c.org/the-versatile-hospital-worker-that-never-ca...



TARA GEN1

iHub Robotics (IHUB Research and Robotics) · Other · shipping

Base	wheeled circular base under skirt cowling
Size	1630 mm / 75 kg
DoF	3 total / — per arm
Payload	— kg/arm
Speed/runtime	0.7 m/s / 8 h
End effector	5-finger cosmetic hands, 3 hand DoF total, 10 finge...
Compute	1024-core NVIDIA Ampere GPU (Jetson Orin-class), Ub...
Price	USD 13,998
Web	www.ihubrobotics.com/tara



Spaceo M1 / Spaceo Pro

Muks Robotics · Other · **announced**

Base	wheeled box base (M1); wheeled chassis with adjusta...
Size	1625 mm / 45 kg
DoF	12 total / 5 per arm
Payload	10 kg/arm
Speed/runtime	1.5 m/s / 8 h
End effector	5-finger cosmetic-style hands (10 fingers total, M1)
Compute	Ryzen 7, 16 GB RAM, 500 GB SSD; optional Jetson AGX...
Price	M1 from ~USD 11,000; Pro USD 60,000
Web	www.muksrobotics.com



PR-34D

Perceptyne · Other · **announced**

Base	stationary pedestal/pillar mount (no mobility by de...
Size	— mm / — kg
DoF	34 total / 7 per arm
Payload	6 kg/arm
Speed/runtime	— m/s / — h
End effector	two 10-DoF articulated three-finger hands with tact...
Compute	dedicated onboard CPU/GPU for AI and vision
Price	~USD 120,000
Web	inc42.com/buzz/robotics-startup-perceptyne-bags-3-mn-from...



Bimanual

Svaya Robotics · Other · **announced**


Base	stationary pedestal (mountable on third-party mobil...
Size	1550 mm / 70 kg
DoF	— total / 6 per arm
Payload	10 kg/arm
Speed/runtime	0 m/s / — h
End effector	2-finger gripper claws (listing); articulated 3-fin...
Compute	—
Price	~USD 90,000
Web	svayarobotics.com/product



GenBot

Genrobotics (Genrobotic Innovations) · Other · **prototype**

Base	tracked - rubberized quad-track chassis with adapti...
Size	— mm / — kg
DoF	18 total / — per arm
Payload	— kg/arm
Speed/runtime	0.83 m/s / 8 h
End effector	industrial claw grippers (renders); dual-arm precis...
Compute	—
Price	—
Web	research.genrobotics.com/genbot



Vyommitra व्योममित्र

ISRO (Vikram Sarabhai Space Centre) · Other · **prototype**

Base	none - legless seated half-humanoid (head + torso +...
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	two hands for switch-panel operation in crew module
Compute	—
Price	—
Web	theprint.in/science/indian-humanoid-robot-vyommitra-set-f...



Sara سارة

QSS AI & Robots · Other · **prototype**

Base	concealed legless lower body (estimated wheeled ped...
Size	1620 mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	gestural hands only (no manipulation)
Compute	—
Price	—
Web	www.dqindia.com/news/saudi-arabia-unveils-first-humanoid-...



TM Xplore 1

Techman Robot · Other · **prototype**

Base	wheeled
Size	1600-1750 mm / — kg
DoF	22 total / — per arm
Payload	— kg/arm
Speed/runtime	0.83 m/s / 2 h
End effector	five-finger hands
Compute	NVIDIA Jetson Orin
Price	~USD 25,000 (indicative)
Web	www.tm-robot.com



Nadine

NTU Singapore (IMI); hardware by Kokoro (Japan); research continued at MIRALab Geneva · Other · **research**

Base	seated/stationary android (no locomotion)
Size	— mm / — kg
DoF	27 total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	realistic human-like hands; gestural, limited human...
Compute	—
Price	—
Web	onlinelibrary.wiley.com/doi/10.1002/cav.2290



KIKI КИКИ	
Alfa Robotics · Other · discontinued	
Base	wheeled (concealed skirt-style mobile base)
Size	— mm / — kg
DoF	17 total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	gestural arms/hands only (no manipulation payload)
Compute	—
Price	—
Web	www.rbth.com/science-and-tech/333182-robots-made-in-russia




KP-BOT	
Asimov Robotics Pvt Ltd · Other · discontinued	
Base	wheeled (concealed base under skirt-style lower bod...
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	gesturing humanoid arms/hands (saluting); no manipu...
Compute	—
Price	INR 21.24 lakh (~USD 25,500)
Web	www.onmanorama.com/news/kerala/2019/02/19/kerala-police-l...



Mitra मित्र	
Invento Robotics · Other · discontinued	
Base	wheeled (concealed base, layout not disclosed)
Size	1500 mm / 50 kg
DoF	— total / — per arm
Payload	0 kg/arm
Speed/runtime	— m/s / 10 h
End effector	none - gesture-only molded arms, no grippers
Compute	—
Price	n/a (est. ~USD 10-15K class per period press)
Web	mikekalil.com/blog/made-in-india-humanoid-robots



Robo-C / Robo-C2 Робо-C / Робо-C2	
Promobot · Other · discontinued	
Base	stationary pedestal/seated android (no locomotion)
Size	— mm / — kg
DoF	— total / 12 per arm
Payload	1 kg/arm
Speed/runtime	— m/s / — h
End effector	anthropomorphic hands, gesture + light item handlin...
Compute	—
Price	historically ~USD 20,000-50,000 depending on custom...
Web	promo-bot.ai/robots/robo-c



TOPIO Dio


TOSY Robotics JSC · Other · **discontinued**

Base	wheeled (3-wheel omnidirectional platform)
Size	1250 mm / 45 kg
DoF	28 total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	humanoid hands for carrying trays/mixing drinks (de...
Compute	—
Price	—
Web	www.roboticstoday.com/robots/topio-dio

Annex: borderline & excluded

11 robots

4 shipping · 3 prototype · 2 research · 2 discontinued




L1 L1 (攬月動力)

borderline/excluded

Moon Dynamics · China · shipping

Base	two-wheel dynamic-balancing wheel-LEG hybrid (BORDE...
Size	1650 mm / 60 kg
DoF	18 total / — per arm
Payload	— kg/arm
Speed/runtime	1.94 m/s / 3 h
End effector	2-finger gripping claws
Compute	—
Price	~USD 60,000
Web	humanoid.guide/product/l1




GoMate GoMate (广汽第三代具身智能机器人)

borderline/excluded

GAC Group · China · prototype

Base	variable wheel-leg: 4-wheel mode (~1.4 m) / 2-wheel...
Size	1400 (quad ... mm / — kg
DoF	38 total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / 6 h
End effector	dexterous hands shown at launch; details n/a
Compute	—
Price	—
Web	cnevpost.com/2024/12/26/gac-unveils-humanoid-robot-gomate




The Five (XiaoWu) 小五

borderline/excluded

Tencent Robotics X · China · research

Base	wheel-leg hybrid: four straight telescoping legs wi...
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	three-fingered multi-DoF hands
Compute	—
Price	n/a (research prototype)
Web	www.humanoid-robots.io/robot/xiaowu-by-tencent-robotics-x




Stretch 3

borderline/excluded

Hello Robot · USA · shipping

Base	wheeled (differential drive) — BORDERLINE: single-a...
Size	1400 mm / 24.5 kg
DoF	— total / — per arm
Payload	2 kg/arm
Speed/runtime	— m/s / — h
End effector	compliant gripper w/ D405 camera; tool swap options
Compute	onboard x86 (NUC-class)
Price	USD 24,950
Web	hello-robot.com




Moby

borderline/excluded

Noble Machines (ex-Under Control Robotics) · USA · **prototype**

Base	BIPEDAL/legged (NOT wheeled - contradicts discovery...
Size	1700 mm / 45 kg
DoF	34 total / — per arm
Payload	— kg/arm
Speed/runtime	0.8 m/s / 5 h
End effector	modular hands; dexterous multi-finger hands (10 fin...
Compute	NVIDIA Jetson Orin edge AI
Price	USD 75,000 (aggregator, unverified; vendor undisclo...
Web	www.noblemachines.ai



Monty

borderline/excluded

Anybots · USA · **discontinued**

Base	two-wheel dynamically self-balancing
Size	1700 mm / 72.6 kg
DoF	— total / 7 per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	18-DoF fully articulated human-like hand (right); s...
Compute	—
Price	—
Web	www.techdigest.tv/2007/02/dexter_and_mont.html




AEON AEON

borderline/excluded

Hexagon Robotics (Hexagon AB) · Europe · **shipping**

Base	BORDERLINE wheels-on-legs: articulated legs termina...
Size	1650 mm / 60 kg
DoF	34 total / — per arm
Payload	— kg/arm
Speed/runtime	2.5 m/s / 4 h
End effector	dual arms with 10-finger hands; multi-machine load/...
Compute	NVIDIA Jetson AGX Orin onboard (motion planning, sp...
Price	—
Web	www.bmwblog.com/2026/03/03/bmw-hexagon-aeon-humanoid-ro-bo...




Calvin-40 Calvin-40

borderline/excluded

Wandercraft · Europe · **shipping**

Base	BIPEDAL (two legs, headless) — EXCLUDED from semi-h...
Size	1700 mm / 80 kg
DoF	28 total / — per arm
Payload	— kg/arm
Speed/runtime	0.83 m/s / 4 h
End effector	hands with 10 DoF total; tire/panel handling
Compute	NVIDIA Jetson edge AI + NVIDIA Isaac platform
Price	~USD 65,000 (reported, unconfirmed)
Web	insideevs.com/news/790259/renault-wandercraft-humanoid-ro...




Human Support Robot (HSR) 生活支援ロボット HSR

Toyota · Japan · **research**

borderline/excluded

Base	wheeled (omnidirectional) — BORDERLINE: single-arm,...
Size	1005-1350 (... mm / 37 kg
DoF	— total / — per arm
Payload	1.2 kg/arm
Speed/runtime	0.22 m/s / — h
End effector	gripper + vacuum pad; objects <=130 mm wide
Compute	—
Price	n/a (research distribution, 40+ institutions)
Web	mag.toyota.co.uk/toyota-human-support-robot




EMIEW3 エミュー3

borderline/excluded

Hitachi · Japan · **discontinued**

Base	wheeled: drive wheels + small casters per foot; EMI...
Size	900 mm / 15 kg
DoF	— total / — per arm
Payload	0 kg/arm
Speed/runtime	1.67 m/s / — h
End effector	none (gesture hands)
Compute	lightweight onboard + cloud 'remote brain' (robotic...
Price	never sold
Web	www.hitachi.com/en/press/articles/2016/04/0408



Bot Handy 삼성 봇 핸디

borderline/excluded

Samsung Research (Samsung Electronics) · Korea · **prototype**

Base	wheeled cylindrical base (drive type not disclosed)...
Size	— mm / — kg
DoF	— total / — per arm
Payload	— kg/arm
Speed/runtime	— m/s / — h
End effector	single 2-finger gripper with compliant pads
Compute	—
Price	—
Web	research.samsung.com/news/-CES-2022-Samsung-Research-New-...