


```
----- terminal -----/dev/ttyM1 -----
----- komanda: -----
```

----- odgovor: -----

[illegible]

[illegible]

```
start ---->
```

```
----- terminal -----/dev/ttyM2 -----
```

----- komanda: -----

[illegible]

----- odgovor: -----

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

```
start. ---->
```

```
----- terminal -----/dev/ttyM6 -----
----- komanda: -----
```

[illegible]

----- odgovor: -----

[illegible]

[illegible]

[illegible]

```
start ---->
----- terminal ----- /dev/ttyM7 -----

----- A0 ----- CD6052 -----
- A0 ->

----- komanda: -----

echo -n -e "\$A02\r" > /dev/ttyM7

----- odgovor: -----

!A0400802

----> end
```

```
start ---->
----- terminal ----- /dev/ttyM7 -----

----- A1 - C0 - C1 --- CD6013 -----
- A1 ->
----- komanda: -----

echo -n -e "\$A12\r" > /dev/ttyM7

----- odgovor: -----

!A1240803

- C0 ->
----- komanda: -----

echo -n -e "\$C02\r" > /dev/ttyM7

----- odgovor: -----

- C1 ->
----- komanda: -----

echo -n -e "\$C12\r" > /dev/ttyM7

----- odgovor: -----

----> end
```

```
start ---->
----- terminal ----- /dev/ttyM7 -----

----- A2 ----- CD6017 -----
- A2 ->

----- komanda: -----

echo -n -e "\$A22\r" > /dev/ttyM7

----- odgovor: -----

----> end
```

```
echo -n -e "\$A22\r" > /dev/ttyM7
```

```
-----> end
```

[illegible][illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

----- odgovor: -----

[illegible]

[illegible]

[illegible]

```
start ---->
```

----- NPort ----- Port 7 -----

----- komanda: -----

[illegible]

----- odgovor: -----

[illegible]

[illegible]

[illegible]

[illegible]