


FIELD NOTES CONTENT MODELLING

Your site breaks at handover.

The day the content team logs in.

01 THE PATTERN

Designers build pages. Editors publish things: products, people, case studies.

02 THE TELL

Fields named after the layout.

```
// schemas/homepage.ts
defineType({
  name: 'homepage',
  fields: [
    heroTitle,
    heroTitleLine2,
    section3Text,
    section3TextAlt,
  ],
})
```

03 SIX MONTHS LATER

WEEK 1

Marketing wants a new page

WEEK 2

No field fits, so they paste HTML

WEEK 6

The same case study lives in four places

MONTH 6

"We need a new CMS."

04 THE FIX

× PAGE MODEL

One homepage document with forty fields.

■ CONTENT MODEL

One case study type, used on six pages. Edit once, updated everywhere.

05 THE RULE

Name fields after what they mean.

```
// schemas/caseStudy.ts
defineType({
  name: 'caseStudy',
  fields: [
    client,
    sector,
    outcome,
    services,
    quote,
  ],
})
```

06 BEFORE ANY DESIGN

Four questions for the editors.

01 What do you publish?

02 What repeats?

03 What links to what?

04 Who edits which part?

07 THE ORDER

Design the content. Then design the pages.

08 SAVE THIS

Handover-proof in four rules.

- 01 Model types before pages
- 02 Name fields after meaning
- 03 Reference content, never copy it
- 04 Put editors in the Studio early

09 OVER TO YOU

Where did your last site break first?

ROBOTOSTUDIO.COM

Get in touch >