

## Score Chart

Store Name: 麥當勞

Score: 7

submit

# **Current Data:**

```
192.168.137.1 - - [06/Dec/2023 10:47:22] "GET / HTTP/1.1" 200 - user input data: {'store_name': '麥當勞', 'score': '7'} Data on server: {'麥當勞': '7'} 192.168.137.1 - - [06/Dec/2023 10:48:46] "POST /set HTTP/1.1" 200 -
```




### Score Chart

Store Name: 請輸入餐廳名子

Score: 請輸入分數

submit

Current Data: {"麥當勞": "7"}



#### **Score Chart**


Store Name: 請輸入餐廳名子

Score: 請輸入分數

submit

Current Data: {"歡喜鹹酥雞": "10", "麥當勞": "7"}

```
192.168.137.1 - - [06/Dec/2023 10:48:46] "POST /set HTTP/1.1" 200 - user input data: {'store_name': '歡喜鹹酥雞', 'score': '10'} Data on server: {'麥當勞': '7', '歡喜鹹酥雞': '10'} 192.168.137.1 - - [06/Dec/2023 10:49:54] "POST /set HTTP/1.1" 200 -
```



#### Reset!

back to front page

```
192.168.137.1 - - [06/Dec/2023 10:51:36] "GET / HTTP/1.1" 200 - user input data : {'store_name': '', 'score': ''}
Data on server : {'': ''}
192.168.137.1 - - [06/Dec/2023 10:51:39] "POST /set HTTP/1.1" 200 -
```