```
kubectl -n istio-system get pod -l app=grafana
                                    STATUS
                                              RESTARTS
NAME
                          READY
                                                         AGE
grafana-75485f89b9-s9pdw
                          1/1
                                    Running
                                                         1h
                                              0
```

```
~/projects/istio-demo ( master ✓ )
```

kubectl port-forward -n istio-system grafana-75485f89b9-s9pdw 3000:3000

```
> kubectl -n istio-system get pod -l app=grafana
NAME READY STATUS RESTARTS AGE
grafana-75485f89b9-s9pdw 1/1 Running 0 1h
```

```
~/projects/istio-demo ( master ✓ )
```

kubectl port-forward -n istio-system grafana-75485f89b9-s9pdw 3000:3000

```
> kubectl -n istio-system get pod -l app=grafana
NAME READY STATUS RESTARTS AGE
grafana-75485f89b9-s9pdw 1/1 Running 0 1h
```

```
~/projects/istio-demo ( master ✓ )
```

kubectl port-forward -n istio-system grafana-75485f89b9-s9pdw 3000:3000



- localhost:3000/dashboard/db/istio-mesh-dashboard
- Q localhost:3000/dashboard/db/istio-mesh-dashboard Google Search

## You're browsing as a Guest

Pages you view in this window won't appear in the browser history and they won't leave other traces, like cookies, on the computer after you close all open Guest windows. Any files you download will be preserved, however.

LEARN MORE

