

PROPOSED LEASE PARCEL
MUNICIPAL COMMUNICATIONS, LLC
"SENOIA"
ATL 103

All that tract or parcel of land lying and being in Land Lots 248 and 249, 1st District, City of Senoia, Coweta County, Georgia and being more particularly described as follows:

To find the point of beginning, commence at a ½ inch rebar found, said rebar having a Georgia State Plane Coordinate Value of N=1201736.80, E=2173745.92; Thence along a tie line, North 67°01'41" West, 281.22 feet to a point and the true POINT OF BEGINNING; Thence running, North 86°03'29" West, 487.12 feet to a point; Thence, North 03°56'29" East, 201.62 feet to a point; Thence, South 89°00'40" East, 487.77 feet to a point; Thence, South 03°56'31" West, 226.75 feet to a point and the true POINT OF BEGINNING.

Said tract contains 2.3952 ACRES (104,334 square feet), more or less, as shown in a survey prepared for Municipal Communications, LLC by POINT TO POINT LAND SURVEYORS, INC. dated November 4, 2010 and last revised November 11, 2010.

PROPOSED LEASE AREA
MUNICIPAL COMMUNICATIONS, LLC
"SENOIA"
ATL 103

All that tract or parcel of land lying and being in Land Lots 248 and 249, 1st District, City of Senoia, Coweta County, Georgia and being more particularly described as follows:

To find the point of beginning, commence at a ½ inch rebar found, said rebar having a Georgia State Plane Coordinate Value of N=1201736.80, E=2173745.92; Thence along a tie line, North 63°50'22" West, 493.55 feet to a point and the true POINT OF BEGINNING; Thence running, North 89°00'40" West, 100.00 feet to a point; Thence, North 00°59'20" East, 100.00 feet to a point; Thence, South 89°00'40" East, 100.00 feet to a point; Thence, South 00°59'20" West, 100.00 feet to a point and the true POINT OF BEGINNING.

Said tract contains 0.2296 ACRES (10,000 square feet), more or less, as shown in a survey prepared for Municipal Communications, LLC by POINT TO POINT LAND SURVEYORS, INC. dated November 4, 2010 and last revised November 11, 2010.

PROPOSED 50' INGRESS-EGRESS EASEMENT
MUNICIPAL COMMUNICATIONS, LLC
"SENOIA"
ATL 103

All that tract or parcel of land lying and being in Land Lots 248 and 249, 1st District, City of Senoia, Coweta County, Georgia and being more particularly described as follows:

To find the point of beginning, commence at a ½ inch rebar found, said rebar having a Georgia State Plane Coordinate Value of N=1201736.80, E=2173745.92; Thence along a tie line, North 67°01'41" West, 281.22 feet to a point; thence, North 86°03'29" West, 201.62 feet to a point and the true POINT OF BEGINNING; North 03°56'29" East, 50.17 feet to a point; Thence, South 89°00'40" East, 914.48 feet to a point; Thence, South 00°23'28" East, 331.45 feet to a point; Thence, 34.61 feet along a curve to the right, having a radius of 95.00 feet and being scribed by a chord bearing South 10°02'48" West, 34.42 feet to a point; Thence, North 87°29'31" West, 56.23 feet to a point; Thence, 34.21 feet along the arc of a curve to the left having a radius of 45.00 feet and being scribed by a chord bearing North 21°23'16" East, 33.39 feet to a point; Thence, North 00°23'28" West, 282.54 feet to a point; Thence, North 89°00'40" West, 868.25 feet to a point and the true POINT OF BEGINNING.

Said tract contains 1.4166 ACRES (61,707 square feet), more or less, as shown in a survey prepared for Municipal Communications, LLC by POINT TO POINT LAND SURVEYORS, INC. dated November 4, 2010 and last revised November 11, 2010.

PROPOSED 20' INGRESSEGRESS & UTILITY EASEMENT
MUNICIPAL COMMUNICATIONS, LLC
"SENOIA"
ATL 103

Together with a proposed ingress-egress and utility easement lying and being in Land Lots 248 and 249, 1st District, City of Senoia, Coweta County, Georgia and being described by the following centerline data:

To find the point of beginning, commence at a ½ inch rebar found, said rebar having a Georgia State Plane Coordinate Value of N=1201736.80, E=2173745.92; thence, South 87°29'31" East, 153.62 feet to a point and the true POINT OF BEGINNING; Thence running, South 31°19'24" West, 93.40 feet to a point; Thence, South 02°26'26" West, 185.01 feet to a point; Thence, 12.42 feet along a curve to the left, having a radius of 8.00 feet and being scribed by a chord bearing South 42°01'17" East, 11.21 feet to a point; Thence, South 86°29'00" East, 106.80 feet to a point; Thence, 10.56 feet along a curve to the right, having a radius of 8.00 feet and being scribed by a chord bearing South 48°39'27" East, 9.81 feet to a point; Thence, South 10°49'55" East, 104.91 feet to a point; Thence, South 15°46'51" East, 75.50 feet to a point; Thence, South 20°43'16" East, 205.34 feet to a point; Thence, South 34°15'56" East, 95.94 feet to a point; Thence, South 46°54'37" East, 251.08 feet to the ENDING at a point on the Northern right-of-way line of Howard Road (having a 50 foot right-of-way).

As shown in a survey prepared for Municipal Communications, LLC by POINT TO POINT LAND SURVEYORS, INC. dated November 4, 2010 and last November 11, 2010.