

Personaliza Mensagem de Boas Vindas e Adicionar Logo Marca no LINUX

Os arquivos referentes à logomarca do Linux, se instalados, são `issue.linuxlogo` e `issue.linuxlogo.ascii`.

```
root@debian:/etc# ls issue*
issue issue.net
root@debian:/etc# cat issue
Debian GNU/Linux 12 \n \l

root@debian:/etc#
```

Para baixar a logo do linux, basta usar o comando `apt-get install linuxlogo`

Após executar o comando acima, é mostrado dois novos arquivos referentes à logo marca do Linux.

```
root@debian:~# ls /etc/issue*
/etc/issue /etc/issue.linuxlogo /etc/issue.linuxlogo.ascii /etc/issue.net
root@debian:~# _
```

Alterar o arquivo `/etc/issue` para que mostre a logomarca do Linux Debian.

```
root@debian:/etc# ls issue*
issue issue.bkp issue.linuxlogo issue.linuxlogo.ascii issue.net
root@debian:/etc# cat issue.linuxlogo > issue
root@debian:/etc#
```

O arquivo `/etc/motd` contém a mensagem de boas vindas padrão do Linux.

```
root@debian:/etc# cat motd

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
root@debian:/etc#
```

Por segurança deve-se fazer um backup do arquivo e criar um novo com a mensagem personalizada.

```

root@debian:/etc# ls motd*
motd
root@debian:/etc# mv motd motd.bkp
root@debian:/etc# vi motd_

```

In []:

A seguir a mensagem de boas vindas padrão seguida da logomarca e mensagem personalizada.

```

Debian GNU/Linux 12 debian tty1

debian login: root
Password:
Linux debian 6.1.0-13-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.1.55-1 (2023-09-29) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
Last login: Mon Nov  6 17:36:57 -03 2023 on tty1
root@debian:~# _

```

In []:

```

      __,met$$$$$gg.
    ,g$$$$$$$$$$$$$$$P.
  ,g$$P'""""""""Y$$$.
,,$$P'       $$$$.
,$$P'       ,ggs.   $b:
d$$'        ,P'    $$$
$$P'        d$'    $$P
$$:         $$     ,d$$'
$$:         Y$b._  ,d$P'
Y$$$.       'Y$$$$P'
$b$b        '-._
Y$b$b
Y$$$.
$b$b.
Y$b$b.
'Y$b._,.....

      ,###:      :##      :###:
      ##         ##         #'
      __         __         __
,####:## ,#####. ##.#####. :### ,#####. ###.####:
,##' \### ##: :## ##' \### ##' #:  ## \### \###:
##   ## ##   ## ##'   ## ##   ___,## ##:  ##
##   ## #####: ##   ##   .##### ##'   ##
##   ## ##'   ##   ##   ##   ##   ##   ##
##.   ,## ##   ##   ,##   ##   ##   ##   ##
:~. _.,### ##: _.,## ##: _.,##' ,##. ##. _.:##. ##   ##
`##### ##  #####' `#####' ##### `#####'## ##   ##

      Debian Version 12.2
Linux Versão 6.1.0-13-amd64, Compilado #1 SMP PREEMPT_DYNAMIC Debian 6.1.55-1 (
      Um 3,5GHz Intel i7 Haswell Processador, 1GB RAM, 7k Bogomips
      debian

Debian GNU/Linux 12 debian tty1

debian login: root
Password:
Linux debian 6.1.0-13-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.1.55-1 (2023-09-29) x86_64

Bem Vindo ao LINUX DEBIAN

Last login: Mon Nov  6 18:23:36 -03 2023 on tty1
root@debian:~#

```

In []:

