# Mathematical AI Summary

**Energy-Oriented Representation of General Relativity and Extension of the Hypothesis**

**Author:** Andrew Robus

**Date:** October 29, 2026

**License:** Creative Commons Attribution 4.0 International (CC BY 4.0)

**Starting Point and Objective**

This is an attempt to present General Relativity (GR) consistently from an energy-oriented perspective. The underlying mathematical equations are initially intended to remain unchanged. Wherever mass parameters or mass densities appear in the equations, they are to be expressed, as far as physically permissible, by the corresponding energy quantities.

The foundational assumption is:

**Universe = E**

The universe is understood as a connected physical energy system. Matter, radiation, and other physical states are not viewed as fundamentally separate categories, but as different states and organizational forms of energy. Within this hypothesis, matter is understood as a bound or organized energy state.

The goal is not to alter the experimentally confirmed predictions of GR. Rather, the aim is to investigate whether its mathematical description can be formulated consistently in an energy-oriented manner and subsequently perhaps interpreted differently from a physical standpoint.

The advanced hypothesis is that energy and its distribution might be fundamental, whereas the geometric description of GR may be a mathematical representation of the physical interrelationships arising from it. This interpretation has not been proven thus far.

**1. The Einstein Field Equation**

The central equation of GR is:

- **G_mu_nu = (8 * pi * G / c^4) * T_mu_nu**

Here, **G_mu_nu** describes the geometric side of the equation, while **T_mu_nu** denotes the energy-momentum tensor. The energy-momentum tensor takes into account in particular:

- energy density
- momentum density
- energy flux
- pressure
- mechanical stresses

Thus, it already describes significantly more than a simple mass density. For the present hypothesis, the energy-momentum tensor is to be kept unchanged. The foundational assumption "Universe = E" does not alter its mathematical definition initially, but rather the interpretation of the physical states

described by it. Matter and radiation are understood as different energy states whose respective energy and momentum distributions continue to be described by **T_mu_nu**. The Einstein field equations therefore remain unchanged.

**2. Energy-Oriented Description of Mass and Energy Density**

The familiar relationship between mass and rest energy is:

- **E_0 = M * c^2**

From this it follows that:

- **M = E_0 / c^2**

For a mass density **rho**, the corresponding rest energy density **epsilon** can be written as:

- **epsilon = rho * c^2**

Accordingly:

- **rho = epsilon / c^2**

These relationships make it possible to rewrite certain equations of GR in an energy-oriented manner without altering their physical predictions. It should be noted that in general relativistic systems, the total energy cannot always be simply equated with the rest energy of an individual body. In rotating, bound, or dynamic systems, the respective relevant energy and momentum quantities must be taken into account. Replacing a mass parameter with an energy quantity is therefore only directly permissible where the corresponding physical meaning is unambiguous.

**3. Energy-Oriented Representation of the Energy-Momentum Tensor**

For a simple pressureless material model, the energy-momentum tensor can be expressed using the rest energy density:

- **T^(mu_nu) = (epsilon / c^2) * U^mu * U^nu**

For an ideal fluid with pressure **p**, a corresponding representation reads:

- **T^(mu_nu) = ((epsilon + p) / c^2) * U^mu * U^nu + p * g^(mu_nu)**

Here, **U^mu** designates the four-velocity and **g^(mu_nu)** the inverse metric. The exact sign convention depends on the chosen spacetime signature. For isotropic radiation, for example:

- **p = epsilon / 3**

These formulations show that energy and pressure are already central components of established GR. The hypothesis does not alter this mathematical description. It merely assumes that the states commonly referred to as matter can ultimately also be understood as organized energy states.

**4. Schwarzschild Solution in Energy Form**

For a non-rotating, uncharged, and spherically symmetric object, the Schwarzschild radius is:

- **r_s = (2 * G * M) / c^2**

With **E_0 = M * c^2**, this yields:

- **r_s = (2 * G * E_0) / c^4**

The corresponding Schwarzschild metric can be written in energy form as:

- **ds^2 = -(1 - (2 * G * E_0) / (c^4 * r)) * c^2 * dt^2 + (1 - (2 * G * E_0) / (c^4 * r))^(-1) * dr^2 + r^2 * dOmega^2**

Here, **E_0** designates the energy corresponding to the Schwarzschild mass parameter. The solution and its predictions remain unchanged. This is an algebraically equivalent representation in which the mass parameter is expressed by the corresponding energy quantity. Within the present hypothesis, this notation is of particular interest because it explicitly emphasizes the energy content of the source.

**5. Gravitational Acceleration and Gravitational Potential in Energy Form**

In the Newtonian approximation, the magnitude of gravitational acceleration outside a spherically symmetric source is:

- **g(r) = (G * M) / r^2**

With **E_0 = M * c^2** it follows that:

- **g(r) = (G * E_0) / (c^2 * r^2)**

The Newtonian gravitational potential per unit mass is:

- **Phi(r) = -(G * M) / r**

Expressed in energy form:

- **Phi(r) = -(G * E_0) / (c^2 * r)**

The radial derivative of the potential is:

- **dPhi / dr = (G * E_0) / (c^2 * r^2)**

The acceleration points in the direction of the decreasing potential:

- **vector_g = -nabla Phi**

Thus, the familiar gravitational acceleration can be expressed directly in terms of the source's energy and the distance. For two spherically symmetric bodies, the Newtonian potential interaction energy can be written as:

- **U(r) = -(G * E_0,1 * E_0,2) / (c^4 * r)**

This equation applies as a Newtonian approximation outside the spatial extent of both bodies. It is not a complete description of the interaction energy of a general relativistic system. The equations do not alter known physics; they consistently represent the same relationships using energy quantities.

**6. Spatial Variation of the Metric and the Hypothesis of an Energy Field**

The Schwarzschild metric contains a dependence on the distance **r** and on the energy or the corresponding mass parameter of the source. For the time component:

- **g_tt = -(1 - (2 * G * E_0) / (r * c^4))**

Its derivative with respect to the radial coordinate distance is:

- **partial g_tt / partial r = -(2 * G * E_0) / (c^4 * r^2)**

The metric component thus varies spatially. This variation can be described mathematically via a derivative. It must be noted that the metric is a tensor field and cannot be equated with a single scalar energy gradient. Its components depend on the choice of coordinates. Spacetime curvature is constructed from the metric and its derivatives.

The present hypothesis raises a further question in this regard:

*Could the geometric description of GR be a mathematical representation of an underlying physical energy interrelationship?*

Within this interpretation, the metric would not necessarily be the most fundamental physical level, but rather a geometric description of the properties and interactions of an energy system. Initially, this assumption does not mean that the metric is to be mathematically replaced or that GR is to be altered. The equations and their predictions remain valid. What changes is the question concerning the fundamental physical meaning of the described quantities.

The hypothesis assumes that it might be useful to present the geometric dependencies consistently in an energy-oriented way and to investigate whether an alternative interpretation of gravitational action emerges from this. An important difference remains: The derivative of a metric component is not automatically a physical energy gradient. Whether the entire geometric description can be traced back to a specific energy distribution is an open question.

**7. The Hypothesis of Gravitational Action Through Energy Distribution**

The present hypothesis investigates whether the observed gravitational acceleration might arise from the energy distribution of an overall physical system. The Earth and a human being serve as an example. The Earth possesses a substantial energy content. Its gravitational action decreases with distance. A human also possesses energy, but the Earth's energy content is vastly larger in comparison.

In an energy-oriented interpretation, one could investigate whether the gravitational action can be explained by the properties and spatial distribution of these energy states. Initially, no specific mechanism is presupposed. In particular, it is not claimed that gravity is necessarily caused by an ordinary energy gradient. Instead, the following questions are to be investigated:

- How can the spatial variation of gravitational action be described using the source's energy?
- What role does the spatial distribution of energy play?
- Can the direction of the observed acceleration be explained by an interaction between energy states?
- What properties must be fulfilled for microscopic effects to sum up into a macroscopic acceleration?
- Can the observed results of GR be fully reproduced in this manner?

A possible approach would be to view two bodies as energy systems, each with a spatial distribution of its physical properties. If both systems interact with each other, their joint dynamics could change. The hypothesis poses the question of whether a directed acceleration could result from this. Such an idea is speculative so far. In particular, it has not been proven that the superposition of two assumed energy fields directly creates an attractive force. To achieve this, one would first need to

define what these fields physically represent and according to what rules they interact with one another.

**8. Microscopic Interactions and Macroscopic Acceleration**

Another consideration concerns the question of whether a macroscopic effect can arise from many microscopic contributions. If numerous constituents of a body experience a resulting force in the same direction due to an interaction, an acceleration of the entire body can result. The decisive factor is the resulting force acting on the center of mass of the system.

The present hypothesis therefore asks whether a specific energy distribution or internal organization of system could produce a directed effect, even if certain microscopic quantities cancel each other out in the overall material. A distinction must be made between a vanishing sum of individual quantities and the complete disappearance of all physical interactions.

For instance, a body can be electrically neutral even though electrical forces act within its atoms. Electrical neutrality merely means that the positive and negative total charges cancel out. Likewise, a material can possess a vanishing macroscopic magnetization even though its microscopic magnetic moments are ordered. Such examples show that a macroscopically compensated quantity does not necessarily mean that all microscopic structures and interactions disappear. However, they do not prove that the same mechanisms also explain gravity.

**9. Altermagnetism as a Possible Comparative Case**

Altermagnetism is a special form of magnetic order. Similar to antiferromagnetism, the magnetic moments can compensate each other overall. Due to the spatial arrangement of the spins and the crystal symmetry, special electronic properties nevertheless arise. These include a direction-dependent splitting of the spin states, even though no ordinary macroscopic net magnetization needs to be present.

For the present hypothesis, the distinction between microscopic order and macroscopic overall effect is particularly interesting. A system can appear externally compensated with respect to a certain quantity while still possessing physical properties that depend on the spatial arrangement of its constituents. This leads to the question of whether such phenomena are suitable as a comparative case for investigating neutral energy systems. Several points must be distinguished:

1. The direction-dependent spin splitting is a property of electronic states in certain materials.
2. It does not automatically lead to a resulting force or a uniform acceleration of the entire material.
3. A connection between altermagnetism and gravity has not been demonstrated so far.

Therefore, altermagnetism serves within this consideration not as an explanation of gravity, but as a possible comparative case for the question of how microscopic order can produce physical effects despite macroscopic compensation.

**10. Attraction Between Electrically Neutral Bodies**

Electrically neutral bodies can interact with each other even though their total charges are zero. Well-known examples include:

- gravitation between bodies with energy and momentum

- van der Waals interactions between atoms and molecules
- the Casimir effect under suitable conditions
- magnetic interactions due to induced or microscopically ordered magnetic moments

These effects are based on different physical mechanisms and must not be equated without further ado. However, they show that electrical neutrality cannot be equated with the absence of all physical interactions. The present hypothesis raises the further question of whether gravity could likewise be understood as an effect of a system's energy distribution, even though its electrical charges cancel out externally. The fact that electrically neutral bodies interact gravitationally is established. The further assumption that this gravitational action results from a specific non-geometric energy distribution, on the other hand, remains an open hypothesis.

**11. The Friedmann Equations in Energy Form**

A central equation of cosmology is:

- **H^2 = (8 * pi * G / 3) * rho - (k * c^2) / a^2 + (Lambda * c^2) / 3**

With the energy density **epsilon = rho * c^2**, this yields:

- **H^2 = (8 * pi * G / (3 * c^2)) * epsilon - (k * c^2) / a^2 + (Lambda * c^2) / 3**

Here, **H** designates the Hubble parameter, **a** the scale factor, **k** the spatial curvature parameter, and **Lambda** the cosmological constant. Here too, the source density can be expressed in an energy-oriented way without altering the underlying equation.

The cosmological continuity equation is:

- **epsilon_punkt + 3 * H * (epsilon + p) = 0**

It describes how the energy density changes during expansion while taking pressure into account. The acceleration equation can likewise be written in energy form:

- **a_punktpunkt / a = -(4 * pi * G / (3 * c^2)) * (epsilon + 3 * p) + (Lambda * c^2) / 3**

These equations make it clear that in GR, not only energy density but also pressure influences cosmological evolution. The present hypothesis adopts these equations unchanged and investigates whether their interrelationships can be interpreted consistently as relationships between energy states.

**12. What is Changed in GR?**

The mathematical foundations of GR are initially to remain unchanged. In particular, the following are retained:

- the Einstein field equations
- the energy-momentum tensor
- the geometric description via the metric
- the familiar relationships for gravitational acceleration
- the Friedmann equations and cosmological energy conservation
- geodesic motion and the remaining established relativistic relationships

The immediate change consists in the energy-oriented representation of those quantities for which such a reformulation is physically permissible. The advanced hypothesis concerns interpretation: Matter, radiation, and other physical states are understood as the expression of a fundamental energy system. The geometric description of gravity in this interpretation could be a mathematical representation of the properties and interactions of this system.

It must be noted here that not every geometric quantity can be replaced directly by a single energy parameter. The metric, the curvature tensor, and the energy-momentum tensor fulfill different mathematical functions. An energy-oriented interpretation must take these differences into account.

**13. Open Questions and Further Investigation**

The present work is a conceptual hypothesis and not a fully developed alternative theory of gravitation. The next steps for investigation would be:

1. To systematically compile the known equations of GR in an energy-oriented form.
2. To check which mass parameters and mass densities can be replaced by the corresponding energy quantities.
3. To investigate the spatial variation of the metric and the curvature quantities constructed from it with a view toward a possible energy-oriented interpretation.
4. To clarify whether the energy distribution alone suffices as a fundamental physical interpretation or whether additional field quantities would be required.
5. To investigate the direction and strength of gravitational acceleration within this interpretation.
6. To examine whether microscopic interactions and macroscopic effects can be described within a common model.
7. To maintain the known predictions of GR and experimental observations as a binding comparative basis.

A particular open question is whether an energy-oriented description remains merely a mathematically equivalent representation of the known theory or whether a further physical interpretation can be gained from it. If two descriptions yield completely identical observable predictions, these measurements alone cannot decide which interpretation is fundamental. A broader claim to explanation would therefore need to be formulated precisely.

**14. Summary**

The foundational assumption of the hypothesis is:

**Universe = E**

The universe is understood as a connected energy system in which matter, radiation, and other physical states represent different organizational forms of energy. The mathematical equations of GR are initially to remain unchanged. Wherever mass parameters or mass densities occur, they are to be expressed, as far as physically permissible, by corresponding energy quantities. The energy-momentum tensor is retained and continues to describe the relevant energy, momentum, pressure, and stress quantities.

The advanced hypothesis investigates whether the geometric description of gravity is possibly a mathematical representation of an underlying energy interrelationship. The spatial variation of the metric can be investigated mathematically and expressed in terms of energy quantities in certain solutions. However, it does not automatically follow from this that the metric itself is a physical energy field or that an energy gradient directly causes gravity.

The consideration of electrically neutral bodies, microscopic interactions, and altermagnetic materials opens up additional comparative questions regarding the relationship between internal structure, macroscopic compensation, and physical effect. A connection between these phenomena and the origin of gravity has not been demonstrated so far.

Therefore, the hypothesis does not claim that GR has been refuted. Rather, it raises the question of whether the known theory can be interpreted consistently from an energy-oriented perspective and whether this perspective might possibly reveal a deeper underlying physical connection. The mathematical reformulation is to be distinguished from the advanced physical interpretation. Whether the hypothesis possesses independent explanatory value beyond the known theory remains an open question that would need to be investigated through precise elaboration and comparison with established observations.