

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show

☒ source

☐ outline

☐ image report

Options...

Check by

text input

☐ CSS

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <!-- CSRF Token -->
  <meta name="csrf-token" content="6rFTORg1cIDIyKCOVSuroVGge4QKhiaw5YdZleOz">

  <title>About Us</title>

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/css/bootstrap.min.css" rel="stylesheet"
    crossorigin="anonymous">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning

The type attribute is unnecessary for JavaScript resources.

[From line 26, column 5; to line 26, column 35](#)

ipt><<< <script type="text/javascript"><<<
- Warning

The type attribute is unnecessary for JavaScript resources.

[From line 33, column 5; to line 33, column 90](#)

ript><< <script type="text/javascript" src=http://lbaw2125.lbaw-
prod.fe.up.pt/js/app.js defer><<< <
- Error

Bad value button for attribute type on element a: Subtype missing.

[From line 61, column 17; to line 62, column 68](#)

<a class="btn btn-secondary nav-item me-lg-3 mb-lg-auto mb-2"
type="button"<<< href="http://lbaw2125.lbaw-
prod.fe.up.pt/login">Login<
- Error

Bad value button for attribute type on element a: Subtype missing.

[From line 63, column 17; to line 63, column 119](#)

```
<a class="btn btn-secondary nav-item" type="button"
href="http://lbaw2125.lbaw-prod.fe.up.pt/register">Sign U
```

5. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 71, column 9; to line 71, column 30](#)

```
>< <section id="sidebar">
```

6. **Error** Attribute `href` not allowed on element `button` at this point.

[From line 106, column 21; to line 106, column 66](#)

```
<button href="#" class="btn btn-primary wide">Miguel
```

Attributes for element `button`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — Entry list encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Browsing context](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

7. **Error** Attribute `href` not allowed on element `button` at this point.

[From line 108, column 17; to line 108, column 62](#)

```
<button href="#" class="btn btn-primary wide">up2018
```

Attributes for element `button`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — Entry list encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Browsing context](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

8. **Error** Attribute `href` not allowed on element `button` at this point.

[From line 115, column 21; to line 115, column 66](#)

```
<button href="#" class="btn btn-primary wide">Nuno O
```

Attributes for element `button`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — Entry list encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Browsing context](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

9. **Error** Stray end tag `buttona`.

[From line 115, column 80; to line 115, column 89](#)

```
o Oliveira</buttona>
```

10. **Error** End tag `h5` seen, but there were open elements.

[From line 116, column 17; to line 116, column 21](#)

```
</h5>
```

11. **Error** Unclosed element `button`.

[From line 115, column 21; to line 115, column 66](#)

```
<button href="#" class="btn btn-primary wide">Nuno O
```

12. **Error** Attribute `href` not allowed on element `button` at this point.

[From line 117, column 17; to line 117, column 62](#)

```
<button href="#" class="btn btn-primary wide">up2018
```

Attributes for element [button](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — Entry list encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Browsing context](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

13. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 73, column 9; to line 73, column 30](#)

```
>↵      <section id="content">↵
```

Document checking completed.

Source

```
1. <!DOCTYPE html>↵
2. <html lang="en">↵
3. ↵
4. <head>↵
5.     <meta charset="utf-8">↵
6.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
7.     <meta name="viewport" content="width=device-width, initial-
scale=1">↵
8. ↵
9.     <!-- CSRF Token -->↵
10.    <meta name="csrf-token"
content="6rFTORg1cIDIyKCOVSuroVGge4QKhiaw5YdZleOz">↵
11. ↵
12.    <title>About Us</title>↵
13. ↵
14.    <link href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.0.0-beta2/dist
/css/bootstrap.min.css" rel="stylesheet"↵
15.          crossorigin="anonymous">↵
16.    <!-- Styles -->↵
17. ↵
18.    <link href="http://lbaw2125.lbaw-prod.fe.up.pt/css/bootstrap.min.css"
rel="stylesheet">↵
19.    <link href="http://lbaw2125.lbaw-prod.fe.up.pt/css/app.css"
rel="stylesheet">↵
```

```

20.     <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs
    /font-awesome/4.7.0/css/font-awesome.min.css">↵
21. ↵
22. ↵
23.     <script src="http://lbaw2125.lbaw-prod.fe.up.pt
    /js/bootstrapdependencies/jquery-3.4.1.slim.min.js">↵
24.     </script>↵
25. ↵
26.     <script type="text/javascript">↵
27.         // Fix for Firefox autofocus CSS bug↵
28.         // See: http://stackoverflow.com/questions/18943276/html-
    5-autofocus-messes-up-css-loading/18945951#18945951↵
29. ↵
30.     </script>↵
31. ↵
32.     <script src="http://lbaw2125.lbaw-prod.fe.up.pt/js/like.js" defer>
    </script>↵
33.     <script type="text/javascript" src=http://lbaw2125.lbaw-prod.fe.up.pt
    /js/app.js defer>↵
34.     </script>↵
35. </head>↵
36. ↵
37. <body>↵
38. ↵
39.         <nav class="navbar navbar-expand-lg navbar-dark bg-primary
    sticky-top" id="navbar">↵
40.             <div class="container-fluid d-flex">↵
41.                 <a class="navbar-brand" href="http://lbaw2125.lbaw-
    prod.fe.up.pt"></a>↵
43.                 <button class="btn btn-secondary navbar-toggler" type="button"
    data-toggle="collapse"↵
44.                     data-target="#navbarSupportedContent" aria-
    controls="navbarSupportedContent" aria-expanded="false">↵
45.                     aria-label="Toggle navigation">↵
46.                     <span class="navbar-toggler-icon"></span>↵
47.                 </button>↵
48.                 <div class="collapse navbar-collapse mt-lg-auto ms-5 me-3 row my-
    auto mt-lg-auto mt-4">↵
49.                     id="navbarSupportedContent">↵
50.                     <div class="navbar-nav me-auto mb-2 mb-lg-0 col-lg-3
    col-12">↵
51.                         <div class="nav-item">↵
52.                             <a class="nav-link" aria-current="page"
    href="http://lbaw2125.lbaw-prod.fe.up.pt/movie_list">Movies</a>↵
53.                         </div>↵
54.                     </div>↵
55.                     <form class="d-flex nav-item col-lg-5 col-12 "
    action="http://lbaw2125.lbaw-prod.fe.up.pt/search" method="get">↵
56.                         <input class="form-control me-2" type="search"
    placeholder="Search" aria-label="Search" name="query">↵
57.                         <button class="btn btn-secondary"
    type="submit">Search</button>↵
58.                     </form>↵
59. ↵
60.                     <div class="navbar-nav col-lg-4 col-12 d-flex justify-
    content-end my-lg-auto mt-4">↵
61.                         <a class="btn btn-secondary nav-item me-lg-3 mb-lg-auto
    mb-2" type="button"↵
62.                             href="http://lbaw2125.lbaw-prod.fe.up.pt
    /login">Login</a>↵

```

```

63.         <a class="btn btn-secondary nav-item" type="button"
href="http://lbaw2125.lbaw-prod.fe.up.pt/register">Sign Up</a>↵
64.     </div>↵
65. </div>↵
66. </div>↵
67. </nav>↵
68. ↵
69. ↵
70. <main>↵
71.     <section id="sidebar">↵
72.     </section>↵
73.     <section id="content">↵
74.     ↵
75.     <nav aria-label="breadcrumb" id="breadcrumb">↵
76.         <ol class="breadcrumb">↵
77.             <li class="breadcrumb-item"><a href="http://lbaw2125.lbaw-
prod.fe.up.pt">Home</a></li>↵
78.             <li class="breadcrumb-item"><a href="#">About Us</a></li>↵
79.         </ol>↵
80.     </nav>↵
81. ↵
82. <div class="container">↵
83.     <h1 class="display-4 mt-3">↵
84.         About Us↵
85.     </h1>↵
86.     <div class="row mt-3">↵
87.         <h6 class="lead col-12 col-lg-8">↵
88.             This project aims to develop a social network for movie
aficionados, allowing↵
89.             them to share and discuss their passion for movies with
others.↵
90.         <br>↵
91.         <br>↵
92.         We believe that a movie specific social network allows people
to connect and talk about their passion↵
93.         without the usual disturbance of general purpose social
networks so in this context our website will be↵
94.         closer towards the IMDb type of product. With this in mind
our users will be able to review movies and alike↵
95.         but we also offer the possibility to create named groups and
our main page will focus around seeing all the latest reviews.↵
96.         </h6>↵
97.         <div class="lead col-12 col-lg-4">↵
98.             ↵
99.         </div>↵
100.     </div>↵
101.     <div class="row my-5">↵
102.         <div class="col card col-lg-3 col-md-6 col-12 card mb-3 no-
padding">↵
103.             ↵
104.             <div class="card-body">↵
105.                 <h5 class="card-title text-nowrap">↵
106.                     <button href="#" class="btn btn-primary wide">Miguel
Pinto</button>↵
107.                 </h5>↵
108.                 <button href="#" class="btn btn-primary
wide">up201806206@fe.up.pt</button>↵
109.             </div>↵
110.         </div>↵
111.         <div class="col card col-lg-3 col-md-6 col-12 card mb-3 no-

```

```

padding">↵
112.         ↵
113.         <div class="card-body">↵
114.             <h5 class="card-title text-nowrap">↵
115.                 <button href="#" class="btn btn-primary wide">Nuno
Oliveira</button>↵
116.             </h5>↵
117.                 <button href="#" class="btn btn-primary
wide">up201806525@fe.up.pt</button>↵
118.             </div>↵
119.         </div>↵
120.         <div class="col card col-lg-3 col-md-6 col-12 card mb-3 no-
padding">↵
121.             ↵
122.             <div class="card-body">↵
123.                 <h5 class="card-title text-nowrap">↵
124.                     <button class="btn btn-primary wide">Luís
Marques</button>↵
125.                 </h5>↵
126.                     <button class="btn btn-primary
wide">up201704093@fe.up.pt</button>↵
127.                 </div>↵
128.             </div>↵
129.         </div>↵
130.     </div>↵
131. ↵
132.         </section>↵
133.     </main>↵
134.     <div id="footer-spacer">↵
135. </div>↵
136. <footer class="text-center text-white fixed-bottom scroll bg-primary">↵
137.     <div class="d-flex p-2 justify-content-around">↵
138.         Copyright &copy; 2021↵
139.         <span>The first rule about Movie Club Is we do(n't) talk about
Movie Club</span>↵
140.         <!--//todo correct link -->↵
141.         <a class="text-white btn btn-link" href="http://lbaw2125.lbaw-
prod.fe.up.pt/about_us">About Us</a>↵
142.     </div>↵
143. </footer>↵
144. <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9
/umd/popper.min.js" defer>↵
145. </script>↵
146. <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1
/js/bootstrap.min.js" defer>↵
147. </script>↵
148. <script src="http://lbaw2125.lbaw-prod.fe.up.pt/js/footer.js" defer>
</script>↵
149. <script src="http://lbaw2125.lbaw-prod.fe.up.pt/js/notification.js"
defer></script>↵
150. ↵
151. <script src="http://lbaw2125.lbaw-prod.fe.up.pt/js/sticky.js" defer>
</script>↵
152. <script src="http://lbaw2125.lbaw-prod.fe.up.pt/js/commentTextarea.js"
defer> </script>↵
153. <script src="http://lbaw2125.lbaw-prod.fe.up.pt/js/toast.js" defer>
</script>↵
154. <script src="http://lbaw2125.lbaw-prod.fe.up.pt/js/reviewActions.js"
defer> </script>↵
155. </body>↵

```

```
156. ↩  
157. </html>
```

Used the HTML parser.

Total execution time 40 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.6.9