Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source ☐ outline ☐ image report [Options...]

Check by [text input ⌄] ☐ CSS

```
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- CSRF Token -->
    <meta name="csrf-token" content="Zvsqma97SCeehEjgtHI3ea1TwJxaIfuyhd8sQZ9Z">

    <title>Add Group</title>

    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/css/bootstrap.min.css" rel="stylesheet"
        crossorigin="anonymous">
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

---

1. **Warning** **The** `type` **attribute is unnecessary for JavaScript resources.**

   From line 26, column 5; to line 26, column 35

   `ipt>↵↵      <script type="text/javascript">↵`

2. **Warning** **The** `type` **attribute is unnecessary for JavaScript resources.**

   From line 33, column 5; to line 33, column 90

   `ript>↵      <script type="text/javascript" src=http://lbaw2125.lbaw-prod.fe.up.pt/js/app.js defer>↵      <`

3. **Warning** **Section lacks heading. Consider using** `h2` - `h6` **elements to add identifying headings to all sections.**

   From line 89, column 9; to line 89, column 30

   `>↵            <section id="sidebar">↵`

4. **Error** **Attribute** `type` **not allowed on element** `textarea` **at this point.**

From line 121, column 17; to line 123, column 88

```
          <textarea type="text" rows="3"↵
class="row-4 form-control border border-1rounded-1 "↵
name="description" id="description" aria-describedby="description"
```

Attributes for element `textarea`:

Global attributes

`autocomplete` — Hint for form autofill feature

`cols` — Maximum number of characters per line

`dirname` — Name of form control to use for sending the element's directionality in form submission

`disabled` — Whether the form control is disabled

`form` — Associates the element with a `form` element

`maxlength` — Maximum length of value

`minlength` — Minimum length of value

`name` — Name of the element to use for form submission and in the `form.elements` API

`placeholder` — User-visible label to be placed within the form control

`readonly` — Whether to allow the value to be edited by the user

`required` — Whether the control is required for form submission

`rows` — Number of lines to show

`wrap` — How the value of the form control is to be wrapped for form submission

5. **Error** **Attribute** `value` **not allowed on element** `input` **at this point.**

From line 126, column 17; to line 127, column 48

```
          <input type="file" class="form-control " id="groupPhoto"↵
name="groupPhoto" value=""/>↵
```

Attributes for element `input`:

Global attributes

`accept`   when `type` is file

`alt`   when `type` is image

`autocomplete`   when `type` is text, search, url, tel, email, password, date, month, week, time, datetime-local, number, range, or color

`autofocus`

`checked`   when `type` is checkbox or radio

`dirname`   when `type` is text or search

`disabled`

`form`

[formaction](#)	when `type` is <u>submit</u> or <u>image</u>
[formenctype](#)	when `type` is <u>submit</u> or <u>image</u>
[formmethod](#)	when `type` is <u>submit</u> or <u>image</u>
[formnovalidate](#)	when `type` is <u>submit</u> or <u>image</u>
[formtarget](#)	when `type` is <u>submit</u> or <u>image</u>
[height](#)	when `type` is <u>image</u>
[list](#)	when `type` is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, <u>range</u>, or <u>color</u>
[max](#)	when `type` is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, or <u>range</u>
[maxlength](#)	when `type` is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, or <u>password</u>
[min](#)	when `type` is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, or <u>range</u>
[multiple](#)	when `type` is <u>email</u> or <u>file</u>
[name](#)	
[pattern](#)	when `type` is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, or <u>password</u>
[placeholder](#)	when `type` is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>password</u>, or <u>number</u>
[readonly](#)	when `type` is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>password</u>, <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, or <u>number</u>
[required](#)	when `type` is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, <u>password</u>, <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, <u>checkbox</u>, <u>radio</u>, or <u>file</u>
[size](#)	when `type` is <u>text</u>, <u>search</u>, <u>url</u>, <u>tel</u>, <u>email</u>, or <u>password</u>
[src](#)	when `type` is <u>image</u>
[step](#)	when `type` is <u>date</u>, <u>month</u>, <u>week</u>, <u>time</u>, <u>datetime-local</u>, <u>number</u>, or <u>range</u>
[type](#)	
[value](#)	when `type` is not <u>file</u> or <u>image</u>
[width](#)	when `type` is <u>image</u>

6. `Warning` **Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).**
[From line 110, column 5; to line 110, column 31](#)
```
ion>↵↵    <section class="container">↵
```

7. `Warning` **Section lacks heading. Consider using `h2` - `h6` elements to [add](#)**

identifying headings to all sections.

From line 91, column 9; to line 91, column 30

```
>↵
            <section id="content">↵
```

Document checking completed.

Source

1. `<!DOCTYPE html>↵`
2. `<html lang="en">↵`
3. ` ↵`
4. `<head>↵`
5. `    <meta charset="utf-8">↵`
6. `    <meta http-equiv="X-UA-Compatible" content="IE=edge">↵`
7. `    <meta name="viewport" content="width=device-width, initial-scale=1">↵`
8. ` ↵`
9. `    <!-- CSRF Token -->↵`
10. `    <meta name="csrf-token" content="Zvsqma97SCeehEjgtHI3ea1TwJxaIfuyhd8sQZ9Z">↵`
11. ` ↵`
12. `    <title>Add Group</title>↵`
13. ` ↵`
14. `    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/css/bootstrap.min.css" rel="stylesheet"↵`
15. `        crossorigin="anonymous">↵`
16. `    <!-- Styles -->↵`
17. ` ↵`
18. `    <link href="http://lbaw2125.lbaw-prod.fe.up.pt/css/bootstrap.min.css" rel="stylesheet">↵`
19. `    <link href="http://lbaw2125.lbaw-prod.fe.up.pt/css/app.css" rel="stylesheet">↵`
20. `    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">↵`
21. ` ↵`
22. ` ↵`
23. `    <script src="http://lbaw2125.lbaw-prod.fe.up.pt/js/bootstrapdependencies/jquery-3.4.1.slim.min.js">↵`
24. `    </script>↵`
25. ` ↵`
26. **`    <script type="text/javascript">↵`**
27. `        // Fix for Firefox autofocus CSS bug↵`
28. `        // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-messes-up-css-loading/18945951#18945951↵`
29. ` ↵`
30. `    </script>↵`
31. ` ↵`
32. `    <script src="http://lbaw2125.lbaw-prod.fe.up.pt/js/like.js" defer></script>↵`
33. **`    <script type="text/javascript" src=http://lbaw2125.lbaw-prod.fe.up.pt/js/app.js defer>↵`**
34. `    </script>↵`
35. `</head>↵`
36. ` ↵`
37. `<body>↵`
38. ` ↵`

```html
39.          <nav class=" navbar navbar-expand-lg navbar-dark bg-primary
    sticky-top" id="navbar">↵
40.      <div class="container-fluid d-flex">↵
41.          <a class="navbar-brand" href="http://lbaw2125.lbaw-
    prod.fe.up.pt"><img id="logo-img"↵
42.                  src="http://lbaw2125.lbaw-prod.fe.up.pt/img/logo.png"
    alt="Movie Club Logo"></a>↵
43.          <button class="navbar-toggler" type="button" data-
    toggle="collapse" data-target="#navbarSupportedContent"↵
44.              aria-controls="navbarSupportedContent" aria-expanded="false"
    aria-label="Toggle navigation">↵
45.              <span class="navbar-toggler-icon"></span>↵
46.          </button>↵
47.          <div class="collapse navbar-collapse mt-lg-auto ms-5 me-3 row my-
    auto mt-lg-auto mt-4"↵
48.              id="navbarSupportedContent">↵
49.              <div class="navbar-nav me-auto mb-2 mb-lg-0 col-lg-3
    col-12">↵
50.                  <div class="dropdown text-center">↵
51.                      <button class="btn btn-secondary dropdown-toggle mx-
    auto mt-lg-auto mt-5" type="button"↵
52.                          id="dropdownMenuButton" data-toggle="dropdown"
    aria-haspopup="true" aria-expanded="false">↵
53.                          Menu↵
54.                      </button>↵
55.                      <div class="dropdown-menu">↵
56.                          <a class="dropdown-item" aria-current="page"
    href="http://lbaw2125.lbaw-prod.fe.up.pt/movie_list">Movies</a>↵
57.                          <a class="dropdown-item" aria-current="page"
    href="http://lbaw2125.lbaw-prod.fe.up.pt/groups/list">Groups</a>↵
58.                      </div>↵
59.                  </div>↵
60.                          </div>↵
61.  ↵
62.              <form class="d-flex nav-item col-lg-5 col-12 "
    action="http://lbaw2125.lbaw-prod.fe.up.pt/search" method="get">↵
63.                  <input class="form-control me-2" type="search"
    placeholder="Search" aria-label="Search" name="query">↵
64.                  <button class="btn btn-secondary"
    type="submit">Search</button>↵
65.              </form>↵
66.  ↵
67.              <div class="navbar-nav col-lg-4 col-12 d-flex justify-
    content-end my-lg-auto mt-4 text-center">↵
68.  ↵
69.                  <div class="mt-auto mb-auto me-lg-3">↵
70.                      <a class="" href="http://lbaw2125.lbaw-prod.fe.up.pt
    /notifications">↵
71.                          <i class="fa fa-bell" id="notification-symbol">↵
72.                          </i>↵
73.                      </a>↵
74.                  </div>↵
75.                  <div class="nav-item ">↵
76.                      <a class="nav-link" aria-current="page"↵
77.                          href="http://lbaw2125.lbaw-prod.fe.up.pt
    /user/1">Jane Doe</a>↵
78.                  </div>↵
79.                  <div class="nav-item ">↵
80.                      <a class="nav-link" aria-current="page"
    href="http://lbaw2125.lbaw-prod.fe.up.pt/logout">Logout</a>↵
81.                  </div>↵
82.              </div>↵
```

```
83.          </div>↵
84.        </div>↵
85.    </nav>↵
86.        ↵
87.        ↵
88.      <main>↵
89.          <section id="sidebar">↵
90.                  </section>↵
91.          <section id="content">↵
92.                ↵
93.      <nav aria-label="breadcrumb" id="breadcrumb">↵
94.          <ol class="breadcrumb">↵
95.              <li class="breadcrumb-item"><a href="http://lbaw2125.lbaw-
     prod.fe.up.pt">Home</a></li>↵
96.              <li class="breadcrumb-item"><a href="http://lbaw2125.lbaw-
     prod.fe.up.pt/groups/list">Groups</a></li>↵
97.              <li class="breadcrumb-item"><a href="#">Add</a></li>↵
98.          </ol>↵
99.      </nav>↵
100. ↵
101.      <section class="container">↵
102.          <div class="text-center my-4">↵
103.              <h3 class="display-7">↵
104.                  Create a Group↵
105.              </h3>↵
106. ↵
107.          </div>↵
108.      </section>↵
109. ↵
110.      <section class="container">↵
111.          <div class="d-flex justify-content-center ">↵
112. ↵
113.              <form class="col-10 col-lg-3 border border-10  bg-white
     rounded-2 pl-3 action" enctype="multipart/form-data"↵
114.                  action="http://lbaw2125.lbaw-prod.fe.up.pt/groups/add"
     method="POST">↵
115.                  <input type="hidden" name="_token"
     value="Zvsqma97SCeehEjgtHI3ea1TwJxaIfuyhd8sQZ9Z">              <label
     for="title" class="form-label mt-3 ">Group Name *</label>↵
116.                  <input type="text"↵
117.                      class="col-7 form-control border border-1rounded-1 "
     name="title"↵
118.                      id="title" aria-describedby="title" value=""
     required>↵
119.                  ↵
120.                  <label for="description" class="form-label mt-3 ">Group
     Description </label>↵
121.                  <textarea type="text" rows="3"↵
122.                      class="row-4 form-control border border-1rounded-1
     "↵
123.                      name="description" id="description" aria-
     describedby="description" ></textarea>↵
124.                  ↵
125.                  <label class="form-label mt-3" for="groupPhoto">Upload
     Photo</label>↵
126.                  <input type="file" class="form-control "
     id="groupPhoto"↵
127.                      name="groupPhoto" value=""/>↵
128.                  ↵
129.                  <div class="d-flex justify-content-center ">↵
130.                      <input class="btn btn-outline-secondary mt-3 mb-3 "
     type="submit" value="Submit">↵
```

```
131.                  </div>↵
132.  ↵
133.  ↵
134.            </form>↵
135.  ↵
136.  ↵
137.  ↵
138.        </div>↵
139.     </section>↵
140.  ↵
141.        </section>↵
142.     </main>↵
143.     <div id="footer-spacer">↵
144.  </div>↵
145.  <footer class="text-center text-white fixed-bottom scroll bg-primary">↵
146.     <div class=" d-flex p-2 justify-content-around">↵
147.        Copyright &copy; 2021↵
148.        <span>The first rule about Movie Club Is we do(n't) talk about
      Movie Club</span>↵
149.        <!--//todo correct link -->↵
150.        <a class="text-white btn btn-link" href="http://lbaw2125.lbaw-
      prod.fe.up.pt/about_us">About Us</a>↵
151.     </div>↵
152.  </footer>↵
153.  <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9
      /umd/popper.min.js" defer>↵
154.  </script>↵
155.  <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1
      /js/bootstrap.min.js" defer>↵
156.  </script>↵
157.  <script src="http://lbaw2125.lbaw-prod.fe.up.pt/js/footer.js" defer>
      </script>↵
158.  <script src="http://lbaw2125.lbaw-prod.fe.up.pt/js/notification.js"
      defer></script>↵
159.  ↵
160.  <script src="http://lbaw2125.lbaw-prod.fe.up.pt/js/sticky.js" defer>
      </script>↵
161.  <script src="http://lbaw2125.lbaw-prod.fe.up.pt/js/commentTextarea.js"
      defer> </script>↵
162.  <script src="http://lbaw2125.lbaw-prod.fe.up.pt/js/toast.js" defer>
      </script>↵
163.  <script src="http://lbaw2125.lbaw-prod.fe.up.pt/js/reviewActions.js"
      defer> </script>↵
164.  </body>↵
165.  ↵
166.  </html>
```

Used the HTML parser.

Total execution time 23 milliseconds.