Tuitt Philippines Incorporated | HTML Quiz

Multiple Choice. Choose the letter of the best answer.

- 1. It is a computer language that describes the structure of web pages
 - a. HyperMark Text Language
 - b. HyperTest Markup Language
 - c. HyperText Markdown Language
 - d. HyperText Markup Language
- 2. Which is a correctly-written HTML element?
 - a. <H1>Hello!<H1>
 - b. <h1>hello<h1>
 - c. Hi there!
 - d. Hi there!<P>
- 3. Which character is uniquely added to a closing HTML Tag?
 - a. Left-angle bracket
 - b. Backslash
 - c. Right-angle bracket
 - d. Forward slash
- 4. Which of the following HTML elements is NOT an empty Tag?
 - a. <input>
 - b.
 - c. <label>
 - d. None of the above
- 5. These provide extra information about an HTML element and are always specified in the start tag.
 - a. HTML tags
 - b. HTML attributes
 - c. HTML elements
 - d. All of the above
- 6. A basic HTML skeleton is composed of the following tags:
 - a. Doctype, head, body, link, image
 - b. Title, body, head, html, dectype
 - c. Html, head, doctype, title, body
 - d. Doctype, image, head, title, body
- 7. This element contains information that is used by web crawlers but is not displayed to website visitors
 - a. Doctype declaration
 - b. Head
 - c. Body
 - d. Title
- This lets the browser know how the document should be interpreted by indicating the HTML version or standard
 - a. Doctype declaration
 - b. Head
 - c. Body
 - d. Title

	a.	Atom
	b.	Edge
	c.	Sublime Text
	d.	Notepad
10.	TRUE o	or FALSE: All meta elements should be placed before the <title> tag.</td></tr><tr><td></td><td>a.</td><td>True</td></tr><tr><td></td><td>b.</td><td>False</td></tr><tr><td></td><td></td><td></td></tr><tr><td>11.</td><td>Which I</td><td>heading tag has the lowest rank in terms of importance?</td></tr><tr><td></td><td>a.</td><td><h2></td></tr><tr><td></td><td>b.</td><td><h6></td></tr><tr><td></td><td>c.</td><td><h1></td></tr><tr><td></td><td>d.</td><td><h3></td></tr><tr><td></td><td></td><td></td></tr><tr><td>12.</td><td>Which</td><td>of the following is an immediate subheading of <h6>?</td></tr><tr><td></td><td>a.</td><td>None</td></tr><tr><td></td><td>b.</td><td><h5></td></tr><tr><td></td><td>c.</td><td><h7></td></tr><tr><td></td><td>d.</td><td><h6.5></td></tr><tr><td></td><td></td><td></td></tr><tr><td>13.</td><td>Which</td><td>element defines a simple paragraph of text?</td></tr><tr><td></td><td>a.</td><td><text></td></tr><tr><td></td><td>b.</td><td><div></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><th></th><th>u.</th><th></th></tr><tr><td></td><td>u.</td><td>Ψ</td></tr><tr><td>14.</td><td></td><td></td></tr><tr><td>14.</td><td>This is</td><td>a non-semantic element that is used to group block elements.</td></tr><tr><td>14.</td><td>This is a.</td><td>a non-semantic element that is used to group block elements. </td></tr><tr><td>14.</td><td>This is a. b.</td><td>a non-semantic element that is used to group block elements. <article></td></tr><tr><th>14.</th><th>This is a. b. c.</th><th>a non-semantic element that is used to group block elements. <article> <div></th></tr><tr><td>14.</td><td>This is a. b. c.</td><td>a non-semantic element that is used to group block elements. <article></td></tr><tr><td></td><td>This is a. b. c. d.</td><td>a non-semantic element that is used to group block elements. <article> <div> <main></td></tr><tr><td></td><td>This is a. b. c. d.</td><td>a non-semantic element that is used to group block elements. <article> <div> <main> ement creates break between themes and adds a horizontal line by default.</td></tr><tr><td></td><td>This is a b. c. d. This ele a.</td><td>a non-semantic element that is used to group block elements. <article> <div> <main> ement creates break between themes and adds a horizontal line by default.

</td></tr><tr><td></td><td>This is a a. b. c. d. This ele a. b.</td><td>a non-semantic element that is used to group block elements. <article> <div> <main> ement creates break between themes and adds a horizontal line by default.

 <hr> <hr> </hr></td></tr><tr><td></td><td>This is a b. c. d. This ele a. b. c.</td><td>a non-semantic element that is used to group block elements. <article> <div> <main> ement creates break between themes and adds a horizontal line by default.

 <hr> <div> <div> <div></td></tr><tr><td></td><td>This is a b. c. d. This ele a. b. c.</td><td>a non-semantic element that is used to group block elements. <article> <div> <main> ement creates break between themes and adds a horizontal line by default.

 <hr> <hr> </hr></td></tr><tr><td>15.</td><td>This is a b. c. d. This ele a. b. c. d.</td><td>a non-semantic element that is used to group block elements. <article> <div> <main> ement creates break between themes and adds a horizontal line by default.

 <hr> <div> <inr> <ihr> <div> <iine></td></tr><tr><td>15.</td><td>This is a a. b. c. d. This ele a. b. c. d. This ele</td><td>a non-semantic element that is used to group block elements. <article> <div> <main> ement creates break between themes and adds a horizontal line by default.

 <hr> <div> <div> <div></td></tr><tr><td>15.</td><td>This is a a. b. c. d. This ele a. b. c. d. This ele a. a.</td><td>a non-semantic element that is used to group block elements. <article> <div> <main> ement creates break between themes and adds a horizontal line by default.

 <hr> <div> <inr> <div> </ri> </ri> </r> ement indicates a subtle change in the meaning of a sentence. <en></td></tr><tr><td>15.</td><td>This is a a. b. c. d. This ele a. b. c. d. This ele a. b. b. b. b.</td><td>a non-semantic element that is used to group block elements. <pre> <article> <div> <main> ement creates break between themes and adds a horizontal line by default.

 <hr> <div> ement indicates a subtle change in the meaning of a sentence. <en> <ip><ip><ip><ip></td></tr><tr><td>15.</td><td>This is a a. b. c. d. This ele a. b. c. d. This ele a. b. c. c.</td><td>a non-semantic element that is used to group block elements. <article> <div> <main> ement creates break between themes and adds a horizontal line by default.

 <hr> <div> <<< ement indicates a subtle change in the meaning of a sentence. <en> <i><en> <i><i><i><i><en> <i><i><en><</i><<en><<i><i><i><en></i><<en><</en></td></tr><tr><td>15.</td><td>This is a a. b. c. d. This ele a. b. c. d. This ele a. b. c. c.</td><td>a non-semantic element that is used to group block elements. <pre> <article> <div> <main> ement creates break between themes and adds a horizontal line by default.

 <hr> <div> ement indicates a subtle change in the meaning of a sentence. <en> <ip><ip><ip><ip></td></tr><tr><td>15.
16.</td><td>This is a b. c. d. This ele a. b. c. d. This ele a. b. c. d.</td><td>a non-semantic element that is used to group block elements. <pre> <article> <div> <main> ement creates break between themes and adds a horizontal line by default.

 <hr> <div> <inr> <div> <iline> </pre> <pre> ement indicates a subtle change in the meaning of a sentence. <en> <ip> <ip> <ip> </pre></td></tr><tr><td>15.
16.</td><td>This is a a. b. c. d. This ele a. b. c. d. This ele a. b. c. d. Nested</td><td>a non-semantic element that is used to group block elements. <pre> <article> <div> <main> ement creates break between themes and adds a horizontal line by default.

 <hr> <div><ihr> <div> France ** ** ** ** ** ** ** ** **</td></tr><tr><td>15.
16.</td><td>This is a a. b. c. d. This ele a. b. c. d. This ele a. b. c. d. Nested a.</td><td>a non-semantic element that is used to group block elements. <article> <div> <main> ement creates break between themes and adds a horizontal line by default.

 <hr> <div> << France of the composition of the semantic elements and adds a horizontal line by default. observed of the composition of the semantic elements and adds a horizontal line by default. observed of the composition of the semantic elements. observed of the composition of the</td></tr><tr><td>15.
16.</td><td>This is a a. b. c. d. This ele a. b. c. d. This ele a. b. c. d. Nested a. b.</td><td>a non-semantic element that is used to group block elements. <article> <div> <main> ement creates break between themes and adds a horizontal line by default.

 <hr> <div> << FILO (First In, Last Out)</td></tr><tr><td>15.
16.</td><td>This is a a. b. c. d. This ele a. b. c. d. This ele a. b. c. d. Nested a. b. c.</td><td>a non-semantic element that is used to group block elements. <pre> <article> <div> <main> ement creates break between themes and adds a horizontal line by default.

 <hr> <div> FIND (Last In, First Out) FILO (First In, Last Out) FIFO (First In, First Out) </pre></td></tr><tr><td>15.
16.</td><td>This is a a. b. c. d. This ele a. b. c. d. This ele a. b. c. d. Nested a. b. c.</td><td>a non-semantic element that is used to group block elements. <article> <div> <main> ement creates break between themes and adds a horizontal line by default.

 <hr> <div> << FILO (First In, Last Out)</td></tr></tbody></table></title>

a. qb. cite

c. blockquoted. quote

9. Which of the following softwares is not an example of a text editor?

19.	It indicates that something is no longer accurate or relevant, but should not be deleted.	
	a. <strike></strike>	
	b. <s></s>	
	c. <ins></ins>	
	d. 	
20.	Which of the following is an absolute URL?	
	a. www.facebook.com	
	b. https://facebook.com	
	c. facebook.com/index.html	
	d. Facebook	
0.1		
21.	Which character/s is/are used to indicate a relative URL containing a parent directory?	
	a. /	
	b//	
	c. home/	
	d/	
22	What attribute name/value is used to open links in a new window?	
22.		
	a. target="blank"	
	b. target="new_"	
	c. target="blank_"	
	d. target="_blank"	
23	This character is used to indicate the name of the section where a link will jump to	
_5.	a. Pound symbol	
	b. Exclamation mark	
	c. Dot	
	d. Dollar sign	
	d. Donar sign	
24.	This element creates a list where the order of items is not important	
	a. <0l>	
	b. 	
	c. < i>	
	d. <dl></dl>	
25.	This required attribute describes an image and also serves as its fallback content	
	a. src	
	b. img	
	c. alt	
	d. figcaption	
26	It is used to represent the heading for either a table column or a table re-	
26.	It is used to represent the heading for either a table column or a table row a. <thead></thead>	
	a. <thead></thead>b. 	
	c. d. >	
	u. \ull	
27	This attribute is used on elements and can take the values: row or col to indicate a heading for a row	7
	or col, respectively.	
	a. span	
	b. scope	
	c. cols	
	d. Colspan	
	a. Coopui	
28.	This form attribute specifies where to send the data when a form is submitted.	
	a. Method	
	b. Action	
	c. Data	
	d. Post	

29.	This form control is used if only one option is allowed to be selected by the user a. Checkbox b. Radio Button c. Textfield d. Password
30.	Which of the following form elements is used to group related forms? a. Fieldgroup b. Fieldset c. Legend d. Field
31.	It refers to the idea that HTML markup should convey the underlying meaning of contents and not their appearance. a. Syntactic HTML b. Synergy HTML c. Symbiotic HTML d. Semantic HTML
32.	This semantic HTML element marks up various navigation sections of a website a. <navbar> b. <navi> c. <nav> d. <navig></navig></nav></navi></navbar>
33.	How many possible <header> elements can one HTML document have? a. One b. Two c. More than one d. None</header>
34.	It serves as a supporting description for an image a. Figcaption b. Figcap c. Figure d. Figurecaption
35.	Which of the following is a correct HTML comment? a. /* comment */ b. < Comment !> c. comment d. comment
36.	Write the basic HTML skeleton below. html <html> <head></head></html>