



# **Drag, Drop, Defend:**

## **Making Security Scripts Accessible to Everyone**



# Intro

- 20+ year career in IT and Security
- Experience in a wide array of industry sectors
- Have run SOC's for Fortune 500s
- Focus on blue team (best team)
  - SOC
  - Detection Engineering
  - Threat Hunting
  - Tool Development
  - Incident Response



# Agenda

WHY FOCUS ON SCRIPTING?

CHALLENGES

SOLUTION(S)

LET'S GO ON AN ADVENTURE

WRAP-UP

QUESTIONS?







# Why Scripting?



# State of Sec Ops – Perspectives

## Security Operations

- Alert volumes
- Response times
- Talent shortages
- Disparate systems

## Executives

- Reputation
- Profits

# State of Sec Ops – So what do we do?

## Goals?

- Reduce workload
- Work faster
  - Simplify workflows
  - Increase staff
  - Simplify tool knowledge

## Options

- Better tuning
- Scripting
- Automated enrichment
- Increase capacity



# Challenges

```
ls  
ls cd /home.user  
ls cd /home.user  
ll
```

```
user@lochbast:~>  
ls -l  
user@lochbast:~>
```

```
rm-rf /
```

# Scripting challenges




**Languages**



**OS**



**Storage**



**Dependencies**



**Context  
switching**



# Scripting Solution



**AI**

- Centralized investigation platform
- Integrates with automation platforms
- Lesson learning curve
- Standardize runtime platform


# Where/How AI fits in your SOC (you need to know this)

- Natural Language Querying
- Accelerate Triage and Investigation
- Automation of repetitive tasks
- Faster Response
- Knowledge management
- Trainer, coach, first pass engineer

## Myths

- Replace my Tier 1 SOC
- Find bleeding edge attacks

# Let's talk AI for a quick minute





**Let's go on an  
adventure**






# Choose your own adventure

Several options for implementing AI

Balance between:

- Cost
- Implementation Time
- Effectiveness

So many AI's which is the right one?



# Script

```
devCodeCAPCheck.py > ...
1
2 import requests
3 import os
4 import sys
5
6 def get_graph_token():
7     # OAuth 2.0 token endpoint
8     AZURE_APP_REGISTRATION_AUTHORITY_ID = os.getenv('AZURE_APP_REGISTRATION_AUTHORITY_ID')
9     AZURE_APP_REGISTRATION_CLIENT_ID = os.getenv('AZURE_APP_REGISTRATION_CLIENT_ID')
10    AZURE_APP_REGISTRATION_CLIENT_SECRET = os.getenv('AZURE_APP_REGISTRATION_CLIENT_SECRET')
11    token_url = f"https://login.microsoftonline.com/{AZURE_APP_REGISTRATION_AUTHORITY_ID}/oauth2/v2.0/token"
12
13    # Request payload for token generation
14    payload = {
15        "grant_type": "client_credentials",
16        "client_id": AZURE_APP_REGISTRATION_CLIENT_ID,
17        "client_secret": AZURE_APP_REGISTRATION_CLIENT_SECRET,
18        "scope": "https://graph.microsoft.com/.default"
19    }
20
21    # Generate the token
22    response = requests.post(token_url, data=payload)
23    if response.status_code == 200:
24        return response.json().get("access_token")
25    else:
26        raise Exception(f"Failed to generate token: {response.text}")
```







**Option 1**




# Microsoft Security Copilot





# Modified Script





The image shows a screenshot of a Visual Studio Code editor window. On the left, the Explorer sidebar displays the file structure of a project named 'RSS-DEVCODECAPCHECK [SSH: 192.1...]', including files like `__pycache__`, `.venv`, `.vscode`, `.funcignore`, `.gitignore`, `function_app.py`, `host.json`, `local.settings.json`, and `requirements.txt`. The `function_app.py` file is selected and open in the main editor. The editor title bar shows 'Untitled-1' and 'function\_app.py 1, U X'. The Python code in the editor defines an Azure Function App with a route `checkCAPs`. It imports `azure.functions`, `logging`, `requests`, and `os`. The `devCodeCAPCheck` function logs the request, extracts the `name` parameter from the request body, and calls `get_user_sid`. If `sid` is `None`, it returns a `404` response.


```
function_app.py > devCodeCAPCheck
1  import azure.functions as func
2  import logging
3  import requests
4  import os
5  app = func.FunctionApp(http_auth_level=func.AuthLevel.FUNCTION)
6
7  @app.route(route="checkCAPs")
8  def devCodeCAPCheck(req: func.HttpRequest) -> func.HttpResponse:
9      logging.info('Python HTTP trigger function processed a request.')
10     #print(req.get_json())
11
12     user_input = req.params.get('name')
13
14     if not user_input:
15         try:
16             req_body = req.get_json()
17         except ValueError:
18             pass
19         else:
20             user_input = req_body.get('name')
21
22     sid = get_user_sid(user_input)
23
24     if sid is None:
25         return func.HttpResponse("No user could be found with that input")
26
```

# Example

- Perform Health Check of CS Configuration
- List CrowdStrike incidents
- Unblock/block IOCs
- Add/Release Host Isolation
- Gather incident details
- Retrieve host information
- Hide/Unhide a host
- Move host between host groups
- Perform/Cancel/Report from On Demand Scans
- Suppress/Unsuppress detections
- Retrieve host Zero Trust Score



# Demo







**Option 2**





# Microsoft Security Copilot ++








**Option 3**








# Azure AI Foundry



# AI Foundry

 Azure AI Foundry

Playgrounds / Agents playground

 Docs All resources     GS

Overview

Model catalog

**Playgrounds**

Build and customize

Agents

Templates

Fine-tuning

Content Understanding

Observe and optimize

Tracing

Monitoring

Protect and govern

Evaluation

Guardrails + controls

Risks + alerts

Agents playground

New agent

View code

Delete

Create trigger

PREVIEW

New thread

Thread logs

0t

thread\_Jb5dJqAp7I9qIV7azCqkzEeX

Start chatting

Test your Agent by sending queries below. Then adjust your Agent setup to improve the Agent's responses.

Type user query here. (Shift + Enter for new line)

Messages in the Agents playground are visible to anyone with access to this resource and using the API.

Voice mode

Setup

Agent ID

Agent name

RSS-Agent

Deployment

gpt-4.1-mini (version:2025-04-14)

Instructions

Give your agent clear directions on what to do and how to do it. Include specific tasks, their order, and any

✓ Last saved: today 12:48 PM






**Option 4**




# Build Your Own!



- Custom Web App
- Integrated Agents using FastAPI
- Highly customizable
- Purpose built for your organization

# Demo




# Why are we doing this?

- Unify your investigation platform, without going single vendor
- Simplify your workflows
- Let your analysts focus on analysis
- Enable your AI for future expansion
- Time to value of your tools increases



# Enable Your Analysts

- Allow your team to quickly deploy integrations using your AI
- Take the backend programming headaches out of the equation and let your analyst/engineers think more about the solution then how to develop it





# What you tell your boss...

- Maintain or increase quality of investigations (fewer business impacts, greater profitability)
- Reduce incident resolution time (reduce business impacts, greater profitability)
- More work same people (maintain op costs, greater profitability)
- Analyst spin up time reduced
- .....






# Wrap Up



# Wrap Up

- AI is going to play an important role in SecOps future
- SIEM/Data Lake needs to be part of a data centric SOC architecture with AI as a component
- Need to balance cost, maintenance and easy of use
- Go beyond prompts...

# Moving to a Data Centric SOC Architecture







**Questions?**

# Thank you

GREG STACHURA

[GREGORY.STACHURA@SRA.IO](mailto:GREGORY.STACHURA@SRA.IO)

[HTTPS://GITHUB.COM/THEOWLERY/RSS2025](https://github.com/theowlery/rss2025)