In [34]:
```
from sklearn import datasets
wine = datasets.load_wine()
```

In [35]:
```
dir(wine)
```

Out[35]:
```
['DESCR', 'data', 'feature_names', 'frame', 'target', 'target_names']
```

In [53]:
```
wine.data
```

Out[53]:
```
array([[1.423e+01, 1.710e+00, 2.430e+00, ..., 1.040e+00, 3.920e+00,
        1.065e+03],
       [1.320e+01, 1.780e+00, 2.140e+00, ..., 1.050e+00, 3.400e+00,
        1.050e+03],
       [1.316e+01, 2.360e+00, 2.670e+00, ..., 1.030e+00, 3.170e+00,
        1.185e+03],
       ...,
       [1.327e+01, 4.280e+00, 2.260e+00, ..., 5.900e-01, 1.560e+00,
        8.350e+02],
       [1.317e+01, 2.590e+00, 2.370e+00, ..., 6.000e-01, 1.620e+00,
        8.400e+02],
       [1.413e+01, 4.100e+00, 2.740e+00, ..., 6.100e-01, 1.600e+00,
        5.600e+02]])
```

In [54]:
```
wine.feature_names
```

Out[54]:
```
['alcohol',
 'malic_acid',
 'ash',
 'alcalinity_of_ash',
 'magnesium',
 'total_phenols',
 'flavanoids',
 'nonflavanoid_phenols',
 'proanthocyanins',
 'color_intensity',
 'hue',
 'od280/od315_of_diluted_wines',
 'proline']
```

In [55]:
```
wine.target
```

Out[55]:
```
array([0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
       0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
       0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 1, 1, 1, 1,
       1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
       1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
       1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 2, 2,
       2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,
       2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,
       2, 2])
```

In [56]:
```
wine.target_names
```

Out[56]:
```
array(['class_0', 'class_1', 'class_2'], dtype='<U7')
```

In [57]:
```
import pandas as pd
```

In [58]:
```
import pandas as pd
df = pd.DataFrame(wine.data, columns=wine.feature_names)
df['target'] = wine.target
df.head()
```

Out[58]:

	alcohol	malic_acid	ash	alcalinity_of_ash	magnesium	total_phenols	flavanoids	nonflavanoid_phenols	proanthocyanins	color_i
0	14.23	1.71	2.43	15.6	127.0	2.80	3.06	0.28	2.29	
1	13.20	1.78	2.14	11.2	100.0	2.65	2.76	0.26	1.28	
2	13.16	2.36	2.67	18.6	101.0	2.80	3.24	0.30	2.81	
3	14.37	1.95	2.50	16.8	113.0	3.85	3.49	0.24	2.18	
4	13.24	2.59	2.87	21.0	118.0	2.80	2.69	0.39	1.82	

In [49]:
```
from sklearn.model_selection import train_test_split
X_train, X_test, y_train, y_test = train_test_split(wine.data, wine.target, test_size=0.3, random_state=100
```

In [51]:
```
from sklearn.naive_bayes import GaussianNB, MultinomialNB
model = GaussianNB()
model.fit(X_train, y_train)
model.score(X_test, y_test)
```

Out[51]: 1.0

In [52]:
```
mn = MultinomialNB()
mn.fit(X_train, y_train)
mn.score(X_test, y_test)
```

Out[52]: 0.7777777777777778

In [ ]:
```
conclusion:
    Gaussian Naive Bayes achieved an accuracy of 100%.
    Multinomial Naive Bayes achieved an accuracy of 77.8%.
```