



Presented @ [BlackHat](#)

Presented @ [Defcon](#)

Launched @ [Peerlist](#)

[Sponsor](#) ❤️

[Buy Me A Coffee](#)

Vulnerability Analysis

Check for known vulnerabilities in your dependencies using OSV database

[← Back to Analysis](#)

⚠️ Vulnerability Analysis: This tool checks for known vulnerabilities in your dependencies using the OSV database. All processing happens in your browser for maximum privacy and security.

Select Analysis

upload/npm-bom (1736 deps)



Filter by Severity

All Severities



Filter by Reach

All



🚨 16 malicious package advisories detected. These are not listed below — see the Findings page for full details.

[→ Open Findings page](#)

 **Vulnerability Analysis**

[illegible][View Details](#)

UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN
UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN
UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN
UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN

[illegible][View Details](#)

UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN
UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN
UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN
UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN
UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN
UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN
UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN
UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN
UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN
UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN
UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN
UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN
UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN
UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN
UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN
UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN
UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN
UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN
UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN	UNKNOWN

🔗 Used in 1 repository:

upload/upload/npm-bom: core@7.29.7 → redis@0.8.4

lodash@1.3.1 Transitive ↑ Major: 4.18.1

5 vulnerabilities

HIGH HIGH MODERATE MODERATE CRITICAL

🔗 Used in 1 repository:

upload/upload/npm-bom: core@7.29.7 → amqp-dl@0.2.4-0 → lodash@1.3.1

[View Details](#)

lodash.template@3.6.2 Transitive ↑ Major: 4.18.1

3 vulnerabilities

HIGH HIGH CRITICAL

View Details

Used in 1 repository:

upload/upload/npm-bom: eslint-config@0.86.0 → gulp-util@3.0.7 → lodash.template@3.6.2

underscore@1.7.0 Transitive ↑ Minor: 1.13.8

2 vulnerabilities

CRITICAL HIGH

View Details

Used in 1 repository:

upload/upload/npm-bom: core@7.29.7 → js-yaml@3.2.3 → argparse@0.1.16 → underscore@1.7.0

pg@1.1.0 Transitive ↑ Major: 8.22.0

1 vulnerability

CRITICAL

View Details

Used in 1 repository:

upload/upload/npm-bom: core@7.29.7 → pg@1.1.0

hiredis@0.1.17 Transitive ↑ Minor: 0.5.0

14 vulnerabilities

UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN HIGH UNKNOWN UNKNOWN UNKNOWN UNKNOWN UNKNOWN

View Details

🔑 Used in 1 repository:

upload/upload/npm-bom: core@7.29.7 → hiredis@0.1.17

js-yaml@3.2.3 Transitive ↑ Major: 5.2.2

8 vulnerabilities

MODERATE HIGH HIGH MODERATE MODERATE MEDIUM MEDIUM HIGH

[View Details](#)

🔑 Used in 1 repository:

upload/upload/npm-bom: core@7.29.7 → js-yaml@3.2.3

qs@1.2.2 Transitive ↑ Major: 6.15.3

8 vulnerabilities

MODERATE HIGH HIGH HIGH HIGH HIGH HIGH MEDIUM

[View Details](#)

🔑 Used in 1 repository:

upload/upload/npm-bom: native@7.3.13 → montage@16.0.4 → q-io@1.13.6 → qs@1.2.2

node-uuid@1.4.1 Transitive

6 vulnerabilities

UNKNOWN UNKNOWN UNKNOWN HIGH UNKNOWN UNKNOWN

[View Details](#)

🔑 Used in 1 repository:

upload/upload/npm-bom: core@7.29.7 → node-uuid@1.4.1

debug@0.7.4

Transitive

↑ Major: 4.4.3

4 vulnerabilities

HIGH

LOW

MEDIUM

HIGH

[View Details](#)

🔑 Used in 1 repository:

upload/upload/npm-bom: core@7.29.7 → knox@0.8.6 → debug@0.7.4

shelljs@0.5.3

Transitive

↑ Minor: 0.10.0

4 vulnerabilities

HIGH

MODERATE

HIGH

MEDIUM

[View Details](#)

🔑 Used in 1 repository:

upload/upload/npm-bom: eslint-config@0.86.0 → eslint@2.1.0 → shelljs@0.5.3

tar-fs@3.0.4

Transitive

↑ Minor: 3.1.3

4 vulnerabilities

UNKNOWN

HIGH

HIGH

HIGH

[View Details](#)

🔑 Used in 1 repository:

upload/upload/npm-bom: devtools@7.1.10 → @wdio/utils@8.41.0 → @puppeteer/browsers@1.9.1 → tar-fs@3.0.4

ws@8.16.0

Transitive

↑ Minor: 8.21.1

4 vulnerabilities

HIGH

MODERATE

HIGH

UNKNOWN

[View Details](#)

 Used in 1 repository:

upload/upload/npm-bom: devtools@7.1.10 → puppeteer-core@21.11.0 → ws@8.16.0

ws@7.5.10

Transitive

↑ Major: 8.21.1

3 vulnerabilities

HIGH

HIGH

UNKNOWN

[View Details](#)

 Used in 1 repository:

upload/upload/npm-bom: metro@1.13.0 → ws@7.5.10

mime@1.2.4

Transitive

↑ Major: 4.1.0

2 vulnerabilities

HIGH

HIGH

[View Details](#)

 Used in 1 repository:

upload/upload/npm-bom: core@7.29.7 → mime@1.2.4

lodash.merge@3.3.2

Transitive

↑ Major: 4.6.2

2 vulnerabilities

HIGH

HIGH

[View Details](#)

🔑 Used in 1 repository:

upload/upload/npm-bom: runtime@7.29.7 → lodash.merge@3.3.2

brace-expansion@1.1.16 Transitive ↑ Major: 5.0.8

2 vulnerabilities

HIGH MEDIUM

[View Details](#)

🔑 Used in 1 repository:

upload/upload/npm-bom: cli@20.1.0 → glob@7.1.1 → minimatch@3.1.5 → brace-expansion@1.1.16

ws@7.5.13 Transitive ↑ Major: 8.21.1

2 vulnerabilities

HIGH UNKNOWN

[View Details](#)

🔑 Used in 1 repository:

upload/upload/npm-bom:

metro-config@0.86.0 → metro@0.86.0 → ws@7.5.13

metro-config@2.2.4 → metro@0.87.0 → ws@7.5.13

react-native@0.86.0 → ws@7.5.13

react-native@0.86.0 → @react-native/community-cli-plugin@0.86.0 → @react-native/dev-middleware@0.86.0 → ws@7.5.13

react-native@0.86.0 → @react-native/community-cli-plugin@0.86.0 → metro@0.84.4 → ws@7.5.13

react-native@0.86.0 → react-devtools-core@6.1.5 → ws@7.5.13

brace-expansion@2.1.2 Transitive ↑ Major: 5.0.8

2 vulnerabilities

HIGH MEDIUM

[View Details](#)

 Used in 1 repository:

upload/upload/npm-bom: devtools@7.1.10 → @wdio/config@8.41.0 → glob@10.5.0 → minimatch@9.0.9 → brace-expansion@2.1.2

mout@0.11.0 Transitive ↑ Major: 1.2.4

2 vulnerabilities

HIGH HIGH

[View Details](#)

 Used in 1 repository:

upload/upload/npm-bom: elements@2.9.35 → mout@0.11.0

mout@0.11.1 Transitive ↑ Major: 1.2.4

2 vulnerabilities

HIGH HIGH

[View Details](#)

 Used in 1 repository:

upload/upload/npm-bom: elements@2.9.35 → prime@0.5.0 → mout@0.11.1

brace-expansion@5.0.7 Transitive

1 vulnerability

HIGH

 Used in 1 repository:

 [View Details](#)

upload/upload/npm-bom: `eslint-config@0.86.0 → parser@8.65.0 → typescript-estree@8.65.0 → minimatch@10.2.5 → brace-expansion@5.0.7`

glob@7.1.1 Transitive ↑ Major: 13.0.6

1 vulnerability

HIGH

 Used in 1 repository:

 [View Details](#)

upload/upload/npm-bom:
`cli@20.1.0 → glob@7.1.1`
`cli@2.0.2 → glob@7.1.1`

glob@6.0.4 Transitive ↑ Major: 13.0.6

1 vulnerability

HIGH

 Used in 1 repository:

 [View Details](#)

upload/upload/npm-bom: `eslint-config@0.86.0 → eslint@2.1.0 → glob@6.0.4`

ansi-regex@2.1.1 Transitive ↑ Major: 6.2.2

1 vulnerability

HIGH

 Used in 1 repository:

 [View Details](#)

upload/upload/npm-bom:

eslint-config@0.86.0 → eslint@2.1.0 → chalk@1.1.3 → has-ansi@2.0.0 → ansi-regex@2.1.1
eslint-config@0.86.0 → eslint@2.1.0 → chalk@1.1.3 → strip-ansi@3.0.1 → ansi-regex@2.1.1
eslint-config@0.86.0 → eslint@2.1.0 → inquirer@0.12.0 → ansi-regex@2.1.1

trim-newlines@1.0.0

Transitive

↑ Major: 5.0.0

1 vulnerability

HIGH

 Used in 1 repository:

 [View Details](#)

upload/upload/npm-bom: eslint-config@0.86.0 → gulp-util@3.0.7 → dateFormat@1.0.12 → meow@3.7.0 → trim-newlines@1.0.0

ajv@4.11.8

Transitive

↑ Major: 8.20.0

3 vulnerabilities

UNKNOWN

MODERATE

MODERATE

 Used in 1 repository:

 [View Details](#)

upload/upload/npm-bom: eslint-config@0.86.0 → eslint@2.1.0 → table@3.8.3 → ajv@4.11.8

yauzl@2.10.0

Transitive

↑ Major: 3.4.0

2 vulnerabilities

UNKNOWN

MEDIUM

🔑 Used in 1 repository:

[View Details](#)

upload/upload/npm-bom: devtools@7.1.10 → @wdio/utils@8.41.0 → @puppeteer/browsers@1.9.1 → extract-zip@2.0.1 → yauzl@2.10.0

fast-xml-parser@4.5.7 Transitive

1 vulnerability

MODERATE

🔑 Used in 1 repository:

[View Details](#)

upload/upload/npm-bom:

cli-platform-android@20.1.0 → cli-config-android@20.1.0 → fast-xml-parser@4.5.7
cli-platform-ios@20.1.0 → cli-platform-apple@20.1.0 → fast-xml-parser@4.5.7

xml2js@0.2.8 Transitive ↑ Minor: 0.6.2

1 vulnerability

MODERATE

🔑 Used in 1 repository:

[View Details](#)

upload/upload/npm-bom:

core@7.29.7 → xml2js@0.2.8
core@7.29.7 → knox@0.8.6 → xml2js@0.2.8

underscore.string@2.4.0 Transitive ↑ Major: 3.3.6

1 vulnerability

MODERATE

[View Details](#)

🔑 Used in 1 repository:

upload/upload/npm-bom: core@7.29.7 → js-yaml@3.2.3 → argparse@0.1.16 → underscore.string@2.4.0

debug@2.6.9

Transitive

↑ Major: 4.4.3

1 vulnerability

MEDIUM

🔑 Used in 1 repository:

upload/upload/npm-bom:

eslint-config@0.86.0 → eslint@2.1.0 → debug@2.6.9

metro@0.86.0 → metro-config@0.86.0 → connect@3.7.0 → debug@2.6.9

metro@0.86.0 → metro-config@0.86.0 → connect@3.7.0 → finalhandler@1.1.2 → debug@2.6.9

metro-config@2.2.4 → connect@3.6.5 → debug@2.6.9

metro-config@2.2.4 → connect@3.6.5 → finalhandler@1.0.6 → debug@2.6.9

react-native@0.86.0 → @react-native/community-cli-plugin@0.86.0 → @react-native/dev-middleware@0.86.0 →

chrome-launcher@0.15.2 → lighthouse-logger@1.4.2 → debug@2.6.9

react-native@0.86.0 → @react-native/community-cli-plugin@0.86.0 → @react-native/dev-middleware@0.86.0 →

serve-static@1.16.3 → send@0.19.2 → debug@2.6.9

[View Details](#)

uuid@10.0.0

Transitive

↑ Major: 14.0.1

1 vulnerability

MODERATE

[View Details](#)

🔑 Used in 1 repository:

upload/upload/npm-bom: devtools@7.1.10 → uuid@10.0.0

@babel/core@7.25.2 Transitive ↑ Major: 8.0.1

1 vulnerability

LOW

[View Details](#)

 Used in 1 repository:

upload/upload/npm-bom: metro@1.13.0 → @babel/core@7.25.2

uriparser@2.1.2 Transitive ↑ Minor: 2.4.0

10 vulnerabilities

UNKNOWN

UNKNOWN

UNKNOWN

UNKNOWN

UNKNOWN

UNKNOWN

UNKNOWN

UNKNOWN

UNKNOWN

UNKNOWN

[View Details](#)

 Used in 1 repository:

upload/upload/npm-bom: core@7.29.7 → uriparser@2.1.2

node-fetch@3.3.2 Transitive

2 vulnerabilities

UNKNOWN

UNKNOWN

[View Details](#)

 Used in 1 repository:

upload/upload/npm-bom:
devtools@7.1.10 → @wdio/utils@8.41.0 → edgedriver@5.6.1 → node-fetch@3.3.2

devtools@7.1.10 → @wdio/utils@8.41.0 → geckodriver@4.2.1 → node-fetch@3.3.2

helper-compilation-targets@7.29.7 Transitive

1 vulnerability

UNKNOWN

 Used in 1 repository:

upload/upload/npm-bom:

core@7.29.7 → helper-compilation-targets@7.29.7

preset-env@7.29.7 → helper-compilation-targets@7.29.7

preset-env@7.29.7 → plugin-transform-classes@7.29.7 → helper-compilation-targets@7.29.7

preset-env@7.29.7 → plugin-transform-function-name@7.29.7 → helper-compilation-targets@7.29.7

preset-env@7.29.7 → plugin-transform-object-rest-spread@7.29.7 → helper-compilation-targets@7.29.7

preset-env@7.29.7 → babel-plugin-polyfill-corejs2@0.4.17 → helper-define-polyfill-provider@0.6.8 → helper-compilation-targets@7.29.7

 View Details

compat-data@7.29.7 Transitive

1 vulnerability

UNKNOWN

 Used in 1 repository:

upload/upload/npm-bom:

preset-env@7.29.7 → compat-data@7.29.7

core@7.29.7 → helper-compilation-targets@7.29.7 → compat-data@7.29.7

preset-env@7.29.7 → babel-plugin-polyfill-corejs2@0.4.17 → compat-data@7.29.7

 View Details

helper-plugin-utils@7.29.7 Transitive

1 vulnerability

UNKNOWN

 Used in 1 repository:

upload/upload/npm-bom:

preset-env@7.29.7 → helper-plugin-utils@7.29.7

preset-env@7.29.7 → plugin-bugfix-firefox-class-in-computed-class-key@7.29.7 → helper-plugin-utils@7.29.7

preset-env@7.29.7 → plugin-bugfix-safari-class-field-initializer-scope@7.29.7 → helper-plugin-utils@7.29.7

preset-env@7.29.7 → plugin-bugfix-safari-id-structuring-collision-in-function-expression@7.29.7 → helper-plugin-utils@7.29.7

preset-env@7.29.7 → plugin-bugfix-safari-rest-destructuring-rhs-array@7.29.7 → helper-plugin-utils@7.29.7

preset-env@7.29.7 → plugin-bugfix-v8-spread-parameters-in-optional-chaining@7.29.7 → helper-plugin-utils@7.29.7

preset-env@7.29.7 → plugin-bugfix-v8-static-class-fields-redefine-readonly@7.29.7 → helper-plugin-utils@7.29.7

preset-env@7.29.7 → plugin-syntax-import-assertions@7.29.7 → helper-plugin-utils@7.29.7

preset-env@7.29.7 → plugin-syntax-import-attributes@7.29.7 → helper-plugin-utils@7.29.7

preset-env@7.29.7 → plugin-syntax-unicode-sets-regex@7.18.6 → helper-plugin-utils@7.29.7

 View Details

plugin-bugfix-v8-spread-parameters-in-optional-chaining@7.29.7 Transitive

1 vulnerability

UNKNOWN

 Used in 1 repository:

upload/upload/npm-bom: preset-env@7.29.7 → plugin-bugfix-v8-spread-parameters-in-optional-chaining@7.29.7

 View Details

☰ Show All Remaining (16)

SBOM Play

A client-side tool for analyzing Software Bill of Materials from GitHub organizations and users. All processing happens in your browser for maximum privacy and security.

Privacy-First: All processing happens in your browser

No Server Required: Works entirely client-side

Persistent Storage: Results saved in browser storage

Rate Limit Aware: Handles GitHub API limits intelligently

Resources

 [Website](#)

 [Blog](#)

 [Upcoming Trainings](#)

 [Open Source by Cyfinoid](#)

About Cyfinoid Research

Leading cybersecurity research company specializing in software supply chain security, Android security, and cloud security. Our expertise spans across comprehensive software supply chain protection.