

01 GitHub

beyblade-market

Visibility Public


Default branch main

Create repository

1. € • ZIP , f Windows „ ... † ‡ ^ % Š < Æ
 2. • Ž GitHub , • • ‘ ’ “ ” • — — ~ ™ ” š > œ • Æ
 3. ž Ÿ — , • • <https://github.com/new> • š j beyblade-market , ¢ P
ublic , £ ¢ Add a README file , ▯ „ Create repository Æ
 4. > ¥ | § • main “ © Æ ž a « “ © ↵ - main , ® ¯ ° main , ± ² ¥ ³ ¯
´ μ ¶ ” branches « • Æ
- , ¹ ° » 5 ¼ ½ ¾ Æ - ¿ ° À , Á Â ‘ ’ “ ” Actions Ã Ä Å Æ Ç Pages ~ È É Ê Æ

02 È Ì ^ % Š Í ” Î Ï

GitHub ½ ¾



Đ Ñ Ò Ó Ô ” Õ Ö • × ” Ç ‘ ” ↵ ² Æ

1. ” Code Ø Ù ‡ Add file ‡ Upload files Æ

2. Ú ^ % Š Û Ü Ý Þ ß Ù ” Î Ï Ç Û Ü Ý à á â Ë Ì ã , ¨ „ Commit changes , ä å æ main Æ

3. ↵ Ó ç Ë Ì ZIP • index.html è é ê ë Õ ì Í Î Ï Æ

4. ä å Í ð ñ index.html ò snapshot.json ò data ò scripts ò tests , > ó .github ô — Ë Ì Æ

03 ù ñ .github ´ µ ¶

í î ï

index.html ú û snapshot.json

data / scripts / tests

.github ‡ workflows ‡ update-and-deploy.yml

1. â Ž .github ‡ workflows , ü ý — update-and-deploy.yml☒
2. ž Windows á þ Ë ì ÿ .github Code ‡ Add file ‡ Create new file☒
3. î ï .github/workflows/update-and-deploy.yml☒
4. • , • • ² î ï , < Ë , ¨ „ Commit changes , ä å æ main☒
5. ~ Ø • ¾ — š ” ´ µ ¶☒

GitHub ½ ¾

octo-org / octo-repo Private

Edit Pins Watch 1 Fork 0 Star

<> Code

Issues 16

Pull requests 19

Discussions

Actions

Projects 8

Security 3

Insights

Settings

- Đ Ñ Ò Ó Ô ” Õ Ö • × ” Ç ‘ ” ¬ ² Æ
1. Ô Ë ¾ Settings • š f þ à ¢ Æ
2. f ¢ æ PagesÆ ¥ « . Æ
3. ½ ¾ ” Ç ‘ ” ¬ ² • Đ Ñ Ò ” - „ Õ ÖÆ

05 Pages ¢ GitHub Actions

Settings ‡ Pages

Build and deployment

Source ¢ GitHub Actions

§ • ! — ´ μ ¶

- 1. Settings ‡ Pages ‡ Build and deployment⌘
- 2. Source " ¢ ¢ GitHub Actions⌘
- 3. — ´ μ ¶ , ¬ # Ó ¢ \$ % Static HTML , ⌘
- 4. & Ÿ ' ¬ æ ~ ™ ~ È - () " • ° * + ° À Í ¢ , ñ ' ⌘

06 ü ý Actions š › - € û Ü

Settings ‡ Actions ‡ General

Workflow permissions

. Read and write permissions

Save

1. Settings ‡ Actions ‡ General⌘

2. f Workflow permissions ¢ Read and write permissions , ¨ „ Save⌘

3. , / – « · contents: write • 0 ß 1 ü ý « · ⌘

4. ¬ # Ó £ ¢ Allow GitHub Actions to create and approve pull requests⌘

5. ž ¢ 2 3 4 5 6 7 8 9 , Á : ; < ü ý Actions Ç = Ž > ? ⌘

07 æ Ä @ - € ´ μ ¶

GitHub ½ ¾

github / docs

<> Code

Issues 46

Pull requests 19

Discussions

Actions

Ð Ñ Ò Ó Ô ” Ö Ö • × ” Ç ‘ ” ¬ ² Œ

1. , æ Ë ¾ , Ô ActionsŒ
2. ´ μ ¶ A ¢ Update market and deploy PagesŒ
3. B Æ < ¬ æ 0 C , , æ * 3 ¥ ð ñ .github Ç main ” ©Œ

08 ¢ D (ü ” ´ μ ¶

GitHub ½ ¾

Actions

New workflow

All workflows

.github/workflows/greet-everyone.yml

CI

CodeQL

GitHub Actions Demo

GitHub Actions Demo

Q Filter workflow runs

...

1 workflow run

Event ▾ Status ▾ Branch ▾ Actor ▾

✔ octocat is testing out GitHub Actions 🚀

GitHub Actions Demo #1: Commit 9861173 pushed by octocat

octocat-patch-1

📅 37 minutes ago ...

🕒 17s

Đ Ñ Ò Ó Ô ” Õ Ö • × ” Ç ‘ ” ⇨ ² Æ

1. Ô ” ´ μ ¶ • ‘ ” E - Update market and deploy PagesÆ

2. ½ ¾ § • GitHub Actions Demo F , G H I A ” Õ ÖÆ

3. ž Ě ì ’ J ã Ä K L M , ® ° Pages Ç > ? « · , ¢ N J ã Ä +Æ

½ ¾ Õ Ö ÷ Ô ø • • GitHub Docs

2026-10-06

8

GitHub ½ ¾

Browser Tests

browser-test.yml

Filter workflow runs

...

12,809 workflow runs

Event ▾

Status ▾

Branch ▾

Actor ▾

This workflow has a workflow_dispatch event trigger.

Run workflow ▾

repo sync

Browser Tests #18928: Pull request #24112
opened by Octomerger

repo-sync

38 minutes ago ...
3m 24s

Đ Ñ Ò Ó Ô ” Ö • × ” Ç ‘ ” ¬ ² Æ

1. ... „ Run workflow ‡ Branch ¢ main ‡ ¢ „ O P Run workflowÆ

2. Ô € ö Q ” Ã Ä R S , T U publish ´ ° Æ

3. O P £ £ V 0 + ° À • ž W P X X , Y • L M ¥ | ñ ' Z [, ¢ H I Í Ù ” \ ñ VÆ

4. ½ ¾ × ” Browser Tests - • ‘ ” Ø Ù] ^ Update market and dep
loy PagesÆ

10 _ • ~ ™ ` É Ê Ä @

Settings ‡ Pages ‡ Visit site

a b c d e f g

ð ñ h i j k Å

~ ™ ~ È + snapshot.json ‡ JSON

- , Settings ‡ Pages , æ Your site is live at e Visit site , • • I ~ È Æ
- m n Ì ~ È - https:// ' " o g.github.io/ / • > Pages ä p " ~ È F Æ
- f ~ ™ a b c d ± BX e UX e CX q g , ü ý ' æ h i Ç j k Å Æ
- Ú ~ È í í r È snapshot.json , E ' æ JSON Ô Û , s ¬ - HTTP 404 Æ
- ü ý ~ ™ " - € t Æ u v * 17 " w \ ¶ - € , GitHub š x Í • y z Ø Û u 5 " w ð ñ { | Ô Û Æ

11 - € ¾ } Ç Û Ü ~

® ° , ¢ ñ ' - € t Ç j

- € Û Ü B • , .
- € 7e14e30 f § • „ j ... † €œ —š ‡ † € ” ^ f Þ † € U%h à ,
¬] Š < œ t ± ° å † € • Žœ
- • S ” ~
- • : ‘ a b ’ C h i ” “ • š ” • – Óœ—~ ò™ 3 a b • š S ” í € š
¬æ • • > Çœö Ò ¬ T ì – Ê ” ° å • žœ

API Key - ¢ • « .

š ® ¬ i Key , Ÿ “ • a b i } – ¢ £ š • œ ž ¢ ž ¥ ± | § ? ” , š æ Settings ‡ Secret
s and variables ‡ Actions ‡ New repository secret , i FIRECRAWL_API_KEY , © i ‘
“ ” Firecrawl Keyœ

° åª « # Ó š ‡

ž ¬ î —» j ... † € Ç í - ° å Ê ® ” HTTPS JSON , š • MARKET_FEED_URLS ë
Žœ —0 ¯ , ° š y z h i ± ² œ

\ ¶³ € ´ µ

GitHub \ ¶ ¬ - Ô ¶ Êœ “ • ³ t . , J š ¹ • \ ¶ • ž Actions ^ ¹ • ä
, ° € • • , ¢ N J Run workflowœ

12 » ¼ \ ñ

Â Z [½¾ æ H E ¥ |

snapshot.json , ì 404

ü ý Ë ì ò Pages Source - GitHub Actions , ¿ í Í + ° ÀŒ ð ñ ~ È × ”
Ç À v =Œ

Actions —Ä@ ´ µ ¶

ü ý .github/workflows/update-and-deploy.yml f main “ © • ¬ Ó ^ f ž î ” î ï Û Ü Ý
Œ

git push ö Q 403 e permission denied

ð ñ * 6 ¥ ò ´ µ ¶ contents: write , > ó “ © ¶ µ Á Â - ¿ Ä Ä bot - €Œ

configure-pages e deploy-pages L M

® « · Pages Source F GitHub Actions • , Actions N J ¢ Ä Ä +Œ

a b , 429 e quota e unauthorized

ñ ' <Œ¥ | R S • š r Ž—Å FIRECRAWL_API_KEYŒ ! —Û Ü] ¶ Æ , # Ç ~™ í í °
À - € tŒ

~™—Û Ü È — í €

“ • a b — ” • x É • ð ñ j Ç † €Œ# Ó • € S , è é ¬ ë š Ê Ë ” š
‡ Û Ü Œ