

GROUP MEMBERS:

SIGNATURES

TEAM LEADER:

CHANTELL MALEPE	0607050245085	-
-----------------	---------------	---

TEAM SUBORDINATES

JOSE KATIE	0502175082085	-
------------	---------------	---

LESEGO MOATLODI	0412185090088	-
-----------------	---------------	---

KUTLOANO KHAU	0411270509085	-
---------------	---------------	---

ROCKY LANGA	0401235231081	-
-------------	---------------	---

KATLEGO MELETSE	0305125136088	-
-----------------	---------------	---

BRANDON PETERSON	0001195413082	-
------------------	---------------	---

LUCKY SITHOLE	0308185218085	-
---------------	---------------	---

NONJABULO NDLOVU	0310070572089	-
------------------	---------------	---

NOTE: The group members were divided into 3 separate groups to showcase their efforts. This strategy was also applied for the practice presentations to not draw up a lot of time. This was done after the group leader had checked their drafts of ideas. Constant weekly check ups were made. **THE SIGNATURES ARE APPLICABLE TO THOSE THAT PROVIDED THEIR POWERPOINTS.** The signatures are a declaration of their individual workload. This ensured all group members played their separate roles in contributing their work equally.

THANK YOU!!

TABLE OF CONTENTS

TITLE	PAGE
SIGIN IN	3-27
NAVIGATION BARS	28-44
BREAKFAST MENU	45-103
THE MEAL MENU	103-162
THE DRINKS MENU	162-221
THE STAFF MENU	221-280
ALLERGENS MENU	280-304
VENU MENU	304-347
AWARD	347-354
YOUR SMILE	354-360
THE ECO SYSTEM	360-367
SURVEY	367-383
CONTACT	383-392
BOOKING INFORMATION	392-405
CUSTOMER REVIEWS	405-423
DELICIOUS FOOD	324-429
GENDER	430-439
FEMALE	439-465
MALE	465-488
LOCATION	488-499
PAYMENT FORM	499-516
STAFF MEMBERS	516-542
STAFF SHIFT	542-553
VENUE DESCRIPTION	553-571
HELP	571-579
XAMPP APPLICATION	579-585
WEBSITE(HTML)	585-604
CASCADING STYLESHEET	604-635
DELIVERY	635-642
LOGIN	642-643
PAYMENT	643-648
RECEIPT	649-656
SIGN-UP	656-658
CASCADING STYLESHEET(2)	658-704

APPLICATIONS USED	704-706
DECLARATION FROM ALL MEMBERS	706-710

ALL THE SIGN IN'S

THE MAIN SIGN IN

/*

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

*/ package javaapplication7;

import java.awt.Color; import javax.swing.JOptionPane; import java.sql.Connection;
import java.sql.DriverManager; import java.sql.ResultSet; import java.sql.Statement;
import java.sql.SQLException; import java.sql.PreparedStatement;

/** *

- @author Douglas

*/ public class MainSingIn extends javax.swing.JFrame {

/**

* Creates new form MainSingIn

*/

```
public MainSingIn() {
    initComponents();
}
```

/**

* This method is called from within the constructor to initialize the form.

* WARNING: Do NOT modify this code. The content of this method is always

* regenerated by the Form Editor.

*/

```

@SuppressWarnings("unchecked")
// <editor-fold defaultstate="collapsed" desc="Generated Code">
private void initComponents() {

    jPanel1 = new javax.swing.JPanel();
    jLabel3 = new javax.swing.JLabel();
    Email = new javax.swing.JLabel();
    jLabel5 = new javax.swing.JLabel();
    txtEmail = new javax.swing.JTextField();
    jButton1 = new javax.swing.JButton();
    jButton2 = new javax.swing.JButton();
    jLabel6 = new javax.swing.JLabel();
    txtPassword = new javax.swing.JPasswordField();
    txtConfirmPassword = new javax.swing.JPasswordField();
    jLabel1 = new javax.swing.JLabel();
    jButton3 = new javax.swing.JButton();
    jLabel4 = new javax.swing.JLabel();
    Email2 = new javax.swing.JLabel();
    Password2 = new javax.swing.JLabel();
    Password3 = new javax.swing.JLabel();
    jButton4 = new javax.swing.JButton();

    setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);

    jPanel1.setBackground(new java.awt.Color(255, 255, 255));

    jLabel3.setBackground(new java.awt.Color(0, 0, 0));
    jLabel3.setFont(new java.awt.Font("Courier New", 1, 18)); //
NOI18N
    jLabel3.setText("GUSTO GROVE AND DINNER:");

    Email.setFont(new java.awt.Font("Courier New", 0, 14)); // NOI18N
    Email.setText("EMAIL:");

    jLabel5.setFont(new java.awt.Font("Courier New", 0, 14)); //
NOI18N
    jLabel5.setText("PASSWORD:");

```

```

txtEmail.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        txtEmailActionPerformed(evt);
    }
});

jButton1.setBackground(new java.awt.Color(255, 204, 0));
jButton1.setFont(new java.awt.Font("Courier New", 0, 18)); //
NOI18N
jButton1.setText("SUBMIT");
jButton1.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton1ActionPerformed(evt);
    }
});

jButton2.setBackground(new java.awt.Color(255, 204, 0));
jButton2.setFont(new java.awt.Font("Courier New", 0, 18)); //
NOI18N
jButton2.setText("CLEAR");
jButton2.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton2ActionPerformed(evt);
    }
});

jLabel6.setFont(new java.awt.Font("Courier New", 0, 14)); //
NOI18N
jLabel6.setText("CONFIRM PASSWORD:");

txtPassword.addActionListener(new java.awt.event.ActionListener()
{
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        txtPasswordActionPerformed(evt);
    }
});

txtConfirmPassword.addActionListener(new
java.awt.event.ActionListener() {

```

```

        public void actionPerformed(java.awt.event.ActionEvent evt) {
            txtConfirmPasswordActionPerformed(evt);
        }
    });

    jLabel1.setIcon(new
    javax.swing.ImageIcon(getClass().getResource("/BREAKFAST
    IMAGES/lock2.2.png"))); // NOI18N

    jButton3.setBackground(new java.awt.Color(255, 204, 51));
    jButton3.setFont(new java.awt.Font("Courier New", 0, 18)); //
    NOI18N
    jButton3.setText("Already have an Account");
    jButton3.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton3ActionPerformed(evt);
        }
    });

    jLabel4.setIcon(new
    javax.swing.ImageIcon(getClass().getResource("/BREAKFAST
    IMAGES/key.2.png"))); // NOI18N

    Email2.setBackground(new java.awt.Color(255, 255, 255));
    Email2.setForeground(new java.awt.Color(255, 255, 255));
    Email2.setText("jLabel2");

    Password2.setForeground(new java.awt.Color(255, 255, 255));
    Password2.setText("jLabel7");

    Password3.setForeground(new java.awt.Color(255, 255, 255));
    Password3.setText("jLabel8");

    jButton4.setBackground(new java.awt.Color(102, 102, 102));
    jButton4.setText("DONT HAVE AN ACCOUNT?");
    jButton4.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton4ActionPerformed(evt);
        }
    });

```

```
});

    javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
    jPanel1.setLayout(jPanel1Layout);
    jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel1Layout.createSequentialGroup()
            .addComponent(jLabel1,
javax.swing.GroupLayout.PREFERRED_SIZE, 178,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addPreferredGap(LayoutStyle.ComponentPlacement.UNRELATED)
            .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                .addGroup(jPanel1Layout.createSequentialGroup()
                    .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
                        .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 285,
javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addGroup(jPanel1Layout.createSequentialGroup()
                            .addComponent(jLabel3)
                            .addGap(57, 57, 57)
                            .addComponent(jButton2,
javax.swing.GroupLayout.PREFERRED_SIZE, 285,
javax.swing.GroupLayout.PREFERRED_SIZE)
                            .addComponent(jButton3))
                        .addPreferredGap(LayoutStyle.ComponentPlacement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
                    .addGroup(jPanel1Layout.createSequentialGroup()
                        .addComponent>Email,
javax.swing.GroupLayout.PREFERRED_SIZE, 150,
```

```

javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jLabel6,
javax.swing.GroupLayout.PREFERRED_SIZE, 137,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGap(0, 0, Short.MAX_VALUE))
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup())
        .addGroup(jPanel1Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.TRAILING)
        .addGroup(jPanel1Layout.createSequentialGroup(
)
        .addComponent(jLabel5,
javax.swing.GroupLayout.PREFERRED_SIZE, 137,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addComponent(txtConfirmPassword,
javax.swing.GroupLayout.PREFERRED_SIZE, 178,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGroup(javax.swing.GroupLayout.Alignment.LE
ADING, jPanel1Layout.createSequentialGroup())
        .addGap(168, 168, 168)
        .addGroup(jPanel1Layout.createParallelGrou
p(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(txtPassword)
        .addGroup(jPanel1Layout.createSequenti
alGroup())
        .addGroup(jPanel1Layout.createPara
llelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent>Password3)
        .addComponent>Password2)
        .addComponent>Email2)
        .addComponent(txtEmail,
javax.swing.GroupLayout.PREFERRED_SIZE, 178,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGap(0, 0, Short.MAX_VALUE))))))
        .addGap(18, 18, 18)))
        .addComponent(jLabel4,

```



```

javax.swing.GroupLayout.PREFERRED_SIZE, 204,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addGap(2267, 2267, 2267))
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addGap(407, 407, 407)
        .addComponent(jButton4)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup()
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
            .addGroup(javax.swing.GroupLayout.Alignment.LEADING,
jPanel1Layout.createSequentialGroup()
                .addContainerGap()
                .addComponent(jLabel4,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
            .addGroup(jPanel1Layout.createSequentialGroup()
                .addGap(0, 0, Short.MAX_VALUE)
                .addComponent(jLabel1,
javax.swing.GroupLayout.PREFERRED_SIZE, 296,
javax.swing.GroupLayout.PREFERRED_SIZE)))
            .addGap(218, 218, 218))
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup()
            .addComponent(jLabel3)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
            .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
                .addComponent>Email,
javax.swing.GroupLayout.PREFERRED_SIZE, 28,
javax.swing.GroupLayout.PREFERRED_SIZE)

```

```

        .addComponent(txtEmail,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGap(1, 1, 1)
        .addComponent(Email2)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.BASELINE)
        .addComponent(txtConfirmPassword,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jLabel5))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
        .addComponent>Password2)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.BASELINE)
        .addComponent(jLabel6,
javax.swing.GroupLayout.PREFERRED_SIZE, 20,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(txtPassword,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addComponent>Password3)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jButton3)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addComponent(jButton1)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen

```

```

t.UNRELATED)
    .addComponent(jButton2)
    .addGap(18, 18, 18)
    .addComponent(jButton4)
    .addGap(166, 166, 166))
);

    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
754, javax.swing.GroupLayout.PREFERRED_SIZE)
    );
    layout.setVerticalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
383, Short.MAX_VALUE)
    );

    pack();
    setLocationRelativeTo(null);
} // </editor-fold>

private void txtEmailActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    CheckLogin();
}

private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    CheckLogin();
}

public void CheckLogin(){
    String Email=txtEmail.getText();

```

```

String Password=txtPassword.getText();
String ConfirmPassword=txtConfirmPassword.getText();

try{
    Class.forName("com.mysql.cj.jdbc.Driver");
    Connection conn = DriverManager.getConnection("SELECT * FROM
LINK_SIGNUP WHERE EMAIL =? ,PASSWORD = ? AND CONFIRM_PASSWORD=?",
"root","");

    String query = "SELECT * FROM LINK_SIGNUP WHERE EMAIL =?,
PASSWORD=? AND CONFIRM_PASSWORD=?";
    PreparedStatement pst = conn.prepareStatement(query);
    pst.setString(1, Email);
    pst.setString(2, Password);
    pst.setString(3, ConfirmPassword);

    ResultSet rs = pst.executeQuery();

    if(rs.next()){
        JOptionPane.showMessageDialog(null,"Login successful");
    }
    else{
        JOptionPane.showMessageDialog(null, "Wrong username or
password");
    }
    rs.close();
    pst.close();
    conn.close();
}
catch(Exception e){
    if(Email.equals("Chantell@gmail.com")&& Password.equals("2345")&&
ConfirmPassword.equals("2345")){
        Email2.setText("You are correct");
        Password2.setText("You are correct");
        Password3.setText("You are correct");
        Email2.setForeground(Color.green);
        Password2.setForeground(Color.green);
        Password3.setForeground(Color.green);
        new NAVIGATION().setVisible(true);
    }
}

```

```

        dispose();
    }
    else{
        Email2.setText("You are incorrect");
        Password2.setText("You are incorrect");
        Password3.setText("You are incorrect");
        Email2.setForeground(Color.red);
        Password2.setForeground(Color.red);
        Password3.setForeground(Color.red);
    }
}

private void jButton2ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:

}

private void jButton3ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new NAVIGATION().setVisible(true);
    dispose();
}

private void
txtConfirmPasswordActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    CheckLogin();
}

private void txtPasswordActionPerformed(java.awt.event.ActionEvent
evt) {
    // TODO add your handling code here:
    CheckLogin();
}

private void jButton4ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    new GENDER().setVisible(true);
}

```

```

        dispose();
    }

/**
 * @param args the command line arguments
 */
public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //<editor-fold defaultstate="collapsed" desc=" Look and feel
setting code (optional) ">
    /* If Nimbus (introduced in Java SE 6) is not available, stay with
the default look and feel.
    * For details see
http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.ht
ml
    */
    try {
        for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Nimbus".equals(info.getName())) {

javax.swing.UIManager.setLookAndFeel(info.getClassName());
                break;
            }
        }
    } catch (ClassNotFoundException ex) {

java.util.logging.Logger.getLogger(MainSingIn.class.getName()).log(jav
a.util.logging.Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {

java.util.logging.Logger.getLogger(MainSingIn.class.getName()).log(jav
a.util.logging.Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {

java.util.logging.Logger.getLogger(MainSingIn.class.getName()).log(jav
a.util.logging.Level.SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {

```

```

java.util.logging.Logger.getLogger(MainSingIn.class.getName()).log(jav
a.util.logging.Level.SEVERE, null, ex);
    }
    //</editor-fold>

    /* Create and display the form */
    java.awt.EventQueue.invokeLater(new Runnable() {
        public void run() {
            new MainSingIn().setVisible(true);
        }
    });
}

// Variables declaration - do not modify
private javax.swing.JLabel Email;
private javax.swing.JLabel Email2;
private javax.swing.JLabel Password2;
private javax.swing.JLabel Password3;
private javax.swing.JButton jButton1;
private javax.swing.JButton jButton2;
private javax.swing.JButton jButton3;
private javax.swing.JButton jButton4;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
private javax.swing.JLabel jLabel5;
private javax.swing.JLabel jLabel6;
private javax.swing.JPanel jPanel1;
private javax.swing.JPasswordField txtConfirmPassword;
private javax.swing.JTextField txtEmail;
private javax.swing.JPasswordField txtPassword;
// End of variables declaration

}

```

THE STAFF SIGN IN

```

/*

```

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

```
*/ package javaapplication7;
```

```
import java.awt.Color; import java.sql.Connection; import java.sql.DriverManager; import
java.sql.PreparedStatement; import java.sql.ResultSet; import javax.swing.JOptionPane;
```

```
/** *
```

- @author Douglas

```
*/ public class MainStaffSignIn extends javax.swing.JFrame {
```

```
/**
```

```
 * Creates new form MainStaffSignIn
```

```
 */
```

```
public MainStaffSignIn() {
    initComponents();
}
```

```
/**
```

```
 * This method is called from within the constructor to initialize the
form.
```

```
 * WARNING: Do NOT modify this code. The content of this method is
always
```

```
 * regenerated by the Form Editor.
```

```
 */
```

```
@SuppressWarnings("unchecked")
```

```
// <editor-fold defaultstate="collapsed" desc="Generated Code">
```

```
private void initComponents() {
```

```
    jPanel1 = new javax.swing.JPanel();
```

```
    jLabel1 = new javax.swing.JLabel();
```

```
    jLabel2 = new javax.swing.JLabel();
```

```
    jLabel3 = new javax.swing.JLabel();
```

```
    jLabel4 = new javax.swing.JLabel();
```

```
    jLabel5 = new javax.swing.JLabel();
```

```
    txtUsername = new javax.swing.JTextField();
```



```

jButton1 = new javax.swing.JButton();
jButton2 = new javax.swing.JButton();
jLabel6 = new javax.swing.JLabel();
txtPassword = new javax.swing.JPasswordField();
txtConfirmPassword = new javax.swing.JPasswordField();
Password3 = new javax.swing.JLabel();
Password2 = new javax.swing.JLabel();
Name = new javax.swing.JLabel();
jButton3 = new javax.swing.JButton();

setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);

jPanel1.setBackground(new java.awt.Color(255, 255, 255));

jLabel1.setFont(new java.awt.Font("Tahoma", 0, 24)); // NOI18N
jLabel1.setText("STAFF SIGNIN :");

jLabel3.setText("EMAIL:");

jLabel4.setText("PASSWORD:");

jLabel5.setText("CONFIRM PASSWORD:");

txtUsername.addActionListener(new java.awt.event.ActionListener()
{
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        txtUsernameActionPerformed(evt);
    }
});

jButton1.setBackground(new java.awt.Color(255, 204, 51));
jButton1.setText("CLEAR");
jButton1.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton1ActionPerformed(evt);
    }
});

```

```

jButton2.setBackground(new java.awt.Color(255, 204, 51));
jButton2.setText("CONFIRM");
jButton2.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton2ActionPerformed(evt);
    }
});

jLabel6.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/BREAKFAST
IMAGES/lock2.2.png"))); // NOI18N

Password3.setForeground(new java.awt.Color(255, 255, 255));
Password3.setText("jLabel7");

Password2.setForeground(new java.awt.Color(255, 255, 255));
Password2.setText("jLabel8");

Name.setForeground(new java.awt.Color(255, 255, 255));
Name.setText("jLabel9");

jButton3.setBackground(new java.awt.Color(255, 204, 51));
jButton3.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/ICONS/b2.png"))); //
NOI18N
jButton3.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton3ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
jPanel1.setLayout(jPanel1Layout);
jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()

```

```

        .addComponent(jLabel12)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        .addGroup(jPanel1Layout.createSequentialGroup())
        .addGap(26, 26, 26)
        .addComponent(jLabel16,
javax.swing.GroupLayout.PREFERRED_SIZE, 179,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
        .addGroup(jPanel1Layout.createSequentialGroup())
        .addGap(75, 75, 75)
        .addGroup(jPanel1Layout.createParallelGroup(javax.s
wing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel1Layout.createSequentialGroup(
)
        .addGap(0, 0, Short.MAX_VALUE)
        .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 223,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGroup(jPanel1Layout.createSequentialGroup(
)
        .addComponent(jButton3)
        .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addComponent(jButton2,
javax.swing.GroupLayout.PREFERRED_SIZE, 223,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addGap(42, 42, 42))
        .addGroup(jPanel1Layout.createSequentialGroup())
        .addGap(65, 65, 65)
        .addGroup(jPanel1Layout.createParallelGroup(javax.s
wing.GroupLayout.Alignment.LEADING)
        .addComponent(jLabel14,
javax.swing.GroupLayout.PREFERRED_SIZE, 120,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jLabel13,
javax.swing.GroupLayout.PREFERRED_SIZE, 120,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE)
                .addComponent(jLabel15,
javax.swing.GroupLayout.PREFERRED_SIZE, 139,
javax.swing.GroupLayout.PREFERRED_SIZE))
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
                .addGroup(jPanel11Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
                .addComponent(txtConfirmPassword)
                .addComponent(txtPassword,
javax.swing.GroupLayout.Alignment.TRAILING)
                .addGroup(jPanel11Layout.createSequentialGroup(
)
                .addGroup(jPanel11Layout.createParallelGrou
p(javax.swing.GroupLayout.Alignment.LEADING)
                .addComponent>Password3)
                .addComponent(Name)
                .addComponent>Password2))
                .addGap(0, 0, Short.MAX_VALUE))
                .addComponent(txtUsername))
                .addContainerGap()))
        .addGroup(jPanel11Layout.createSequentialGroup())
        .addGap(47, 47, 47)
        .addComponent(jLabel11,
javax.swing.GroupLayout.PREFERRED_SIZE, 231,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(0, 0, Short.MAX_VALUE))
    );
    jPanel11Layout.setVerticalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel11Layout.createSequentialGroup())
        .addComponent(jLabel12)
        .addGap(0, 0, Short.MAX_VALUE))
        .addGroup(jPanel11Layout.createSequentialGroup())
        .addContainerGap()
        .addComponent(jLabel11,
javax.swing.GroupLayout.PREFERRED_SIZE, 41,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE)
    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
    .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
        .addGroup(jPanel1Layout.createSequentialGroup())
            .addGap(3, 3, 3)
            .addGroup(jPanel1Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.BASELINE)
                .addComponent(txtUsername,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addComponent(jLabel3,
javax.swing.GroupLayout.PREFERRED_SIZE, 24,
javax.swing.GroupLayout.PREFERRED_SIZE))
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
                    .addComponent(Name)
                    .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
                        .addGroup(jPanel1Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.BASELINE)
                            .addComponent(txtPassword,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                                .addComponent(jLabel4,
javax.swing.GroupLayout.PREFERRED_SIZE, 25,
javax.swing.GroupLayout.PREFERRED_SIZE))
                            .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
                                .addComponent>Password2)
                                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
                                    .addGroup(jPanel1Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.BASELINE)
                                        .addComponent(txtConfirmPassword,
javax.swing.GroupLayout.PREFERRED_SIZE,

```

```

javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jLabel15,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
        .addComponent>Password3)
        .addGap(18, 18, 18)
        .addGroup(jPanel11Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel11Layout.createSequentialGroup(
)
        .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 31,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.UNRELATED)
        .addComponent(jButton2,
javax.swing.GroupLayout.PREFERRED_SIZE, 31,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addComponent(jButton3,
javax.swing.GroupLayout.PREFERRED_SIZE, 61,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_S
IZE, Short.MAX_VALUE))
        .addGroup(jPanel11Layout.createSequentialGroup()
        .addComponent(jLabel16,
javax.swing.GroupLayout.PREFERRED_SIZE, 247,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_S
IZE, Short.MAX_VALUE))))
    );

```

```

    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(

```

```

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addComponent(jPanel1, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );
layout.setVerticalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    );

    pack();
    setLocationRelativeTo(null);
} // </editor-fold>

private void txtUsernameActionPerformed(java.awt.event.ActionEvent
evt) {
    // TODO add your handling code here:
}

private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:

}

private void jButton2ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:

    CheckLogin();
}

private void jButton3ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new NAVIGATION().setVisible(true);
    dispose();
}

public void CheckLogin(){
    String Email=txtUsername.getText();

```

```

String Password=txtPassword.getText();
String ConfirmPassword=txtConfirmPassword.getText();

try{
    Class.forName("com.mysql.cj.jdbc.Driver");
    Connection conn = DriverManager.getConnection("SELECT * FROM
LINK_SIGNUP WHERE LINK_SIGNUP_ID =? PASSWORD = ? AND
CONFIRM_PASSWORD=?", "root","");

    String query = "SELECT * FROM LINK_SIGNUP WHERE LINK_SIGNUP_ID
=?, PASSWORD=? AND CONFIRM_PASSWORD=?";
    PreparedStatement pst = conn.prepareStatement(query);
    pst.setString(1, Email);
    pst.setString(2, Password);
    pst.setString(3, ConfirmPassword);

    ResultSet rs = pst.executeQuery();

    if(rs.next()){
        JOptionPane.showMessageDialog(null,"Login successful");
    }
    else{
        JOptionPane.showMessageDialog(null, "Wrong username or
password");
    }
    rs.close();
    pst.close();
    conn.close();
}
catch(Exception e){
    if(Email.equals("Jose@gmail.com")&& Password.equals("1234")&&
ConfirmPassword.equals("1234") || Email.equals("Chantell@gmail.com")&&
    Password.equals("1234")&&
ConfirmPassword.equals(7646) || Email.equals("Nonjabulo@gmail.com")&&
    Password.equals("124")&& ConfirmPassword.equals("124") ||
    Email.equals("Kutloano@gmail.com")&&
    Password.equals("1234")&&
ConfirmPassword.equals("1234") || Email.equals("Lucky@gmail.com")&&

```



```

Password.equals("1234")&&

ConfirmPassword.equals("1234")||Email.equals("Rocky@gmail.com")&&
Password.equals("1234")&&
ConfirmPassword.equals("1234")||Email.equals("Brandon@gmail.com")&&
    Password.equals("1234")&&
ConfirmPassword.equals("1234")||Email.equals("Katlego@gmail.com")&&
Password.equals("1234")&& ConfirmPassword.equals("1234")||
    Email.equals("Lesego@gmail.com")&&
Password.equals("1234")&& ConfirmPassword.equals("1234")){
    Name.setText("You are correct");
    Password2.setText("You are correct");
    Password3.setText("You are correct");
    Name.setForeground(Color.green);
    Password2.setForeground(Color.green);
    Password3.setForeground(Color.green);
    new STAFFNAVIGATION().setVisible(true);
    dispose();
}

else{
    Name.setText("You are incorrect");
    Password2.setText("You are incorrect");
    Password3.setText("You are incorrect");
    Name.setForeground(Color.red);
    Password2.setForeground(Color.red);
    Password3.setForeground(Color.red);
}
}
}
/**
 * @param args the command line arguments
 */
public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //<editor-fold defaultstate="collapsed" desc=" Look and feel
setting code (optional) ">
    /* If Nimbus (introduced in Java SE 6) is not available, stay with
the default look and feel.

```

```

        * For details see
http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.ht
ml
    */
    try {
        for (javax.swing.UIManager.LookAndFeelInfo info :
            javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Nimbus".equals(info.getName())) {

                javax.swing.UIManager.setLookAndFeel(info.getClassName());
                break;
            }
        }
    } catch (ClassNotFoundException ex) {

        java.util.logging.Logger.getLogger(MainStaffSignIn.class.getName()).lo
        g(java.util.logging.Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {

        java.util.logging.Logger.getLogger(MainStaffSignIn.class.getName()).lo
        g(java.util.logging.Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {

        java.util.logging.Logger.getLogger(MainStaffSignIn.class.getName()).lo
        g(java.util.logging.Level.SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {

        java.util.logging.Logger.getLogger(MainStaffSignIn.class.getName()).lo
        g(java.util.logging.Level.SEVERE, null, ex);
    }
}
//</editor-fold>

/* Create and display the form */
java.awt.EventQueue.invokeLater(new Runnable() {
    public void run() {
        new MainStaffSignIn().setVisible(true);
    }
});
}

```

```
// Variables declaration - do not modify
private javax.swing.JLabel Name;
private javax.swing.JLabel Password2;
private javax.swing.JLabel Password3;
private javax.swing.JButton jButton1;
private javax.swing.JButton jButton2;
private javax.swing.JButton jButton3;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
private javax.swing.JLabel jLabel5;
private javax.swing.JLabel jLabel6;
private javax.swing.JPanel jPanel1;
private javax.swing.JPasswordField txtConfirmPassword;
private javax.swing.JPasswordField txtPassword;
private javax.swing.JTextField txtUsername;
// End of variables declaration

}
```

THE NAVIGATION BARS/BUTTONS

```
/*
```

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

```
*/ package javaapplication7;
```

```
/** *
```

- @author Douglas

```
*/ public class NAVIGATION extends javax.swing.JFrame {
```

```

/**
 * Creates new form NAVIGATION
 */
public NAVIGATION() {
    initComponents();
}

/**
 * This method is called from within the constructor to initialize the
form.
 * WARNING: Do NOT modify this code. The content of this method is
always
 * regenerated by the Form Editor.
 */
@SuppressWarnings("unchecked")
// <editor-fold defaultstate="collapsed" desc="Generated Code">
private void initComponents() {

    jPanel1 = new javax.swing.JPanel();
    jButton1 = new javax.swing.JButton();
    jButton2 = new javax.swing.JButton();
    jButton3 = new javax.swing.JButton();
    jButton4 = new javax.swing.JButton();
    jButton5 = new javax.swing.JButton();
    jButton6 = new javax.swing.JButton();
    jButton7 = new javax.swing.JButton();
    jButton8 = new javax.swing.JButton();
    jButton9 = new javax.swing.JButton();
    jButton10 = new javax.swing.JButton();
    jButton11 = new javax.swing.JButton();

    setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);

    jPanel1.setBackground(new java.awt.Color(255, 255, 255));

    jButton1.setBackground(new java.awt.Color(255, 204, 51));
    jButton1.setFont(new java.awt.Font("Tahoma", 1, 14)); // NOI18N
    jButton1.setText("MEAL");

```

```
jButton1.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jButton1ActionPerformed(evt);  
    }  
});
```

```
jButton2.setBackground(new java.awt.Color(255, 255, 255));  
jButton2.setFont(new java.awt.Font("Tahoma", 1, 14)); // NOI18N  
jButton2.setText("BREAKFAST");  
jButton2.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jButton2ActionPerformed(evt);  
    }  
});
```

```
jButton3.setBackground(new java.awt.Color(255, 255, 255));  
jButton3.setFont(new java.awt.Font("Tahoma", 1, 14)); // NOI18N  
jButton3.setText("DRINKS");  
jButton3.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jButton3ActionPerformed(evt);  
    }  
});
```

```
jButton4.setBackground(new java.awt.Color(255, 255, 255));  
jButton4.setFont(new java.awt.Font("Tahoma", 1, 14)); // NOI18N  
jButton4.setText("STAFF SIGNIN");  
jButton4.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jButton4ActionPerformed(evt);  
    }  
});
```

```
jButton5.setBackground(new java.awt.Color(255, 204, 51));  
jButton5.setFont(new java.awt.Font("Tahoma", 1, 14)); // NOI18N  
jButton5.setText("VENUE");  
jButton5.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jButton5ActionPerformed(evt);  
    }  
});
```

```

    }
});

jButton6.setBackground(new java.awt.Color(255, 255, 255));
jButton6.setFont(new java.awt.Font("Tahoma", 1, 14)); // NOI18N
jButton6.setText("HELP");
jButton6.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton6ActionPerformed(evt);
    }
});

jButton7.setBackground(new java.awt.Color(255, 255, 255));
jButton7.setFont(new java.awt.Font("Tahoma", 1, 14)); // NOI18N
jButton7.setText("BACK TO SIGN_IN");
jButton7.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton7ActionPerformed(evt);
    }
});

jButton8.setBackground(new java.awt.Color(255, 255, 255));
jButton8.setFont(new java.awt.Font("Tahoma", 1, 14)); // NOI18N
jButton8.setText("SURVEY");
jButton8.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton8ActionPerformed(evt);
    }
});

jButton9.setBackground(new java.awt.Color(255, 255, 255));
jButton9.setFont(new java.awt.Font("Tahoma", 1, 14)); // NOI18N
jButton9.setText("PAYMENT");
jButton9.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton9ActionPerformed(evt);
    }
});

```

```

jButton10.setBackground(new java.awt.Color(255, 204, 51));
jButton10.setFont(new java.awt.Font("Tahoma", 1, 12)); // NOI18N
jButton10.setText("CONTACT");
jButton10.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton10ActionPerformed(evt);
    }
});

jButton11.setBackground(new java.awt.Color(255, 204, 0));
jButton11.setFont(new java.awt.Font("Tahoma", 1, 14)); // NOI18N
jButton11.setText("REVIEWS");
jButton11.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton11ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
jPanel1.setLayout(jPanel1Layout);
jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addGap(15, 15, 15)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addComponent(jButton7,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addGroup(jPanel1Layout.createSequentialGroup()
                .addComponent(jButton4,
javax.swing.GroupLayout.DEFAULT_SIZE, 152, Short.MAX_VALUE)
                .addComponent(jButton2,
javax.swing.GroupLayout.DEFAULT_SIZE,

```

```

javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
        .addGroup(jPanel1Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING, false)
        .addComponent(jButton5,
javax.swing.GroupLayout.DEFAULT_SIZE, 147, Short.MAX_VALUE)
        .addComponent(jButton1,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
        .addGroup(jPanel1Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
        .addComponent(jButton3,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jButton6,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)))
        .addGroup(jPanel1Layout.createSequentialGroup())
        .addGroup(jPanel1Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.TRAILING, false)
        .addComponent(jButton10,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jButton8,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.DEFAULT_SIZE, 232, Short.MAX_VALUE))
        .addGap(18, 18, 18)
        .addGroup(jPanel1Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
        .addComponent(jButton9,
javax.swing.GroupLayout.DEFAULT_SIZE, 225, Short.MAX_VALUE)
        .addComponent(jButton11,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)))
        .addContainerGap())

```



```

);
jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addContainerGap()
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
            .addComponent(jButton2,
                javax.swing.GroupLayout.PREFERRED_SIZE, 89,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addComponent(jButton1,
                javax.swing.GroupLayout.PREFERRED_SIZE, 69,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addComponent(jButton3,
                javax.swing.GroupLayout.PREFERRED_SIZE, 89,
                javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGap(18, 18, 18)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
            .addComponent(jButton4,
                javax.swing.GroupLayout.PREFERRED_SIZE, 100,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addComponent(jButton5,
                javax.swing.GroupLayout.PREFERRED_SIZE, 72,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addComponent(jButton6,
                javax.swing.GroupLayout.PREFERRED_SIZE, 100,
                javax.swing.GroupLayout.PREFERRED_SIZE))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
            .addComponent(jButton9,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jButton8,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
    )
);

```

```

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
            .addComponent(jButton10,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jButton11,
javax.swing.GroupLayout.DEFAULT_SIZE, 40, Short.MAX_VALUE))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addComponent(jButton7,
javax.swing.GroupLayout.PREFERRED_SIZE, 86,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap())
    );

    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel1, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );
    layout.setVerticalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel1, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );

    pack();
    setLocationRelativeTo(null);
}

private void jButton2ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:

```

```

        new BBreakfast().setVisible(true);
        dispose();
    }

    private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        new MEAL().setVisible(true);
        dispose();
    }

    private void jButton3ActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        new DRINKS().setVisible(true);
        dispose();
    }

    private void jButton7ActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        new MainSingIn ().setVisible(true);
        dispose();
    }

    private void jButton4ActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        new MainStaffSignIn ().setVisible(true);
        dispose();
    }

    private void jButton5ActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        new Bookings ().setVisible(true);
        dispose();
    }

    private void jButton6ActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        new HELP().setVisible(true);
        dispose();
    }

```

```

private void jButton10ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    new CONTACT().setVisible(true);
    dispose();
}

private void jButton9ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new PaymentForm().setVisible(true);
    dispose();
}

private void jButton8ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new Ssurvey().setVisible(true);
    dispose();
}

private void jButton11ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    new CUSTOMERREVIEWS().setVisible(true);
    dispose();
}

/**
 * @param args the command line arguments
 */
public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //<editor-fold defaultstate="collapsed" desc=" Look and feel
setting code (optional) ">
    /* If Nimbus (introduced in Java SE 6) is not available, stay with
the default look and feel.
    * For details see
http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.ht
ml

```

```

        */
    try {
        for (javax.swing.UIManager.LookAndFeelInfo info :
            javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Nimbus".equals(info.getName())) {

                javax.swing.UIManager.setLookAndFeel(info.getClassName());
                break;
            }
        }
    } catch (ClassNotFoundException ex) {

        java.util.logging.Logger.getLogger(NAVIGATION.class.getName()).log(java.
            util.logging.Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {

        java.util.logging.Logger.getLogger(NAVIGATION.class.getName()).log(java.
            util.logging.Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {

        java.util.logging.Logger.getLogger(NAVIGATION.class.getName()).log(java.
            util.logging.Level.SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {

        java.util.logging.Logger.getLogger(NAVIGATION.class.getName()).log(java.
            util.logging.Level.SEVERE, null, ex);
    }
}
//</editor-fold>

/* Create and display the form */
java.awt.EventQueue.invokeLater(new Runnable() {
    public void run() {
        new NAVIGATION().setVisible(true);
    }
});
}

// Variables declaration - do not modify
private javax.swing.JButton jButton1;

```

```

private javax.swing.JButton jButton10;
private javax.swing.JButton jButton11;
private javax.swing.JButton jButton2;
private javax.swing.JButton jButton3;
private javax.swing.JButton jButton4;
private javax.swing.JButton jButton5;
private javax.swing.JButton jButton6;
private javax.swing.JButton jButton7;
private javax.swing.JButton jButton8;
private javax.swing.JButton jButton9;
private javax.swing.JPanel jPanel1;
// End of variables declaration

```

```

}

```

THE NAVIGATION FOR STAFF

```

/*

```

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

```

*/ package javaapplication7;

```

```

/** *

```

- @author Douglas

```

*/ public class STAFFNAVIGATION extends javax.swing.JFrame {

```

```

/**

```

```

 * Creates new form STAFFNAVIGATION

```

```

 */

```

```

public STAFFNAVIGATION() {
    initComponents();
}

```

```

/**

```

* This method is called from within the constructor to initialize the form.

* WARNING: Do NOT modify this code. The content of this method is always

* regenerated by the Form Editor.

*/

@SuppressWarnings("unchecked")

// <editor-fold defaultstate="collapsed" desc="Generated Code">

private void initComponents() {

jPanel1 = new javax.swing.JPanel();

jButton1 = new javax.swing.JButton();

jButton2 = new javax.swing.JButton();

jButton3 = new javax.swing.JButton();

jButton4 = new javax.swing.JButton();

setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);

jPanel1.setBackground(new java.awt.Color(255, 255, 255));

jButton1.setBackground(new java.awt.Color(102, 102, 102));

jButton1.setFont(new java.awt.Font("Tahoma", 1, 14)); // NOI18N

jButton1.setText("STAFF MENU");

jButton1.addActionListener(new java.awt.event.ActionListener() {
 public void actionPerformed(java.awt.event.ActionEvent evt) {
 jButton1ActionPerformed(evt);
 }
});

jButton2.setBackground(new java.awt.Color(102, 102, 102));

jButton2.setFont(new java.awt.Font("Tahoma", 1, 14)); // NOI18N

jButton2.setText("STAFF SCHEDULE");

jButton2.addActionListener(new java.awt.event.ActionListener() {
 public void actionPerformed(java.awt.event.ActionEvent evt) {
 jButton2ActionPerformed(evt);
 }
});

```

jButton3.setBackground(new java.awt.Color(102, 102, 102));
jButton3.setFont(new java.awt.Font("Tahoma", 1, 14)); // NOI18N
jButton3.setText("STAFF INFORMATION");
jButton3.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton3ActionPerformed(evt);
    }
});

jButton4.setBackground(new java.awt.Color(102, 102, 102));
jButton4.setFont(new java.awt.Font("Tahoma", 1, 14)); // NOI18N
jButton4.setText("PREVIOUS");
jButton4.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton4ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
jPanel1.setLayout(jPanel1Layout);
jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addGap(18, 18, 18)
        .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 181,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jButton2,
javax.swing.GroupLayout.DEFAULT_SIZE, 181, Short.MAX_VALUE)
        .addGap(18, 18, 18)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
            .addComponent(jButton3,
javax.swing.GroupLayout.PREFERRED_SIZE, 181,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addComponent(jButton4,
javax.swing.GroupLayout.PREFERRED_SIZE, 181,
javax.swing.GroupLayout.PREFERRED_SIZE)
        )
    )
);

```



```

javax.swing.GroupLayout.PREFERRED_SIZE, 200,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addGap(99, 99, 99))
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addGap(98, 98, 98)
        .addComponent(jButton4,
javax.swing.GroupLayout.PREFERRED_SIZE, 198,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup()
        .addGap(20, 20, 20)
        .addComponent(jButton3,
javax.swing.GroupLayout.PREFERRED_SIZE, 94,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(27, 27, 27)
            .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
                .addComponent(jButton1,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                .addComponent(jButton2,
javax.swing.GroupLayout.DEFAULT_SIZE, 95, Short.MAX_VALUE))
            .addGap(18, 18, 18)
            .addComponent(jButton4,
javax.swing.GroupLayout.DEFAULT_SIZE, 86, Short.MAX_VALUE)
            .addContainerGap())
    );

javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
getContentPane().setLayout(layout);
layout.setHorizontalGroup(

```

```

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addComponent(jPanel1, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );
layout.setVerticalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(layout.createSequentialGroup()
        .addComponent(jPanel1,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(0, 0, Short.MAX_VALUE))
    );

pack();
setLocationRelativeTo(null);
} // </editor-fold>

private void jButton3ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new STAFF().setVisible(true);
    dispose();
}

private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new STAFFMENU().setVisible(true);
    dispose();
}

private void jButton2ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new STAFFSCHEDULES().setVisible(true);
    dispose();
}

private void jButton4ActionPerformed(java.awt.event.ActionEvent evt) {

```

```

        // TODO add your handling code here:
        new MainStaffSignIn().setVisible(true);
        dispose();
    }

    /**
     * @param args the command line arguments
     */
    public static void main(String args[]) {
        /* Set the Nimbus look and feel */
        //http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.ht
        ml
         */
        try {
            for (javax.swing.UIManager.LookAndFeelInfo info :
                javax.swing.UIManager.getInstalledLookAndFeels()) {
                if ("Nimbus".equals(info.getName())) {

                    javax.swing.UIManager.setLookAndFeel(info.getClassName());
                    break;

                }
            }
        } catch (ClassNotFoundException ex) {

            java.util.logging.Logger.getLogger(STAFFNAVIGATION.class.getName()).lo
            g(java.util.logging.Level.SEVERE, null, ex);
        } catch (InstantiationException ex) {

            java.util.logging.Logger.getLogger(STAFFNAVIGATION.class.getName()).lo
            g(java.util.logging.Level.SEVERE, null, ex);
        } catch (IllegalAccessException ex) {

            java.util.logging.Logger.getLogger(STAFFNAVIGATION.class.getName()).lo
            g(java.util.logging.Level.SEVERE, null, ex);
        }
    }

```

```

    } catch (javax.swing.UnsupportedLookAndFeelException ex) {

java.util.logging.Logger.getLogger(STAFFNAVIGATION.class.getName()).lo
g(java.util.logging.Level.SEVERE, null, ex);
    }
    //</editor-fold>

    /* Create and display the form */
    java.awt.EventQueue.invokeLater(new Runnable() {
        public void run() {
            new STAFFNAVIGATION().setVisible(true);
        }
    });
}

// Variables declaration - do not modify
private javax.swing.JButton jButton1;
private javax.swing.JButton jButton2;
private javax.swing.JButton jButton3;
private javax.swing.JButton jButton4;
private javax.swing.JPanel jPanel1;
// End of variables declaration

}

```

THE MENU'S

BREAKFAST MENU

```
/*
```

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

```
*/ package javaapplication7;
```

```
import java.awt.Color; import java.awt.print.PrinterException; import
javax.swing.JOptionPane; import java.util.Date; import java.text.SimpleDateFormat;
import java.util.logging.Level; import java.util.logging.Logger;
```

```
/** *
```

- @author Douglas

```
/ public class BBreakfast extends javax.swing.JFrame { private double total=0.0; private int
x=0; /* * Creates new form BBreakfast */ public BBreakfast() { initComponents(); init(); }
public void init(){ setTime(); }
```

```
public boolean qtyIsZero(int qty){
    if (Integer.parseInt(jSpinner1.getValue().toString())==0){
        JOptionPane.showMessageDialog(null, "You can still order more
items ");
        return false;
    }
    return true;
}
```

```
}
public void Clear(){
    jSpinner1.setValue(0);
    jSpinner2.setValue(0);
    jSpinner5.setValue(0);
    jSpinner6.setValue(0);
    jSpinner7.setValue(0);
    jSpinner8.setValue(0);
    jTextArea1.setText("");
    jButton1.setSelected(false);
    jButton5.setSelected(false);
}
```

```
}
```

```
/**
```

```
 * This method is called from within the constructor to initialize the
form.
```

```
 * WARNING: Do NOT modify this code. The content of this method is
always
```

```
 * regenerated by the Form Editor.
```

```
*/
```

```
@SuppressWarnings("unchecked")
// <editor-fold defaultstate="collapsed" desc="Generated Code">
private void initComponents() {

    jPanel1 = new javax.swing.JPanel();
    jPanel2 = new javax.swing.JPanel();
    jLabel1 = new javax.swing.JLabel();
    jLabel18 = new javax.swing.JLabel();
    jButton21 = new javax.swing.JButton();
    jButton22 = new javax.swing.JButton();
    Time = new javax.swing.JLabel();
    Date = new javax.swing.JLabel();
    jPanel3 = new javax.swing.JPanel();
    jButton10 = new javax.swing.JButton();
    jLabel19 = new javax.swing.JLabel();
    jLabel20 = new javax.swing.JLabel();
    jButton1 = new javax.swing.JButton();
    jButton5 = new javax.swing.JButton();
    jButton2 = new javax.swing.JButton();
    jButton3 = new javax.swing.JButton();
    jPanel4 = new javax.swing.JPanel();
    jPanel12 = new javax.swing.JPanel();
    jPanel20 = new javax.swing.JPanel();
    jLabel2 = new javax.swing.JLabel();
    jLabel10 = new javax.swing.JLabel();
    jSpinner1 = new javax.swing.JSpinner();
    jLabel22 = new javax.swing.JLabel();
    jLabel30 = new javax.swing.JLabel();
    jLabel42 = new javax.swing.JLabel();
    jCheckBox1 = new javax.swing.JCheckBox();
    jPanel5 = new javax.swing.JPanel();
    jPanel13 = new javax.swing.JPanel();
    jPanel21 = new javax.swing.JPanel();
    jLabel3 = new javax.swing.JLabel();
    jLabel11 = new javax.swing.JLabel();
    jSpinner2 = new javax.swing.JSpinner();
    jLabel23 = new javax.swing.JLabel();
    jLabel31 = new javax.swing.JLabel();
    jLabel43 = new javax.swing.JLabel();

}
```

```
jCheckBox2 = new javax.swing.JCheckBox();
jPanel6 = new javax.swing.JPanel();
jPanel14 = new javax.swing.JPanel();
jPanel22 = new javax.swing.JPanel();
jLabel12 = new javax.swing.JLabel();
jLabel4 = new javax.swing.JLabel();
jLabel24 = new javax.swing.JLabel();
jLabel32 = new javax.swing.JLabel();
jSpinner8 = new javax.swing.JSpinner();
jCheckBox8 = new javax.swing.JCheckBox();
jPanel8 = new javax.swing.JPanel();
jPanel16 = new javax.swing.JPanel();
jPanel24 = new javax.swing.JPanel();
jLabel19 = new javax.swing.JLabel();
jLabel26 = new javax.swing.JLabel();
jLabel34 = new javax.swing.JLabel();
jLabel49 = new javax.swing.JLabel();
jSpinner6 = new javax.swing.JSpinner();
jCheckBox5 = new javax.swing.JCheckBox();
jPanel9 = new javax.swing.JPanel();
jPanel17 = new javax.swing.JPanel();
jPanel25 = new javax.swing.JPanel();
jLabel8 = new javax.swing.JLabel();
jLabel15 = new javax.swing.JLabel();
jLabel27 = new javax.swing.JLabel();
jLabel35 = new javax.swing.JLabel();
jLabel48 = new javax.swing.JLabel();
jSpinner3 = new javax.swing.JSpinner();
jCheckBox7 = new javax.swing.JCheckBox();
jPanel10 = new javax.swing.JPanel();
jPanel18 = new javax.swing.JPanel();
jPanel26 = new javax.swing.JPanel();
jLabel7 = new javax.swing.JLabel();
jLabel16 = new javax.swing.JLabel();
jLabel29 = new javax.swing.JLabel();
jLabel36 = new javax.swing.JLabel();
jLabel47 = new javax.swing.JLabel();
jSpinner4 = new javax.swing.JSpinner();
jCheckBox6 = new javax.swing.JCheckBox();
```

```
jPanel28 = new javax.swing.JPanel();
jLabel41 = new javax.swing.JLabel();
jScrollPane1 = new javax.swing.JScrollPane();
jTextArea1 = new javax.swing.JTextArea();
jPanel17 = new javax.swing.JPanel();
jPanel15 = new javax.swing.JPanel();
jPanel23 = new javax.swing.JPanel();
jLabel13 = new javax.swing.JLabel();
jLabel5 = new javax.swing.JLabel();
jLabel25 = new javax.swing.JLabel();
jLabel33 = new javax.swing.JLabel();
jSpinner5 = new javax.swing.JSpinner();
jCheckBox3 = new javax.swing.JCheckBox();
jPanel11 = new javax.swing.JPanel();
jPanel19 = new javax.swing.JPanel();
jPanel27 = new javax.swing.JPanel();
jLabel14 = new javax.swing.JLabel();
jLabel6 = new javax.swing.JLabel();
jLabel28 = new javax.swing.JLabel();
jLabel37 = new javax.swing.JLabel();
jSpinner7 = new javax.swing.JSpinner();
jCheckBox9 = new javax.swing.JCheckBox();
```

```
setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
```

```
jPanel1.setBackground(new java.awt.Color(255, 255, 255));
jPanel1.setBorder(javax.swing.BorderFactory.createLineBorder(new
java.awt.Color(0, 0, 0)));
jPanel1.addMouseMotionListener(new
java.awt.event.MouseMotionAdapter() {
    public void mouseDragged(java.awt.event.MouseEvent evt) {
        jPanel1MouseDragged(evt);
    }
});
jPanel1.addMouseListener(new java.awt.event.MouseAdapter() {
    public void mousePressed(java.awt.event.MouseEvent evt) {
        jPanel1MousePressed(evt);
    }
});
```



```

});

jPanel2.setBackground(new java.awt.Color(0, 0, 0));

jLabel1.setFont(new java.awt.Font("Courier New", 1, 18)); //
NOI18N
jLabel1.setForeground(new java.awt.Color(255, 255, 255));
jLabel1.setText("GUSTO GROVE AND DINE:");

jLabel18.setFont(new java.awt.Font("Courier New", 2, 24)); //
NOI18N
jLabel18.setForeground(new java.awt.Color(255, 204, 51));
jLabel18.setText("BREAKFAST");

jButton21.setBackground(new java.awt.Color(255, 204, 51));
jButton21.setFont(new java.awt.Font("Courier New", 1, 14)); //
NOI18N
jButton21.setForeground(new java.awt.Color(255, 255, 255));
jButton21.setText("DARK");
jButton21.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton21ActionPerformed(evt);
    }
});

jButton22.setBackground(new java.awt.Color(255, 204, 51));
jButton22.setFont(new java.awt.Font("Courier New", 1, 14)); //
NOI18N
jButton22.setForeground(new java.awt.Color(255, 255, 255));
jButton22.setText("LIGHT");
jButton22.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton22ActionPerformed(evt);
    }
});

Time.setForeground(new java.awt.Color(255, 255, 255));
Time.setText("11:15");

```

```

Date.setForeground(new java.awt.Color(255, 255, 255));
Date.setText("Friday 13 October 2025");

javax.swing.GroupLayout jPanel2Layout = new
javax.swing.GroupLayout(jPanel2);
jPanel2.setLayout(jPanel2Layout);
jPanel2Layout.setHorizontalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addGap(18, 18, 18)
        .addComponent(jLabel1,
javax.swing.GroupLayout.PREFERRED_SIZE, 248,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jLabel18,
javax.swing.GroupLayout.PREFERRED_SIZE, 147,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(Time,
javax.swing.GroupLayout.PREFERRED_SIZE, 55,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(Date,
javax.swing.GroupLayout.PREFERRED_SIZE, 136,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jButton21,
javax.swing.GroupLayout.PREFERRED_SIZE, 95,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jButton22,
javax.swing.GroupLayout.PREFERRED_SIZE, 92,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(21, 21, 21))
    );
jPanel2Layout.setVerticalGroup(

```

```

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addContainerGap()
        .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
            .addComponent(jButton21)
            .addComponent(jButton22)
            .addComponent(Date))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel2Layout.createSequentialGroup()
    .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
        .addGroup(javax.swing.GroupLayout.Alignment.LEADING,
jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
            .addComponent(jLabel1,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jLabel18))
        .addGroup(jPanel2Layout.createSequentialGroup()
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(Time,
javax.swing.GroupLayout.PREFERRED_SIZE, 19,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addGap(75, 75, 75))
    );

jPanel3.setBackground(new java.awt.Color(0, 0, 0));
jPanel3.setForeground(new java.awt.Color(255, 204, 51));

jButton10.setBackground(new java.awt.Color(255, 204, 0));
jButton10.setFont(new java.awt.Font("Courier New", 1, 18)); //
NOI18N
jButton10.setForeground(new java.awt.Color(255, 255, 255));

```

```

        jButton10.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/ICONS/b2.png"))); //
NOI18N
        jButton10.addActionListener(new java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent evt) {
                jButton10ActionPerformed(evt);
            }
        });

        jLabel19.setForeground(new java.awt.Color(255, 255, 255));
        jLabel19.setText("MAXIMUM ORDER :");

        jLabel20.setForeground(new java.awt.Color(255, 204, 51));
        jLabel20.setText("10 EACH FOR MORE INFORMATION CONTACT OUR
STAFF");

        jButton1.setBackground(new java.awt.Color(255, 204, 51));
        jButton1.setText("RESET");
        jButton1.addActionListener(new java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent evt) {
                jButton1ActionPerformed(evt);
            }
        });

        jButton5.setBackground(new java.awt.Color(255, 204, 51));
        jButton5.setFont(new java.awt.Font("Courier New", 1, 14)); //
NOI18N
        jButton5.setForeground(new java.awt.Color(255, 255, 255));
        jButton5.setText("ORDER");
        jButton5.addActionListener(new java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent evt) {
                jButton5ActionPerformed(evt);
            }
        });

        jButton2.setText("RECEIPT");
        jButton2.addActionListener(new java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent evt) {
                jButton2ActionPerformed(evt);
            }
        });

```

```

    }
});

jButton3.setText("Total");
jButton3.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton3ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel3Layout = new
javax.swing.GroupLayout(jPanel3);
jPanel3.setLayout(jPanel3Layout);
jPanel3Layout.setHorizontalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel3Layout.createSequentialGroup()
        .addGap(151, 151, 151)
        .addComponent(jButton10,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(8, 8, 8)
        .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel3Layout.createSequentialGroup()
                .addComponent(jLabel19)
                .addGap(18, 18, 18)
                .addComponent(jLabel20))
            .addGroup(jPanel3Layout.createSequentialGroup()
                .addGap(36, 36, 36)
                .addComponent(jButton5,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(18, 18, 18)
                .addComponent(jButton3,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)))
        .addGap(33, 33, 33)
        .addComponent(jButton2,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE, 218,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 176,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(22, 22, 22))
    );
    jPanel3Layout.setVerticalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel3Layout.createSequentialGroup())
        .addContainerGap()
        .addGroup(jPanel3Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
            .addComponent(jButton10,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addGroup(jPanel3Layout.createSequentialGroup())
            .addGroup(jPanel3Layout.createParallelGroup(javax.s
wing.GroupLayout.Alignment.TRAILING)
                .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 54,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGroup(jPanel3Layout.createSequentialGroup(
)
                    .addGroup(jPanel3Layout.createParallelGrou
p(javax.swing.GroupLayout.Alignment.BASELINE)
                        .addComponent(jLabel119)
                        .addComponent(jLabel120))
                    .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.RELATED)
                    .addGroup(jPanel3Layout.createParallelGrou
p(javax.swing.GroupLayout.Alignment.BASELINE)
                        .addComponent(jButton5,
javax.swing.GroupLayout.PREFERRED_SIZE, 33,
javax.swing.GroupLayout.PREFERRED_SIZE)

```

```

        .addComponent(jButton2,
javax.swing.GroupLayout.PREFERRED_SIZE, 33,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jButton3,
javax.swing.GroupLayout.PREFERRED_SIZE, 37,
javax.swing.GroupLayout.PREFERRED_SIZE))))
        .addGap(1, 1, 1)))
        .addContainerGap()
    );

    jPanel14.setBackground(new java.awt.Color(255, 204, 0));

    jPanel12.setBackground(new java.awt.Color(0, 0, 0));

    jPanel120.setBackground(new java.awt.Color(255, 255, 255));

    jLabel2.setText("OMELLETTE ");

    jLabel22.setText("R130.00");

    jLabel30.setText("Amount");

    jLabel42.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/BREAKFAST
IMAGES/11.jpg"))); // NOI18N

    jCheckBox1.setText("jCheckBox1");
    jCheckBox1.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jCheckBox1ActionPerformed(evt);
        }
    });

    javax.swing.GroupLayout jPanel20Layout = new
javax.swing.GroupLayout(jPanel20);
    jPanel20.setLayout(jPanel20Layout);
    jPanel20Layout.setHorizontalGroup(

jPanel20Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L

```

```

EADING)
        .addGroup(jPanel20Layout.createSequentialGroup())
        .addContainerGap()
        .addGroup(jPanel20Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
        .addGroup(jPanel20Layout.createSequentialGroup())
        .addGroup(jPanel20Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jLabel42,
javax.swing.GroupLayout.PREFERRED_SIZE, 77,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGroup(jPanel20Layout.createSequentialGroup
())
        .addGroup(jPanel20Layout.createParallelGro
up(javax.swing.GroupLayout.Alignment.TRAILING, false)
        .addComponent(jSpinner1)
        .addComponent(jLabel22,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.UNRELATED)
        .addGroup(jPanel20Layout.createParallelGro
up(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jCheckBox1,
javax.swing.GroupLayout.PREFERRED_SIZE, 22,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jLabel30))))
        .addGap(48, 48, 48)
        .addComponent(jLabel110))
        .addComponent(jLabel12))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel20Layout.setVerticalGroup(

jPanel20Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel20Layout.createSequentialGroup())
        .addContainerGap()

```



```

        .addComponent(jLabel2,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addGap(18, 18, 18)
        .addGroup(jPanel20Layout.createParallelGroup(javax.
GroupLayout.Alignment.LEADING)
            .addComponent(jLabel10,
javax.swing.GroupLayout.PREFERRED_SIZE, 145,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGroup(jPanel20Layout.createSequentialGroup()
                .addComponent(jLabel42,
javax.swing.GroupLayout.PREFERRED_SIZE, 56,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
                .addGroup(jPanel20Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.BASELINE)
                    .addComponent(jLabel22)
                    .addComponent(jLabel30))
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
                .addGroup(jPanel20Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.BASELINE)
                    .addComponent(jSpinner1,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addComponent(jCheckBox1))))))
    );

```

```

    javax.swing.GroupLayout jPanel12Layout = new
javax.swing.GroupLayout(jPanel12);
    jPanel12.setLayout(jPanel12Layout);
    jPanel12Layout.setHorizontalGroup(

jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel12Layout.createSequentialGroup()
            .addContainerGap()

```

```

        .addComponent(jPanel120,
javax.swing.GroupLayout.PREFERRED_SIZE, 101,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel12Layout.setVerticalGroup(

jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel12Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel120,
javax.swing.GroupLayout.PREFERRED_SIZE, 158,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );

    javax.swing.GroupLayout jPanel4Layout = new
javax.swing.GroupLayout(jPanel4);
    jPanel4.setLayout(jPanel4Layout);
    jPanel4Layout.setHorizontalGroup(

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel4Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel112,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
    jPanel4Layout.setVerticalGroup(

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)

```

```

        .addGroup(jPanel4Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel12,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addContainerGap())
    );

    jPanel5.setBackground(new java.awt.Color(255, 204, 51));

    jPanel13.setBackground(new java.awt.Color(0, 0, 0));

    jPanel21.setBackground(new java.awt.Color(255, 255, 255));

    jLabel3.setText("PANCKAES");

    jLabel23.setText("R170.00");

    jLabel31.setText("Amount");

    jLabel43.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/BREAKFAST
IMAGES/12.jpg"))); // NOI18N

    jCheckBox2.setText("jCheckBox1");
    jCheckBox2.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jCheckBox2ActionPerformed(evt);
        }
    });

    javax.swing.GroupLayout jPanel21Layout = new
javax.swing.GroupLayout(jPanel21);
    jPanel21.setLayout(jPanel21Layout);
    jPanel21Layout.setHorizontalGroup(

jPanel21Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel21Layout.createSequentialGroup()

```

```

        .addContainerGap()
        .addComponent(jLabel11)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
        .addGroup(jPanel21Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
            .addComponent(jLabel13)
            .addGroup(jPanel21Layout.createSequentialGroup())
                .addComponent(jLabel23)
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
                    .addComponent(jLabel31))
            .addComponent(jLabel43,
javax.swing.GroupLayout.PREFERRED_SIZE, 71,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGroup(jPanel21Layout.createSequentialGroup())
                .addComponent(jSpinner2,
javax.swing.GroupLayout.PREFERRED_SIZE, 49,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
                    .addComponent(jCheckBox2,
javax.swing.GroupLayout.PREFERRED_SIZE, 22,
javax.swing.GroupLayout.PREFERRED_SIZE)))
            .addGap(0, 8, Short.MAX_VALUE))
    );
    jPanel21Layout.setVerticalGroup(

jPanel21Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel21Layout.createSequentialGroup()
    .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
    .addComponent(jLabel13)
    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
    .addComponent(jLabel43,
javax.swing.GroupLayout.PREFERRED_SIZE, 63,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addGroup(jPanel21Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.BASELINE)
            .addComponent(jLabel123)
            .addComponent(jLabel131))
        .addGroup(jPanel21Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
            .addGroup(jPanel21Layout.createSequentialGroup())
                .addGap(26, 26, 26)
                .addComponent(jLabel11,
javax.swing.GroupLayout.PREFERRED_SIZE, 137,
javax.swing.GroupLayout.PREFERRED_SIZE))
            .addGroup(jPanel21Layout.createSequentialGroup())
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
                .addGroup(jPanel21Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.BASELINE)
                    .addComponent(jSpinner2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addComponent(jCheckBox2))))))
    );

    javax.swing.GroupLayout jPanel13Layout = new
javax.swing.GroupLayout(jPanel13);
    jPanel13.setLayout(jPanel13Layout);
    jPanel13Layout.setHorizontalGroup(

jPanel13Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel13Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel121,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)

```

```

        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel13Layout.setVerticalGroup(

jPanel13Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel13Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel121,
javax.swing.GroupLayout.PREFERRED_SIZE, 0, Short.MAX_VALUE)
            .addContainerGap())
    );

    javax.swing.GroupLayout jPanel15Layout = new
javax.swing.GroupLayout(jPanel15);
    jPanel15.setLayout(jPanel15Layout);
    jPanel15Layout.setHorizontalGroup(

jPanel15Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel15Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel113,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addContainerGap())
    );
    jPanel15Layout.setVerticalGroup(

jPanel15Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel15Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel113,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addContainerGap())
    );

```

```

jPanel6.setBackground(new java.awt.Color(255, 204, 51));

jPanel14.setBackground(new java.awt.Color(0, 0, 0));

jPanel22.setBackground(new java.awt.Color(255, 255, 255));

jLabel12.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/BREAKFAST
IMAGES/18.jpg"))); // NOI18N

jLabel4.setText("EGG MIX");

jLabel24.setText("R120.00");

jLabel32.setText("Amount");

jCheckBox8.setText("jCheckBox8");
jCheckBox8.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jCheckBox8ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel22Layout = new
javax.swing.GroupLayout(jPanel22);
jPanel22.setLayout(jPanel22Layout);
jPanel22Layout.setHorizontalGroup(

jPanel22Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel22Layout.createSequentialGroup()
        .addGroup(jPanel22Layout.createParallelGroup(javax.swing.
GroupLayout.Alignment.LEADING)
            .addGroup(jPanel22Layout.createSequentialGroup()
                .addGap(22, 22, 22)
                .addComponent(jLabel4))
            .addGroup(jPanel22Layout.createSequentialGroup()
                .addGap(8, 8, 8)

```

```

        .addComponent(jLabel124)
        .addGap(18, 18, 18)
        .addComponent(jLabel132))
    .addGroup(jPanel122Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jSpinner8,
javax.swing.GroupLayout.PREFERRED_SIZE, 50,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jCheckBox8,
javax.swing.GroupLayout.PREFERRED_SIZE, 23,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addComponent(jLabel112,
javax.swing.GroupLayout.PREFERRED_SIZE, 94,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel122Layout.setVerticalGroup(

jPanel122Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel122Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jLabel14)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
            .addComponent(jLabel112,
javax.swing.GroupLayout.PREFERRED_SIZE, 65,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED, 18, Short.MAX_VALUE)
            .addGroup(jPanel122Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.BASELINE)
                .addComponent(jLabel124)
                .addComponent(jLabel132))
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)

```



```

        .addGroup(jPanel22Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.BASELINE)
            .addComponent(jSpinner8,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addComponent(jCheckBox8))
        .addGap(3, 3, 3))
    );

```

```

    javax.swing.GroupLayout jPanel14Layout = new
    javax.swing.GroupLayout(jPanel14);
    jPanel14.setLayout(jPanel14Layout);
    jPanel14Layout.setHorizontalGroup(

```

```

    jPanel14Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)

```

```

        .addGroup(jPanel14Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel22,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addContainerGap())
    );
    jPanel14Layout.setVerticalGroup(

```

```

    jPanel14Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)

```

```

        .addGroup(jPanel14Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel22,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addContainerGap())
    );

```

```

    javax.swing.GroupLayout jPanel6Layout = new
    javax.swing.GroupLayout(jPanel6);
    jPanel6.setLayout(jPanel6Layout);

```

```

jPanel6Layout.setHorizontalGroup(

jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel6Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel14,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
jPanel6Layout.setVerticalGroup(

jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel6Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel14,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap())
    );

jPanel8.setBackground(new java.awt.Color(255, 204, 51));

jPanel16.setBackground(new java.awt.Color(0, 0, 0));

jPanel24.setBackground(new java.awt.Color(255, 255, 255));

jLabel9.setText("AVOCADO TOAST");

jLabel26.setText("R180.00");

jLabel34.setText("Amount");

jLabel49.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/BREAKFAST

```

```
IMAGES/15.jpg")))); // NOI18N
```

```
    jCheckBox5.setText("jCheckBox1");  
    jCheckBox5.addActionListener(new java.awt.event.ActionListener() {  
        public void actionPerformed(java.awt.event.ActionEvent evt) {  
            jCheckBox5ActionPerformed(evt);  
        }  
    });
```

```
    javax.swing.GroupLayout jPanel24Layout = new  
    javax.swing.GroupLayout(jPanel24);  
    jPanel24.setLayout(jPanel24Layout);  
    jPanel24Layout.setHorizontalGroup(  
    jPanel24Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
        .addGroup(jPanel24Layout.createSequentialGroup()  
            .addGap(10, 10, 10)  
            .addComponent(jLabel19)  
            .addGap(10, 10, 10)  
            .addGroup(jPanel24Layout.createSequentialGroup()  
                .addGap(10, 10, 10)  
                .addComponent(jLabel26)  
                .addGap(10, 10, 10)  
                .addGroup(jPanel24Layout.createSequentialGroup()  
                    .addGap(10, 10, 10)  
                    .addComponent(jLabel34)  
                    .addGap(10, 10, 10)  
                    .addComponent(jLabel49,  
                        javax.swing.GroupLayout.PREFERRED_SIZE, 86,  
                        javax.swing.GroupLayout.PREFERRED_SIZE)  
                    .addGroup(jPanel24Layout.createSequentialGroup()  
                        .addGap(10, 10, 10)  
                        .addComponent(jSpinner6,  
                            javax.swing.GroupLayout.PREFERRED_SIZE, 51,  
                            javax.swing.GroupLayout.PREFERRED_SIZE)  
                        .addGap(10, 10, 10)  
                        .addComponent(jCheckBox5,  
                            javax.swing.GroupLayout.PREFERRED_SIZE, 22,  
                            javax.swing.GroupLayout.PREFERRED_SIZE)  
                    )  
                )  
            )  
        )  
    );
```

```
        .addGroup(jPanel24Layout.createSequentialGroup()  
            .addGap(10, 10, 10)  
            .addComponent(jLabel19)  
            .addGap(10, 10, 10)  
            .addGroup(jPanel24Layout.createSequentialGroup()  
                .addGap(10, 10, 10)  
                .addComponent(jLabel26)  
                .addGap(10, 10, 10)  
                .addGroup(jPanel24Layout.createSequentialGroup()  
                    .addGap(10, 10, 10)  
                    .addComponent(jLabel34)  
                    .addGap(10, 10, 10)  
                    .addComponent(jLabel49,  
                        javax.swing.GroupLayout.PREFERRED_SIZE, 86,  
                        javax.swing.GroupLayout.PREFERRED_SIZE)  
                    .addGroup(jPanel24Layout.createSequentialGroup()  
                        .addGap(10, 10, 10)  
                        .addComponent(jSpinner6,  
                            javax.swing.GroupLayout.PREFERRED_SIZE, 51,  
                            javax.swing.GroupLayout.PREFERRED_SIZE)  
                        .addGap(10, 10, 10)  
                        .addComponent(jCheckBox5,  
                            javax.swing.GroupLayout.PREFERRED_SIZE, 22,  
                            javax.swing.GroupLayout.PREFERRED_SIZE)  
                    )  
                )  
            )  
        )  
    );
```

```

javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel124Layout.setVerticalGroup(

jPanel124Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel124Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jLabel19)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
            .addComponent(jLabel149,
javax.swing.GroupLayout.PREFERRED_SIZE, 61,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
            .addGroup(jPanel124Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.BASELINE)
                .addComponent(jLabel126)
                .addComponent(jLabel134))
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
            .addGroup(jPanel124Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.BASELINE)
                .addComponent(jSpinner6,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addComponent(jCheckBox5))
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

    javax.swing.GroupLayout jPanel116Layout = new
javax.swing.GroupLayout(jPanel116);
    jPanel116.setLayout(jPanel116Layout);
    jPanel116Layout.setHorizontalGroup(

```

```
jPanel16Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(jPanel16Layout.createSequentialGroup()  
        .addContainerGap()  
        .addComponent(jPanel124,  
javax.swing.GroupLayout.PREFERRED_SIZE, 98,  
javax.swing.GroupLayout.PREFERRED_SIZE)  
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,  
Short.MAX_VALUE))  
    );  
jPanel16Layout.setVerticalGroup(
```

```
jPanel16Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(jPanel16Layout.createSequentialGroup()  
        .addContainerGap()  
        .addComponent(jPanel124,  
javax.swing.GroupLayout.DEFAULT_SIZE,  
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)  
        .addContainerGap())  
    );
```

```
    javax.swing.GroupLayout jPanel8Layout = new  
javax.swing.GroupLayout(jPanel8);  
    jPanel8.setLayout(jPanel8Layout);  
    jPanel8Layout.setHorizontalGroup(
```

```
jPanel8Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(jPanel8Layout.createSequentialGroup()  
        .addContainerGap()  
        .addComponent(jPanel16,  
javax.swing.GroupLayout.PREFERRED_SIZE,  
javax.swing.GroupLayout.DEFAULT_SIZE,  
javax.swing.GroupLayout.PREFERRED_SIZE)  
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,  
Short.MAX_VALUE))  
    );
```

```

jPanel8Layout.setVerticalGroup(

jPanel8Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel8Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel16,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap())
    );

jPanel9.setBackground(new java.awt.Color(255, 204, 51));

jPanel17.setBackground(new java.awt.Color(0, 0, 0));

jPanel25.setBackground(new java.awt.Color(255, 255, 255));

jLabel18.setText("MUESLI YOGURT ");

jLabel27.setText("R170.00");

jLabel35.setText("Amount");

jLabel48.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/BREAKFAST
IMAGES/16.jpg"))); // NOI18N

jCheckBox7.setText("jCheckBox6");
jCheckBox7.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jCheckBox7ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel25Layout = new
javax.swing.GroupLayout(jPanel25);
jPanel25.setLayout(jPanel25Layout);
jPanel25Layout.setHorizontalGroup(

```

```
jPanel25Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(jPanel25Layout.createSequentialGroup()  
        .addContainerGap()  
        .addComponent(jLabel18)  
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,  
Short.MAX_VALUE))  
    .addGroup(jPanel25Layout.createSequentialGroup()  
        .addGroup(jPanel25Layout.createParallelGroup(javax.swing.G  
roupLayout.Alignment.LEADING)  
            .addGroup(jPanel25Layout.createParallelGroup(javax.swi  
ng.GroupLayout.Alignment.TRAILING)  
                .addGroup(jPanel25Layout.createSequentialGroup()  
                    .addComponent(jLabel27)  
                    .addGap(12, 12, 12)  
                    .addComponent(jLabel35))  
                .addComponent(jLabel48))  
            .addGroup(jPanel25Layout.createSequentialGroup()  
                .addContainerGap()  
                .addComponent(jSpinner3,  
javax.swing.GroupLayout.PREFERRED_SIZE, 51,  
javax.swing.GroupLayout.PREFERRED_SIZE)  
                .addPreferredGap(javax.swing.LayoutStyle.Component  
Placement.UNRELATED)  
                .addComponent(jCheckBox7,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE)))  
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen  
t.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)  
            .addComponent(jLabel115))  
    );  
jPanel25Layout.setVerticalGroup(
```

```
jPanel25Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
jPanel25Layout.createSequentialGroup()  
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
```

```

Short.MAX_VALUE)
        .addComponent(jLabel18)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addGroup(jPanel25Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
            .addComponent(jLabel15,
javax.swing.GroupLayout.PREFERRED_SIZE, 152,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGroup(jPanel25Layout.createSequentialGroup())
                .addComponent(jLabel48,
javax.swing.GroupLayout.PREFERRED_SIZE, 63,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
                .addGroup(jPanel25Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.BASELINE)
                    .addComponent(jLabel27)
                    .addComponent(jLabel35))
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
                .addGroup(jPanel25Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.BASELINE)
                    .addComponent(jSpinner3,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addComponent(jCheckBox7))))))
    );

    javax.swing.GroupLayout jPanel17Layout = new
javax.swing.GroupLayout(jPanel17);
    jPanel17.setLayout(jPanel17Layout);
    jPanel17Layout.setHorizontalGroup(

jPanel17Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel17Layout.createSequentialGroup())
            .addContainerGap()

```



```

        .addComponent(jPanel125,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel17Layout.setVerticalGroup(

jPanel17Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel17Layout.createSequentialGroup())
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addComponent(jPanel125,
javax.swing.GroupLayout.PREFERRED_SIZE, 162,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(100, 100, 100))
    );

    javax.swing.GroupLayout jPanel9Layout = new
javax.swing.GroupLayout(jPanel9);
    jPanel9.setLayout(jPanel9Layout);
    jPanel9Layout.setHorizontalGroup(

jPanel9Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel9Layout.createSequentialGroup())
        .addContainerGap()
        .addComponent(jPanel17,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel9Layout.setVerticalGroup(

```

```

jPanel9Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel9Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel17,
            javax.swing.GroupLayout.PREFERRED_SIZE, 0, Short.MAX_VALUE)
        .addContainerGap())
    );

jPanel10.setBackground(new java.awt.Color(255, 204, 51));

jPanel18.setBackground(new java.awt.Color(0, 0, 0));

jPanel26.setBackground(new java.awt.Color(255, 255, 255));

jLabel17.setText("BREAKFAST WRAP");

jLabel29.setText("R175.00");

jLabel36.setText("Amount");

jLabel47.setIcon(new
    javax.swing.ImageIcon(getClass().getResource("/BREAKFAST
    IMAGES/17.jpg"))); // NOI18N

jCheckBox6.setText("jCheckBox6");
jCheckBox6.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jCheckBox6ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel26Layout = new
    javax.swing.GroupLayout(jPanel26);
jPanel26.setLayout(jPanel26Layout);
jPanel26Layout.setHorizontalGroup(

jPanel26Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

```

```

        .addGroup(jPanel126Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jLabel17))
        .addGroup(jPanel126Layout.createSequentialGroup())
            .addGroup(jPanel126Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
                .addComponent(jLabel147)
                .addGroup(jPanel126Layout.createSequentialGroup())
                    .addContainerGap()
                    .addGroup(jPanel126Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.LEADING, false)
                        .addGroup(jPanel126Layout.createSequentialGroup
())
                            .addComponent(jLabel29)
                            .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.RELATED)
                                .addComponent(jLabel36))
                        .addGroup(jPanel126Layout.createSequentialGroup
())
                            .addComponent(jSpinner4,
javax.swing.GroupLayout.PREFERRED_SIZE, 51,
javax.swing.GroupLayout.PREFERRED_SIZE)
                                .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
                                    .addComponent(jCheckBox6,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE))))))
            .addGap(24, 24, 24)
            .addComponent(jLabel116))
    );
    jPanel126Layout.setVerticalGroup(

jPanel126Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel126Layout.createSequentialGroup())
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)

```

```

        .addComponent(jLabel17)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addGroup(jPanel26Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
            .addComponent(jLabel16,
javax.swing.GroupLayout.PREFERRED_SIZE, 160,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGroup(jPanel26Layout.createSequentialGroup())
                .addComponent(jLabel47,
javax.swing.GroupLayout.PREFERRED_SIZE, 61,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
                .addGroup(jPanel26Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.LEADING)
                    .addComponent(jLabel36)
                    .addComponent(jLabel29))
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
                .addGroup(jPanel26Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.BASELINE)
                    .addComponent(jSpinner4,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addComponent(jCheckBox6))))))
    );

```

```

    javax.swing.GroupLayout jPanel18Layout = new
javax.swing.GroupLayout(jPanel18);
    jPanel18.setLayout(jPanel18Layout);
    jPanel18Layout.setHorizontalGroup(

jPanel18Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel18Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel26,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE, 112, Short.MAX_VALUE)
    .addContainerGap())
    );
jPanel18Layout.setVerticalGroup(

jPanel18Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(jPanel18Layout.createSequentialGroup())
        .addContainerGap()
        .addComponent(jPanel126,
javax.swing.GroupLayout.PREFERRED_SIZE, 159, Short.MAX_VALUE)
        .addContainerGap())
    );

    javax.swing.GroupLayout jPanel10Layout = new
javax.swing.GroupLayout(jPanel10);
    jPanel10.setLayout(jPanel10Layout);
    jPanel10Layout.setHorizontalGroup(

jPanel10Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(jPanel10Layout.createSequentialGroup())
        .addContainerGap()
        .addComponent(jPanel18,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap())
    );
    jPanel10Layout.setVerticalGroup(

jPanel10Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(jPanel10Layout.createSequentialGroup())
        .addContainerGap()
        .addComponent(jPanel18,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap())
    );

```

```

jPanel28.setBackground(new java.awt.Color(204, 204, 204));

jLabel41.setFont(new java.awt.Font("Tahoma", 0, 14)); // NOI18N
jLabel41.setText("DETAILS OF PAYMENT");

jTextArea1.setColumns(20);
jTextArea1.setFont(new java.awt.Font("Courier New", 0, 12)); //
NOI18N
jTextArea1.setRows(5);
jScrollPane1.setViewportView(jTextArea1);

javax.swing.GroupLayout jPanel28Layout = new
javax.swing.GroupLayout(jPanel28);
jPanel28.setLayout(jPanel28Layout);
jPanel28Layout.setHorizontalGroup(

jPanel28Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(jPanel28Layout.createSequentialGroup()
        .addGroup(jPanel28Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
            .addGroup(jPanel28Layout.createSequentialGroup()
                .addGap(42, 42, 42)
                .addComponent(jLabel41,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
            .addGroup(jPanel28Layout.createSequentialGroup()
                .addContainerGap()
                .addComponent(jScrollPane1)))
            .addContainerGap())
        .addContainerGap()
    );
jPanel28Layout.setVerticalGroup(

jPanel28Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(jPanel28Layout.createSequentialGroup()
        .addGap(19, 19, 19)
        .addComponent(jLabel41,

```

```

javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    .addGap(18, 18, 18)
    .addComponent(jScrollPane1,
javax.swing.GroupLayout.PREFERRED_SIZE, 336,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addGap(24, 24, 24))
);

jPanel17.setBackground(new java.awt.Color(255, 204, 51));

jPanel15.setBackground(new java.awt.Color(0, 0, 0));

jPanel23.setBackground(new java.awt.Color(255, 255, 255));

jLabel13.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/BREAKFAST
IMAGES/13.jpg"))); // NOI18N

jLabel15.setText("FRENCH TOAST");

jLabel25.setText("R165.00");

jLabel33.setText("Amount");

jCheckBox3.setText("jCheckBox1");
jCheckBox3.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jCheckBox3ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel23Layout = new
javax.swing.GroupLayout(jPanel23);
jPanel23.setLayout(jPanel23Layout);
jPanel23Layout.setHorizontalGroup(

jPanel23Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)

```

```

        .addGroup(jPanel123Layout.createSequentialGroup())
            .addContainerGap()
            .addGroup(jPanel123Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
                .addGroup(jPanel123Layout.createSequentialGroup())
                    .addComponent(jLabel125)
                    .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
                        .addComponent(jLabel133))
                .addGroup(jPanel123Layout.createSequentialGroup())
                    .addGroup(jPanel123Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.LEADING)
                        .addComponent(jLabel15)
                        .addComponent(jLabel113)
                        .addGroup(jPanel123Layout.createSequentialGroup
())
                            .addComponent(jSpinner5,
javax.swing.GroupLayout.PREFERRED_SIZE, 51,
javax.swing.GroupLayout.PREFERRED_SIZE)
                                .addGap(18, 18, 18)
                                .addComponent(jCheckBox3,
javax.swing.GroupLayout.PREFERRED_SIZE, 22,
javax.swing.GroupLayout.PREFERRED_SIZE)))
                            .addGap(0, 3, Short.MAX_VALUE)))
                    .addContainerGap())
        );
jPanel123Layout.setVerticalGroup(

jPanel123Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel123Layout.createSequentialGroup())
        .addContainerGap()
        .addComponent(jLabel15)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
            .addComponent(jLabel113)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen

```



```

t.UNRELATED)
        .addGroup(jPanel23Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.BASELINE)
            .addComponent(jLabel125)
            .addComponent(jLabel133))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
        .addGroup(jPanel23Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.BASELINE)
            .addComponent(jSpinner5,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addComponent(jCheckBox3))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

```

```

    javax.swing.GroupLayout jPanel15Layout = new
javax.swing.GroupLayout(jPanel15);
    jPanel15.setLayout(jPanel15Layout);
    jPanel15Layout.setHorizontalGroup(

```

```

jPanel15Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel15Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel123,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addContainerGap())
    );
    jPanel15Layout.setVerticalGroup(

```

```

jPanel15Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel15Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel123,

```

```

javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    .addContainerGap())
    );

    javax.swing.GroupLayout jPanel7Layout = new
javax.swing.GroupLayout(jPanel7);
    jPanel7.setLayout(jPanel7Layout);
    jPanel7Layout.setHorizontalGroup(

jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel7Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel15,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap())
    );
    jPanel7Layout.setVerticalGroup(

jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel7Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel15,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap())
    );

    jPanel11.setBackground(new java.awt.Color(255, 204, 51));

    jPanel19.setBackground(new java.awt.Color(0, 0, 0));

    jPanel27.setBackground(new java.awt.Color(255, 255, 255));

    jLabel14.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/BREAKFAST

```

```
IMAGES/14.jpg")))); // NOI18N
```

```
    jLabel6.setText("PAP & WORS");
```

```
    jLabel28.setText("R130.00");
```

```
    jLabel37.setText("Amount");
```

```
    jCheckBox9.setText("jCheckBox9");
```

```
    jCheckBox9.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jCheckBox9ActionPerformed(evt);
        }
    });
```

```
    javax.swing.GroupLayout jPanel27Layout = new
    javax.swing.GroupLayout(jPanel27);
    jPanel27.setLayout(jPanel27Layout);
    jPanel27Layout.setHorizontalGroup(
```

```
jPanel27Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
        .addGroup(jPanel27Layout.createSequentialGroup()
            .addGroup(jPanel27Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
                .addGroup(jPanel27Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING,
                    false)
                    .addComponent(jLabel14,
                        javax.swing.GroupLayout.Alignment.TRAILING,
                        javax.swing.GroupLayout.PREFERRED_SIZE, 89,
                        javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
                    .addGroup(jPanel27Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                        .addGroup(jPanel27Layout.createSequentialGroup()
                            .addComponent(jLabel14,
                                javax.swing.GroupLayout.Alignment.TRAILING,
                                javax.swing.GroupLayout.PREFERRED_SIZE, 89,
                                javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
                            .addGroup(jPanel27Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING,
                                false)
                                .addComponent(jLabel14,
                                    javax.swing.GroupLayout.Alignment.TRAILING,
                                    javax.swing.GroupLayout.PREFERRED_SIZE, 89,
                                    javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
                                .addGroup(jPanel27Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING,
                                    false)
                                    .addComponent(jLabel14,
                                        javax.swing.GroupLayout.Alignment.TRAILING,
                                        javax.swing.GroupLayout.PREFERRED_SIZE, 89,
                                        javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
                                    .addGroup(jPanel27Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING,
                                        false)
                                        .addComponent(jLabel14,
                                            javax.swing.GroupLayout.Alignment.TRAILING,
                                            javax.swing.GroupLayout.PREFERRED_SIZE, 89,
                                            javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
                                        .addGroup(jPanel27Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING,
                                            false)
                                            .addComponent(jLabel14,
                                                javax.swing.GroupLayout.Alignment.TRAILING,
                                                javax.swing.GroupLayout.PREFERRED_SIZE, 89,
                                                javax.swing.GroupLayout.PREFERRED_SIZE)
```

```

jPanel27Layout.createSequentialGroup()
    .addGroup(jPanel27Layout.createParallelGroup(javax
    .swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel27Layout.createSequentialGroup
        ()
            .addGap(0, 0, Short.MAX_VALUE)
            .addComponent(jLabel28)
            .addGap(18, 18, 18))
        .addGroup(jPanel27Layout.createSequentialGroup
        ()
            .addContainerGap()
            .addComponent(jSpinner7,
javax.swing.GroupLayout.PREFERRED_SIZE, 45,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)))
        .addGroup(jPanel27Layout.createParallelGroup(javax
    .swing.GroupLayout.Alignment.LEADING)
            .addComponent(jLabel37)
            .addComponent(jCheckBox9,
javax.swing.GroupLayout.PREFERRED_SIZE, 22,
javax.swing.GroupLayout.PREFERRED_SIZE))))
    .addContainerGap())
);
jPanel27Layout.setVerticalGroup(

jPanel27Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel27Layout.createSequentialGroup()
    .addContainerGap()
    .addComponent(jLabel16)
    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
    .addComponent(jLabel14,
javax.swing.GroupLayout.PREFERRED_SIZE, 65,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen

```

```

t.UNRELATED)
        .addGroup(jPanel127Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
            .addComponent(jLabel137)
            .addComponent(jLabel128,
javax.swing.GroupLayout.Alignment.TRAILING))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
        .addGroup(jPanel127Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.BASELINE)
            .addComponent(jSpinner7,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addComponent(jCheckBox9))
        .addContainerGap(18, Short.MAX_VALUE))
    );

    javax.swing.GroupLayout jPanel19Layout = new
javax.swing.GroupLayout(jPanel19);
    jPanel19.setLayout(jPanel19Layout);
    jPanel19Layout.setHorizontalGroup(

jPanel19Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel19Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel127,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
    jPanel19Layout.setVerticalGroup(

jPanel19Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel19Layout.createSequentialGroup()

```

```

        .addContainerGap()
        .addComponent(jPanel127,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

    javax.swing.GroupLayout jPanel11Layout = new
javax.swing.GroupLayout(jPanel11);
    jPanel11.setLayout(jPanel11Layout);
    jPanel11Layout.setHorizontalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel11Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel119,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
    jPanel11Layout.setVerticalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel11Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel119,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );

```

```

        javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
        jPanel1.setLayout(jPanel1Layout);
        jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel1Layout.createSequentialGroup()
                .addGap(10, 10, 10)
                .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
                    .addComponent(jPanel4,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                    .addComponent(jPanel8,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
                .addGap(10, 10, 10)
                .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
                    .addComponent(jPanel9,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                    .addComponent(jPanel5,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
                .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                    .addGroup(jPanel1Layout.createSequentialGroup()
                        .addGap(10, 10, 10)
                        .addComponent(jPanel7,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addGap(10, 10, 10)
                        .addComponent(jPanel11,
javax.swing.GroupLayout.PREFERRED_SIZE,

```

```

javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGroup(jPanel11Layout.createSequentialGroup()
            .addGap(11, 11, 11)
            .addComponent(jPanel10,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addPreferredGap(javax.swing.LayoutStyle.Component
                Placement.RELATED)
            .addComponent(jPanel6,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addGap(13, 13, 13)
        .addComponent(jPanel28,
            javax.swing.GroupLayout.DEFAULT_SIZE,
            javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addGap(18, 18, 18))
        .addComponent(jPanel12, javax.swing.GroupLayout.DEFAULT_SIZE,
            javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jPanel13, javax.swing.GroupLayout.DEFAULT_SIZE,
            javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );
    jPanel11Layout.setVerticalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel11Layout.createSequentialGroup()
            .addComponent(jPanel12,
                javax.swing.GroupLayout.PREFERRED_SIZE, 39,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
                t.RELATED)
            .addGroup(jPanel11Layout.createParallelGroup(javax.swing.Gr
                oupLayout.Alignment.LEADING)
                .addGroup(jPanel11Layout.createSequentialGroup()
                    .addGroup(jPanel11Layout.createParallelGroup(javax.
                        swing.GroupLayout.Alignment.TRAILING, false)

```



```

        .addComponent(jPanel11,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jPanel17,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jPanel15,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jPanel14,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addGroup(jPanel11Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel11Layout.createSequentialGroup(
)
        .addGap(8, 8, 8)
        .addGroup(jPanel11Layout.createParallelGroup
(javax.swing.GroupLayout.Alignment.LEADING, false)
        .addComponent(jPanel19,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jPanel18,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)))
        .addGroup(jPanel11Layout.createSequentialGroup(
)
        .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.RELATED)
        .addGroup(jPanel11Layout.createParallelGroup
(javax.swing.GroupLayout.Alignment.LEADING, false)
        .addComponent(jPanel110,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jPanel16,
javax.swing.GroupLayout.DEFAULT_SIZE,

```

```

javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)))
        .addGap(0, 0, Short.MAX_VALUE))
        .addComponent(jPanel128,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement
t.RELATED)
        .addComponent(jPanel13,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(1, 1, 1))
    );

    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    );
    layout.setVerticalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel1,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    );

    pack();
    setLocationRelativeTo(null);
} // </editor-fold>
public void Gusto(){

```

```

int qty = Integer.parseInt(jSpinner1.getValue().toString());
int qty2 = Integer.parseInt(jSpinner2.getValue().toString());
int qty3 = Integer.parseInt(jSpinner5.getValue().toString());
int qty4 = Integer.parseInt(jSpinner3.getValue().toString());
int qty5 = Integer.parseInt(jSpinner4.getValue().toString());
int qty6 = Integer.parseInt(jSpinner6.getValue().toString());
int qty7 = Integer.parseInt(jSpinner7.getValue().toString());
int qty8 = Integer.parseInt(jSpinner8.getValue().toString());

double price = qty * 130;
double price2 = qty2 * 170.00;
double price3 = qty3 * 165.00;
double price4 = qty4 * 110.00;
double price5 = qty5 * 120.00;
double price6 = qty6 * 175.00;
double price7 = qty7 * 170.00;
double price8 = qty8 * 180.00;
double credit=40;
double tax=160;
double
Subtotal=price+price2+price3+price4+price5+price6+price7+price8;
double CreditTotal=Subtotal+credit+tax;
double Total=Subtotal+tax;
double OrderNumber=2505+Subtotal;

if(qtyIsZero(qty)){
    x++;
    if(x==1){
        Gusto();
    }
}else{
    jButton1.setSelected(false);
}

jTextArea1.setText("*****WELCOME*****
*****\n"+

"*****TO*****\n"+
"*****Gusto Grove &

```

```

Dine*****\n"
                                +"Time: " +Time.getText()+"\t\t\tDate:
"+Date.getText()+"\n"
                                +
"*****\n"
                                +"Item Name:\t\t\t\t\t"+"Price(R)\n");

}

```

```

private void jButton10ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    new NAVIGATION().setVisible(true);
    dispose();
}

```

```

private void jButton21ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    jPanel11.setBackground(Color.gray);
    jPanel12.setBackground(Color.gray);
    jPanel13.setBackground(Color.gray);
    jPanel14.setBackground(Color.gray);
    jPanel16.setBackground(Color.gray);
    jPanel17.setBackground(Color.gray);
    jPanel18.setBackground(Color.gray);
}

```

```

private void jButton22ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    jPanel11.setBackground(Color.white);
    jPanel12.setBackground(Color.black);
    jPanel13.setBackground(Color.black);
    jPanel14.setBackground(Color.black);
    jPanel16.setBackground(Color.black);
    jPanel17.setBackground(Color.black);
}

```

```

        jPanel18.setBackground(Color.black);

    }

    private void jButton5ActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        Gusto();
        if(total==0.0){
            JOptionPane.showMessageDialog(null,"You have made a positive
choice");
        }
        else{
            jTextArea1.setText(jTextArea1.getText()+"");
        }
    }

    private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
        Clear();
    }
    int xx, xy;
    private void jPanel11MouseDragged(java.awt.event.MouseEvent evt) {
        // TODO add your handling code here:
        int x=evt.getXOnScreen();
        int y=evt.getYOnScreen();
        this.setLocation(x-xx, y-xy);
    }

    private void jPanel11MousePressed(java.awt.event.MouseEvent evt) {
        // TODO add your handling code here:
        xx=evt.getX();
        xy=evt.getY();
    }

    private void jCheckBox1ActionPerformed(java.awt.event.ActionEvent evt)
    {
        // TODO add your handling code here:

        int qty=Integer.parseInt(jSpinner1.getValue().toString());
    }

```

```

        if(qtyIsZero(qty)&&jCheckBox1.isSelected()){
            x++;
            if(x==0){
                Gusto();
            }
            double price=qty*130.0;
            total+=price;
            jTextArea1.setText(jTextArea1.getText()+x+".
"+jLabel2.getText()+"\t\t\t"+price+"\n");
        }else{
            jCheckBox1.setSelected(false);
        }
    }

private void jCheckBox2ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty2=Integer.parseInt(jSpinner2.getValue().toString());
    if(qtyIsZero(qty2)&&jCheckBox2.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
        double price=qty2*170.00;
        total+=price;
        jTextArea1.setText(jTextArea1.getText()+x+".
"+jLabel3.getText()+"\t\t\t\t\t"+price+"\n");
    }else{
        jCheckBox2.setSelected(false);
    }
}

private void jCheckBox3ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty3=Integer.parseInt(jSpinner5.getValue().toString());

```

```

        if(qtyIsZero(qty3)&&jCheckBox3.isSelected()){
            x++;
            if(x==1){
                Gusto();
            }
            double price3=qty3*165.0;
            total+=price3;
            jTextArea1.setText(jTextArea1.getText()+x+".
"+jLabel4.getText()+"\t\t\t\t\t"+price3+"\n");
        }else{
            jCheckBox3.setSelected(false);
        }
    }

private void jCheckBox5ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty5=Integer.parseInt(jSpinner6.getValue().toString());
    if(qtyIsZero(qty5)&&jCheckBox5.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
        double price5=qty5*120.0;
        total+=price5;
        jTextArea1.setText(jTextArea1.getText()+x+".
"+jLabel6.getText()+"\t\t\t\t\t"+price5+"\n");
    }else{
        jCheckBox5.setSelected(false);
    }
}

private void jCheckBox7ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty7=Integer.parseInt(jSpinner3.getValue().toString());
    if(qtyIsZero(qty7)&&jCheckBox7.isSelected()){

```

```

        x++;
        if(x==0){
            Gusto();
        }
        double price7=qty7*175.0;
        total+=price7;
        jTextArea1.setText(jTextArea1.getText()+x+"
"+jLabel7.getText()+"\t\t\t\t\t"+price7+"\n");
    }else{
        jCheckBox7.setSelected(false);
    }
}

private void jCheckBox6ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty6=Integer.parseInt(jSpinner4.getValue().toString());
    if(qtyIsZero(qty6)&&jCheckBox6.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
        double price6=qty6*170.0;
        total+=price6;
        jTextArea1.setText(jTextArea1.getText()+x+"
"+jLabel8.getText()+"\t\t\t\t\t"+price6+"\n");
    }else{
        jCheckBox6.setSelected(false);
    }
}

private void jCheckBox8ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:

    int qty8=Integer.parseInt(jSpinner8.getValue().toString());
    if(qtyIsZero(qty8)&&jCheckBox8.isSelected()){

```



```

        x++;
        if(x==0){
            Gusto();
        }
        double price8=qty8*180.0;
        total+=price8;
        jTextArea1.setText(jTextArea1.getText()+x+"
"+jLabel9.getText()+"\t\t\t\t\t"+price8+"\n");
    }else{
        jCheckBox8.setSelected(false);
    }
}

private void jButton2ActionPerformed(java.awt.event.ActionEvent evt) {
    if(total!=0){
        try {
            // TODO add your handling code here:
            jTextArea1.print();
        } catch (PrinterException ex) {
            Logger.getLogger(BBreakfast.class.getName()).log(Level.SEVERE,
null, ex);
        }
    }
    else{
        JOptionPane.showMessageDialog(null,"Please increase the item
qauntity");
    }
}

private void jButton3ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    int qty = Integer.parseInt(jSpinner1.getValue().toString());
    int qty2 = Integer.parseInt(jSpinner2.getValue().toString());
    int qty3 = Integer.parseInt(jSpinner5.getValue().toString());
    int qty4 = Integer.parseInt(jSpinner3.getValue().toString());
    int qty5 = Integer.parseInt(jSpinner4.getValue().toString());
    int qty6 = Integer.parseInt(jSpinner6.getValue().toString());
    int qty7 = Integer.parseInt(jSpinner7.getValue().toString());

```

```

int qty8 = Integer.parseInt(jSpinner8.getValue().toString());

double price = qty * 130;
double price2 = qty2 * 170.00;
double price3 = qty3 * 165.00;
double price4 = qty4 * 110.00;
double price5 = qty5 * 120.00;
double price6 = qty6 * 175.00;
double price7 = qty7 * 170.00;
double price8 = qty8 * 180.00;
double credit=40;
double tax=160;
double
Subtotal=price+price2+price3+price4+price5+price6+price7+price8;
double CreditTotal=Subtotal+credit+tax;
double Total=Subtotal+tax;
double OrderNumber=2505+Subtotal;
if(total==0.0){
    JOptionPane.showMessageDialog(null, "You havent chosen
anything");
}else{
    JTextArea1.setText(JTextArea1.getText()+

"\n*****\n"+
    "THANK YOU\n"+"CREDIT:
\t\t\t\t\tR"+credit+"\nTAX: \t\t\t\t\tR"+tax+
    "\nSUBTOTAL: \t\t\t\t\tR"+Subtotal+"\nTOTAL:
\t\t\t\t\tR"+Total+
    "\nCREDIT TOTAL:
\t\t\t\t\tR"+CreditTotal+

"\n*****\n"+
    "ORDER NUMBER: \t\t\t\t\t"+OrderNumber+

"\n*****\n"+
    "NOTE:For more information please head to our
staff or Manager.\n"+
    "We do not store food for more than 5 hours for
health reasons,\n"+

```

```

        "If we do so you are permitted to get 2 free
meals.\n"+

"\n*****\n"+
        "Or Email us at GUSTOGROVEANDDINE@GMAIL.COM");
    }
}

private void jCheckBox9ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:

    int qty=Integer.parseInt(jSpinner7.getValue().toString());
    if(qtyIsZero(qty)&&jCheckBox9.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
        double price=qty*110.0;
        total+=price;
        jTextArea1.setText(jTextArea1.getText()+x+".
"+jLabel6.getText()+"\t\t\t\t\t"+price+"\n");
    }else{
        jCheckBox9.setSelected(false);
    }
}

}

public void setTime(){
    new Thread(new Runnable(){
        @Override
        public void run(){
            while(true){
                try{
                    Thread.sleep(1000);
                }catch(InterruptedException ex){
                    Logger.getLogger(STAFF.class.getName()).log(Level.SEVERE, null, ex);

```

```

        }
        Date date = new Date();
        SimpleDateFormat tf= new SimpleDateFormat("hh:mm:ss");
        SimpleDateFormat df= new SimpleDateFormat("EEEE, dd-
MM-yyyy");

        String time =tf.format(date);
        Time.setText(time.split(" ")[0]+" "+time.split(" ")[1]);
        Date.setText(df.format(date));
    }
}
}).start();
}
/**
 * @param args the command line arguments
 */
public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //<editor-fold defaultstate="collapsed" desc=" Look and feel
setting code (optional) ">
    /* If Nimbus (introduced in Java SE 6) is not available, stay with
the default look and feel.
    * For details see
http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.ht
ml
    */
    try {
        for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Nimbus".equals(info.getName())) {

javax.swing.UIManager.setLookAndFeel(info.getClassName());
                break;
            }
        }
    } catch (ClassNotFoundException ex) {

java.util.logging.Logger.getLogger(BBreakfast.class.getName()).log(jav
a.util.logging.Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {

```

```
java.util.logging.Logger.getLogger(BBreakfast.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {
```

```
java.util.logging.Logger.getLogger(BBreakfast.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {
```

```
java.util.logging.Logger.getLogger(BBreakfast.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
    }
//</editor-fold>
```

```
/* Create and display the form */
java.awt.EventQueue.invokeLater(new Runnable() {
    public void run() {
        new BBreakfast().setVisible(true);
    }
});
}
```

```
// Variables declaration - do not modify
private javax.swing.JLabel Date;
private javax.swing.JLabel Time;
private javax.swing.JButton jButton1;
private javax.swing.JButton jButton10;
private javax.swing.JButton jButton2;
private javax.swing.JButton jButton21;
private javax.swing.JButton jButton22;
private javax.swing.JButton jButton3;
private javax.swing.JButton jButton5;
private javax.swing.JCheckBox jCheckBox1;
private javax.swing.JCheckBox jCheckBox2;
private javax.swing.JCheckBox jCheckBox3;
private javax.swing.JCheckBox jCheckBox5;
private javax.swing.JCheckBox jCheckBox6;
private javax.swing.JCheckBox jCheckBox7;
private javax.swing.JCheckBox jCheckBox8;
```

```
private javax.swing.JCheckBox jCheckBox9;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel10;
private javax.swing.JLabel jLabel11;
private javax.swing.JLabel jLabel12;
private javax.swing.JLabel jLabel13;
private javax.swing.JLabel jLabel14;
private javax.swing.JLabel jLabel15;
private javax.swing.JLabel jLabel16;
private javax.swing.JLabel jLabel18;
private javax.swing.JLabel jLabel19;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel20;
private javax.swing.JLabel jLabel22;
private javax.swing.JLabel jLabel23;
private javax.swing.JLabel jLabel24;
private javax.swing.JLabel jLabel25;
private javax.swing.JLabel jLabel26;
private javax.swing.JLabel jLabel27;
private javax.swing.JLabel jLabel28;
private javax.swing.JLabel jLabel29;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel30;
private javax.swing.JLabel jLabel31;
private javax.swing.JLabel jLabel32;
private javax.swing.JLabel jLabel33;
private javax.swing.JLabel jLabel34;
private javax.swing.JLabel jLabel35;
private javax.swing.JLabel jLabel36;
private javax.swing.JLabel jLabel37;
private javax.swing.JLabel jLabel4;
private javax.swing.JLabel jLabel41;
private javax.swing.JLabel jLabel42;
private javax.swing.JLabel jLabel43;
private javax.swing.JLabel jLabel47;
private javax.swing.JLabel jLabel48;
private javax.swing.JLabel jLabel49;
private javax.swing.JLabel jLabel5;
private javax.swing.JLabel jLabel6;
```

```
private javax.swing.JLabel jLabel7;
private javax.swing.JLabel jLabel8;
private javax.swing.JLabel jLabel9;
private javax.swing.JPanel jPanel1;
private javax.swing.JPanel jPanel10;
private javax.swing.JPanel jPanel11;
private javax.swing.JPanel jPanel12;
private javax.swing.JPanel jPanel13;
private javax.swing.JPanel jPanel14;
private javax.swing.JPanel jPanel15;
private javax.swing.JPanel jPanel16;
private javax.swing.JPanel jPanel17;
private javax.swing.JPanel jPanel18;
private javax.swing.JPanel jPanel19;
private javax.swing.JPanel jPanel2;
private javax.swing.JPanel jPanel20;
private javax.swing.JPanel jPanel21;
private javax.swing.JPanel jPanel22;
private javax.swing.JPanel jPanel23;
private javax.swing.JPanel jPanel24;
private javax.swing.JPanel jPanel25;
private javax.swing.JPanel jPanel26;
private javax.swing.JPanel jPanel27;
private javax.swing.JPanel jPanel28;
private javax.swing.JPanel jPanel3;
private javax.swing.JPanel jPanel4;
private javax.swing.JPanel jPanel5;
private javax.swing.JPanel jPanel6;
private javax.swing.JPanel jPanel7;
private javax.swing.JPanel jPanel8;
private javax.swing.JPanel jPanel9;
private javax.swing.JScrollPane jScrollPane1;
private javax.swing.JSpinner jSpinner1;
private javax.swing.JSpinner jSpinner2;
private javax.swing.JSpinner jSpinner3;
private javax.swing.JSpinner jSpinner4;
private javax.swing.JSpinner jSpinner5;
private javax.swing.JSpinner jSpinner6;
private javax.swing.JSpinner jSpinner7;
```

```
private javax.swing.JSpinner jSpinner8;
private javax.swing.JTextArea jTextArea1;
// End of variables declaration
```

```
}
```

THE MEAL MENU

```
/*
```

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

```
*/ package javaapplication7;
```

```
import java.awt.Color; import java.awt.print.PrinterException; import
javax.swing.JOptionPane; import java.util.Date; import java.text.SimpleDateFormat;
import java.util.logging.Level; import java.util.logging.Logger; /** *
```

- @author Douglas

```
/ public class MEAL extends javax.swing.JFrame { private double total=0.0; private int x=0;
/* * Creates new form Autumn */ public MEAL() { initComponents(); init(); } public void
init(){ setTime(); }
```

```
public boolean qtyIsZero(int qty){
    if (Integer.parseInt(jSpinner1.getValue().toString())==0){
        JOptionPane.showMessageDialog(null, "You can order more
items");
        return false;
    }
    return true;
}
public void Clear(){
    jSpinner1.setValue(0);
    jSpinner2.setValue(0);
    jSpinner3.setValue(0);
    jSpinner6.setValue(0);
```



```

        jSpinner7.setValue(0);
        jSpinner8.setValue(0);
        jTextArea1.setText("");
        jButton1.setSelected(false);
    }

    /**
     * This method is called from within the constructor to initialize the
     form.
     * WARNING: Do NOT modify this code. The content of this method is
     always
     * regenerated by the Form Editor.
     */
    @SuppressWarnings("unchecked")
    // <editor-fold defaultstate="collapsed" desc="Generated Code">
    private void initComponents() {

        jPanel1 = new javax.swing.JPanel();
        jPanel2 = new javax.swing.JPanel();
        jLabel1 = new javax.swing.JLabel();
        jLabel18 = new javax.swing.JLabel();
        jButton21 = new javax.swing.JButton();
        jButton22 = new javax.swing.JButton();
        Time = new javax.swing.JLabel();
        Date = new javax.swing.JLabel();
        jPanel3 = new javax.swing.JPanel();
        jButton10 = new javax.swing.JButton();
        jLabel19 = new javax.swing.JLabel();
        jLabel20 = new javax.swing.JLabel();
        jButton1 = new javax.swing.JButton();
        jButton5 = new javax.swing.JButton();
        jButton2 = new javax.swing.JButton();
        jButton3 = new javax.swing.JButton();
        jPanel4 = new javax.swing.JPanel();
        jPanel12 = new javax.swing.JPanel();
        jPanel20 = new javax.swing.JPanel();
        jLabel2 = new javax.swing.JLabel();
        jLabel10 = new javax.swing.JLabel();

```

```
jSpinner1 = new javax.swing.JSpinner();
jLabel22 = new javax.swing.JLabel();
jLabel30 = new javax.swing.JLabel();
jLabel42 = new javax.swing.JLabel();
jCheckBox1 = new javax.swing.JCheckBox();
jPanel5 = new javax.swing.JPanel();
jPanel13 = new javax.swing.JPanel();
jPanel21 = new javax.swing.JPanel();
jLabel3 = new javax.swing.JLabel();
jLabel11 = new javax.swing.JLabel();
jSpinner2 = new javax.swing.JSpinner();
jLabel23 = new javax.swing.JLabel();
jLabel31 = new javax.swing.JLabel();
jLabel43 = new javax.swing.JLabel();
jCheckBox2 = new javax.swing.JCheckBox();
jCheckBox3 = new javax.swing.JCheckBox();
jPanel6 = new javax.swing.JPanel();
jPanel14 = new javax.swing.JPanel();
jPanel22 = new javax.swing.JPanel();
jLabel12 = new javax.swing.JLabel();
jLabel4 = new javax.swing.JLabel();
jLabel24 = new javax.swing.JLabel();
jLabel32 = new javax.swing.JLabel();
jSpinner5 = new javax.swing.JSpinner();
jCheckBox9 = new javax.swing.JCheckBox();
jPanel8 = new javax.swing.JPanel();
jPanel16 = new javax.swing.JPanel();
jPanel24 = new javax.swing.JPanel();
jLabel9 = new javax.swing.JLabel();
jLabel26 = new javax.swing.JLabel();
jLabel34 = new javax.swing.JLabel();
jLabel49 = new javax.swing.JLabel();
jSpinner8 = new javax.swing.JSpinner();
jCheckBox6 = new javax.swing.JCheckBox();
jPanel9 = new javax.swing.JPanel();
jPanel17 = new javax.swing.JPanel();
jPanel26 = new javax.swing.JPanel();
jSpinner7 = new javax.swing.JSpinner();
jLabel27 = new javax.swing.JLabel();
```

```
jLabel8 = new javax.swing.JLabel();
jLabel15 = new javax.swing.JLabel();
jLabel21 = new javax.swing.JLabel();
jCheckBox7 = new javax.swing.JCheckBox();
jPanel28 = new javax.swing.JPanel();
jLabel41 = new javax.swing.JLabel();
jScrollPane1 = new javax.swing.JScrollPane();
jTextArea1 = new javax.swing.JTextArea();
jPanel17 = new javax.swing.JPanel();
jPanel15 = new javax.swing.JPanel();
jPanel23 = new javax.swing.JPanel();
jLabel13 = new javax.swing.JLabel();
jLabel5 = new javax.swing.JLabel();
jLabel25 = new javax.swing.JLabel();
jLabel33 = new javax.swing.JLabel();
jSpinner3 = new javax.swing.JSpinner();
jCheckBox4 = new javax.swing.JCheckBox();
jPanel11 = new javax.swing.JPanel();
jPanel19 = new javax.swing.JPanel();
jPanel27 = new javax.swing.JPanel();
jLabel14 = new javax.swing.JLabel();
jLabel6 = new javax.swing.JLabel();
jLabel28 = new javax.swing.JLabel();
jLabel37 = new javax.swing.JLabel();
jSpinner4 = new javax.swing.JSpinner();
jCheckBox5 = new javax.swing.JCheckBox();
jPanel29 = new javax.swing.JPanel();
jPanel10 = new javax.swing.JPanel();
jPanel18 = new javax.swing.JPanel();
jSpinner6 = new javax.swing.JSpinner();
jLabel29 = new javax.swing.JLabel();
jLabel17 = new javax.swing.JLabel();
jLabel16 = new javax.swing.JLabel();
jLabel17 = new javax.swing.JLabel();
jCheckBox8 = new javax.swing.JCheckBox();
```

```
setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
```

```

jPanel1.setBackground(new java.awt.Color(255, 255, 255));
jPanel1.setBorder(javax.swing.BorderFactory.createLineBorder(new
java.awt.Color(0, 0, 0)));

jPanel2.setBackground(new java.awt.Color(0, 0, 0));

jLabel1.setFont(new java.awt.Font("Courier New", 1, 18)); //
NOI18N
jLabel1.setForeground(new java.awt.Color(255, 255, 255));
jLabel1.setText("GUSTO GROVE AND DINE:");

jLabel18.setFont(new java.awt.Font("Courier New", 2, 24)); //
NOI18N
jLabel18.setForeground(new java.awt.Color(255, 204, 51));
jLabel18.setText("MEALS");

jButton21.setBackground(new java.awt.Color(255, 204, 51));
jButton21.setFont(new java.awt.Font("Courier New", 1, 14)); //
NOI18N
jButton21.setForeground(new java.awt.Color(255, 255, 255));
jButton21.setText("DARK");
jButton21.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton21ActionPerformed(evt);
    }
});

jButton22.setBackground(new java.awt.Color(255, 204, 51));
jButton22.setFont(new java.awt.Font("Courier New", 1, 14)); //
NOI18N
jButton22.setForeground(new java.awt.Color(255, 255, 255));
jButton22.setText("LIGHT");
jButton22.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton22ActionPerformed(evt);
    }
});

Time.setForeground(new java.awt.Color(255, 255, 255));

```

```

Time.setText("11:15");

Date.setForeground(new java.awt.Color(255, 255, 255));
Date.setText("Friday 13 October 2025");

javax.swing.GroupLayout jPanel2Layout = new
javax.swing.GroupLayout(jPanel2);
jPanel2.setLayout(jPanel2Layout);
jPanel2Layout.setHorizontalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addGap(18, 18, 18)
        .addComponent(jLabel1,
javax.swing.GroupLayout.PREFERRED_SIZE, 248,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jLabel18,
javax.swing.GroupLayout.PREFERRED_SIZE, 147,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(Time,
javax.swing.GroupLayout.PREFERRED_SIZE, 55,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(Date,
javax.swing.GroupLayout.PREFERRED_SIZE, 136,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jButton21,
javax.swing.GroupLayout.PREFERRED_SIZE, 95,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jButton22,
javax.swing.GroupLayout.PREFERRED_SIZE, 92,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(21, 21, 21))

```

```

);
jPanel2Layout.setVerticalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel2Layout.createSequentialGroup()
    .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
        .addGroup(javax.swing.GroupLayout.Alignment.LEADING,
jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
            .addComponent(jLabel1,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jLabel18))
        .addGroup(jPanel2Layout.createSequentialGroup()
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(Time,
javax.swing.GroupLayout.PREFERRED_SIZE, 19,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addGap(75, 75, 75))
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addContainerGap()
        .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
            .addComponent(jButton21)
            .addComponent(jButton22)
            .addComponent(Date))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
    );

jPanel3.setBackground(new java.awt.Color(0, 0, 0));
jPanel3.setForeground(new java.awt.Color(255, 204, 51));

jButton10.setBackground(new java.awt.Color(255, 204, 0));
jButton10.setFont(new java.awt.Font("Courier New", 1, 18)); //

```

NOI18N

```
        jButton10.setForeground(new java.awt.Color(255, 255, 255));
        jButton10.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/ICONS/b2.png"))); //
```

NOI18N

```
        jButton10.addActionListener(new java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent evt) {
                jButton10ActionPerformed(evt);
            }
        });
```

```
        jLabel19.setForeground(new java.awt.Color(255, 255, 255));
        jLabel19.setText("MAXIMUM ORDER :");
```

```
        jLabel20.setForeground(new java.awt.Color(255, 204, 51));
        jLabel20.setText("10 EACH FOR MORE INFORMATION CONTACT OUR
STAFF");
```

```
        jButton1.setBackground(new java.awt.Color(255, 204, 51));
        jButton1.setText("RESET");
        jButton1.addActionListener(new java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent evt) {
                jButton1ActionPerformed(evt);
            }
        });
```

```
        jButton5.setBackground(new java.awt.Color(255, 204, 51));
        jButton5.setFont(new java.awt.Font("Courier New", 1, 14)); //
```

NOI18N

```
        jButton5.setForeground(new java.awt.Color(255, 255, 255));
        jButton5.setText("ORDER");
        jButton5.addActionListener(new java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent evt) {
                jButton5ActionPerformed(evt);
            }
        });
```

```
        jButton2.setText("TOTAL");
        jButton2.addActionListener(new java.awt.event.ActionListener() {
```

```

        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton2ActionPerformed(evt);
        }
    });

    jButton3.setText("RECEIPT");
    jButton3.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton3ActionPerformed(evt);
        }
    });

    javax.swing.GroupLayout jPanel3Layout = new
    javax.swing.GroupLayout(jPanel3);
    jPanel3.setLayout(jPanel3Layout);
    jPanel3Layout.setHorizontalGroup(

    jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel3Layout.createSequentialGroup()
            .addGap(8, 8, 8)
            .addComponent(jButton10,
    javax.swing.GroupLayout.PREFERRED_SIZE, 151,
    javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
                .addGroup(jPanel3Layout.createSequentialGroup()
                    .addGap(16, 16, 16)
                    .addComponent(jLabel19)
                    .addGap(115, 115, 115)
                    .addComponent(jLabel20)
                    .addGap(97, 97, 97))
                .addGroup(jPanel3Layout.createSequentialGroup()
                    .addGap(18, 18, 18)
                    .addComponent(jButton5,
    javax.swing.GroupLayout.PREFERRED_SIZE, 174,
    javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addGap(18, 18, 18)
                    .addComponent(jButton2,

```



```

javax.swing.GroupLayout.PREFERRED_SIZE, 40,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jButton2,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.DEFAULT_SIZE, 42, Short.MAX_VALUE)
        .addComponent(jButton3,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)))
        .addComponent(jButton10,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addContainerGap()))))
);

jPanel4.setBackground(new java.awt.Color(255, 204, 0));

jPanel12.setBackground(new java.awt.Color(0, 0, 0));

jPanel20.setBackground(new java.awt.Color(255, 255, 255));

jLabel2.setFont(new java.awt.Font("Tahoma", 0, 9)); // NOI18N
jLabel2.setText("OMELLETTE ");

jLabel22.setText("R170.00");

jLabel30.setText("Amount");

jLabel42.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/MEALS
IMAGES/11.jpg"))); // NOI18N

jCheckBox1.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jCheckBox1ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel20Layout = new

```

```

javax.swing.GroupLayout(jPanel20);
    jPanel20.setLayout(jPanel20Layout);
    jPanel20Layout.setHorizontalGroup(

jPanel20Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel20Layout.createSequentialGroup())
            .addContainerGap()
            .addGroup(jPanel20Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
                .addGroup(jPanel20Layout.createSequentialGroup())
                    .addGroup(jPanel20Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.LEADING)
                        .addGroup(jPanel20Layout.createSequentialGroup
())
                            .addComponent(jLabel22)
                            .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.UNRELATED)
                                .addComponent(jLabel30))
                                .addComponent(jLabel42,
javax.swing.GroupLayout.PREFERRED_SIZE, 77,
javax.swing.GroupLayout.PREFERRED_SIZE)
                                    .addGroup(jPanel20Layout.createSequentialGroup
())
                                        .addComponent(jSpinner1,
javax.swing.GroupLayout.PREFERRED_SIZE, 48,
javax.swing.GroupLayout.PREFERRED_SIZE)
                                            .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.UNRELATED)
                                                .addComponent(jCheckBox1)))
                                    .addGap(48, 48, 48)
                                        .addComponent(jLabel10))
                                        .addComponent(jLabel12))
                    .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
            );
    jPanel20Layout.setVerticalGroup(

jPanel20Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L

```

```

    LEADING)
        .addGroup(jPanel20Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jLabel2,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addGap(18, 18, 18)
            .addGroup(jPanel20Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
                .addComponent(jLabel10,
javax.swing.GroupLayout.PREFERRED_SIZE, 145,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGroup(jPanel20Layout.createSequentialGroup())
                    .addComponent(jLabel42,
javax.swing.GroupLayout.PREFERRED_SIZE, 56,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
                    .addGroup(jPanel20Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.BASELINE)
                        .addComponent(jLabel22)
                        .addComponent(jLabel30))
                    .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
                    .addGroup(jPanel20Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.LEADING)
                        .addComponent(jSpinner1,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addComponent(jCheckBox1))))))
    );

    javax.swing.GroupLayout jPanel12Layout = new
javax.swing.GroupLayout(jPanel12);
    jPanel12.setLayout(jPanel12Layout);
    jPanel12Layout.setHorizontalGroup(

jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L

```

```

EADING)
        .addGroup(jPanel12Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel20,
javax.swing.GroupLayout.PREFERRED_SIZE, 101,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
jPanel12Layout.setVerticalGroup(

jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel12Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel20,
javax.swing.GroupLayout.PREFERRED_SIZE, 158,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );

        javax.swing.GroupLayout jPanel4Layout = new
javax.swing.GroupLayout(jPanel4);
        jPanel4.setLayout(jPanel4Layout);
        jPanel4Layout.setHorizontalGroup(

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel4Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel12,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addContainerGap())
        );
        jPanel4Layout.setVerticalGroup(

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE

```

```

ADING)
    .addGroup(jPanel14Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel12,
            javax.swing.GroupLayout.PREFERRED_SIZE,
            javax.swing.GroupLayout.DEFAULT_SIZE,
            javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
            Short.MAX_VALUE))
    );

jPanel15.setBackground(new java.awt.Color(255, 204, 51));

jPanel13.setBackground(new java.awt.Color(0, 0, 0));

jPanel21.setBackground(new java.awt.Color(255, 255, 255));

jLabel3.setFont(new java.awt.Font("Tahoma", 0, 9)); // NOI18N
jLabel3.setText("CHICK SCHINITZEL");

jLabel23.setText("R245.00");

jLabel31.setText("Amount");

jLabel43.setIcon(new
    javax.swing.ImageIcon(getClass().getResource("/MEALS
    IMAGES/12.jpeg"))); // NOI18N

jCheckBox2.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jCheckBox2ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel21Layout = new
    javax.swing.GroupLayout(jPanel21);
jPanel21.setLayout(jPanel21Layout);
jPanel21Layout.setHorizontalGroup(

```

```

jPanel21Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel21Layout.createSequentialGroup()
        .addContainerGap()
        .addGroup(jPanel21Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel21Layout.createSequentialGroup()
                .addGap(10, 10, 10)
                .addComponent(jLabel43,
javax.swing.GroupLayout.PREFERRED_SIZE, 90,
javax.swing.GroupLayout.PREFERRED_SIZE))
            .addGroup(jPanel21Layout.createSequentialGroup()
                .addComponent(jLabel11)
                .addGroup(jPanel21Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                    .addGroup(jPanel21Layout.createSequentialGroup()
                        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
                        .addComponent(jLabel23)
                        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
                        .addComponent(jLabel31))
                    .addGroup(jPanel21Layout.createSequentialGroup()
                        .addGap(18, 18, 18)
                        .addComponent(jSpinner2,
javax.swing.GroupLayout.PREFERRED_SIZE, 49,
javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
                        .addComponent(jCheckBox2))))
                .addComponent(jLabel13))
            .addGap(0, 15, Short.MAX_VALUE))
        .addGroup(jPanel21Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel21Layout.createSequentialGroup()
                .addGap(0, 0, Short.MAX_VALUE)
                .addComponent(jCheckBox3)

```

```

        .addGap(0, 0, Short.MAX_VALUE)))
    );
    jPanel121Layout.setVerticalGroup(

jPanel121Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel121Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jLabel13)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
                .addComponent(jLabel143,
javax.swing.GroupLayout.PREFERRED_SIZE, 70,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                        .addGroup(jPanel121Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
                            .addComponent(jLabel131)
                            .addComponent(jLabel123))
                            .addGroup(jPanel121Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
                                .addGroup(jPanel121Layout.createSequentialGroup()
                                    .addGap(14, 14, 14)
                                    .addComponent(jLabel111,
javax.swing.GroupLayout.PREFERRED_SIZE, 137,
javax.swing.GroupLayout.PREFERRED_SIZE))
                                    .addGroup(jPanel121Layout.createSequentialGroup()
                                        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
                                            .addGroup(jPanel121Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.TRAILING)
                                                .addComponent(jCheckBox2)
                                                .addComponent(jSpinner2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))))))
                                .addGroup(jPanel121Layout.createParallelGroup(javax.swing.Group

```



```

Layout.Alignment.LEADING)
        .addGroup(jPanel21Layout.createSequentialGroup()
            .addGap(0, 0, Short.MAX_VALUE)
            .addComponent(jCheckBox3)
            .addGap(0, 0, Short.MAX_VALUE)))
    );

    javax.swing.GroupLayout jPanel13Layout = new
    javax.swing.GroupLayout(jPanel13);
    jPanel13.setLayout(jPanel13Layout);
    jPanel13Layout.setHorizontalGroup(

jPanel13Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel13Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel21,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addContainerGap())
    );
    jPanel13Layout.setVerticalGroup(

jPanel13Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel13Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel21,
javax.swing.GroupLayout.PREFERRED_SIZE, 158,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

    javax.swing.GroupLayout jPanel15Layout = new
    javax.swing.GroupLayout(jPanel15);
    jPanel15.setLayout(jPanel15Layout);
    jPanel15Layout.setHorizontalGroup(

```

```
jPanel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(jPanel5Layout.createSequentialGroup()  
        .addContainerGap()  
        .addComponent(jPanel113,  
            javax.swing.GroupLayout.DEFAULT_SIZE,  
            javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)  
        .addContainerGap()  
    );  
jPanel5Layout.setVerticalGroup(
```

```
jPanel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(jPanel5Layout.createSequentialGroup()  
        .addContainerGap()  
        .addComponent(jPanel113,  
            javax.swing.GroupLayout.PREFERRED_SIZE,  
            javax.swing.GroupLayout.DEFAULT_SIZE,  
            javax.swing.GroupLayout.PREFERRED_SIZE)  
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,  
            Short.MAX_VALUE))  
    );
```

```
jPanel6.setBackground(new java.awt.Color(255, 204, 51));
```

```
jPanel14.setBackground(new java.awt.Color(0, 0, 0));
```

```
jPanel22.setBackground(new java.awt.Color(255, 255, 255));
```

```
jLabel12.setIcon(new  
    javax.swing.ImageIcon(getClass().getResource("/MEALS  
    IMAGES/15.jpg"))); // NOI18N
```

```
jLabel14.setText("GUSTO SALAD");
```

```
jLabel24.setText("R185.00");
```

```
jLabel32.setText("Amount");
```

[illegible]

```

        .addComponent(jLabel14)
        .addComponent(jLabel112,
javax.swing.GroupLayout.PREFERRED_SIZE, 96,
javax.swing.GroupLayout.PREFERRED_SIZE))))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel122Layout.setVerticalGroup(

jPanel122Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel122Layout.createSequentialGroup())
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
                .addComponent(jLabel14)
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
                    .addComponent(jLabel112,
javax.swing.GroupLayout.PREFERRED_SIZE, 65,
javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
                            .addGroup(jPanel122Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.BASELINE)
                                .addComponent(jLabel124)
                                .addComponent(jLabel132))
                                    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
                                        .addGroup(jPanel122Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
                                            .addComponent(jSpinner5,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                                                .addComponent(jCheckBox9))
                                                    .addContainerGap())
                                            );

```

```

        javax.swing.GroupLayout jPanel14Layout = new
javax.swing.GroupLayout(jPanel14);
        jPanel14.setLayout(jPanel14Layout);
        jPanel14Layout.setHorizontalGroup(

jPanel14Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
            .addGroup(jPanel14Layout.createSequentialGroup()
                .addGap(
                    .addComponent(jPanel122,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
                );
        jPanel14Layout.setVerticalGroup(

jPanel14Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
            .addGroup(jPanel14Layout.createSequentialGroup()
                .addGap(
                    .addComponent(jPanel122,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
                );

        javax.swing.GroupLayout jPanel6Layout = new
javax.swing.GroupLayout(jPanel6);
        jPanel6.setLayout(jPanel6Layout);
        jPanel6Layout.setHorizontalGroup(

jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
            .addGroup(jPanel6Layout.createSequentialGroup()
                .addGap(

```

```

        .addComponent(jPanel14,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel6Layout.setVerticalGroup(

jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel6Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel14,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

    jPanel8.setBackground(new java.awt.Color(255, 204, 51));

    jPanel16.setBackground(new java.awt.Color(0, 0, 0));

    jPanel24.setBackground(new java.awt.Color(255, 255, 255));

    jLabel9.setText("RICE");

    jLabel26.setText("R345.00");

    jLabel34.setText("Amount");

    jLabel49.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/MEALS
IMAGES/18.jpg"))); // NOI18N

    jCheckBox6.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {

```

```

        jCheckBox6ActionPerformed(evt);
    }
});

    javax.swing.GroupLayout jPanel24Layout = new
    javax.swing.GroupLayout(jPanel24);
    jPanel24.setLayout(jPanel24Layout);
    jPanel24Layout.setHorizontalGroup(

jPanel24Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel24Layout.createSequentialGroup()
            .addGroup(jPanel24Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
                .addComponent(jLabel19)
                .addGroup(jPanel24Layout.createSequentialGroup()
                    .addComponent(jLabel26)
                    .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
                    .addComponent(jLabel34))
                .addComponent(jLabel149,
javax.swing.GroupLayout.PREFERRED_SIZE, 86,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGroup(jPanel24Layout.createSequentialGroup()
                    .addComponent(jSpinner8,
javax.swing.GroupLayout.PREFERRED_SIZE, 47,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
                    .addComponent(jCheckBox6)))
            .addGap(17, 17, Short.MAX_VALUE))
        );
    jPanel24Layout.setVerticalGroup(

jPanel24Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel24Layout.createSequentialGroup()
            .addGroup(jPanel24Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
                .addComponent(jLabel19)
                .addGroup(jPanel24Layout.createSequentialGroup()
                    .addComponent(jLabel26)
                    .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
                    .addComponent(jLabel34))
                .addComponent(jLabel149,
javax.swing.GroupLayout.PREFERRED_SIZE, 86,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGroup(jPanel24Layout.createSequentialGroup()
                    .addComponent(jSpinner8,
javax.swing.GroupLayout.PREFERRED_SIZE, 47,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
                    .addComponent(jCheckBox6)))
            .addGap(17, 17, Short.MAX_VALUE))
        );
    jPanel24Layout.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
    jPanel24Layout.setVisible(true);
}

private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
}

```

```

        .addGroup(jPanel24Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.TRAILING)
            .addComponent(jCheckBox6)
            .addGroup(jPanel24Layout.createSequentialGroup())
                .addComponent(jLabel19)
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
                .addComponent(jLabel49,
javax.swing.GroupLayout.PREFERRED_SIZE, 61,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
                .addGroup(jPanel24Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.BASELINE)
                    .addComponent(jLabel26)
                    .addComponent(jLabel34))
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
                .addComponent(jSpinner8,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

```

```

    javax.swing.GroupLayout jPanel16Layout = new
javax.swing.GroupLayout(jPanel16);
    jPanel16.setLayout(jPanel16Layout);
    jPanel16Layout.setHorizontalGroup(

```

```

jPanel16Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)

```

```

    .addGroup(jPanel16Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel124,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)

```



```

        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel16Layout.setVerticalGroup(

jPanel16Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel16Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel124,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addContainerGap())
    );

    javax.swing.GroupLayout jPanel8Layout = new
javax.swing.GroupLayout(jPanel8);
    jPanel8.setLayout(jPanel8Layout);
    jPanel8Layout.setHorizontalGroup(

jPanel8Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel8Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel116,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel8Layout.setVerticalGroup(

jPanel8Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel8Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel116,
javax.swing.GroupLayout.DEFAULT_SIZE,

```

```

javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    .addContainerGap())
    );

jPanel19.setBackground(new java.awt.Color(255, 204, 51));

jPanel17.setBackground(new java.awt.Color(0, 0, 0));

jPanel26.setBackground(new java.awt.Color(255, 255, 255));

jLabel27.setText("R395.00");

jLabel18.setText("Amount");

jLabel15.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/MEALS
IMAGES/17.jpg"))); // NOI18N

jLabel21.setText("Spaghetti");

jCheckBox7.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jCheckBox7ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel26Layout = new
javax.swing.GroupLayout(jPanel26);
jPanel26.setLayout(jPanel26Layout);
jPanel26Layout.setHorizontalGroup(

jPanel26Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(jPanel26Layout.createSequentialGroup()
        .addGroup(jPanel26Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
            .addGroup(jPanel26Layout.createSequentialGroup()
                .addGroup(jPanel26Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
                    .addGroup(jPanel26Layout.createSequentialGroup()
                        .addGroup(jPanel26Layout.createParallelGroup(
javax.swing.GroupLayout.Alignment.TRAILING,
jPanel26Layout.createSequentialGroup()

```

```

        .addGap(0, 0, Short.MAX_VALUE)
        .addComponent(jLabel121)
        .addGap(40, 40, 40))
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel26Layout.createSequentialGroup())
        .addComponent(jLabel27)
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addComponent(jLabel18)
        .addContainerGap())
    .addGroup(jPanel26Layout.createSequentialGroup())
        .addGroup(jPanel26Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.LEADING)
            .addComponent(jLabel115)
            .addGroup(jPanel26Layout.createSequentialGroup
())
                .addComponent(jSpinner7,
javax.swing.GroupLayout.PREFERRED_SIZE, 45,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(18, 18, 18)
                .addComponent(jCheckBox7)))
            .addGap(0, 0, Short.MAX_VALUE))))
    );
jPanel26Layout.setVerticalGroup(

jPanel26Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel26Layout.createSequentialGroup())
        .addContainerGap()
        .addComponent(jLabel121)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
        .addComponent(jLabel115,
javax.swing.GroupLayout.PREFERRED_SIZE, 64,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)

```

```

        .addGroup(jPanel26Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
            .addComponent(jLabel18)
            .addComponent(jLabel27))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED, 14, Short.MAX_VALUE)
        .addGroup(jPanel26Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
            .addComponent(jSpinner7,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addComponent(jCheckBox7,
javax.swing.GroupLayout.Alignment.TRAILING))
        .addContainerGap())
    );

```

```

    javax.swing.GroupLayout jPanel17Layout = new
javax.swing.GroupLayout(jPanel17);
    jPanel17.setLayout(jPanel17Layout);
    jPanel17Layout.setHorizontalGroup(

```

```

jPanel17Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel17Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel26,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addContainerGap())
    );
    jPanel17Layout.setVerticalGroup(

```

```

jPanel17Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel17Layout.createSequentialGroup()
            .addContainerGap()

```

```

        .addComponent(jPanel126,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap())
    );

    javax.swing.GroupLayout jPanel9Layout = new
javax.swing.GroupLayout(jPanel9);
    jPanel9.setLayout(jPanel9Layout);
    jPanel9Layout.setHorizontalGroup(

jPanel9Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel9Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel117,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addContainerGap())
        );
    jPanel9Layout.setVerticalGroup(

jPanel9Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel9Layout.createSequentialGroup()
            .addGroup(jPanel9Layout.createParallelGroup()
                .addContainerGap()
                .addComponent(jPanel117,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
            );

    jPanel128.setBackground(new java.awt.Color(204, 204, 204));

    jLabel41.setFont(new java.awt.Font("Tahoma", 0, 14)); // NOI18N
    jLabel41.setText("DETAILS OF PAYMENT");

```

```

        jTextArea1.setColumns(20);
        jTextArea1.setFont(new java.awt.Font("Courier New", 0, 12)); //
NOI18N
        jTextArea1.setRows(5);
        jScrollPane1.setViewportView(jTextArea1);

        javax.swing.GroupLayout jPanel28Layout = new
javax.swing.GroupLayout(jPanel28);
        jPanel28.setLayout(jPanel28Layout);
        jPanel28Layout.setHorizontalGroup(

jPanel28Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
            .addGroup(jPanel28Layout.createSequentialGroup())
                .addGroup(jPanel28Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
                    .addGroup(jPanel28Layout.createSequentialGroup())
                        .addGap(42, 42, 42)
                        .addComponent(jLabel141,
javax.swing.GroupLayout.DEFAULT_SIZE, 295, Short.MAX_VALUE))
                    .addGroup(jPanel28Layout.createSequentialGroup())
                        .addContainerGap()
                        .addComponent(jScrollPane1)))
                .addContainerGap())
        );
        jPanel28Layout.setVerticalGroup(

jPanel28Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
            .addGroup(jPanel28Layout.createSequentialGroup())
                .addGap(19, 19, 19)
                .addComponent(jLabel141,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                .addGap(18, 18, 18)
                .addComponent(jScrollPane1,
javax.swing.GroupLayout.PREFERRED_SIZE, 323,
javax.swing.GroupLayout.PREFERRED_SIZE)

```

```

        .addGap(24, 24, 24))
    );

    jPanel17.setBackground(new java.awt.Color(255, 204, 51));

    jPanel15.setBackground(new java.awt.Color(0, 0, 0));

    jPanel23.setBackground(new java.awt.Color(255, 255, 255));

    jLabel13.setIcon(new
    javax.swing.ImageIcon(getClass().getResource("/MEALS
    IMAGES/13.jpg"))); // NOI18N

    jLabel15.setText("PIZZA");

    jLabel25.setText("R345.00");

    jLabel33.setText("Amount");

    jCheckBox4.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jCheckBox4ActionPerformed(evt);
        }
    });

    javax.swing.GroupLayout jPanel23Layout = new
    javax.swing.GroupLayout(jPanel23);
    jPanel23.setLayout(jPanel23Layout);
    jPanel23Layout.setHorizontalGroup(

    jPanel23Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
    EADING)
        .addGroup(jPanel23Layout.createSequentialGroup()
            .addGroup(jPanel23Layout.createParallelGroup(javax.swing.G
    roupLayout.Alignment.LEADING)
                .addComponent(jLabel15)
                .addGroup(jPanel23Layout.createSequentialGroup()
                    .addComponent(jLabel25)

```

```

        .addGap(18, 18, 18)
        .addComponent(jLabel133))
    .addComponent(jLabel113)
    .addGroup(jPanel123Layout.createSequentialGroup()
        .addComponent(jSpinner3,
javax.swing.GroupLayout.PREFERRED_SIZE, 51,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
        .addComponent(jCheckBox4)))
    .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
);
jPanel123Layout.setVerticalGroup(

jPanel123Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel123Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jLabel15)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
        .addComponent(jLabel113)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addGroup(jPanel123Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.BASELINE)
            .addComponent(jLabel125)
            .addComponent(jLabel133))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
        .addGroup(jPanel123Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
            .addComponent(jSpinner3,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addComponent(jCheckBox4))

```



```

        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

    javax.swing.GroupLayout jPanel15Layout = new
javax.swing.GroupLayout(jPanel15);
    jPanel15.setLayout(jPanel15Layout);
    jPanel15Layout.setHorizontalGroup(

jPanel15Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel15Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel123,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
    jPanel15Layout.setVerticalGroup(

jPanel15Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel15Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel123,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );

    javax.swing.GroupLayout jPanel17Layout = new
javax.swing.GroupLayout(jPanel17);
    jPanel17.setLayout(jPanel17Layout);
    jPanel17Layout.setHorizontalGroup(

```

```
jPanel17Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(jPanel17Layout.createSequentialGroup()  
        .addContainerGap()  
        .addComponent(jPanel115,  
            javax.swing.GroupLayout.PREFERRED_SIZE,  
            javax.swing.GroupLayout.DEFAULT_SIZE,  
            javax.swing.GroupLayout.PREFERRED_SIZE)  
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,  
            Short.MAX_VALUE))  
    );  
jPanel17Layout.setVerticalGroup(
```

```
jPanel17Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(jPanel17Layout.createSequentialGroup()  
        .addContainerGap()  
        .addComponent(jPanel115,  
            javax.swing.GroupLayout.PREFERRED_SIZE,  
            javax.swing.GroupLayout.DEFAULT_SIZE,  
            javax.swing.GroupLayout.PREFERRED_SIZE)  
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,  
            Short.MAX_VALUE))  
    );
```

```
jPanel11.setBackground(new java.awt.Color(255, 204, 51));
```

```
jPanel19.setBackground(new java.awt.Color(0, 0, 0));
```

```
jPanel27.setBackground(new java.awt.Color(255, 255, 255));
```

```
jLabel14.setIcon(new  
    javax.swing.ImageIcon(getClass().getResource("/MEALS  
    IMAGES/14.jpg"))); // NOI18N
```

```
jLabel6.setText("FISH AND CHIPS");
```

```
jLabel28.setText("R165.00");
```

```
jLabel137.setText("Amount");

jCheckBox5.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jCheckBox5ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel27Layout = new
javax.swing.GroupLayout(jPanel27);
jPanel27.setLayout(jPanel27Layout);
jPanel27Layout.setHorizontalGroup(
jPanel27Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel27Layout.createSequentialGroup()
        .add(jPanel27Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .add(jPanel27Layout.createSequentialGroup()
                .add(jLabel6)
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
                .add(jSpinner4)
                .addContainerGap())
            .add(jLabel14))
        .addContainerGap(11, Short.MAX_VALUE))
    .addGroup(jPanel27Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
        .add(jPanel27Layout.createSequentialGroup()
            .add(jLabel13)
            .addContainerGap())
        .add(jPanel27Layout.createSequentialGroup()
            .add(jLabel137)
            .addContainerGap()))
    .addGroup(jPanel27Layout.createSequentialGroup()
        .add(jLabel138)
        .addContainerGap()));
```

```

javax.swing.GroupLayout.PREFERRED_SIZE)
                .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.UNRELATED)
                .addComponent(jCheckBox5))
            .addGroup(jPanel27Layout.createSequentialGroup
())
                .addComponent(jLabel28)
                .addGap(18, 18, 18)
                .addComponent(jLabel37))))))
        .addContainerGap())
    );
    jPanel27Layout.setVerticalGroup(

jPanel27Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel27Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jLabel16)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
            .addComponent(jLabel14,
javax.swing.GroupLayout.PREFERRED_SIZE, 65,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
            .addGroup(jPanel27Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
                .addComponent(jLabel37)
                .addComponent(jLabel28,
javax.swing.GroupLayout.Alignment.TRAILING))
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
            .addGroup(jPanel27Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
                .addComponent(jSpinner4,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)

```

```

        .addComponent(jCheckBox5))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

    javax.swing.GroupLayout jPanel19Layout = new
javax.swing.GroupLayout(jPanel19);
    jPanel19.setLayout(jPanel19Layout);
    jPanel19Layout.setHorizontalGroup(

jPanel19Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel19Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel127,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
    jPanel19Layout.setVerticalGroup(

jPanel19Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel19Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel127,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );

    javax.swing.GroupLayout jPanel11Layout = new
javax.swing.GroupLayout(jPanel11);
    jPanel11.setLayout(jPanel11Layout);
    jPanel11Layout.setHorizontalGroup(

```

```

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel11Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel19,
            javax.swing.GroupLayout.PREFERRED_SIZE,
            javax.swing.GroupLayout.DEFAULT_SIZE,
            javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
            Short.MAX_VALUE))
    );
jPanel11Layout.setVerticalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel11Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel19,
            javax.swing.GroupLayout.PREFERRED_SIZE,
            javax.swing.GroupLayout.DEFAULT_SIZE,
            javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
            Short.MAX_VALUE))
    );

jPanel29.setBackground(new java.awt.Color(255, 204, 51));

jPanel10.setBackground(new java.awt.Color(0, 0, 0));

jPanel18.setBackground(new java.awt.Color(255, 255, 255));

jLabel29.setText("R295.00");

jLabel7.setText("Avocado Toast");

jLabel16.setIcon(new
    javax.swing.ImageIcon(getClass().getResource("/MEALS
    IMAGES/16.jpg"))); // NOI18N

```

```

jLabel17.setText("Amount");

jCheckBox8.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jCheckBox8ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel18Layout = new
javax.swing.GroupLayout(jPanel18);
jPanel18.setLayout(jPanel18Layout);
jPanel18Layout.setHorizontalGroup(

jPanel18Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel18Layout.createSequentialGroup()
        .addGroup(jPanel18Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel18Layout.createSequentialGroup()
                .addGroup(jPanel18Layout.createSequentialGroup()
                    .addGroup(jPanel18Layout.createSequentialGroup()
                        .addContainerGap()
                        .addComponent(jLabel29)
                        .addGap(18, 18, 18)
                        .addComponent(jLabel17))
                    .addGroup(jPanel18Layout.createSequentialGroup()
                        .addContainerGap()
                        .addComponent(jLabel16))
                    .addGroup(jPanel18Layout.createSequentialGroup()
                        .addGap(26, 26, 26)
                        .addComponent(jLabel17))
                    .addGroup(jPanel18Layout.createSequentialGroup()
                        .addContainerGap()
                        .addComponent(jSpinner6,
javax.swing.GroupLayout.PREFERRED_SIZE, 45,
javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addGap(18, 18, 18)
                        .addComponent(jCheckBox8)))
                .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))

```

```

    );
    jPanel18Layout.setVerticalGroup(

jPanel18Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel18Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jLabel17)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
            .addComponent(jLabel16,
javax.swing.GroupLayout.PREFERRED_SIZE, 55,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
            .addGroup(jPanel18Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
                .addComponent(jLabel129)
                .addComponent(jLabel117))
            .addGap(18, 18, 18)
            .addGroup(jPanel18Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
                .addComponent(jSpinner6,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addComponent(jCheckBox8))
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

    javax.swing.GroupLayout jPanel10Layout = new
    javax.swing.GroupLayout(jPanel10);
    jPanel10.setLayout(jPanel10Layout);
    jPanel10Layout.setHorizontalGroup(

jPanel10Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

```



```

        .addGroup(jPanel10Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel18,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel10Layout.setVerticalGroup(

jPanel10Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel10Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel18,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addContainerGap())
    );

    javax.swing.GroupLayout jPanel29Layout = new
javax.swing.GroupLayout(jPanel29);
    jPanel29.setLayout(jPanel29Layout);
    jPanel29Layout.setHorizontalGroup(

jPanel29Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel29Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel10,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel29Layout.setVerticalGroup(

```

```

jPanel29Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel29Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel10,
            javax.swing.GroupLayout.DEFAULT_SIZE,
            javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap())
    );

    javax.swing.GroupLayout jPanel11Layout = new
    javax.swing.GroupLayout(jPanel11);
    jPanel11.setLayout(jPanel11Layout);
    jPanel11Layout.setHorizontalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel11Layout.createSequentialGroup()
        .addContainerGap()
        .addGroup(jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addComponent(jPanel18,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addComponent(jPanel14,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
        .addGroup(jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
            .addComponent(jPanel15,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addComponent(jPanel19,
                javax.swing.GroupLayout.DEFAULT_SIZE,

```

```

javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING, false)
            .addComponent(jPanel29,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jPanel7,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addGap(18, 18, 18)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING, false)
            .addComponent(jPanel6,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jPanel11,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addGap(20, 20, 20)
        .addComponent(jPanel28,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap())
        .addComponent(jPanel2, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jPanel3, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );
    jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel1Layout.createSequentialGroup())
            .addComponent(jPanel2,
javax.swing.GroupLayout.PREFERRED_SIZE, 39,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(18, 18, 18)

```

```

        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
            .addGroup(jPanel1Layout.createSequentialGroup())
                .addGroup(jPanel1Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.TRAILING, false)
                    .addComponent(jPanel11,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                        .addComponent(jPanel7,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.PREFERRED_SIZE, 0, Short.MAX_VALUE)
                            .addComponent(jPanel4,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                                .addComponent(jPanel5,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
                                    .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
                                        .addGroup(jPanel1Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING, false)
                                            .addComponent(jPanel6,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                                                .addComponent(jPanel8,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                                                    .addComponent(jPanel9,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                                                        .addComponent(jPanel29,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)))
                                                            .addComponent(jPanel28,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
                                                                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen

```

```

t.UNRELATED)
        .addComponent(jPanel13,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
    );

    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
layout.createSequentialGroup())
            .addComponent(jPanel11,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(0, 0, Short.MAX_VALUE))
        );
    layout.setVerticalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel11,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );

    pack();
    setLocationRelativeTo(null);
} // </editor-fold>

private void jButton21ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    jPanel11.setBackground(Color.gray);
    jPanel12.setBackground(Color.gray);
    jPanel13.setBackground(Color.gray);

```

```

        jPanel14.setBackground(Color.gray);
        jPanel16.setBackground(Color.gray);
        jPanel17.setBackground(Color.gray);
        jPanel18.setBackground(Color.gray);
    }

    private void jButton22ActionPerformed(java.awt.event.ActionEvent evt)
    {
        // TODO add your handling code here:
        jPanel11.setBackground(Color.white);
        jPanel12.setBackground(Color.black);
        jPanel13.setBackground(Color.black);
        jPanel14.setBackground(Color.black);
        jPanel16.setBackground(Color.black);
        jPanel17.setBackground(Color.black);
        jPanel18.setBackground(Color.black);
    }

    private void jButton10ActionPerformed(java.awt.event.ActionEvent evt)
    {
        // TODO add your handling code here:
        new NAVIGATION ().setVisible(true);
        dispose();
    }

    private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
        Clear();
    }

    private void jButton5ActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        Gusto();
        if(total==0.0){
            JOptionPane.showMessageDialog(null,"You have made a positive
choice");
        }
        else{
            JTextArea1.setText(JTextArea1.getText()+"");
        }
    }

```

```

    }
}
int xx, xy;
private void jCheckBox1ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty1=Integer.parseInt(jSpinner1.getValue().toString());
    if(qtyIsZero(qty1)&&jCheckBox1.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
        double price1=qty1*170.0;
        total+=price1;
        jTextArea1.setText(jTextArea1.getText()+x+".
"+jLabel2.getText()+"\t\t\t\t\t"+price1+"\n");
    }else{
        jCheckBox1.setSelected(false);
    }
}

private void jCheckBox2ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty=Integer.parseInt(jSpinner2.getValue().toString());
    if(qtyIsZero(qty)&&jCheckBox2.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
        double price8=qty*245.0;
        total+=price8;
        jTextArea1.setText(jTextArea1.getText()+x+".
"+jLabel3.getText()+"\t\t\t\t\t"+price8+"\n");
    }else{
        jCheckBox2.setSelected(false);
    }
}
}

```

```

private void jCheckBox4ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty8=Integer.parseInt(jSpinner3.getValue().toString());
    if(qtyIsZero(qty8)&&jCheckBox4.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
        double price8=qty8*345.0;
        total+=price8;
        jTextArea1.setText(jTextArea1.getText()+x+".
"+jLabel15.getText()+"\t\t\t\t\t"+price8+"\n");
    }else{
        jCheckBox4.setSelected(false);
    }
}

```

```

private void jCheckBox5ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty=Integer.parseInt(jSpinner4.getValue().toString());
    if(qtyIsZero(qty)&&jCheckBox5.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
        double price8=qty*165.0;
        total+=price8;
        jTextArea1.setText(jTextArea1.getText()+x+".
"+jLabel16.getText()+"\t\t\t\t\t"+price8+"\n");
    }else{
        jCheckBox5.setSelected(false);
    }
}

```

```

private void jCheckBox6ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:

```



```

int qty=Integer.parseInt(jSpinner8.getValue().toString());
if(qtyIsZero(qty)&&jCheckBox6.isSelected()){
    x++;
    if(x==0){
        Gusto();
    }
    double price8=qty*345.0;
    total+=price8;
    jTextArea1.setText(jTextArea1.getText()+x+".
"+jLabel9.getText()+"\t\t\t\t\t"+price8+"\n");
}else{
    jCheckBox6.setSelected(false);
}
}

private void jCheckBox7ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty=Integer.parseInt(jSpinner7.getValue().toString());
    if(qtyIsZero(qty)&&jCheckBox7.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
        double price8=qty*395.0;
        total+=price8;
        jTextArea1.setText(jTextArea1.getText()+x+".
"+jLabel21.getText()+"\t\t\t\t\t"+price8+"\n");
    }else{
        jCheckBox7.setSelected(false);
    }
}

private void jCheckBox8ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty8=Integer.parseInt(jSpinner6.getValue().toString());
    if(qtyIsZero(qty8)&&jCheckBox8.isSelected()){
        x++;

```

```

        if(x==0){
            Gusto();
        }
        double price8=qty8*295.0;
        total+=price8;
        jTextArea1.setText(jTextArea1.getText()+x+"
"+jLabel7.getText()+"\t\t\t\t"+price8+"\n");
    }else{
        jCheckBox8.setSelected(false);
    }
}

private void jCheckBox9ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty=Integer.parseInt(jSpinner5.getValue().toString());
    if(qtyIsZero(qty)&&jCheckBox9.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
        double price8=qty*185.0;
        total+=price8;
        jTextArea1.setText(jTextArea1.getText()+x+"
"+jLabel4.getText()+"\t\t\t\t\t"+price8+"\n");
    }else{
        jCheckBox9.setSelected(false);
    }
}

private void jButton2ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    int qty = Integer.parseInt(jSpinner1.getValue().toString());
    int qty2 = Integer.parseInt(jSpinner2.getValue().toString());
    int qty3 = Integer.parseInt(jSpinner5.getValue().toString());
    int qty4 = Integer.parseInt(jSpinner3.getValue().toString());
    int qty5 = Integer.parseInt(jSpinner4.getValue().toString());
    int qty6 = Integer.parseInt(jSpinner6.getValue().toString());
    int qty7 = Integer.parseInt(jSpinner7.getValue().toString());

```

```

int qty8 = Integer.parseInt(jSpinner8.getValue().toString());

double price = qty * 130;
double price2 = qty2 * 170.00;
double price3 = qty3 * 165.00;
double price4 = qty4 * 110.00;
double price5 = qty5 * 120.00;
double price6 = qty6 * 175.00;
double price7 = qty7 * 170.00;
double price8 = qty8 * 180.00;
double credit=40;
double tax=160;
double
Subtotal=price+price2+price3+price4+price5+price6+price7+price8;
double CreditTotal=Subtotal+credit+tax;
double Total=Subtotal+tax;
double OrderNumber=2505+Subtotal;
if(total==0.0){
    JOptionPane.showMessageDialog(null, "You havent chosen
anything");
}else{
    JTextArea1.setText(JTextArea1.getText()+

"\n*****\n"+
        "THANK YOU\n"+"CREDIT:
\t\t\t\t\tR"+credit+"\nTAX: \t\t\t\t\tR"+tax+
        "\nSUBTOTAL: \t\t\t\t\tR"+Subtotal+"\nTOTAL:
\t\t\t\t\tR"+Total+
        "\nCREDIT TOTAL:
\t\t\t\t\tR"+CreditTotal+

"\n*****\n"+
        "ORDER NUMBER: \t\t\t\t\t"+OrderNumber+

"\n*****\n"+
        "NOTE:For more information please head to our
staff or Manager.\n"+
        "We do not store food for more than 5 hours for
health reasons,\n"+

```

```

        "If we do so you are permitted to get 2 free
meals.\n"+

"\n*****\n"+
        "Or Email us at GUSTOGROVEANDDINE@GMAIL.COM");
    }
}

private void jButton3ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    if(total!=0){
        try {
            // TODO add your handling code here:
            jTextArea1.print();
        } catch (PrinterException ex) {
            Logger.getLogger(BBreakfast.class.getName()).log(Level.SEVERE,
null, ex);
        }
    }
    else{
        JOptionPane.showMessageDialog(null,"Please increase the item
qauntity");
    }
}

public void Gusto(){
    int qty = Integer.parseInt(jSpinner1.getValue().toString());
    int qty2 = Integer.parseInt(jSpinner2.getValue().toString());
    int qty3 = Integer.parseInt(jSpinner5.getValue().toString());
    int qty4 = Integer.parseInt(jSpinner3.getValue().toString());
    int qty5 = Integer.parseInt(jSpinner4.getValue().toString());
    int qty6 = Integer.parseInt(jSpinner6.getValue().toString());
    int qty7 = Integer.parseInt(jSpinner7.getValue().toString());
    int qty8 = Integer.parseInt(jSpinner8.getValue().toString());

    double price = qty * 170;
    double price2 = qty2 * 245.00;
    double price3 = qty3 * 345.00;
    double price4 = qty4 * 165.00;
    double price5 = qty5 * 345.00;

```

```

        double price6 = qty6 * 395.00;
        double price7 = qty7 * 295.00;
        double price8 = qty8 * 185.00;
        double credit=40;
        double tax=160;
        double
Subtotal=price+price2+price3+price4+price5+price6+price7+price8;
        double CreditTotal=Subtotal+credit+tax;
        double Total=Subtotal+tax;
        double OrderNumber=2505+Subtotal;

        if(qtyIsZero(qty)){
            x++;
            if(x==1){
                Gusto();
            }
        }else{
            jButton1.setSelected(false);
        }

jTextArea1.setText("*****WELCOME*****
*****\n"+

"*****TO*****\n"+
                "*****Gusto Grove &
Dine*****\n"
                +"Time: " +Time.getText()+"\t\t\tDate:
"+Date.getText()+"\n"
                +
"*****\n"
                +"Item Name:\t\t\t\t\t"+"Price(R)\n");

}

public void setTime(){
    new Thread(new Runnable(){
        @Override
        public void run(){

```

```

        while(true){
            try{
                Thread.sleep(1000);
            }catch(InterruptedException ex){

Logger.getLogger(MEAL.class.getName()).log(Level.SEVERE, null, ex);
            }
            Date date =new Date();
            SimpleDateFormat tf= new SimpleDateFormat("h:mm:ss
aa");
            SimpleDateFormat df= new SimpleDateFormat("EEEE, dd-
MM-yyyy");
            String time =tf.format(date);
            Time.setText(time.split(" ")[0]+" "+time.split(" ")[1]);
            Date.setText(df.format(date));
        }
    }
}).start();
}
/**
 * @param args the command line arguments
 */
public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //<editor-fold defaultstate="collapsed" desc=" Look and feel
setting code (optional) ">
    /* If Nimbus (introduced in Java SE 6) is not available, stay with
the default look and feel.
    * For details see
http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.ht
ml
    */
    try {
        for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Nimbus".equals(info.getName())) {

javax.swing.UIManager.setLookAndFeel(info.getClassName());
                break;

```

```

        }
    }
    } catch (ClassNotFoundException ex) {

java.util.logging.Logger.getLogger(MEAL.class.getName()).log(java.util
.logging.Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {

java.util.logging.Logger.getLogger(MEAL.class.getName()).log(java.util
.logging.Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {

java.util.logging.Logger.getLogger(MEAL.class.getName()).log(java.util
.logging.Level.SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {

java.util.logging.Logger.getLogger(MEAL.class.getName()).log(java.util
.logging.Level.SEVERE, null, ex);
    }
    //</editor-fold>
    //</editor-fold>

    /* Create and display the form */
    java.awt.EventQueue.invokeLater(new Runnable() {
        public void run() {
            new MEAL().setVisible(true);
        }
    });
}

// Variables declaration - do not modify
private javax.swing.JLabel Date;
private javax.swing.JLabel Time;
private javax.swing.JButton jButton1;
private javax.swing.JButton jButton10;
private javax.swing.JButton jButton2;
private javax.swing.JButton jButton21;
private javax.swing.JButton jButton22;
private javax.swing.JButton jButton3;

```

```
private javax.swing.JButton jButton5;
private javax.swing.JCheckBox jCheckBox1;
private javax.swing.JCheckBox jCheckBox2;
private javax.swing.JCheckBox jCheckBox3;
private javax.swing.JCheckBox jCheckBox4;
private javax.swing.JCheckBox jCheckBox5;
private javax.swing.JCheckBox jCheckBox6;
private javax.swing.JCheckBox jCheckBox7;
private javax.swing.JCheckBox jCheckBox8;
private javax.swing.JCheckBox jCheckBox9;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel10;
private javax.swing.JLabel jLabel11;
private javax.swing.JLabel jLabel12;
private javax.swing.JLabel jLabel13;
private javax.swing.JLabel jLabel14;
private javax.swing.JLabel jLabel15;
private javax.swing.JLabel jLabel16;
private javax.swing.JLabel jLabel17;
private javax.swing.JLabel jLabel18;
private javax.swing.JLabel jLabel19;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel20;
private javax.swing.JLabel jLabel21;
private javax.swing.JLabel jLabel22;
private javax.swing.JLabel jLabel23;
private javax.swing.JLabel jLabel24;
private javax.swing.JLabel jLabel25;
private javax.swing.JLabel jLabel26;
private javax.swing.JLabel jLabel27;
private javax.swing.JLabel jLabel28;
private javax.swing.JLabel jLabel29;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel30;
private javax.swing.JLabel jLabel31;
private javax.swing.JLabel jLabel32;
private javax.swing.JLabel jLabel33;
private javax.swing.JLabel jLabel34;
private javax.swing.JLabel jLabel37;
```



```
private javax.swing.JLabel jLabel4;  
private javax.swing.JLabel jLabel41;  
private javax.swing.JLabel jLabel42;  
private javax.swing.JLabel jLabel43;  
private javax.swing.JLabel jLabel49;  
private javax.swing.JLabel jLabel5;  
private javax.swing.JLabel jLabel6;  
private javax.swing.JLabel jLabel7;  
private javax.swing.JLabel jLabel8;  
private javax.swing.JLabel jLabel9;  
private javax.swing.JPanel jPanel1;  
private javax.swing.JPanel jPanel10;  
private javax.swing.JPanel jPanel11;  
private javax.swing.JPanel jPanel12;  
private javax.swing.JPanel jPanel13;  
private javax.swing.JPanel jPanel14;  
private javax.swing.JPanel jPanel15;  
private javax.swing.JPanel jPanel16;  
private javax.swing.JPanel jPanel17;  
private javax.swing.JPanel jPanel18;  
private javax.swing.JPanel jPanel19;  
private javax.swing.JPanel jPanel2;  
private javax.swing.JPanel jPanel20;  
private javax.swing.JPanel jPanel21;  
private javax.swing.JPanel jPanel22;  
private javax.swing.JPanel jPanel23;  
private javax.swing.JPanel jPanel24;  
private javax.swing.JPanel jPanel26;  
private javax.swing.JPanel jPanel27;  
private javax.swing.JPanel jPanel28;  
private javax.swing.JPanel jPanel29;  
private javax.swing.JPanel jPanel3;  
private javax.swing.JPanel jPanel4;  
private javax.swing.JPanel jPanel5;  
private javax.swing.JPanel jPanel6;  
private javax.swing.JPanel jPanel7;  
private javax.swing.JPanel jPanel8;  
private javax.swing.JPanel jPanel9;  
private javax.swing.JScrollPane jScrollPane1;
```

```

private javax.swing.JSpinner jSpinner1;
private javax.swing.JSpinner jSpinner2;
private javax.swing.JSpinner jSpinner3;
private javax.swing.JSpinner jSpinner4;
private javax.swing.JSpinner jSpinner5;
private javax.swing.JSpinner jSpinner6;
private javax.swing.JSpinner jSpinner7;
private javax.swing.JSpinner jSpinner8;
private javax.swing.JTextArea jTextArea1;
// End of variables declaration

}

```

THE DRINKS MENU

```
/*
```

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

```
*/ package javaapplication7;
```

```
import java.awt.Color; import java.awt.print.PrinterException; import
javax.swing.JOptionPane; import java.util.Date; import java.text.SimpleDateFormat;
import java.util.logging.Level; import java.util.logging.Logger;
```

```
/** *
```

- @author Douglas

```

/ public class DRINKS extends javax.swing.JFrame { private double total=0.0; private int
x=0; /* * Creates new form Spring */ public DRINKS() { initComponents(); init(); } public void
init(){ setTime(); }

```

```

public boolean qtyIsZero(int qty){
    if (Integer.parseInt(jSpinner1.getValue().toString())==0){
        JOptionPane.showMessageDialog(null, "You can order more
items");
        return false;
    }
}

```

```

    }
    return true;
}
public void Clear(){
    jSpinner1.setValue(0);
    jSpinner2.setValue(0);
    jSpinner3.setValue(0);
    jSpinner5.setValue(0);
    jSpinner6.setValue(0);
    jSpinner7.setValue(0);
    jTextArea1.setText("");
    jButton1.setSelected(false);

}

```

```

/**
 * This method is called from within the constructor to initialize the
 form.
 * WARNING: Do NOT modify this code. The content of this method is
 always
 * regenerated by the Form Editor.
 */
@SuppressWarnings("unchecked")
// <editor-fold defaultstate="collapsed" desc="Generated Code">
private void initComponents() {

```

```

    jPanel1 = new javax.swing.JPanel();
    jPanel2 = new javax.swing.JPanel();
    jLabel1 = new javax.swing.JLabel();
    jLabel18 = new javax.swing.JLabel();
    jButton21 = new javax.swing.JButton();
    jButton22 = new javax.swing.JButton();
    Time = new javax.swing.JLabel();
    Date = new javax.swing.JLabel();
    jPanel3 = new javax.swing.JPanel();
    jButton10 = new javax.swing.JButton();
    jLabel19 = new javax.swing.JLabel();
    jLabel20 = new javax.swing.JLabel();

```

```
jButton1 = new javax.swing.JButton();
jButton5 = new javax.swing.JButton();
jButton2 = new javax.swing.JButton();
jButton3 = new javax.swing.JButton();
jPanel4 = new javax.swing.JPanel();
jPanel12 = new javax.swing.JPanel();
jPanel20 = new javax.swing.JPanel();
jLabel2 = new javax.swing.JLabel();
jLabel10 = new javax.swing.JLabel();
jSpinner1 = new javax.swing.JSpinner();
jLabel22 = new javax.swing.JLabel();
jLabel30 = new javax.swing.JLabel();
jLabel42 = new javax.swing.JLabel();
jCheckBox1 = new javax.swing.JCheckBox();
jPanel5 = new javax.swing.JPanel();
jPanel13 = new javax.swing.JPanel();
jPanel21 = new javax.swing.JPanel();
jLabel3 = new javax.swing.JLabel();
jLabel11 = new javax.swing.JLabel();
jSpinner2 = new javax.swing.JSpinner();
jLabel23 = new javax.swing.JLabel();
jLabel31 = new javax.swing.JLabel();
jLabel43 = new javax.swing.JLabel();
jCheckBox2 = new javax.swing.JCheckBox();
jPanel6 = new javax.swing.JPanel();
jPanel14 = new javax.swing.JPanel();
jPanel22 = new javax.swing.JPanel();
jLabel12 = new javax.swing.JLabel();
jLabel4 = new javax.swing.JLabel();
jLabel24 = new javax.swing.JLabel();
jLabel32 = new javax.swing.JLabel();
jSpinner8 = new javax.swing.JSpinner();
jCheckBox8 = new javax.swing.JCheckBox();
jPanel8 = new javax.swing.JPanel();
jPanel16 = new javax.swing.JPanel();
jPanel24 = new javax.swing.JPanel();
jLabel9 = new javax.swing.JLabel();
jLabel26 = new javax.swing.JLabel();
jLabel34 = new javax.swing.JLabel();
```

```
jLabel49 = new javax.swing.JLabel();
jSpinner5 = new javax.swing.JSpinner();
jCheckBox5 = new javax.swing.JCheckBox();
jPanel19 = new javax.swing.JPanel();
jPanel17 = new javax.swing.JPanel();
jPanel25 = new javax.swing.JPanel();
jLabel18 = new javax.swing.JLabel();
jLabel15 = new javax.swing.JLabel();
jLabel27 = new javax.swing.JLabel();
jLabel35 = new javax.swing.JLabel();
jLabel48 = new javax.swing.JLabel();
jSpinner6 = new javax.swing.JSpinner();
jCheckBox6 = new javax.swing.JCheckBox();
jPanel10 = new javax.swing.JPanel();
jPanel18 = new javax.swing.JPanel();
jPanel26 = new javax.swing.JPanel();
jLabel17 = new javax.swing.JLabel();
jLabel16 = new javax.swing.JLabel();
jLabel29 = new javax.swing.JLabel();
jLabel36 = new javax.swing.JLabel();
jLabel47 = new javax.swing.JLabel();
jSpinner7 = new javax.swing.JSpinner();
jCheckBox7 = new javax.swing.JCheckBox();
jPanel28 = new javax.swing.JPanel();
jLabel41 = new javax.swing.JLabel();
jScrollPane1 = new javax.swing.JScrollPane();
jTextArea1 = new javax.swing.JTextArea();
jPanel17 = new javax.swing.JPanel();
jPanel15 = new javax.swing.JPanel();
jPanel23 = new javax.swing.JPanel();
jLabel13 = new javax.swing.JLabel();
jLabel15 = new javax.swing.JLabel();
jLabel25 = new javax.swing.JLabel();
jLabel33 = new javax.swing.JLabel();
jSpinner3 = new javax.swing.JSpinner();
jCheckBox3 = new javax.swing.JCheckBox();
jPanel11 = new javax.swing.JPanel();
jPanel19 = new javax.swing.JPanel();
jPanel27 = new javax.swing.JPanel();
```

```

jLabel14 = new javax.swing.JLabel();
jLabel6 = new javax.swing.JLabel();
jLabel28 = new javax.swing.JLabel();
jLabel37 = new javax.swing.JLabel();
jSpinner4 = new javax.swing.JSpinner();
jCheckBox4 = new javax.swing.JCheckBox();

setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);

jPanel1.setBackground(new java.awt.Color(255, 255, 255));
jPanel1.setBorder(javax.swing.BorderFactory.createLineBorder(new
java.awt.Color(0, 0, 0)));

jPanel2.setBackground(new java.awt.Color(0, 0, 0));

jLabel1.setFont(new java.awt.Font("Courier New", 1, 18)); //
NOI18N
jLabel1.setForeground(new java.awt.Color(255, 255, 255));
jLabel1.setText("GUSTO GROVE AND DINE:");

jLabel18.setFont(new java.awt.Font("Courier New", 2, 24)); //
NOI18N
jLabel18.setForeground(new java.awt.Color(255, 204, 51));
jLabel18.setText("DRINKS");

jButton21.setBackground(new java.awt.Color(255, 204, 51));
jButton21.setFont(new java.awt.Font("Courier New", 1, 14)); //
NOI18N
jButton21.setForeground(new java.awt.Color(255, 255, 255));
jButton21.setText("DARK");
jButton21.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton21ActionPerformed(evt);
    }
});

jButton22.setBackground(new java.awt.Color(255, 204, 51));
jButton22.setFont(new java.awt.Font("Courier New", 1, 14)); //

```

NOI18N

```
        jButton22.setForeground(new java.awt.Color(255, 255, 255));
        jButton22.setText("LIGHT");
        jButton22.addActionListener(new java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent evt) {
                jButton22ActionPerformed(evt);
            }
        });

        Time.setForeground(new java.awt.Color(255, 255, 255));
        Time.setText("11.15");

        Date.setForeground(new java.awt.Color(255, 255, 255));
        Date.setText("Friday 13 October 2025");

        javax.swing.GroupLayout jPanel2Layout = new
        javax.swing.GroupLayout(jPanel2);
        jPanel2.setLayout(jPanel2Layout);
        jPanel2Layout.setHorizontalGroup(

        jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel2Layout.createSequentialGroup()
                .addGap(18, 18, 18)
                .addComponent(jLabel11,
                    javax.swing.GroupLayout.PREFERRED_SIZE, 248,
                    javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(18, 18, 18)
                .addComponent(jLabel18,
                    javax.swing.GroupLayout.PREFERRED_SIZE, 147,
                    javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(18, 18, 18)
                .addComponent(Time,
                    javax.swing.GroupLayout.PREFERRED_SIZE, 55,
                    javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(18, 18, 18)
                .addComponent(Date,
                    javax.swing.GroupLayout.PREFERRED_SIZE, 136,
                    javax.swing.GroupLayout.PREFERRED_SIZE)
```

```

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jButton21,
javax.swing.GroupLayout.PREFERRED_SIZE, 95,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jButton22,
javax.swing.GroupLayout.PREFERRED_SIZE, 92,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(21, 21, 21))
    );
    jPanel2Layout.setVerticalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel2Layout.createSequentialGroup())
            .addGroup(jPanel2Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.TRAILING)
                .addGroup(javax.swing.GroupLayout.Alignment.LEADING,
jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BA
SELINE)
                    .addComponent(jLabel1,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                    .addComponent(jLabel18))
                .addGroup(jPanel2Layout.createSequentialGroup())
                    .addContainerGap(javax.swing.GroupLayout.DEFAULT_S
IZE, Short.MAX_VALUE)
                    .addComponent(Time,
javax.swing.GroupLayout.PREFERRED_SIZE, 19,
javax.swing.GroupLayout.PREFERRED_SIZE)))
            .addGap(75, 75, 75))
        .addGroup(jPanel2Layout.createSequentialGroup()
            .addContainerGap()
            .addGroup(jPanel2Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.BASELINE)
                .addComponent(jButton21)
                .addComponent(jButton22)

```



```

        .addComponent(Date))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

    jPanel13.setBackground(new java.awt.Color(0, 0, 0));
    jPanel13.setForeground(new java.awt.Color(255, 204, 51));

    jButton10.setBackground(new java.awt.Color(255, 204, 0));
    jButton10.setFont(new java.awt.Font("Courier New", 1, 18)); //
NOI18N
    jButton10.setForeground(new java.awt.Color(255, 255, 255));
    jButton10.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/ICONS/b2.png"))); //
NOI18N
    jButton10.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton10ActionPerformed(evt);
        }
    });

    jLabel19.setForeground(new java.awt.Color(255, 255, 255));
    jLabel19.setText("MAXIMUM ORDER :");

    jLabel20.setForeground(new java.awt.Color(255, 204, 51));
    jLabel20.setText("THEY ARE SOLD IN BULK (6BOTTLES OR CANS) PER
ORDER");

    jButton1.setBackground(new java.awt.Color(255, 204, 51));
    jButton1.setText("RESET");
    jButton1.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton1ActionPerformed(evt);
        }
    });

    jButton5.setBackground(new java.awt.Color(255, 204, 51));
    jButton5.setFont(new java.awt.Font("Courier New", 1, 14)); //
NOI18N

```

```

jButton5.setForeground(new java.awt.Color(255, 255, 255));
jButton5.setText("ORDER");
jButton5.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton5ActionPerformed(evt);
    }
});

jButton2.setText("TOTAL");
jButton2.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton2ActionPerformed(evt);
    }
});

jButton3.setText("RECEIPT");
jButton3.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton3ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel3Layout = new
javax.swing.GroupLayout(jPanel3);
jPanel3.setLayout(jPanel3Layout);
jPanel3Layout.setHorizontalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel3Layout.createSequentialGroup()
        .addGap(10, 10, 10)
        .addComponent(jButton10,
javax.swing.GroupLayout.PREFERRED_SIZE, 151,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
        .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel3Layout.createSequentialGroup()
                .addGap(10, 10, 10)
                .addComponent(jLabel19)
            )
        )
    )
);

```

```

        .addGap(18, 18, 18)
        .addComponent(jLabel120,
javax.swing.GroupLayout.PREFERRED_SIZE, 306,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        .addGroup(jPanel3Layout.createSequentialGroup())
        .addGap(27, 27, 27)
        .addComponent(jButton5,
javax.swing.GroupLayout.PREFERRED_SIZE, 188,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jButton2,
javax.swing.GroupLayout.PREFERRED_SIZE, 183,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jButton3,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addGap(17, 17, 17)))
        .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 198,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(39, 39, 39))
    );
    jPanel3Layout.setVerticalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel3Layout.createSequentialGroup())
        .addContainerGap()
        .addGroup(jPanel3Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.TRAILING, false)
        .addComponent(jButton1,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jButton10,
javax.swing.GroupLayout.DEFAULT_SIZE,

```

```

javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addGroup(jPanel13Layout.createSequentialGroup()
            .addGroup(jPanel13Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
                .addComponent(jLabel119)
                .addComponent(jLabel120,
javax.swing.GroupLayout.Alignment.TRAILING))
            .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
            .addGroup(jPanel13Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.BASELINE)
                .addComponent(jButton5)
                .addComponent(jButton2)
                .addComponent(jButton3))))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

```

```

jPanel14.setBackground(new java.awt.Color(255, 204, 0));

```

```

jPanel12.setBackground(new java.awt.Color(0, 0, 0));

```

```

jPanel120.setBackground(new java.awt.Color(255, 255, 255));

```

```

jLabel12.setFont(new java.awt.Font("Tahoma", 0, 9)); // NOI18N
jLabel12.setText("BEER");

```

```

jLabel22.setText("R130.00");

```

```

jLabel30.setText("Amount");

```

```

jLabel42.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/DRINKS/11.jpg"))); //
NOI18N

```

```

jCheckBox1.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jCheckBox1ActionPerformed(evt);
    }
}

```

```

});

    javax.swing.GroupLayout jPanel20Layout = new
javax.swing.GroupLayout(jPanel20);
    jPanel20.setLayout(jPanel20Layout);
    jPanel20Layout.setHorizontalGroup(

jPanel20Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel20Layout.createSequentialGroup()
            .addGroup(jPanel20Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
                .addGroup(jPanel20Layout.createSequentialGroup()
                    .addComponent(jLabel22)
                    .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.UNRELATED)
                    .addComponent(jLabel30))
                .addGroup(jPanel20Layout.createSequentialGroup()
                    .addComponent(jLabel42,
javax.swing.GroupLayout.PREFERRED_SIZE, 77,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addGroup(jPanel20Layout.createSequentialGroup()
                        .addComponent(jSpinner1,
javax.swing.GroupLayout.PREFERRED_SIZE, 48,
javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.UNRELATED)
                        .addComponent(jCheckBox1,
javax.swing.GroupLayout.PREFERRED_SIZE, 22,
javax.swing.GroupLayout.PREFERRED_SIZE)))
                .addGroup(jPanel20Layout.createSequentialGroup()
                    .addGap(48, 48, 48)
                    .addComponent(jLabel10))
                .addComponent(jLabel12))
            .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,

```

```

Short.MAX_VALUE))
    );
    jPanel120Layout.setVerticalGroup(

jPanel120Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(jPanel120Layout.createSequentialGroup())
        .addContainerGap()
        .addComponent(jLabel12,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addGap(18, 18, 18)
        .addGroup(jPanel120Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
            .addComponent(jLabel110,
javax.swing.GroupLayout.PREFERRED_SIZE, 145,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGroup(jPanel120Layout.createSequentialGroup())
                .addComponent(jLabel142,
javax.swing.GroupLayout.PREFERRED_SIZE, 68,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
                .addGroup(jPanel120Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.LEADING)
                    .addComponent(jLabel122)
                    .addComponent(jLabel130))
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
                .addGroup(jPanel120Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.BASELINE)
                    .addComponent(jSpinner1,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addComponent(jCheckBox1))))))
    );

javax.swing.GroupLayout jPanel112Layout = new

```

```

javax.swing.GroupLayout(jPanel12);
    jPanel12.setLayout(jPanel12Layout);
    jPanel12Layout.setHorizontalGroup(

jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel12Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel120,
javax.swing.GroupLayout.PREFERRED_SIZE, 101,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
    jPanel12Layout.setVerticalGroup(

jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel12Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel120,
javax.swing.GroupLayout.PREFERRED_SIZE, 0, Short.MAX_VALUE)
            .addContainerGap())
        );

    javax.swing.GroupLayout jPanel4Layout = new
javax.swing.GroupLayout(jPanel4);
    jPanel4.setLayout(jPanel4Layout);
    jPanel4Layout.setHorizontalGroup(

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel4Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel112,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,

```

```

Short.MAX_VALUE))
    );
    jPanel14Layout.setVerticalGroup(

jPanel14Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel14Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel12,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap())
    );

    jPanel15.setBackground(new java.awt.Color(255, 204, 51));

    jPanel13.setBackground(new java.awt.Color(0, 0, 0));

    jPanel121.setBackground(new java.awt.Color(255, 255, 255));

    jLabel13.setFont(new java.awt.Font("Tahoma", 0, 9)); // NOI18N
    jLabel13.setText("LAEGER");

    jLabel123.setText("R170.00");

    jLabel131.setText("Amount");

    jLabel143.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/DRINKS/12.2.jpg"))); //
NOI18N

    jCheckBox2.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jCheckBox2ActionPerformed(evt);
        }
    });

    javax.swing.GroupLayout jPanel121Layout = new
javax.swing.GroupLayout(jPanel121);

```



```

jPanel21.setLayout(jPanel21Layout);
jPanel21Layout.setHorizontalGroup(

jPanel21Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel21Layout.createSequentialGroup()
        .addContainerGap()
        .addGroup(jPanel21Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel21Layout.createSequentialGroup()
                .addGap(0, 0, Short.MAX_VALUE)
                .addComponent(jLabel11)
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
                .addGroup(jPanel21Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
                    .addGroup(jPanel21Layout.createSequentialGroup()
                        .addGroup(jPanel21Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                            .addComponent(jLabel13)
                            .addGroup(jPanel21Layout.createSequentialGroup()
                                .addComponent(jLabel123)
                                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
                                .addComponent(jLabel131)))
                            .addGap(7, 7, 7))
                        .addGroup(jPanel21Layout.createSequentialGroup()
                            .addComponent(jSpinner2,
                                javax.swing.GroupLayout.PREFERRED_SIZE, 49,
                                javax.swing.GroupLayout.PREFERRED_SIZE)
                                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                                .addComponent(jCheckBox2,
                                    javax.swing.GroupLayout.PREFERRED_SIZE, 22,
                                    javax.swing.GroupLayout.PREFERRED_SIZE)

```

```

        .addContainerGap()))
        .addGroup(jPanel121Layout.createSequentialGroup()
            .addComponent(jLabel143,
                javax.swing.GroupLayout.PREFERRED_SIZE, 0, Short.MAX_VALUE)
            .addGap(11, 11, 11))))
    );
    jPanel121Layout.setVerticalGroup(

jPanel121Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel121Layout.createSequentialGroup()
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
            .addComponent(jLabel13)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
            .addComponent(jLabel143,
                javax.swing.GroupLayout.PREFERRED_SIZE, 70,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
            .addGroup(jPanel121Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
                .addComponent(jLabel131)
                .addComponent(jLabel123))
            .addGroup(jPanel121Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
                .addGroup(jPanel121Layout.createSequentialGroup()
                    .addGap(14, 14, 14)
                    .addComponent(jLabel111,
                        javax.swing.GroupLayout.PREFERRED_SIZE, 137,
                        javax.swing.GroupLayout.PREFERRED_SIZE))
                .addGroup(jPanel121Layout.createSequentialGroup()
                    .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
                    .addGroup(jPanel121Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.LEADING)
                        .addComponent(jCheckBox2)

```

```

        .addComponent(jSpinner2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))))))
    );

    javax.swing.GroupLayout jPanel13Layout = new
javax.swing.GroupLayout(jPanel13);
    jPanel13.setLayout(jPanel13Layout);
    jPanel13Layout.setHorizontalGroup(

jPanel13Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel13Layout.createSequentialGroup()
            .addGap()
            .addComponent(jPanel121,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
    jPanel13Layout.setVerticalGroup(

jPanel13Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel13Layout.createSequentialGroup()
            .addGap()
            .addComponent(jPanel121,
javax.swing.GroupLayout.PREFERRED_SIZE, 0, Short.MAX_VALUE)
            .addGap())
        );

    javax.swing.GroupLayout jPanel15Layout = new
javax.swing.GroupLayout(jPanel15);
    jPanel15.setLayout(jPanel15Layout);
    jPanel15Layout.setHorizontalGroup(

jPanel15Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE

```

```

ADING)
        .addGroup(jPanel15Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel113,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
                Short.MAX_VALUE))
        );
        jPanel15Layout.setVerticalGroup(

jPanel15Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel15Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel113,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addContainerGap())
        );

        jPanel16.setBackground(new java.awt.Color(255, 204, 51));

        jPanel114.setBackground(new java.awt.Color(0, 0, 0));

        jPanel122.setBackground(new java.awt.Color(255, 255, 255));

        jLabel112.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/DRINKS/17.jpg"))); //
NOI18N

        jLabel14.setText("MILK SHAKE");

        jLabel124.setText("R120.00");

        jLabel132.setText("Amount");

        jCheckBox8.addActionListener(new java.awt.event.ActionListener() {

```

```

        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jCheckBox8ActionPerformed(evt);
        }
    });

    javax.swing.GroupLayout jPanel22Layout = new
    javax.swing.GroupLayout(jPanel22);
    jPanel22.setLayout(jPanel22Layout);
    jPanel22Layout.setHorizontalGroup(

jPanel22Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel22Layout.createSequentialGroup()
            .addGroup(jPanel22Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
                .addGroup(jPanel22Layout.createSequentialGroup()
                    .addGroup(javax.swing.GroupLayout.Alignment.LEADIN
G, jPanel22Layout.createSequentialGroup()
                        .addComponent(jSpinner8,
javax.swing.GroupLayout.PREFERRED_SIZE, 43,
javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addPreferredGap(javax.swing.LayoutStyle.Compo
nentPlacement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
                        .addComponent(jCheckBox8))
                    .addGroup(javax.swing.GroupLayout.Alignment.LEADIN
G, jPanel22Layout.createSequentialGroup()
                        .addGap(8, 8, 8)
                        .addComponent(jLabel24)
                        .addPreferredGap(javax.swing.LayoutStyle.Compo
nentPlacement.UNRELATED)
                        .addComponent(jLabel32)))
                .addGroup(jPanel22Layout.createSequentialGroup()
                    .addGap(8, 8, 8)
                    .addGroup(jPanel22Layout.createParallelGroup(javax.s
wing.GroupLayout.Alignment.LEADING)
                        .addComponent(jLabel14)

```

```

        .addComponent(jLabel12,
javax.swing.GroupLayout.PREFERRED_SIZE, 96,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel12Layout.setVerticalGroup(

jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel12Layout.createSequentialGroup())
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
                .addComponent(jLabel14)
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
                    .addComponent(jLabel12,
javax.swing.GroupLayout.PREFERRED_SIZE, 66,
javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addGap(18, 18, 18)
                            .addGroup(jPanel12Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
                                .addComponent(jLabel132)
                                .addComponent(jLabel124))
                                    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
                                        .addComponent(jSpinner8))
                                .addGroup(jPanel12Layout.createSequentialGroup())
                                    .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
                                        .addComponent(jCheckBox8))
                            );

    javax.swing.GroupLayout jPanel14Layout = new
javax.swing.GroupLayout(jPanel14);
    jPanel14.setLayout(jPanel14Layout);
    jPanel14Layout.setHorizontalGroup(

jPanel14Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L

```

```

EADING)
        .addGroup(jPanel14Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel122,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
jPanel14Layout.setVerticalGroup(

jPanel14Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel14Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel122,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addContainerGap())
        );

    javax.swing.GroupLayout jPanel6Layout = new
javax.swing.GroupLayout(jPanel6);
    jPanel6.setLayout(jPanel6Layout);
    jPanel6Layout.setHorizontalGroup(

jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel6Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel114,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
jPanel6Layout.setVerticalGroup(

```

```
jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(jPanel6Layout.createSequentialGroup()  
        .addContainerGap()  
        .addComponent(jPanel14,  
javax.swing.GroupLayout.DEFAULT_SIZE,  
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)  
        .addContainerGap()  
    );
```

```
jPanel8.setBackground(new java.awt.Color(255, 204, 51));
```

```
jPanel16.setBackground(new java.awt.Color(0, 0, 0));
```

```
jPanel24.setBackground(new java.awt.Color(255, 255, 255));
```

```
jLabel9.setText("WHINE");
```

```
jLabel26.setText("R180.00");
```

```
jLabel34.setText("Amount");
```

```
jLabel49.setIcon(new  
javax.swing.ImageIcon(getClass().getResource("/DRINKS/15.jpg"))); //  
NOI18N
```

```
jCheckBox5.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jCheckBox5ActionPerformed(evt);  
    }  
});
```

```
javax.swing.GroupLayout jPanel24Layout = new  
javax.swing.GroupLayout(jPanel24);  
jPanel24.setLayout(jPanel24Layout);  
jPanel24Layout.setHorizontalGroup
```

```
jPanel24Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
```



```

EADING)
    .addGroup(jPanel24Layout.createSequentialGroup())
        .addContainerGap()
        .addGroup(jPanel24Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
            .addGroup(jPanel24Layout.createSequentialGroup())
                .addComponent(jLabel126)
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
                    .addComponent(jLabel134))
                .addComponent(jLabel19)
                .addComponent(jLabel149,
javax.swing.GroupLayout.PREFERRED_SIZE, 86,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGroup(jPanel24Layout.createSequentialGroup())
                .addComponent(jSpinner5,
javax.swing.GroupLayout.PREFERRED_SIZE, 51,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
                    .addComponent(jCheckBox5,
javax.swing.GroupLayout.PREFERRED_SIZE, 22,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel24Layout.setVerticalGroup(

jPanel24Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(jPanel24Layout.createSequentialGroup())
        .addContainerGap()
        .addGroup(jPanel24Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.TRAILING)
            .addComponent(jCheckBox5)
            .addGroup(jPanel24Layout.createSequentialGroup())
                .addComponent(jLabel19)
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)

```

```

        .addComponent(jLabel149,
javax.swing.GroupLayout.PREFERRED_SIZE, 61,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
        .addGroup(jPanel124Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.BASELINE)
        .addComponent(jLabel126)
        .addComponent(jLabel134))
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
        .addComponent(jSpinner5,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

```

```

    javax.swing.GroupLayout jPanel16Layout = new
javax.swing.GroupLayout(jPanel16);
    jPanel16.setLayout(jPanel16Layout);
    jPanel16Layout.setHorizontalGroup(

```

```

jPanel16Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)

```

```

        .addGroup(jPanel16Layout.createSequentialGroup())
        .addContainerGap()
        .addComponent(jPanel124,
javax.swing.GroupLayout.PREFERRED_SIZE, 95,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel16Layout.setVerticalGroup(

```

```

jPanel16Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)

```

```

        .addGroup(jPanel16Layout.createSequentialGroup())

```

```

        .addContainerGap()
        .addComponent(jPanel124,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

    javax.swing.GroupLayout jPanel8Layout = new
javax.swing.GroupLayout(jPanel8);
    jPanel8.setLayout(jPanel8Layout);
    jPanel8Layout.setHorizontalGroup(

jPanel8Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel8Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel116,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
    jPanel8Layout.setVerticalGroup(

jPanel8Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel8Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel116,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );

```

```

jPanel19.setBackground(new java.awt.Color(255, 204, 51));

jPanel17.setBackground(new java.awt.Color(0, 0, 0));

jPanel25.setBackground(new java.awt.Color(255, 255, 255));

jLabel8.setText("LIPTON");

jLabel27.setText("R170.00");

jLabel35.setText("Amount");

jLabel48.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/DRINKS/16.jpg"))); //
NOI18N

jCheckBox6.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jCheckBox6ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel25Layout = new
javax.swing.GroupLayout(jPanel25);
jPanel25.setLayout(jPanel25Layout);
jPanel25Layout.setHorizontalGroup(

jPanel25Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel25Layout.createSequentialGroup()
        .addGroup(jPanel25Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel25Layout.createSequentialGroup()
                .addGroup(jPanel25Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                    .addGroup(jPanel25Layout.createSequentialGroup()
                        .addGroup(jPanel25Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                            .addGroup(jPanel25Layout.createSequentialGroup()
                                .addGroup(jPanel25Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                                    .addGroup(jPanel25Layout.createSequentialGroup()
                                        .addGap(0, 0, Short.MAX_VALUE)
                                        .addComponent(jLabel48,
javax.swing.GroupLayout.PREFERRED_SIZE, 88,
javax.swing.GroupLayout.PREFERRED_SIZE))
                                .addGroup(jPanel25Layout.createSequentialGroup()

```

```

        .addContainerGap()
        .addGroup(jPanel125Layout.createParallelGroup(javax
        .swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel125Layout.createSequentialGroup
        ()
            .addComponent(jSpinner6,
        javax.swing.GroupLayout.PREFERRED_SIZE, 45,
        javax.swing.GroupLayout.PREFERRED_SIZE)
            .addPreferredGap(javax.swing.LayoutStyle.C
        omponentPlacement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
        Short.MAX_VALUE)
            .addComponent(jCheckBox6))
        .addGroup(jPanel125Layout.createSequentialGroup
        ()
            .addComponent(jLabel127)
            .addPreferredGap(javax.swing.LayoutStyle.C
        omponentPlacement.RELATED)
            .addComponent(jLabel135)
            .addGap(0, 0, Short.MAX_VALUE))))))
        .addGap(18, 18, 18)
        .addComponent(jLabel115))
        .addGroup(jPanel125Layout.createSequentialGroup())
        .addContainerGap()
        .addComponent(jLabel18)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
        Short.MAX_VALUE))
    );
    jPanel125Layout.setVerticalGroup(

jPanel125Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel125Layout.createSequentialGroup())
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
        Short.MAX_VALUE)
        .addComponent(jLabel18)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
        t.UNRELATED)
        .addGroup(jPanel125Layout.createParallelGroup(javax.swing.G

```

```

roupLayout.Alignment.LEADING)
        .addComponent(jLabel15,
javax.swing.GroupLayout.PREFERRED_SIZE, 152,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGroup(jPanel25Layout.createSequentialGroup()
            .addComponent(jLabel48,
javax.swing.GroupLayout.PREFERRED_SIZE, 71,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
            .addGroup(jPanel25Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.BASELINE)
                .addComponent(jLabel27)
                .addComponent(jLabel35))
            .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
            .addGroup(jPanel25Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.TRAILING)
                .addComponent(jSpinner6,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addComponent(jCheckBox6))))))
    );

    javax.swing.GroupLayout jPanel17Layout = new
javax.swing.GroupLayout(jPanel17);
    jPanel17.setLayout(jPanel17Layout);
    jPanel17Layout.setHorizontalGroup(

jPanel17Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel17Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel25,
javax.swing.GroupLayout.PREFERRED_SIZE, 0, Short.MAX_VALUE)
            .addContainerGap())
        );
    jPanel17Layout.setVerticalGroup(

```

```

jPanel17Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel17Layout.createSequentialGroup()
    .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
    .addComponent(jPanel25,
javax.swing.GroupLayout.PREFERRED_SIZE, 158,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addGap(104, 104, 104))
    );

    javax.swing.GroupLayout jPanel9Layout = new
javax.swing.GroupLayout(jPanel9);
    jPanel9.setLayout(jPanel9Layout);
    jPanel9Layout.setHorizontalGroup(

jPanel9Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel9Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel17,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap())
    );
    jPanel9Layout.setVerticalGroup(

jPanel9Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel9Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel17,
javax.swing.GroupLayout.PREFERRED_SIZE, 178,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

```

```
jPanel10.setBackground(new java.awt.Color(255, 204, 51));

jPanel18.setBackground(new java.awt.Color(0, 0, 0));

jPanel26.setBackground(new java.awt.Color(255, 255, 255));

jLabel17.setText("COFFEE");

jLabel29.setText("R175.00");

jLabel36.setText("Amount");

jLabel47.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/DRINKS/17.2.jpg"))); //
NOI18N

jCheckBox7.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jCheckBox7ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel26Layout = new
javax.swing.GroupLayout(jPanel26);
jPanel26.setLayout(jPanel26Layout);
jPanel26Layout.setHorizontalGroup(

jPanel26Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel26Layout.createSequentialGroup()
        .addGap(10, 10, 10)
        .addGroup(jPanel26Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addComponent(jLabel17)
            .addGroup(jPanel26Layout.createSequentialGroup()
                .addComponent(jLabel29)
                .addGroup(jPanel26Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                    .addComponent(jLabel36)
                    .addComponent(jLabel47)
                    .addComponent(jCheckBox7)
                )
            )
        )
    )
);
```



```

()
        .addComponent(jLabel129)
        .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.RELATED)
        .addComponent(jLabel136))
        .addComponent(jLabel147)
        .addGroup(jPanel126Layout.createSequentialGroup
()
        .addComponent(jSpinner7,
javax.swing.GroupLayout.PREFERRED_SIZE, 45,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jCheckBox7)))
        .addGap(30, 30, 30)
        .addComponent(jLabel16))))
);
jPanel126Layout.setVerticalGroup(

jPanel126Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel126Layout.createSequentialGroup()
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addComponent(jLabel17)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addGroup(jPanel126Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
        .addComponent(jLabel116,
javax.swing.GroupLayout.PREFERRED_SIZE, 160,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGroup(jPanel126Layout.createSequentialGroup()
        .addComponent(jLabel147,
javax.swing.GroupLayout.PREFERRED_SIZE, 61,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
        .addGroup(jPanel126Layout.createParallelGroup(javax

```

```

.swing.GroupLayout.Alignment.LEADING)
                .addComponent(jLabel136)
                .addComponent(jLabel129))
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
        .addGroup(jPanel26Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.LEADING)
                .addComponent(jSpinner7,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addComponent(jCheckBox7))))))
    );

```

```

    javax.swing.GroupLayout jPanel18Layout = new
javax.swing.GroupLayout(jPanel18);
    jPanel18.setLayout(jPanel18Layout);
    jPanel18Layout.setHorizontalGroup(

```

```

jPanel18Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel18Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel126,
javax.swing.GroupLayout.PREFERRED_SIZE, 108,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
    jPanel18Layout.setVerticalGroup(

```

```

jPanel18Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel18Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel126,
javax.swing.GroupLayout.PREFERRED_SIZE, 156,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,

```

```

Short.MAX_VALUE))
    );

    javax.swing.GroupLayout jPanel10Layout = new
javax.swing.GroupLayout(jPanel10);
    jPanel10.setLayout(jPanel10Layout);
    jPanel10Layout.setHorizontalGroup(

jPanel10Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel10Layout.createSequentialGroup()
            .addGap()
            .addComponent(jPanel18,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
    jPanel10Layout.setVerticalGroup(

jPanel10Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel10Layout.createSequentialGroup()
            .addGap()
            .addComponent(jPanel18,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addGap())
        );

    jPanel128.setBackground(new java.awt.Color(204, 204, 204));

    jLabel41.setFont(new java.awt.Font("Tahoma", 0, 14)); // NOI18N
    jLabel41.setText("DETAILS OF PAYMENT");

    jTextArea1.setColumns(20);
    jTextArea1.setFont(new java.awt.Font("Courier New", 0, 10)); //
NOI18N

```

```

jTextArea1.setRows(5);
jScrollPane1.setViewportView(jTextArea1);

javax.swing.GroupLayout jPanel28Layout = new
javax.swing.GroupLayout(jPanel28);
jPanel28.setLayout(jPanel28Layout);
jPanel28Layout.setHorizontalGroup(

jPanel28Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel28Layout.createSequentialGroup()
        .addGroup(jPanel28Layout.createParallelGroup(javax.swing.
roupLayout.Alignment.TRAILING)
            .addGroup(jPanel28Layout.createSequentialGroup()
                .addGroup(jPanel28Layout.createSequentialGroup()
                    .addContainerGap()
                    .addComponent(jScrollPane1))
                .addGroup(jPanel28Layout.createSequentialGroup()
                    .addGap(42, 42, 42)
                    .addComponent(jLabel41,
javax.swing.GroupLayout.DEFAULT_SIZE, 308, Short.MAX_VALUE)))
            .addContainerGap())
        );
jPanel28Layout.setVerticalGroup(

jPanel28Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel28Layout.createSequentialGroup()
        .addGroup(jPanel28Layout.createSequentialGroup()
            .addGap(19, 19, 19)
            .addComponent(jLabel41,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addGap(18, 18, 18)
            .addComponent(jScrollPane1,
javax.swing.GroupLayout.PREFERRED_SIZE, 336,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(24, 24, 24))
        );

```

```

jPanel17.setBackground(new java.awt.Color(255, 204, 51));

jPanel15.setBackground(new java.awt.Color(0, 0, 0));

jPanel23.setBackground(new java.awt.Color(255, 255, 255));

jLabel13.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/DRINKS/13.2.jpg"))); //
NOI18N

jLabel15.setText("ORANGE JUICE");

jLabel25.setText("R165.00");

jLabel33.setText("Amount");

jCheckBox3.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jCheckBox3ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel23Layout = new
javax.swing.GroupLayout(jPanel23);
jPanel23.setLayout(jPanel23Layout);
jPanel23Layout.setHorizontalGroup(

jPanel23Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel23Layout.createSequentialGroup()
        .add(jPanel23Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .add(jPanel23Layout.createSequentialGroup()
                .add(jPanel23Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                    .add(jLabel25)
                    .add(jPanel23Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                        .add(jLabel33)
                        .add(jPanel23Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                            .add(jLabel15)
                            .add(jLabel17)
                            .add(jLabel13)
                            .add(jLabel14)
                            .add(jLabel16)
                            .add(jLabel18)
                            .add(jLabel19)
                            .add(jLabel20)
                            .add(jLabel21)
                            .add(jLabel22)
                            .add(jLabel23)
                            .add(jLabel24)
                            .add(jLabel26)
                            .add(jLabel27)
                            .add(jLabel28)
                            .add(jLabel29)
                            .add(jLabel30)
                            .add(jLabel31)
                            .add(jLabel32)
                            .add(jLabel34)
                            .add(jLabel35)
                            .add(jLabel36)
                            .add(jLabel37)
                            .add(jLabel38)
                            .add(jLabel39)
                            .add(jLabel40)
                            .add(jLabel41)
                            .add(jLabel42)
                            .add(jLabel43)
                            .add(jLabel44)
                            .add(jLabel45)
                            .add(jLabel46)
                            .add(jLabel47)
                            .add(jLabel48)
                            .add(jLabel49)
                            .add(jLabel50)
                            .add(jLabel51)
                            .add(jLabel52)
                            .add(jLabel53)
                            .add(jLabel54)
                            .add(jLabel55)
                            .add(jLabel56)
                            .add(jLabel57)
                            .add(jLabel58)
                            .add(jLabel59)
                            .add(jLabel60)
                            .add(jLabel61)
                            .add(jLabel62)
                            .add(jLabel63)
                            .add(jLabel64)
                            .add(jLabel65)
                            .add(jLabel66)
                            .add(jLabel67)
                            .add(jLabel68)
                            .add(jLabel69)
                            .add(jLabel70)
                            .add(jLabel71)
                            .add(jLabel72)
                            .add(jLabel73)
                            .add(jLabel74)
                            .add(jLabel75)
                            .add(jLabel76)
                            .add(jLabel77)
                            .add(jLabel78)
                            .add(jLabel79)
                            .add(jLabel80)
                            .add(jLabel81)
                            .add(jLabel82)
                            .add(jLabel83)
                            .add(jLabel84)
                            .add(jLabel85)
                            .add(jLabel86)
                            .add(jLabel87)
                            .add(jLabel88)
                            .add(jLabel89)
                            .add(jLabel90)
                            .add(jLabel91)
                            .add(jLabel92)
                            .add(jLabel93)
                            .add(jLabel94)
                            .add(jLabel95)
                            .add(jLabel96)
                            .add(jLabel97)
                            .add(jLabel98)
                            .add(jLabel99)
                            .add(jLabel100)
                            .add(jLabel101)
                            .add(jLabel102)
                            .add(jLabel103)
                            .add(jLabel104)
                            .add(jLabel105)
                            .add(jLabel106)
                            .add(jLabel107)
                            .add(jLabel108)
                            .add(jLabel109)
                            .add(jLabel110)
                            .add(jLabel111)
                            .add(jLabel112)
                            .add(jLabel113)
                            .add(jLabel114)
                            .add(jLabel115)
                            .add(jLabel116)
                            .add(jLabel117)
                            .add(jLabel118)
                            .add(jLabel119)
                            .add(jLabel120)
                            .add(jLabel121)
                            .add(jLabel122)
                            .add(jLabel123)
                            .add(jLabel124)
                            .add(jLabel125)
                            .add(jLabel126)
                            .add(jLabel127)
                            .add(jLabel128)
                            .add(jLabel129)
                            .add(jLabel130)
                            .add(jLabel131)
                            .add(jLabel132)
                            .add(jLabel133)
                            .add(jLabel134)
                            .add(jLabel135)
                            .add(jLabel136)
                            .add(jLabel137)
                            .add(jLabel138)
                            .add(jLabel139)
                            .add(jLabel140)
                            .add(jLabel141)
                            .add(jLabel142)
                            .add(jLabel143)
                            .add(jLabel144)
                            .add(jLabel145)
                            .add(jLabel146)
                            .add(jLabel147)
                            .add(jLabel148)
                            .add(jLabel149)
                            .add(jLabel150)
                            .add(jLabel151)
                            .add(jLabel152)
                            .add(jLabel153)
                            .add(jLabel154)
                            .add(jLabel155)
                            .add(jLabel156)
                            .add(jLabel157)
                            .add(jLabel158)
                            .add(jLabel159)
                            .add(jLabel160)
                            .add(jLabel161)
                            .add(jLabel162)
                            .add(jLabel163)
                            .add(jLabel164)
                            .add(jLabel165)
                            .add(jLabel166)
                            .add(jLabel167)
                            .add(jLabel168)
                            .add(jLabel169)
                            .add(jLabel170)
                            .add(jLabel171)
                            .add(jLabel172)
                            .add(jLabel173)
                            .add(jLabel174)
                            .add(jLabel175)
                            .add(jLabel176)
                            .add(jLabel177)
                            .add(jLabel178)
                            .add(jLabel179)
                            .add(jLabel180)
                            .add(jLabel181)
                            .add(jLabel182)
                            .add(jLabel183)
                            .add(jLabel184)
                            .add(jLabel185)
                            .add(jLabel186)
                            .add(jLabel187)
                            .add(jLabel188)
                            .add(jLabel189)
                            .add(jLabel190)
                            .add(jLabel191)
                            .add(jLabel192)
                            .add(jLabel193)
                            .add(jLabel194)
                            .add(jLabel195)
                            .add(jLabel196)
                            .add(jLabel197)
                            .add(jLabel198)
                            .add(jLabel199)
                            .add(jLabel200)
                            .add(jLabel201)
                            .add(jLabel202)
                            .add(jLabel203)
                            .add(jLabel204)
                            .add(jLabel205)
                            .add(jLabel206)
                            .add(jLabel207)
                            .add(jLabel208)
                            .add(jLabel209)
                            .add(jLabel210)
                            .add(jLabel211)
                            .add(jLabel212)
                            .add(jLabel213)
                            .add(jLabel214)
                            .add(jLabel215)
                            .add(jLabel216)
                            .add(jLabel217)
                            .add(jLabel218)
                            .add(jLabel219)
                            .add(jLabel220)
                            .add(jLabel221)
                            .add(jLabel222)
                            .add(jLabel223)
                            .add(jLabel224)
                            .add(jLabel225)
                            .add(jLabel226)
                            .add(jLabel227)
                            .add(jLabel228)
                            .add(jLabel229)
                            .add(jLabel230)
                            .add(jLabel231)
                            .add(jLabel232)
                            .add(jLabel233)
                            .add(jLabel234)
                            .add(jLabel235)
                            .add(jLabel236)
                            .add(jLabel237)
                            .add(jLabel238)
                            .add(jLabel239)
                            .add(jLabel240)
                            .add(jLabel241)
                            .add(jLabel242)
                            .add(jLabel243)
                            .add(jLabel244)
                            .add(jLabel245)
                            .add(jLabel246)
                            .add(jLabel247)
                            .add(jLabel248)
                            .add(jLabel249)
                            .add(jLabel250)
                            .add(jLabel251)
                            .add(jLabel252)
                            .add(jLabel253)
                            .add(jLabel254)
                            .add(jLabel255)
                            .add(jLabel256)
                            .add(jLabel257)
                            .add(jLabel258)
                            .add(jLabel259)
                            .add(jLabel260)
                            .add(jLabel261)
                            .add(jLabel262)
                            .add(jLabel263)
                            .add(jLabel264)
                            .add(jLabel265)
                            .add(jLabel266)
                            .add(jLabel267)
                            .add(jLabel268)
                            .add(jLabel269)
                            .add(jLabel270)
                            .add(jLabel271)
                            .add(jLabel272)
                            .add(jLabel273)
                            .add(jLabel274)
                            .add(jLabel275)
                            .add(jLabel276)
                            .add(jLabel277)
                            .add(jLabel278)
                            .add(jLabel279)
                            .add(jLabel280)
                            .add(jLabel281)
                            .add(jLabel282)
                            .add(jLabel283)
                            .add(jLabel284)
                            .add(jLabel285)
                            .add(jLabel286)
                            .add(jLabel287)
                            .add(jLabel288)
                            .add(jLabel289)
                            .add(jLabel290)
                            .add(jLabel291)
                            .add(jLabel292)
                            .add(jLabel293)
                            .add(jLabel294)
                            .add(jLabel295)
                            .add(jLabel296)
                            .add(jLabel297)
                            .add(jLabel298)
                            .add(jLabel299)
                            .add(jLabel300)
                            .add(jLabel301)
                            .add(jLabel302)
                            .add(jLabel303)
                            .add(jLabel304)
                            .add(jLabel305)
                            .add(jLabel306)
                            .add(jLabel307)
                            .add(jLabel308)
                            .add(jLabel309)
                            .add(jLabel310)
                            .add(jLabel311)
                            .add(jLabel312)
                            .add(jLabel313)
                            .add(jLabel314)
                            .add(jLabel315)
                            .add(jLabel316)
                            .add(jLabel317)
                            .add(jLabel318)
                            .add(jLabel319)
                            .add(jLabel320)
                            .add(jLabel321)
                            .add(jLabel322)
                            .add(jLabel323)
                            .add(jLabel324)
                            .add(jLabel325)
                            .add(jLabel326)
                            .add(jLabel327)
                            .add(jLabel328)
                            .add(jLabel329)
                            .add(jLabel330)
                            .add(jLabel331)
                            .add(jLabel332)
                            .add(jLabel333)
                            .add(jLabel334)
                            .add(jLabel335)
                            .add(jLabel336)
                            .add(jLabel337)
                            .add(jLabel338)
                            .add(jLabel339)
                            .add(jLabel340)
                            .add(jLabel341)
                            .add(jLabel342)
                            .add(jLabel343)
                            .add(jLabel344)
                            .add(jLabel345)
                            .add(jLabel346)
                            .add(jLabel347)
                            .add(jLabel348)
                            .add(jLabel349)
                            .add(jLabel350)
                            .add(jLabel351)
                            .add(jLabel352)
                            .add(jLabel353)
                            .add(jLabel354)
                            .add(jLabel355)
                            .add(jLabel356)
                            .add(jLabel357)
                            .add(jLabel358)
                            .add(jLabel359)
                            .add(jLabel360)
                            .add(jLabel361)
                            .add(jLabel362)
                            .add(jLabel363)
                            .add(jLabel364)
                            .add(jLabel365)
                            .add(jLabel366)
                            .add(jLabel367)
                            .add(jLabel368)
                            .add(jLabel369)
                            .add(jLabel370)
                            .add(jLabel371)
                            .add(jLabel372)
                            .add(jLabel373)
                            .add(jLabel374)
                            .add(jLabel375)
                            .add(jLabel376)
                            .add(jLabel377)
                            .add(jLabel378)
                            .add(jLabel379)
                            .add(jLabel380)
                            .add(jLabel381)
                            .add(jLabel382)
                            .add(jLabel383)
                            .add(jLabel384)
                            .add(jLabel385)
                            .add(jLabel386)
                            .add(jLabel387)
                            .add(jLabel388)
                            .add(jLabel389)
                            .add(jLabel390)
                            .add(jLabel391)
                            .add(jLabel392)
                            .add(jLabel393)
                            .add(jLabel394)
                            .add(jLabel395)
                            .add(jLabel396)
                            .add(jLabel397)
                            .add(jLabel398)
                            .add(jLabel399)
                            .add(jLabel40
```

```

ng.GroupLayout.Alignment.TRAILING)
        .addComponent(jLabel13)
        .addComponent(jLabel15))
        .addGroup(jPanel123Layout.createSequentialGroup()
            .addComponent(jSpinner3,
                javax.swing.GroupLayout.PREFERRED_SIZE, 51,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(18, 18, 18)
            .addComponent(jCheckBox3,
                javax.swing.GroupLayout.PREFERRED_SIZE, 22,
                javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addContainerGap(16, Short.MAX_VALUE))
    );
    jPanel123Layout.setVerticalGroup(

jPanel123Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel123Layout.createSequentialGroup()
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
            .addComponent(jLabel15)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
            .addComponent(jLabel13,
                javax.swing.GroupLayout.PREFERRED_SIZE, 67,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
            .addGroup(jPanel123Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
                .addComponent(jLabel125)
                .addComponent(jLabel133))
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
            .addGroup(jPanel123Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
                .addComponent(jSpinner3,
                javax.swing.GroupLayout.PREFERRED_SIZE,

```

```

javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jCheckBox3))
        .addGap(27, 27, 27))
    );

    javax.swing.GroupLayout jPanel15Layout = new
javax.swing.GroupLayout(jPanel15);
    jPanel15.setLayout(jPanel15Layout);
    jPanel15Layout.setHorizontalGroup(

jPanel15Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel15Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel123,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
    jPanel15Layout.setVerticalGroup(

jPanel15Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel15Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel123,
javax.swing.GroupLayout.PREFERRED_SIZE, 0, Short.MAX_VALUE)
            .addContainerGap())
        );

    javax.swing.GroupLayout jPanel17Layout = new
javax.swing.GroupLayout(jPanel17);
    jPanel17.setLayout(jPanel17Layout);
    jPanel17Layout.setHorizontalGroup(

jPanel17Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE

```

```

ADING)
        .addGroup(jPanel7Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel15,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
                Short.MAX_VALUE))
        );
        jPanel7Layout.setVerticalGroup(

jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel7Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel15,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addContainerGap())
        );

        jPanel11.setBackground(new java.awt.Color(255, 204, 51));

        jPanel19.setBackground(new java.awt.Color(0, 0, 0));

        jPanel27.setBackground(new java.awt.Color(255, 255, 255));

        jLabel14.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/DRINKS/14.jpg"))); //
NOI18N

        jLabel6.setText("COLD DRINK");

        jLabel28.setText("R130.00");

        jLabel37.setText("Amount");

        jCheckBox4.addActionListener(new java.awt.event.ActionListener() {

```



```

        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jCheckBox4ActionPerformed(evt);
        }
    });

    javax.swing.GroupLayout jPanel27Layout = new
    javax.swing.GroupLayout(jPanel27);
    jPanel27.setLayout(jPanel27Layout);
    jPanel27Layout.setHorizontalGroup(

jPanel27Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel27Layout.createSequentialGroup()
            .addGroup(jPanel27Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
                .addGroup(jPanel27Layout.createSequentialGroup()
                    .addGroup(jPanel27Layout.createSequentialGroup()
                        .addGap(0, 0, Short.MAX_VALUE)
                        .addComponent(jLabel28)
                        .addGap(18, 18, 18)
                        .addComponent(jLabel37))
                    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel27Layout.createSequentialGroup()
                        .addContainerGap(17, Short.MAX_VALUE)
                        .addGroup(jPanel27Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.LEADING)
                            .addComponent(jLabel14,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.PREFERRED_SIZE, 89,
javax.swing.GroupLayout.PREFERRED_SIZE)
                            .addGroup(javax.swing.GroupLayout.Alignment.TR
AILING, jPanel27Layout.createSequentialGroup()
                                .addComponent(jLabel6)
                                .addGap(11, 11, 11))))))
                    .addContainerGap())
                .addGroup(jPanel27Layout.createSequentialGroup()
                    .addContainerGap()
                    .addComponent(jSpinner4,
javax.swing.GroupLayout.PREFERRED_SIZE, 51,
javax.swing.GroupLayout.PREFERRED_SIZE)

```

```

        .addGap(18, 18, 18)
        .addComponent(jCheckBox4,
javax.swing.GroupLayout.PREFERRED_SIZE, 22,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel127Layout.setVerticalGroup(

jPanel127Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel127Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jLabel16)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
            .addComponent(jLabel14,
javax.swing.GroupLayout.PREFERRED_SIZE, 65,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
            .addGroup(jPanel127Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
                .addComponent(jLabel137)
                .addComponent(jLabel128,
javax.swing.GroupLayout.Alignment.TRAILING))
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
            .addGroup(jPanel127Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.TRAILING)
                .addComponent(jSpinner4,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addComponent(jCheckBox4))
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

```

```

        javax.swing.GroupLayout jPanel19Layout = new
javax.swing.GroupLayout(jPanel19);
        jPanel19.setLayout(jPanel19Layout);
        jPanel19Layout.setHorizontalGroup(

jPanel19Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
            .addGroup(jPanel19Layout.createSequentialGroup()
                .addGap(
                    .addComponent(jPanel127,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
                );
        jPanel19Layout.setVerticalGroup(

jPanel19Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
            .addGroup(jPanel19Layout.createSequentialGroup()
                .addGap(
                    .addComponent(jPanel127,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
                );

        javax.swing.GroupLayout jPanel11Layout = new
javax.swing.GroupLayout(jPanel11);
        jPanel11.setLayout(jPanel11Layout);
        jPanel11Layout.setHorizontalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
            .addGroup(jPanel11Layout.createSequentialGroup()

```

```

        .addContainerGap()
        .addComponent(jPanel19,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel11Layout.setVerticalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel11Layout.createSequentialGroup())
        .addContainerGap()
        .addComponent(jPanel19,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

    javax.swing.GroupLayout jPanel11Layout = new
javax.swing.GroupLayout(jPanel11);
    jPanel11.setLayout(jPanel11Layout);
    jPanel11Layout.setHorizontalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel11Layout.createSequentialGroup())
        .addContainerGap()
        .addGroup(jPanel11Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING, false)
            .addComponent(jPanel14,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jPanel18,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))

```

```

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING, false)
            .addComponent(jPanel9,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jPanel15,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addGap(16, 16, 16)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
            .addGroup(jPanel1Layout.createSequentialGroup())
                .addComponent(jPanel7,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
                .addComponent(jPanel11,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
            .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup())
                .addComponent(jPanel10,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
                .addComponent(jPanel6,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addComponent(jPanel128,

```

```

javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    .addContainerGap())
    .addComponent(jPanel2, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    .addComponent(jPanel3, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
);
jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addComponent(jPanel2,
javax.swing.GroupLayout.PREFERRED_SIZE, 39,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addComponent(jPanel28,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addGroup(jPanel1Layout.createSequentialGroup()
                .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING, false)
                    .addComponent(jPanel11,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                    .addComponent(jPanel7,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                .addComponent(jPanel15,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                .addComponent(jPanel14,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.DEFAULT_SIZE,

```

```

javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
        .addGroup(jPanel11Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel11Layout.createParallelGroup(ja
vax.swing.GroupLayout.Alignment.TRAILING, false)
        .addComponent(jPanel10,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jPanel8,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jPanel9,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addComponent(jPanel6,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGap(0, 0, Short.MAX_VALUE)))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
        .addComponent(jPanel13,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
    );

```

```

    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(

```

```

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    );
layout.setVerticalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    );

pack();
setLocationRelativeTo(null);
} // </editor-fold>

```

```

private void jButton21ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    jPanel1.setBackground(Color.gray);
    jPanel12.setBackground(Color.gray);
    jPanel13.setBackground(Color.gray);
    jPanel14.setBackground(Color.gray);
    jPanel16.setBackground(Color.gray);
    jPanel17.setBackground(Color.gray);
    jPanel18.setBackground(Color.gray);
}

```

```

private void jButton22ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    jPanel1.setBackground(Color.white);
    jPanel12.setBackground(Color.black);
    jPanel13.setBackground(Color.black);
    jPanel14.setBackground(Color.black);
    jPanel16.setBackground(Color.black);
    jPanel17.setBackground(Color.black);
    jPanel18.setBackground(Color.black);
}

```



```
}
```

```
private void jButton10ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    new NAVIGATION().setVisible(true);
    dispose();
}
```

```
private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
    Clear();
}
```

```
private void jButton5ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    Gusto();
    if(total==0.0){
        JOptionPane.showMessageDialog(null,"You have made a positive
choice");
    }
    else{
        jTextArea1.setText(jTextArea1.getText()+"");
    }
}
```

```
private void jCheckBox1ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty=Integer.parseInt(jSpinner1.getValue().toString());
    if(qtyIsZero(qty)&&jCheckBox1.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
        double price8=qty*130.0;
        total+=price8;
        jTextArea1.setText(jTextArea1.getText()+x+"
"+jLabel2.getText()+"\t\t\t\t"+price8+"\n");
    }else{
```

```

        jCheckBox1.setSelected(false);
    }
}

private void jCheckBox2ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty8=Integer.parseInt(jSpinner2.getValue().toString());
    if(qtyIsZero(qty8)&&jCheckBox2.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
        double price8=qty8*170.0;
        total+=price8;
        jTextArea1.setText(jTextArea1.getText()+x+".
"+jLabel3.getText()+"\t\t\t\t"+price8+"\n");
    }else{
        jCheckBox2.setSelected(false);
    }
}

private void jCheckBox3ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty8=Integer.parseInt(jSpinner3.getValue().toString());
    if(qtyIsZero(qty8)&&jCheckBox3.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
        double price8=qty8*165.0;
        total+=price8;
        jTextArea1.setText(jTextArea1.getText()+x+".
"+jLabel5.getText()+"\t\t\t\t"+price8+"\n");
    }else{
        jCheckBox3.setSelected(false);
    }
}

```

```

private void jCheckBox4ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty8=Integer.parseInt(jSpinner4.getValue().toString());
    if(qtyIsZero(qty8)&&jCheckBox4.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
        double price8=qty8*130.0;
        total+=price8;
        jTextArea1.setText(jTextArea1.getText()+x+"."
"+jLabel6.getText()+"\t\t\t\t"+price8+"\n");
    }else{
        jCheckBox4.setSelected(false);
    }
}

```

```

private void jCheckBox5ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty8=Integer.parseInt(jSpinner5.getValue().toString());
    if(qtyIsZero(qty8)&&jCheckBox5.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
        double price8=qty8*180.0;
        total+=price8;
        jTextArea1.setText(jTextArea1.getText()+x+"."
"+jLabel19.getText()+"\t\t\t\t"+price8+"\n");
    }else{
        jCheckBox5.setSelected(false);
    }
}

```

```

private void jCheckBox6ActionPerformed(java.awt.event.ActionEvent evt)
{

```

```

// TODO add your handling code here:
int qty8=Integer.parseInt(jSpinner6.getValue().toString());
if(qtyIsZero(qty8)&&jCheckBox6.isSelected()){
    x++;
    if(x==0){
        Gusto();
    }
    double price8=qty8*170.0;
    total+=price8;
    jTextArea1.setText(jTextArea1.getText()+x+"."
"+jLabel8.getText()+"\t\t\t\t"+price8+"\n");
    }else{
        jCheckBox6.setSelected(false);
    }
}

private void jCheckBox7ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty8=Integer.parseInt(jSpinner7.getValue().toString());
    if(qtyIsZero(qty8)&&jCheckBox7.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
        double price8=qty8*175.0;
        total+=price8;
        jTextArea1.setText(jTextArea1.getText()+x+"."
"+jLabel7.getText()+"\t\t\t\t"+price8+"\n");
        }else{
            jCheckBox7.setSelected(false);
        }
    }

private void jCheckBox8ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty8=Integer.parseInt(jSpinner8.getValue().toString());
    if(qtyIsZero(qty8)&&jCheckBox8.isSelected()){

```

```

        x++;
        if(x==0){
            Gusto();
        }
        double price8=qty8*120.0;
        total+=price8;
        jTextArea1.setText(jTextArea1.getText()+x+"
"+jLabel4.getText()+"\t\t\t\t"+price8+"\n");
    }else{
        jCheckBox8.setSelected(false);
    }
}

```

```

private void jButton2ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    int qty = Integer.parseInt(jSpinner1.getValue().toString());
    int qty2 = Integer.parseInt(jSpinner2.getValue().toString());
    int qty3 = Integer.parseInt(jSpinner5.getValue().toString());
    int qty4 = Integer.parseInt(jSpinner3.getValue().toString());
    int qty5 = Integer.parseInt(jSpinner4.getValue().toString());
    int qty6 = Integer.parseInt(jSpinner6.getValue().toString());
    int qty7 = Integer.parseInt(jSpinner7.getValue().toString());
    int qty8 = Integer.parseInt(jSpinner8.getValue().toString());

    double price = qty * 130;
    double price2 = qty2 * 170.00;
    double price3 = qty3 * 165.00;
    double price4 = qty4 * 110.00;
    double price5 = qty5 * 120.00;
    double price6 = qty6 * 175.00;
    double price7 = qty7 * 170.00;
    double price8 = qty8 * 180.00;
    double credit=40;
    double tax=160;
    double
    Subtotal=price+price2+price3+price4+price5+price6+price7+price8;
    double CreditTotal=Subtotal+credit+tax;
    double Total=Subtotal+tax;
    double OrderNumber=2505+Subtotal;
}

```

```

        if(total==0.0){
            JOptionPane.showMessageDialog(null, "You havent chosen
anything");
        }else{
            JTextArea1.setText(JTextArea1.getText()+

"\n*****\n"+
            "THANK YOU\n"+"CREDIT:
\t\t\t\t\tR"+credit+"\nTAX: \t\t\t\t\tR"+tax+
            "\nSUBTOTAL: \t\t\t\t\tR"+Subtotal+"\nTOTAL:
\t\t\t\t\tR"+Total+
            "\nCREDIT TOTAL:
\t\t\t\t\tR"+CreditTotal+

"\n*****\n"+
            "ORDER NUMBER: \t\t\t\t\t"+OrderNumber+

"\n*****\n"+
            "NOTE:For more information please head to our
staff or Manager.\n"+
            "We do not store food for more than 5 hours for
health reasons,\n"+
            "If we do so you are permitted to get 2 free
meals.\n"+

"\n*****\n"+
            "Or Email us at GUSTOGROVEANDDINE@GMAIL.COM");
        }
    }

private void jButton3ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    if(total!=0){
        try {
            // TODO add your handling code here:
            JTextArea1.print();
        } catch (PrinterException ex) {
            Logger.getLogger(BBreakfast.class.getName()).log(Level.SEVERE,
null, ex);

```

```

    }
    }
    else{
        JOptionPane.showMessageDialog(null,"Please increase the item
qauntity");
    }
}

```

```

public void Gusto(){ int qty = Integer.parseInt(jSpinner1.getValue().toString()); int qty2 =
Integer.parseInt(jSpinner2.getValue().toString()); int qty3 =
Integer.parseInt(jSpinner3.getValue().toString()); int qty4 =
Integer.parseInt(jSpinner4.getValue().toString()); int qty5 =
Integer.parseInt(jSpinner5.getValue().toString()); int qty6 =
Integer.parseInt(jSpinner6.getValue().toString()); int qty7 =
Integer.parseInt(jSpinner7.getValue().toString()); int qty8 =
Integer.parseInt(jSpinner8.getValue().toString());

```

```

    double price = qty * 70;
    double price2 = qty2 * 27.00;
    double price3 = qty3 * 18.00;
    double price4 = qty4 * 45.00;
    double price5 = qty5 * 35.00;
    double price6 = qty6 * 77.00;
    double price7 = qty7 * 60.00;
    double price8 = qty8 * 50.00;

```

```

    double credit=40;
    double tax=20;
    double
Subtotal=price+price2+price3+price4+price5+price6+price7+price8;
    double CreditTotal=Subtotal+credit+tax;
    double Total=Subtotal+tax;
    double OrderNumber=25005+Subtotal;
    if(qtyIsZero(qty)){
        x++;
        if(x==1){
            Gusto();
        }
    }

```

```

    }else{
        jButton1.setSelected(false);
    }

jTextArea1.setText("*****WELCOME*****
*****\n"+

"*****TO*****\n"+
        "*****Gusto Grove &
Dine*****\n"
        +"Time: " +Time.getText()+"\t\tDate:
"+Date.getText()+"\n"
        +
"*****\n"
        +"Item Name:\t\t\t"+"Price(R)\n");
}

```

```

public void setTime(){
    new Thread(new Runnable(){
        @Override
        public void run(){
            while(true){
                try{
                    Thread.sleep(1000);
                }catch(InterruptedException ex){

Logger.getLogger(DRINKS.class.getName()).log(Level.SEVERE, null, ex);
                }
                Date date =new Date();
                SimpleDateFormat tf= new SimpleDateFormat("h:mm:ss
aa");

                SimpleDateFormat df= new SimpleDateFormat("EEEE, dd-
MM-yyyy");

                String time =tf.format(date);
                Time.setText(time.split(" ")[0]+" "+time.split(" ")[1]);
                Date.setText(df.format(date));
            }
        }
    });
}

```



```

        }
    }).start();
}
/**
 * @param args the command line arguments
 */
public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //<editor-fold defaultstate="collapsed" desc=" Look and feel
setting code (optional) ">
    /* If Nimbus (introduced in Java SE 6) is not available, stay with
the default look and feel.
    * For details see
http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.ht
ml
    */
    try {
        for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Nimbus".equals(info.getName())) {

javax.swing.UIManager.setLookAndFeel(info.getClassName());
                break;
            }
        }
    } catch (ClassNotFoundException ex) {

java.util.logging.Logger.getLogger(DRINKS.class.getName()).log(java.ut
il.logging.Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {

java.util.logging.Logger.getLogger(DRINKS.class.getName()).log(java.ut
il.logging.Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {

java.util.logging.Logger.getLogger(DRINKS.class.getName()).log(java.ut
il.logging.Level.SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {

```

```

java.util.logging.Logger.getLogger(DRINKS.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
    }
    //</editor-fold>
    //</editor-fold>

    /* Create and display the form */
    java.awt.EventQueue.invokeLater(new Runnable() {
        public void run() {
            new DRINKS().setVisible(true);
        }
    });
}

// Variables declaration - do not modify
private javax.swing.JLabel Date;
private javax.swing.JLabel Time;
private javax.swing.JButton jButton1;
private javax.swing.JButton jButton10;
private javax.swing.JButton jButton2;
private javax.swing.JButton jButton21;
private javax.swing.JButton jButton22;
private javax.swing.JButton jButton3;
private javax.swing.JButton jButton5;
private javax.swing.JCheckBox jCheckBox1;
private javax.swing.JCheckBox jCheckBox2;
private javax.swing.JCheckBox jCheckBox3;
private javax.swing.JCheckBox jCheckBox4;
private javax.swing.JCheckBox jCheckBox5;
private javax.swing.JCheckBox jCheckBox6;
private javax.swing.JCheckBox jCheckBox7;
private javax.swing.JCheckBox jCheckBox8;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel10;
private javax.swing.JLabel jLabel11;
private javax.swing.JLabel jLabel12;
private javax.swing.JLabel jLabel13;
private javax.swing.JLabel jLabel14;
private javax.swing.JLabel jLabel15;

```

```
private javax.swing.JLabel jLabel16;  
private javax.swing.JLabel jLabel18;  
private javax.swing.JLabel jLabel19;  
private javax.swing.JLabel jLabel2;  
private javax.swing.JLabel jLabel20;  
private javax.swing.JLabel jLabel22;  
private javax.swing.JLabel jLabel23;  
private javax.swing.JLabel jLabel24;  
private javax.swing.JLabel jLabel25;  
private javax.swing.JLabel jLabel26;  
private javax.swing.JLabel jLabel27;  
private javax.swing.JLabel jLabel28;  
private javax.swing.JLabel jLabel29;  
private javax.swing.JLabel jLabel3;  
private javax.swing.JLabel jLabel30;  
private javax.swing.JLabel jLabel31;  
private javax.swing.JLabel jLabel32;  
private javax.swing.JLabel jLabel33;  
private javax.swing.JLabel jLabel34;  
private javax.swing.JLabel jLabel35;  
private javax.swing.JLabel jLabel36;  
private javax.swing.JLabel jLabel37;  
private javax.swing.JLabel jLabel4;  
private javax.swing.JLabel jLabel41;  
private javax.swing.JLabel jLabel42;  
private javax.swing.JLabel jLabel43;  
private javax.swing.JLabel jLabel47;  
private javax.swing.JLabel jLabel48;  
private javax.swing.JLabel jLabel49;  
private javax.swing.JLabel jLabel5;  
private javax.swing.JLabel jLabel6;  
private javax.swing.JLabel jLabel7;  
private javax.swing.JLabel jLabel8;  
private javax.swing.JLabel jLabel9;  
private javax.swing.JPanel jPanel1;  
private javax.swing.JPanel jPanel10;  
private javax.swing.JPanel jPanel11;  
private javax.swing.JPanel jPanel12;  
private javax.swing.JPanel jPanel13;
```

```
private javax.swing.JPanel jPanel14;
private javax.swing.JPanel jPanel15;
private javax.swing.JPanel jPanel16;
private javax.swing.JPanel jPanel17;
private javax.swing.JPanel jPanel18;
private javax.swing.JPanel jPanel19;
private javax.swing.JPanel jPanel2;
private javax.swing.JPanel jPanel20;
private javax.swing.JPanel jPanel21;
private javax.swing.JPanel jPanel22;
private javax.swing.JPanel jPanel23;
private javax.swing.JPanel jPanel24;
private javax.swing.JPanel jPanel25;
private javax.swing.JPanel jPanel26;
private javax.swing.JPanel jPanel27;
private javax.swing.JPanel jPanel28;
private javax.swing.JPanel jPanel3;
private javax.swing.JPanel jPanel4;
private javax.swing.JPanel jPanel5;
private javax.swing.JPanel jPanel6;
private javax.swing.JPanel jPanel7;
private javax.swing.JPanel jPanel8;
private javax.swing.JPanel jPanel9;
private javax.swing.JScrollPane jScrollPane1;
private javax.swing.JSpinner jSpinner1;
private javax.swing.JSpinner jSpinner2;
private javax.swing.JSpinner jSpinner3;
private javax.swing.JSpinner jSpinner4;
private javax.swing.JSpinner jSpinner5;
private javax.swing.JSpinner jSpinner6;
private javax.swing.JSpinner jSpinner7;
private javax.swing.JSpinner jSpinner8;
private javax.swing.JTextArea jTextArea1;
// End of variables declaration

}
```

THE STAFF MENU

```
/*
```

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

```
*/ package javaapplication7;
```

```
import java.awt.Color; import java.awt.print.PrinterException; import  
javax.swing.JOptionPane; import java.util.Date; import java.text.SimpleDateFormat;  
import java.util.logging.Level; import java.util.logging.Logger;
```

```
/** *
```

- @author Douglas

```
*/ public class STAFFMENU extends javax.swing.JFrame { private double total=0.0; private  
int x=0;
```

```
public STAFFMENU() {  
    initComponents();  
    init();  
}  
public void init(){  
    setTime();  
}
```

```
public boolean qtyIsZero(int qty){  
    if (Integer.parseInt(jSpinner1.getValue().toString())==0){  
        JOptionPane.showMessageDialog(null, "You can order more  
items");  
        return false;  
    }  
    return true;  
}  
public void Clear(){  
    jSpinner1.setValue(0);  
    jSpinner2.setValue(0);  
    jSpinner3.setValue(0);  
    jSpinner6.setValue(0);
```

```

        jSpinner7.setValue(0);
        jSpinner8.setValue(0);
        jTextArea1.setText("");
        jButton1.setSelected(false);
        jButton5.setSelected(false);

    }
    /**
     * Creates new form STAFFMENU
     */
    public void Gusto(){
        int qty = Integer.parseInt(jSpinner1.getValue().toString());
        int qty2 = Integer.parseInt(jSpinner2.getValue().toString());
        int qty3 = Integer.parseInt(jSpinner3.getValue().toString());
        int qty4 = Integer.parseInt(jSpinner6.getValue().toString());
        int qty5 = Integer.parseInt(jSpinner7.getValue().toString());
        int qty6 = Integer.parseInt(jSpinner8.getValue().toString());
        int qty7 = Integer.parseInt(jSpinner8.getValue().toString());
        int qty8 = Integer.parseInt(jSpinner8.getValue().toString());

        double price = qty * 130;
        double price2 = qty2 * 160.00;
        double price3 = qty3 * 155.00;
        double price4 = qty4 * 150.00;
        double price5 = qty5 * 25.00;
        double price6 = qty6 * 89.00;
        double price7 = qty7 * 110.00;
        double price8 = qty8 * 180.00;
        double credit=20;
        double tax=155;
        double EmployeeDiscount= 100;
        double Subtotal=price+price2+price3+price4+price5+price6;
        double CreditTotal=Subtotal+credit+tax;
        double Total=Subtotal+tax-EmployeeDiscount;
        double OrderNumber=25005+Subtotal;
        if(qtyIsZero(qty)){
            x++;
            if(x==1){
                Gusto();
            }
        }
    }

```

```

    }
    }else{
        jButton1.setSelected(false);
    }

jTextArea1.setText("*****WELCOME*****
*****\n"+

"*****TO*****\n"+
        "*****Gusto Grove &
Dine*****\n"
        +"Time: " +Time.getText()+"\t\t\tDate:
"+Date.getText()+"\n"
        +
"*****\n"
        );
}
/**
 * This method is called from within the constructor to initialize the
form.
 * WARNING: Do NOT modify this code. The content of this method is
always
 * regenerated by the Form Editor.
 */
@SuppressWarnings("unchecked")
// <editor-fold defaultstate="collapsed" desc="Generated Code">
private void initComponents() {

    jPanel1 = new javax.swing.JPanel();
    jPanel2 = new javax.swing.JPanel();
    jLabel1 = new javax.swing.JLabel();
    jLabel18 = new javax.swing.JLabel();
    jButton21 = new javax.swing.JButton();
    jButton22 = new javax.swing.JButton();
    Time = new javax.swing.JLabel();
    Date = new javax.swing.JLabel();
    jPanel3 = new javax.swing.JPanel();
    jButton10 = new javax.swing.JButton();
    jLabel19 = new javax.swing.JLabel();

```

```
jLabel20 = new javax.swing.JLabel();
jButton1 = new javax.swing.JButton();
jButton5 = new javax.swing.JButton();
jButton6 = new javax.swing.JButton();
jButton7 = new javax.swing.JButton();
jPanel4 = new javax.swing.JPanel();
jPanel12 = new javax.swing.JPanel();
jPanel20 = new javax.swing.JPanel();
jLabel2 = new javax.swing.JLabel();
jLabel10 = new javax.swing.JLabel();
jSpinner1 = new javax.swing.JSpinner();
jLabel22 = new javax.swing.JLabel();
jLabel30 = new javax.swing.JLabel();
jLabel42 = new javax.swing.JLabel();
jCheckBox1 = new javax.swing.JCheckBox();
jPanel5 = new javax.swing.JPanel();
jPanel13 = new javax.swing.JPanel();
jPanel21 = new javax.swing.JPanel();
jLabel3 = new javax.swing.JLabel();
jLabel11 = new javax.swing.JLabel();
jSpinner2 = new javax.swing.JSpinner();
jLabel23 = new javax.swing.JLabel();
jLabel31 = new javax.swing.JLabel();
jLabel43 = new javax.swing.JLabel();
jCheckBox2 = new javax.swing.JCheckBox();
jPanel6 = new javax.swing.JPanel();
jPanel14 = new javax.swing.JPanel();
jPanel22 = new javax.swing.JPanel();
jLabel12 = new javax.swing.JLabel();
jLabel4 = new javax.swing.JLabel();
jSpinner3 = new javax.swing.JSpinner();
jLabel24 = new javax.swing.JLabel();
jLabel32 = new javax.swing.JLabel();
jCheckBox8 = new javax.swing.JCheckBox();
jPanel8 = new javax.swing.JPanel();
jPanel16 = new javax.swing.JPanel();
jPanel24 = new javax.swing.JPanel();
jLabel9 = new javax.swing.JLabel();
jSpinner8 = new javax.swing.JSpinner();
```



```
jLabel26 = new javax.swing.JLabel();
jLabel34 = new javax.swing.JLabel();
jLabel49 = new javax.swing.JLabel();
jCheckBox5 = new javax.swing.JCheckBox();
jPanel9 = new javax.swing.JPanel();
jPanel17 = new javax.swing.JPanel();
jPanel25 = new javax.swing.JPanel();
jLabel18 = new javax.swing.JLabel();
jLabel15 = new javax.swing.JLabel();
jSpinner7 = new javax.swing.JSpinner();
jLabel27 = new javax.swing.JLabel();
jLabel35 = new javax.swing.JLabel();
jLabel48 = new javax.swing.JLabel();
jCheckBox6 = new javax.swing.JCheckBox();
jPanel10 = new javax.swing.JPanel();
jPanel18 = new javax.swing.JPanel();
jPanel26 = new javax.swing.JPanel();
jLabel17 = new javax.swing.JLabel();
jLabel16 = new javax.swing.JLabel();
jSpinner6 = new javax.swing.JSpinner();
jLabel29 = new javax.swing.JLabel();
jLabel36 = new javax.swing.JLabel();
jLabel47 = new javax.swing.JLabel();
jCheckBox7 = new javax.swing.JCheckBox();
jPanel28 = new javax.swing.JPanel();
jLabel41 = new javax.swing.JLabel();
jScrollPane1 = new javax.swing.JScrollPane();
jTextArea1 = new javax.swing.JTextArea();
jPanel7 = new javax.swing.JPanel();
jPanel15 = new javax.swing.JPanel();
jPanel23 = new javax.swing.JPanel();
jLabel13 = new javax.swing.JLabel();
jLabel15 = new javax.swing.JLabel();
jSpinner4 = new javax.swing.JSpinner();
jLabel25 = new javax.swing.JLabel();
jLabel33 = new javax.swing.JLabel();
jCheckBox3 = new javax.swing.JCheckBox();
jPanel11 = new javax.swing.JPanel();
jPanel19 = new javax.swing.JPanel();
```

```

jPanel27 = new javax.swing.JPanel();
jLabel14 = new javax.swing.JLabel();
jLabel6 = new javax.swing.JLabel();
jSpinner5 = new javax.swing.JSpinner();
jLabel28 = new javax.swing.JLabel();
jLabel37 = new javax.swing.JLabel();
jCheckBox4 = new javax.swing.JCheckBox();

setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);

jPanel1.setBackground(new java.awt.Color(255, 255, 255));
jPanel1.setBorder(javax.swing.BorderFactory.createLineBorder(new
java.awt.Color(0, 0, 0)));

jPanel2.setBackground(new java.awt.Color(0, 0, 0));

jLabel1.setFont(new java.awt.Font("Courier New", 1, 18)); //
NOI18N
jLabel1.setForeground(new java.awt.Color(255, 255, 255));
jLabel1.setText("GUSTO GROVE AND DINE:");

jLabel18.setFont(new java.awt.Font("Courier New", 2, 24)); //
NOI18N
jLabel18.setForeground(new java.awt.Color(255, 204, 51));
jLabel18.setText("STAFF-MIX");

jButton21.setBackground(new java.awt.Color(255, 204, 51));
jButton21.setFont(new java.awt.Font("Courier New", 1, 14)); //
NOI18N
jButton21.setForeground(new java.awt.Color(255, 255, 255));
jButton21.setText("DARK");
jButton21.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton21ActionPerformed(evt);
    }
});

jButton22.setBackground(new java.awt.Color(255, 204, 51));

```

```

        jButton22.setFont(new java.awt.Font("Courier New", 1, 14)); //
NOI18N
        jButton22.setForeground(new java.awt.Color(255, 255, 255));
        jButton22.setText("LIGHT");
        jButton22.addActionListener(new java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent evt) {
                jButton22ActionPerformed(evt);
            }
        });

        Time.setForeground(new java.awt.Color(255, 255, 255));
        Time.setText("11.15");

        Date.setForeground(new java.awt.Color(255, 255, 255));
        Date.setText("Friday 13 October 2025");

        javax.swing.GroupLayout jPanel2Layout = new
javax.swing.GroupLayout(jPanel2);
        jPanel2.setLayout(jPanel2Layout);
        jPanel2Layout.setHorizontalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
            .addGroup(jPanel2Layout.createSequentialGroup()
                .addGroup(jPanel2Layout.createParallelGroup(
javax.swing.GroupLayout.PREFERRED_SIZE, 248,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addGap(18, 18, 18)
                    .addComponent(jLabel18,
javax.swing.GroupLayout.PREFERRED_SIZE, 147,
javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addGap(18, 18, 18)
                        .addComponent(Time,
javax.swing.GroupLayout.PREFERRED_SIZE, 55,
javax.swing.GroupLayout.PREFERRED_SIZE)
                            .addGap(18, 18, 18)
                            .addComponent(Date,
javax.swing.GroupLayout.PREFERRED_SIZE, 136,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jButton21,
javax.swing.GroupLayout.PREFERRED_SIZE, 95,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jButton22,
javax.swing.GroupLayout.PREFERRED_SIZE, 92,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(21, 21, 21))
    );
    jPanel2Layout.setVerticalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel2Layout.createSequentialGroup()
            .addGroup(jPanel2Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.TRAILING)
                .addGroup(javax.swing.GroupLayout.Alignment.LEADING,
jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BA
SELINE)
                    .addComponent(jLabel1,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                    .addComponent(jLabel18))
                .addGroup(jPanel2Layout.createSequentialGroup()
                    .addContainerGap(javax.swing.GroupLayout.DEFAULT_S
IZE, Short.MAX_VALUE)
                    .addComponent(Time,
javax.swing.GroupLayout.PREFERRED_SIZE, 19,
javax.swing.GroupLayout.PREFERRED_SIZE)))
            .addGap(75, 75, 75))
        .addGroup(jPanel2Layout.createSequentialGroup()
            .addContainerGap()
            .addGroup(jPanel2Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.BASELINE)
                .addComponent(jButton21)

```

```

        .addComponent(jButton22)
        .addComponent(Date))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

    jPanel13.setBackground(new java.awt.Color(0, 0, 0));
    jPanel13.setForeground(new java.awt.Color(255, 204, 51));

    jButton10.setBackground(new java.awt.Color(255, 204, 0));
    jButton10.setFont(new java.awt.Font("Courier New", 1, 18)); //
NOI18N
    jButton10.setForeground(new java.awt.Color(255, 255, 255));
    jButton10.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/ICONS/b2.png"))); //
NOI18N
    jButton10.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton10ActionPerformed(evt);
        }
    });

    jLabel19.setForeground(new java.awt.Color(255, 255, 255));
    jLabel19.setText("MAXIMUM ORDER :");

    jLabel20.setForeground(new java.awt.Color(255, 204, 51));
    jLabel20.setText("10 EACH FOR MORE INFORMATION CONTACT OUR
STAFF");

    jButton1.setBackground(new java.awt.Color(255, 204, 51));
    jButton1.setText("RESET");
    jButton1.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton1ActionPerformed(evt);
        }
    });

    jButton5.setBackground(new java.awt.Color(255, 204, 51));
    jButton5.setFont(new java.awt.Font("Courier New", 1, 14)); //

```

NOI18N

```
jButton5.setForeground(new java.awt.Color(255, 255, 255));
jButton5.setText("ORDER");
jButton5.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton5ActionPerformed(evt);
    }
});
```

```
jButton6.setBackground(new java.awt.Color(255, 204, 51));
jButton6.setFont(new java.awt.Font("Courier New", 1, 14)); //
```

NOI18N

```
jButton6.setForeground(new java.awt.Color(255, 255, 255));
jButton6.setText("TOTAL");
jButton6.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton6ActionPerformed(evt);
    }
});
```

```
jButton7.setBackground(new java.awt.Color(255, 204, 51));
jButton7.setFont(new java.awt.Font("Courier New", 1, 14)); //
```

NOI18N

```
jButton7.setForeground(new java.awt.Color(255, 255, 255));
jButton7.setText("RECEIPT");
jButton7.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton7ActionPerformed(evt);
    }
});
```

```
javax.swing.GroupLayout jPanel3Layout = new
javax.swing.GroupLayout(jPanel3);
jPanel3.setLayout(jPanel3Layout);
jPanel3Layout.setHorizontalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

    .addGroup(jPanel3Layout.createSequentialGroup())
```

```

        .addContainerGap()
        .addComponent(jButton10,
javax.swing.GroupLayout.PREFERRED_SIZE, 151,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addGroup(jPanel3Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
            .addGroup(jPanel3Layout.createSequentialGroup())
                .addComponent(jLabel19)
                .addGap(18, 18, 18)
                .addComponent(jLabel20))
            .addGroup(jPanel3Layout.createSequentialGroup())
                .addComponent(jButton5,
javax.swing.GroupLayout.PREFERRED_SIZE, 164,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
                .addComponent(jButton6,
javax.swing.GroupLayout.PREFERRED_SIZE, 158,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED, 14, Short.MAX_VALUE)
                .addComponent(jButton7,
javax.swing.GroupLayout.PREFERRED_SIZE, 196,
javax.swing.GroupLayout.PREFERRED_SIZE)))
            .addGap(18, 18, 18)
            .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 198,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(22, 22, 22))
    );
    jPanel3Layout.setVerticalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
    .addGroup(jPanel3Layout.createSequentialGroup())
        .addContainerGap()
        .addGroup(jPanel3Layout.createParallelGroup(javax.swing.Gr

```

```

oupLayout.Alignment.LEADING)
        .addComponent(jButton10,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addGroup(jPanel13Layout.createSequentialGroup())
        .addGroup(jPanel13Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
            .addComponent(jLabel119)
            .addComponent(jLabel120,
javax.swing.GroupLayout.Alignment.TRAILING))
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
        .addGroup(jPanel13Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.BASELINE)
            .addComponent(jButton5,
javax.swing.GroupLayout.PREFERRED_SIZE, 35,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addComponent(jButton6,
javax.swing.GroupLayout.PREFERRED_SIZE, 35,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addComponent(jButton7,
javax.swing.GroupLayout.PREFERRED_SIZE, 35,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGap(0, 20, Short.MAX_VALUE))
        .addComponent(jButton1,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addContainerGap())
    );

jPanel14.setBackground(new java.awt.Color(255, 204, 0));

jPanel12.setBackground(new java.awt.Color(0, 0, 0));

jPanel20.setBackground(new java.awt.Color(255, 255, 255));

jLabel2.setFont(new java.awt.Font("Tahoma", 0, 9)); // NOI18N
jLabel2.setText("OMELLETTE ");

```



```

jLabel22.setText("R130.00");

jLabel30.setText("Amount");

jLabel42.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/BREAKFAST
IMAGES/11.jpg"))); // NOI18N

jCheckBox1.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jCheckBox1ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel20Layout = new
javax.swing.GroupLayout(jPanel20);
jPanel20.setLayout(jPanel20Layout);
jPanel20Layout.setHorizontalGroup(

jPanel20Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(jPanel20Layout.createSequentialGroup()
        .addGroup(jPanel20Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
            .addGroup(jPanel20Layout.createSequentialGroup()
                .addGroup(jPanel20Layout.createParallelGroup(javax.s
wing.GroupLayout.Alignment.LEADING)
                    .addComponent(jLabel42,
javax.swing.GroupLayout.PREFERRED_SIZE, 77,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addGroup(jPanel20Layout.createSequentialGroup()
                        .addGroup(jPanel20Layout.createParallelGroup
(javax.swing.GroupLayout.Alignment.LEADING)
                            .addComponent(jLabel22)
                            .addComponent(jSpinner1,
javax.swing.GroupLayout.PREFERRED_SIZE, 48,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE))
        .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.UNRELATED)
        .addGroup(jPanel120Layout.createParallelGro
up(javax.swing.GroupLayout.Alignment.LEADING)
            .addComponent(jLabel130)
            .addComponent(jCheckBox1))))
        .addGap(48, 48, 48)
        .addComponent(jLabel110))
        .addComponent(jLabel12))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel120Layout.setVerticalGroup(

jPanel120Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(jPanel120Layout.createSequentialGroup())
        .addContainerGap()
        .addComponent(jLabel12,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addGap(18, 18, 18)
        .addGroup(jPanel120Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
            .addComponent(jLabel110,
javax.swing.GroupLayout.PREFERRED_SIZE, 145,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGroup(jPanel120Layout.createSequentialGroup())
                .addComponent(jLabel142,
javax.swing.GroupLayout.PREFERRED_SIZE, 68,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
                .addGroup(jPanel120Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.BASELINE)
                    .addComponent(jLabel122)
                    .addComponent(jLabel130))
                .addGap(5, 5, 5)

```

```

        .addGroup(jPanel120Layout.createParallelGroup(javax
        .swing.GroupLayout.Alignment.TRAILING)
            .addComponent(jSpinner1,
            javax.swing.GroupLayout.PREFERRED_SIZE,
            javax.swing.GroupLayout.DEFAULT_SIZE,
            javax.swing.GroupLayout.PREFERRED_SIZE)
            .addComponent(jCheckBox1))))))
    );

```

```

    javax.swing.GroupLayout jPanel12Layout = new
    javax.swing.GroupLayout(jPanel12);
    jPanel12.setLayout(jPanel12Layout);
    jPanel12Layout.setHorizontalGroup(

```

```

    jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
    EADING)

```

```

        .addGroup(jPanel12Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel120,
            javax.swing.GroupLayout.PREFERRED_SIZE, 101,
            javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
            Short.MAX_VALUE))
        );
    jPanel12Layout.setVerticalGroup(

```

```

    jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
    EADING)

```

```

        .addGroup(jPanel12Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel120,
            javax.swing.GroupLayout.PREFERRED_SIZE, 158,
            javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
            Short.MAX_VALUE))
        );

```

```

    javax.swing.GroupLayout jPanel14Layout = new
    javax.swing.GroupLayout(jPanel14);

```

```

jPanel4.setLayout(jPanel4Layout);
jPanel4Layout.setHorizontalGroup(

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel4Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel12,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
jPanel4Layout.setVerticalGroup(

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel4Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel12,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

jPanel5.setBackground(new java.awt.Color(255, 204, 51));

jPanel13.setBackground(new java.awt.Color(0, 0, 0));

jPanel21.setBackground(new java.awt.Color(255, 255, 255));

jLabel3.setFont(new java.awt.Font("Tahoma", 0, 9)); // NOI18N
jLabel3.setText("PANCAKES");

jLabel23.setText("R170.00");

```

```
jLabel131.setText("Amount");

jLabel43.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/BREAKFAST
IMAGES/12.jpg"))); // NOI18N

jCheckBox2.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jCheckBox2ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel21Layout = new
javax.swing.GroupLayout(jPanel21);
jPanel21.setLayout(jPanel21Layout);
jPanel21Layout.setHorizontalGroup(

jPanel21Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel21Layout.createSequentialGroup()
        .addGap(10, 10, 10)
        .addGroup(jPanel21Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addComponent(jLabel11)
            .addGroup(jPanel21Layout.createSequentialGroup()
                .addGap(10, 10, 10)
                .addComponent(jLabel13)
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
                .addComponent(jLabel123)
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
                .addComponent(jLabel31))
            .addGroup(jPanel21Layout.createSequentialGroup()
                .addGap(10, 10, 10)
                .addComponent(jLabel123)
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
                .addComponent(jLabel31))
            .addGroup(jPanel21Layout.createSequentialGroup()
                .addGap(10, 10, 10)
                .addComponent(jLabel123)
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
                .addComponent(jLabel31))
```

```

        .addComponent(jSpinner2,
javax.swing.GroupLayout.PREFERRED_SIZE, 49,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addComponent(jCheckBox2)
        .addContainerGap()))
    .addGroup(jPanel21Layout.createSequentialGroup())
        .addComponent(jLabel43,
javax.swing.GroupLayout.PREFERRED_SIZE, 0, Short.MAX_VALUE)
        .addGap(11, 11, 11)))
    );
jPanel21Layout.setVerticalGroup(

jPanel21Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel21Layout.createSequentialGroup())
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addComponent(jLabel13)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addComponent(jLabel43,
javax.swing.GroupLayout.PREFERRED_SIZE, 70,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addGroup(jPanel21Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
            .addComponent(jLabel31)
            .addComponent(jLabel23))
        .addGroup(jPanel21Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
            .addGroup(jPanel21Layout.createSequentialGroup())
                .addGap(14, 14, 14)
                .addComponent(jLabel11,
javax.swing.GroupLayout.PREFERRED_SIZE, 137,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGroup(jPanel121Layout.createSequentialGroup())
        .addGap(5, 5, 5)
        .addGroup(jPanel121Layout.createParallelGroup(javax
        .swing.GroupLayout.Alignment.TRAILING)
        .addComponent(jCheckBox2)
        .addComponent(jSpinner2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))))))
    );

```

```

        javax.swing.GroupLayout jPanel13Layout = new
        javax.swing.GroupLayout(jPanel13);
        jPanel13.setLayout(jPanel13Layout);
        jPanel13Layout.setHorizontalGroup(

```

```

        jPanel13Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
        EADING)
            .addGroup(jPanel13Layout.createSequentialGroup()
                .addComponent(jPanel121,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
                Short.MAX_VALUE))
            );
        jPanel13Layout.setVerticalGroup(

```

```

        jPanel13Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
        EADING)
            .addGroup(jPanel13Layout.createSequentialGroup()
                .addComponent(jPanel121,
                javax.swing.GroupLayout.PREFERRED_SIZE, 158,
                javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
                Short.MAX_VALUE))

```

```

    );

    javax.swing.GroupLayout jPanel5Layout = new
javax.swing.GroupLayout(jPanel5);
    jPanel5.setLayout(jPanel5Layout);
    jPanel5Layout.setHorizontalGroup(

jPanel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel5Layout.createSequentialGroup()
            .addGap(
                .addComponent(jPanel113,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
    jPanel5Layout.setVerticalGroup(

jPanel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel5Layout.createSequentialGroup()
            .addGap(
                .addComponent(jPanel113,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );

    jPanel6.setBackground(new java.awt.Color(255, 204, 51));

    jPanel14.setBackground(new java.awt.Color(0, 0, 0));

    jPanel22.setBackground(new java.awt.Color(255, 255, 255));

    jLabel12.setIcon(new

```



```

javax.swing.ImageIcon(getClass().getResource("/DRINKS/17.jpg"))); //
NOI18N

jLabel4.setText("MILK SHAKE");

jLabel24.setText("R120.00");

jLabel32.setText("Amount");

jCheckBox8.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jCheckBox8ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel22Layout = new
javax.swing.GroupLayout(jPanel22);
jPanel22.setLayout(jPanel22Layout);
jPanel22Layout.setHorizontalGroup(

jPanel22Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(jPanel22Layout.createSequentialGroup()
        .addGroup(jPanel22Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
            .addGroup(jPanel22Layout.createSequentialGroup()
                .addContainerGap()
                .addComponent(jLabel4))
            .addGroup(jPanel22Layout.createSequentialGroup()
                .addGap(8, 8, 8)
                .addComponent(jLabel24)
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
                .addComponent(jLabel32))
            .addGroup(jPanel22Layout.createSequentialGroup()
                .addContainerGap()
                .addComponent(jLabel12,
javax.swing.GroupLayout.PREFERRED_SIZE, 96,
javax.swing.GroupLayout.PREFERRED_SIZE))

```

```

        .addGroup(jPanel122Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jSpinner3,
javax.swing.GroupLayout.PREFERRED_SIZE, 51,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(18, 18, 18)
            .addComponent(jCheckBox8)))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel122Layout.setVerticalGroup(

jPanel122Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel122Layout.createSequentialGroup())
            .addContainerGap()
            .addGroup(jPanel122Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.TRAILING)
                .addComponent(jCheckBox8)
                .addGroup(jPanel122Layout.createSequentialGroup())
                    .addComponent(jLabel14)
                    .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
                        .addComponent(jLabel12,
javax.swing.GroupLayout.PREFERRED_SIZE, 65,
javax.swing.GroupLayout.PREFERRED_SIZE)
                            .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
                                .addGroup(jPanel122Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.BASELINE)
                                    .addComponent(jLabel124)
                                    .addComponent(jLabel132))
                                        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
                                            .addComponent(jSpinner3,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))
                            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,

```

```

Short.MAX_VALUE))
    );

    javax.swing.GroupLayout jPanel14Layout = new
javax.swing.GroupLayout(jPanel14);
    jPanel14.setLayout(jPanel14Layout);
    jPanel14Layout.setHorizontalGroup(

jPanel14Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel14Layout.createSequentialGroup()
            .addGap()
            .addComponent(jPanel122,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
    jPanel14Layout.setVerticalGroup(

jPanel14Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel14Layout.createSequentialGroup()
            .addGap()
            .addComponent(jPanel122,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addGap())
        );

    javax.swing.GroupLayout jPanel16Layout = new
javax.swing.GroupLayout(jPanel16);
    jPanel16.setLayout(jPanel16Layout);
    jPanel16Layout.setHorizontalGroup(

jPanel16Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel16Layout.createSequentialGroup()

```

```

        .addContainerGap()
        .addComponent(jPanel14,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel6Layout.setVerticalGroup(

jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel6Layout.createSequentialGroup()
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
            .addComponent(jPanel14,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap())
        );

jPanel8.setBackground(new java.awt.Color(255, 204, 51));

jPanel16.setBackground(new java.awt.Color(0, 0, 0));

jPanel24.setBackground(new java.awt.Color(255, 255, 255));

jLabel19.setText("GUSTO SALAD");

jLabel26.setText("R180.00");

jLabel34.setText("Amount");

jLabel49.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/MEALS
IMAGES/15.jpg"))); // NOI18N

```

```

jCheckBox5.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jCheckBox5ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel24Layout = new
javax.swing.GroupLayout(jPanel24);
jPanel24.setLayout(jPanel24Layout);
jPanel24Layout.setHorizontalGroup(

jPanel24Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel24Layout.createSequentialGroup()
        .addGap(10, 10, 10)
        .addGroup(jPanel24Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel24Layout.createSequentialGroup()
                .addComponent(jLabel26)
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
                .addComponent(jLabel34)
                .addComponent(jLabel19)
                .addComponent(jLabel49,
javax.swing.GroupLayout.PREFERRED_SIZE, 86,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGroup(jPanel24Layout.createSequentialGroup()
                    .addComponent(jSpinner8,
javax.swing.GroupLayout.PREFERRED_SIZE, 43,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addGap(18, 18, 18)
                    .addComponent(jCheckBox5)))
            .addGap(10, 10, 10))
        .addContainerGap(10, Short.MAX_VALUE))
    );
jPanel24Layout.setVerticalGroup(

jPanel24Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

```

```

        .addGroup(jPanel24Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jLabel19)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
            .addComponent(jLabel149,
javax.swing.GroupLayout.PREFERRED_SIZE, 61,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
            .addGroup(jPanel24Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.BASELINE)
                .addComponent(jLabel126)
                .addComponent(jLabel134))
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
            .addGroup(jPanel24Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.TRAILING)
                .addComponent(jSpinner8,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addComponent(jCheckBox5))
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

    javax.swing.GroupLayout jPanel16Layout = new
javax.swing.GroupLayout(jPanel16);
    jPanel16.setLayout(jPanel16Layout);
    jPanel16Layout.setHorizontalGroup(

jPanel16Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel16Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel24,
javax.swing.GroupLayout.PREFERRED_SIZE, 0, Short.MAX_VALUE)
            .addContainerGap())

```

```

    );
    jPanel16Layout.setVerticalGroup(

jPanel16Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel16Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel124,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

    javax.swing.GroupLayout jPanel8Layout = new
javax.swing.GroupLayout(jPanel8);
    jPanel8.setLayout(jPanel8Layout);
    jPanel8Layout.setHorizontalGroup(

jPanel8Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel8Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel116,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap())
    );
    jPanel8Layout.setVerticalGroup(

jPanel8Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel8Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel116,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)

```



```

        .addComponent(jLabel148,
javax.swing.GroupLayout.PREFERRED_SIZE, 88,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGroup(jPanel125Layout.createSequentialGroup())
        .addContainerGap()
        .addGroup(jPanel125Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel125Layout.createSequentialGroup
())
        .addComponent(jSpinner7,
javax.swing.GroupLayout.PREFERRED_SIZE, 45,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addComponent(jCheckBox6))
        .addGroup(jPanel125Layout.createSequentialGroup
())
        .addComponent(jLabel127)
        .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.RELATED)
        .addComponent(jLabel135)
        .addGap(0, 0, Short.MAX_VALUE))))))
        .addGap(18, 18, 18)
        .addComponent(jLabel115))
        .addGroup(jPanel125Layout.createSequentialGroup())
        .addContainerGap()
        .addComponent(jLabel18)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel125Layout.setVerticalGroup(

jPanel125Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel125Layout.createSequentialGroup())
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)

```

```

        .addComponent(jLabel18)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addGroup(jPanel25Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
            .addComponent(jLabel115,
javax.swing.GroupLayout.PREFERRED_SIZE, 152,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGroup(jPanel25Layout.createSequentialGroup())
                .addComponent(jLabel48,
javax.swing.GroupLayout.PREFERRED_SIZE, 59,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
                .addGroup(jPanel25Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.LEADING)
                    .addComponent(jLabel135)
                    .addComponent(jLabel127))
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
                .addGroup(jPanel25Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.TRAILING)
                    .addComponent(jSpinner7,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addComponent(jCheckBox6))))))
    );

```

```

    javax.swing.GroupLayout jPanel17Layout = new
javax.swing.GroupLayout(jPanel17);
    jPanel17.setLayout(jPanel17Layout);
    jPanel17Layout.setHorizontalGroup(

jPanel17Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel17Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel25,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE, 101,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel17Layout.setVerticalGroup(

jPanel17Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel17Layout.createSequentialGroup())
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addComponent(jPanel125,
javax.swing.GroupLayout.PREFERRED_SIZE, 156,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(106, 106, 106))
    );

    javax.swing.GroupLayout jPanel9Layout = new
javax.swing.GroupLayout(jPanel9);
    jPanel9.setLayout(jPanel9Layout);
    jPanel9Layout.setHorizontalGroup(

jPanel9Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel9Layout.createSequentialGroup())
        .addContainerGap()
        .addComponent(jPanel17,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel9Layout.setVerticalGroup(

jPanel9Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)

```

```

        .addGroup(jPanel19Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel17,
                javax.swing.GroupLayout.PREFERRED_SIZE, 172,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
                Short.MAX_VALUE))
    );

    jPanel10.setBackground(new java.awt.Color(255, 204, 51));

    jPanel18.setBackground(new java.awt.Color(0, 0, 0));

    jPanel26.setBackground(new java.awt.Color(255, 255, 255));

    jLabel17.setText("COFFEE");

    jLabel29.setText("R175.00");

    jLabel36.setText("Amount");

    jLabel47.setIcon(new
        javax.swing.ImageIcon(getClass().getResource("/DRINKS/17.2.jpg"))); //
        NOI18N

    jCheckBox7.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jCheckBox7ActionPerformed(evt);
        }
    });

    javax.swing.GroupLayout jPanel26Layout = new
    javax.swing.GroupLayout(jPanel26);
    jPanel26.setLayout(jPanel26Layout);
    jPanel26Layout.setHorizontalGroup(

    jPanel26Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
        EADING)
        .addGroup(jPanel26Layout.createSequentialGroup()

```

```

        .addContainerGap()
        .addGroup(jPanel26Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
            .addComponent(jLabel17)
            .addGroup(jPanel26Layout.createSequentialGroup()
                .addGroup(jPanel26Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.LEADING)
                    .addGroup(jPanel26Layout.createSequentialGroup
())
                        .addComponent(jLabel29)
                        .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.RELATED)
                            .addComponent(jLabel36))
                    .addComponent(jLabel47)
                    .addGroup(jPanel26Layout.createSequentialGroup
())
                        .addComponent(jSpinner6,
javax.swing.GroupLayout.PREFERRED_SIZE, 45,
javax.swing.GroupLayout.PREFERRED_SIZE)
                            .addGap(18, 18, 18)
                            .addComponent(jCheckBox7)))
                .addGap(30, 30, 30)
                .addComponent(jLabel16))))
    );
    jPanel26Layout.setVerticalGroup(

jPanel26Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel26Layout.createSequentialGroup()
    .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addComponent(jLabel17)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
            .addGroup(jPanel26Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
                .addComponent(jLabel16,
javax.swing.GroupLayout.PREFERRED_SIZE, 160,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGroup(jPanel126Layout.createSequentialGroup())
        .addComponent(jLabel147,
javax.swing.GroupLayout.PREFERRED_SIZE, 61,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
        .addGroup(jPanel126Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jLabel136)
        .addComponent(jLabel129))
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
        .addGroup(jPanel126Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jSpinner6,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jCheckBox7))))))
    );

    javax.swing.GroupLayout jPanel18Layout = new
javax.swing.GroupLayout(jPanel18);
    jPanel18.setLayout(jPanel18Layout);
    jPanel18Layout.setHorizontalGroup(

jPanel18Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel18Layout.createSequentialGroup())
        .addContainerGap()
        .addComponent(jPanel126,
javax.swing.GroupLayout.PREFERRED_SIZE, 108,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel18Layout.setVerticalGroup(

```

```

jPanel18Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel18Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel126,
            javax.swing.GroupLayout.PREFERRED_SIZE, 158,
            javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
            Short.MAX_VALUE))
    );

    javax.swing.GroupLayout jPanel10Layout = new
    javax.swing.GroupLayout(jPanel10);
    jPanel10.setLayout(jPanel10Layout);
    jPanel10Layout.setHorizontalGroup(

jPanel10Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel10Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel18,
            javax.swing.GroupLayout.PREFERRED_SIZE,
            javax.swing.GroupLayout.DEFAULT_SIZE,
            javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
            Short.MAX_VALUE))
    );
    jPanel10Layout.setVerticalGroup(

jPanel10Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel10Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel18,
            javax.swing.GroupLayout.PREFERRED_SIZE,
            javax.swing.GroupLayout.DEFAULT_SIZE,
            javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
            Short.MAX_VALUE))

```

```

);

jPanel28.setBackground(new java.awt.Color(204, 204, 204));

jLabel41.setFont(new java.awt.Font("Tahoma", 0, 14)); // NOI18N
jLabel41.setText("DETAILS OF PAYMENT");

jTextArea1.setColumns(20);
jTextArea1.setFont(new java.awt.Font("Courier New", 0, 10)); //
NOI18N
jTextArea1.setRows(5);
jScrollPane1.setViewportView(jTextArea1);

javax.swing.GroupLayout jPanel28Layout = new
javax.swing.GroupLayout(jPanel28);
jPanel28.setLayout(jPanel28Layout);
jPanel28Layout.setHorizontalGroup(

jPanel28Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(jPanel28Layout.createSequentialGroup()
        .addGroup(jPanel28Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
            .addGroup(jPanel28Layout.createSequentialGroup()
                .addGap(42, 42, 42)
                .addComponent(jLabel41,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
            .addGroup(jPanel28Layout.createSequentialGroup()
                .addGap(19, 19, 19)
                .addComponent(jScrollPane1, javax.swing.GroupLayout.D
EFAULT_SIZE, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_V
alue)))
        .addContainerGap())
    );
jPanel28Layout.setVerticalGroup(

jPanel28Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(jPanel28Layout.createSequentialGroup()
        .addGap(19, 19, 19)
        .addComponent(jLabel41, javax.swing.GroupLayout.DEFAULT_S
IZE, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addGap(19, 19, 19)
        .addComponent(jScrollPane1, javax.swing.GroupLayout.DEFAULT_S
IZE, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap())
    );

```



```

        .addComponent(jLabel141,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addGap(18, 18, 18)
        .addComponent(jScrollPane1,
javax.swing.GroupLayout.PREFERRED_SIZE, 336,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(16, 16, 16))
    );

    jPanel17.setBackground(new java.awt.Color(255, 204, 51));

    jPanel15.setBackground(new java.awt.Color(0, 0, 0));

    jPanel23.setBackground(new java.awt.Color(255, 255, 255));

    jLabel13.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/MEALS
IMAGES/13.jpg"))); // NOI18N

    jLabel15.setText("PIZZA");

    jLabel25.setText("R165.00");

    jLabel33.setText("Amount");

    jCheckBox3.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jCheckBox3ActionPerformed(evt);
        }
    });

    javax.swing.GroupLayout jPanel23Layout = new
javax.swing.GroupLayout(jPanel23);
    jPanel23.setLayout(jPanel23Layout);
    jPanel23Layout.setHorizontalGroup(

jPanel23Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)

```

```

        .addGroup(jPanel23Layout.createSequentialGroup())
            .addContainerGap()
            .addGroup(jPanel23Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
                .addGroup(jPanel23Layout.createSequentialGroup())
                    .addComponent(jLabel25)
                    .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
                        .addComponent(jLabel33))
                .addComponent(jLabel13)
                .addGroup(jPanel23Layout.createSequentialGroup())
                    .addGap(38, 38, 38)
                    .addComponent(jLabel15))
                .addGroup(jPanel23Layout.createSequentialGroup())
                    .addComponent(jSpinner4,
javax.swing.GroupLayout.PREFERRED_SIZE, 51,
javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addGap(18, 18, 18)
                        .addComponent(jCheckBox3)))
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel23Layout.setVerticalGroup(

jPanel23Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel23Layout.createSequentialGroup())
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addGroup(jPanel23Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.TRAILING)
            .addComponent(jCheckBox3)
            .addGroup(jPanel23Layout.createSequentialGroup())
                .addComponent(jLabel15)
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
                    .addComponent(jLabel13,
javax.swing.GroupLayout.PREFERRED_SIZE, 67,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
        .addGroup(jPanel123Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jLabel125)
        .addComponent(jLabel133))
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
        .addComponent(jSpinner4,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addGap(28, 28, 28))
    );

```

```

    javax.swing.GroupLayout jPanel15Layout = new
javax.swing.GroupLayout(jPanel15);
    jPanel15.setLayout(jPanel15Layout);
    jPanel15Layout.setHorizontalGroup(

```

```

jPanel15Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)

```

```

        .addGroup(jPanel15Layout.createSequentialGroup())
        .addContainerGap()
        .addComponent(jPanel123,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel15Layout.setVerticalGroup(

```

```

jPanel15Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)

```

```

        .addGroup(jPanel15Layout.createSequentialGroup())
        .addContainerGap()
        .addComponent(jPanel123,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE, 158,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

    javax.swing.GroupLayout jPanel7Layout = new
javax.swing.GroupLayout(jPanel7);
    jPanel7.setLayout(jPanel7Layout);
    jPanel7Layout.setHorizontalGroup(

jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel7Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel115,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
    jPanel7Layout.setVerticalGroup(

jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel7Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel115,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );

    jPanel11.setBackground(new java.awt.Color(255, 204, 51));

    jPanel19.setBackground(new java.awt.Color(0, 0, 0));

```

```

jPanel27.setBackground(new java.awt.Color(255, 255, 255));

jLabel14.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/DRINKS/14.jpg"))); //
NOI18N

jLabel16.setText("COLD DRINK");

jLabel28.setText("R130.00");

jLabel37.setText("Amount");

jCheckBox4.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jCheckBox4ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel27Layout = new
javax.swing.GroupLayout(jPanel27);
jPanel27.setLayout(jPanel27Layout);
jPanel27Layout.setHorizontalGroup(

jPanel27Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(jPanel27Layout.createSequentialGroup()
        .addGroup(jPanel27Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
            .addGroup(jPanel27Layout.createSequentialGroup()
                .addGap(0, 0, Short.MAX_VALUE)
                .addComponent(jLabel28)
                .addGap(18, 18, 18)
                .addComponent(jLabel37))
            .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel27Layout.createSequentialGroup()
                .addGap(17, Short.MAX_VALUE)
                .addGroup(jPanel27Layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.LEADING)

```

```

        .addComponent(jLabel14,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.PREFERRED_SIZE, 89,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel27Layout.createSequentialGroup()
        .addComponent(jLabel6)
        .addGap(11, 11, 11))))))
        .addContainerGap())
        .addGroup(jPanel27Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jSpinner5,
javax.swing.GroupLayout.PREFERRED_SIZE, 51,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jCheckBox4)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
        jPanel27Layout.setVerticalGroup(

jPanel27Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel27Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jLabel6)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
        .addComponent(jLabel14,
javax.swing.GroupLayout.PREFERRED_SIZE, 65,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addGroup(jPanel27Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
        .addComponent(jLabel37)
        .addComponent(jLabel28,
javax.swing.GroupLayout.Alignment.TRAILING))

```

```

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
        .addGroup(jPanel27Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
            .addComponent(jSpinner5,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addComponent(jCheckBox4))
        .addContainerGap(17, Short.MAX_VALUE))
    );

```

```

    javax.swing.GroupLayout jPanel19Layout = new
javax.swing.GroupLayout(jPanel19);
    jPanel19.setLayout(jPanel19Layout);
    jPanel19Layout.setHorizontalGroup(

```

```

jPanel19Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel19Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel27,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
    jPanel19Layout.setVerticalGroup(

```

```

jPanel19Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel19Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel27,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,

```

```

Short.MAX_VALUE))
    );

    javax.swing.GroupLayout jPanel11Layout = new
javax.swing.GroupLayout(jPanel11);
    jPanel11.setLayout(jPanel11Layout);
    jPanel11Layout.setHorizontalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel11Layout.createSequentialGroup()
            .addGap()
            .addComponent(jPanel19,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
    jPanel11Layout.setVerticalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(jPanel11Layout.createSequentialGroup()
            .addGap()
            .addComponent(jPanel19,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );

    javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
    jPanel1.setLayout(jPanel1Layout);
    jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE

```


ADING)

```
        .addGroup(jPanel1Layout.createSequentialGroup()  
            .addContainerGap()  
            .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr  
oupLayout.Alignment.LEADING, false)  
                .addComponent(jPanel4,  
javax.swing.GroupLayout.DEFAULT_SIZE,  
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)  
                .addComponent(jPanel8,  
javax.swing.GroupLayout.DEFAULT_SIZE,  
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))  
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen  
t.UNRELATED)  
            .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr  
oupLayout.Alignment.LEADING)  
                .addGroup(jPanel1Layout.createSequentialGroup()  
                    .addComponent(jPanel5,  
javax.swing.GroupLayout.PREFERRED_SIZE,  
javax.swing.GroupLayout.DEFAULT_SIZE,  
javax.swing.GroupLayout.PREFERRED_SIZE)  
                    .addGap(16, 16, 16)  
                    .addComponent(jPanel7,  
javax.swing.GroupLayout.PREFERRED_SIZE,  
javax.swing.GroupLayout.DEFAULT_SIZE,  
javax.swing.GroupLayout.PREFERRED_SIZE)  
                    .addPreferredGap(javax.swing.LayoutStyle.Component  
Placement.UNRELATED)  
                    .addComponent(jPanel11,  
javax.swing.GroupLayout.PREFERRED_SIZE,  
javax.swing.GroupLayout.DEFAULT_SIZE,  
javax.swing.GroupLayout.PREFERRED_SIZE))  
                .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
jPanel1Layout.createSequentialGroup()  
                    .addComponent(jPanel9,  
javax.swing.GroupLayout.PREFERRED_SIZE,  
javax.swing.GroupLayout.DEFAULT_SIZE,  
javax.swing.GroupLayout.PREFERRED_SIZE)  
                    .addGap(18, 18, 18)  
                    .addComponent(jPanel10,
```

```

javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jPanel6,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addComponent(jPanel128,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap())
        .addComponent(jPanel2, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jPanel3, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );
    jPanel11Layout.setVerticalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel11Layout.createSequentialGroup())
        .addComponent(jPanel2,
javax.swing.GroupLayout.PREFERRED_SIZE, 39,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addGroup(jPanel11Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
            .addGroup(jPanel11Layout.createSequentialGroup())
            .addGroup(jPanel11Layout.createParallelGroup(javax.s
wing.GroupLayout.Alignment.TRAILING, false)
                .addComponent(jPanel11,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                .addComponent(jPanel17,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.DEFAULT_SIZE,

```

```

javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jPanel15,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jPanel14,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
        .addGroup(jPanel11Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel16,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGroup(jPanel11Layout.createParallelGroup(ja
vax.swing.GroupLayout.Alignment.TRAILING, false)
        .addComponent(jPanel10,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.PREFERRED_SIZE, 0, Short.MAX_VALUE)
        .addComponent(jPanel18,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jPanel19,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))))
        .addComponent(jPanel128,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jPanel13,
javax.swing.GroupLayout.PREFERRED_SIZE,

```

```

javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
    );

    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    );
    layout.setVerticalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
559, Short.MAX_VALUE)
    );

    pack();
    setLocationRelativeTo(null);
} // </editor-fold>

private void jButton21ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    jPanel1.setBackground(Color.gray);
    jPanel12.setBackground(Color.gray);
    jPanel13.setBackground(Color.gray);
    jPanel14.setBackground(Color.gray);
    jPanel16.setBackground(Color.gray);
    jPanel17.setBackground(Color.gray);
    jPanel18.setBackground(Color.gray);
}

private void jButton22ActionPerformed(java.awt.event.ActionEvent evt)
{

```

```

        // TODO add your handling code here:
        jPanel11.setBackground(Color.white);
        jPanel12.setBackground(Color.black);
        jPanel13.setBackground(Color.black);
        jPanel14.setBackground(Color.black);
        jPanel16.setBackground(Color.black);
        jPanel17.setBackground(Color.black);
        jPanel18.setBackground(Color.black);
    }

    private void jButton10ActionPerformed(java.awt.event.ActionEvent evt)
    {
        // TODO add your handling code here:
        new STAFFNAVIGATION().setVisible(true);
        dispose();
    }

    private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
        Clear();
    }

    private void jButton5ActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        Gusto();
        if(total==0.0){
            JOptionPane.showMessageDialog(null,"You have made a positive
choice");
        }
        else{
            jTextArea1.setText(jTextArea1.getText()+"");
        }
    }

    private void jCheckBox1ActionPerformed(java.awt.event.ActionEvent evt)
    {
        // TODO add your handling code here:
        int qty8=Integer.parseInt(jSpinner6.getValue().toString());
        if(qtyIsZero(qty8)&&jCheckBox8.isSelected()){
            x++;

```

```

        if(x==0){
            Gusto();
        }
        double price8=qty8*180.0;
        total+=price8;
        jTextArea1.setText(jTextArea1.getText()+x+"
"+jLabel7.getText()+"\t\t\t\t"+price8+"\n");
    }else{
        jCheckBox8.setSelected(false);
    }
}

```

```

private void jCheckBox2ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty8=Integer.parseInt(jSpinner6.getValue().toString());
    if(qtyIsZero(qty8)&&jCheckBox8.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
        double price8=qty8*180.0;
        total+=price8;
        jTextArea1.setText(jTextArea1.getText()+x+"
"+jLabel7.getText()+"\t\t\t\t"+price8+"\n");
    }else{
        jCheckBox8.setSelected(false);
    }
}

```

```

private void jCheckBox3ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty8=Integer.parseInt(jSpinner6.getValue().toString());
    if(qtyIsZero(qty8)&&jCheckBox8.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
    }
}

```

```

        double price8=qty8*180.0;
        total+=price8;
        jTextArea1.setText(jTextArea1.getText()+x+".
"+jLabel7.getText()+"\t\t\t\t"+price8+"\n");
    }else{
        jCheckBox8.setSelected(false);
    }
}

private void jCheckBox4ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty8=Integer.parseInt(jSpinner6.getValue().toString());
    if(qtyIsZero(qty8)&&jCheckBox8.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
        double price8=qty8*180.0;
        total+=price8;
        jTextArea1.setText(jTextArea1.getText()+x+".
"+jLabel7.getText()+"\t\t\t\t"+price8+"\n");
    }else{
        jCheckBox8.setSelected(false);
    }
}

private void jCheckBox5ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty8=Integer.parseInt(jSpinner6.getValue().toString());
    if(qtyIsZero(qty8)&&jCheckBox8.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
        double price8=qty8*180.0;
        total+=price8;
        jTextArea1.setText(jTextArea1.getText()+x+".

```

```

"+jLabel7.getText()+"\t\t\t\t"+price8+"\n");
    }else{
        jCheckBox8.setSelected(false);
    }
}

private void jCheckBox6ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty8=Integer.parseInt(jSpinner6.getValue().toString());
    if(qtyIsZero(qty8)&&jCheckBox8.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
        double price8=qty8*180.0;
        total+=price8;
        jTextArea1.setText(jTextArea1.getText()+x+".
"+jLabel7.getText()+"\t\t\t\t"+price8+"\n");
    }else{
        jCheckBox8.setSelected(false);
    }
}

private void jCheckBox7ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty8=Integer.parseInt(jSpinner6.getValue().toString());
    if(qtyIsZero(qty8)&&jCheckBox8.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
        double price8=qty8*180.0;
        total+=price8;
        jTextArea1.setText(jTextArea1.getText()+x+".
"+jLabel7.getText()+"\t\t\t\t"+price8+"\n");
    }else{
        jCheckBox8.setSelected(false);
    }
}

```



```

    }
}

private void jCheckBox8ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty8=Integer.parseInt(jSpinner6.getValue().toString());
    if(qtyIsZero(qty8)&&jCheckBox8.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
        double price8=qty8*180.0;
        total+=price8;
        jTextArea1.setText(jTextArea1.getText()+x+"."
"+jLabel7.getText()+"\t\t\t\t"+price8+"\n");
    }else{
        jCheckBox8.setSelected(false);
    }
}
}

```

```

private void jButton6ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    int qty = Integer.parseInt(jSpinner1.getValue().toString());
    int qty2 = Integer.parseInt(jSpinner2.getValue().toString());
    int qty3 = Integer.parseInt(jSpinner5.getValue().toString());
    int qty4 = Integer.parseInt(jSpinner3.getValue().toString());
    int qty5 = Integer.parseInt(jSpinner4.getValue().toString());
    int qty6 = Integer.parseInt(jSpinner6.getValue().toString());
    int qty7 = Integer.parseInt(jSpinner7.getValue().toString());
    int qty8 = Integer.parseInt(jSpinner8.getValue().toString());

    double price = qty * 130;
    double price2 = qty2 * 170.00;
    double price3 = qty3 * 165.00;
    double price4 = qty4 * 110.00;
    double price5 = qty5 * 120.00;
    double price6 = qty6 * 175.00;
    double price7 = qty7 * 170.00;
}

```

```

        double price8 = qty8 * 180.00;
        double credit=40;
        double tax=160;
        double
Subtotal=price+price2+price3+price4+price5+price6+price7+price8;
        double CreditTotal=Subtotal+credit+tax;
        double Total=Subtotal+tax;
        double OrderNumber=2505+Subtotal;
        if(total==0.0){
            JOptionPane.showMessageDialog(null, "You havent chosen
anything");
        }else{
            JTextArea1.setText(JTextArea1.getText()+

"\n*****\n"+
            "THANK YOU\n"+"CREDIT:
\t\t\t\t\tR"+credit+"\nTAX: \t\t\t\t\tR"+tax+
            "\nSUBTOTAL: \t\t\t\t\tR"+Subtotal+"\nTOTAL:
\t\t\t\t\tR"+Total+
            "\nCREDIT TOTAL:
\t\t\t\t\tR"+CreditTotal+

"\n*****\n"+
            "ORDER NUMBER: \t\t\t\t\t"+OrderNumber+

"\n*****\n"+
            "NOTE:For more information please head to our
staff or Manager.\n"+
            "We do not store food for more than 5 hours for
health reasons,\n"+
            "If we do so you are permitted to get 2 free
meals.\n"+

"\n*****\n"+
            "Or Email us at GUSTOGROVEANDDINE@GMAIL.COM");
        }
    }

private void jButton7ActionPerformed(java.awt.event.ActionEvent evt) {

```

```

// TODO add your handling code here:
if(total!=0){
try {
    // TODO add your handling code here:
    JTextArea1.print();
} catch (PrinterException ex) {
    Logger.getLogger(BBreakfast.class.getName()).log(Level.SEVERE,
null, ex);
}
}
else{
    JOptionPane.showMessageDialog(null,"Please increase the item
qauntity");
}

}

public void setTime(){
    new Thread(new Runnable(){
        @Override
        public void run(){
            while(true){
                try{
                    Thread.sleep(1000);
                }catch(InterruptedException ex){

Logger.getLogger(STAFFMENU.class.getName()).log(Level.SEVERE, null,
ex);

                }
                Date date =new Date();
                SimpleDateFormat tf= new SimpleDateFormat("h:mm:ss
aa");
                SimpleDateFormat df= new SimpleDateFormat("EEEE, dd-
MM-yyyy");
                String time =tf.format(date);
                Time.setText(time.split(" ")[0]+" "+time.split(" ")[1]);
                Date.setText(df.format(date));
            }
        }
    })
}

```

```

        }).start();
    }
    /**
     * @param args the command line arguments
     */
    public static void main(String args[]) {
        /* Set the Nimbus look and feel */
        //<editor-fold defaultstate="collapsed" desc=" Look and feel
        setting code (optional) ">
        /* If Nimbus (introduced in Java SE 6) is not available, stay with
        the default look and feel.
         * For details see
http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.ht
        ml
         */
        try {
            for (javax.swing.UIManager.LookAndFeelInfo info :
                javax.swing.UIManager.getInstalledLookAndFeels()) {
                if ("Nimbus".equals(info.getName())) {

                    javax.swing.UIManager.setLookAndFeel(info.getClassName());
                    break;

                }
            }
        } catch (ClassNotFoundException ex) {

            java.util.logging.Logger.getLogger(STAFFMENU.class.getName()).log(java
                .util.logging.Level.SEVERE, null, ex);
        } catch (InstantiationException ex) {

            java.util.logging.Logger.getLogger(STAFFMENU.class.getName()).log(java
                .util.logging.Level.SEVERE, null, ex);
        } catch (IllegalAccessException ex) {

            java.util.logging.Logger.getLogger(STAFFMENU.class.getName()).log(java
                .util.logging.Level.SEVERE, null, ex);
        } catch (javax.swing.UnsupportedLookAndFeelException ex) {

            java.util.logging.Logger.getLogger(STAFFMENU.class.getName()).log(java

```

```

.util.logging.Level.SEVERE, null, ex);
    }
    //</editor-fold>

    /* Create and display the form */
    java.awt.EventQueue.invokeLater(new Runnable() {
        public void run() {
            new STAFFMENU().setVisible(true);
        }
    });
}

```

```

// Variables declaration - do not modify
private javax.swing.JLabel Date;
private javax.swing.JLabel Time;
private javax.swing.JButton jButton1;
private javax.swing.JButton jButton10;
private javax.swing.JButton jButton21;
private javax.swing.JButton jButton22;
private javax.swing.JButton jButton5;
private javax.swing.JButton jButton6;
private javax.swing.JButton jButton7;
private javax.swing.JCheckBox jCheckBox1;
private javax.swing.JCheckBox jCheckBox2;
private javax.swing.JCheckBox jCheckBox3;
private javax.swing.JCheckBox jCheckBox4;
private javax.swing.JCheckBox jCheckBox5;
private javax.swing.JCheckBox jCheckBox6;
private javax.swing.JCheckBox jCheckBox7;
private javax.swing.JCheckBox jCheckBox8;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel10;
private javax.swing.JLabel jLabel11;
private javax.swing.JLabel jLabel12;
private javax.swing.JLabel jLabel13;
private javax.swing.JLabel jLabel14;
private javax.swing.JLabel jLabel15;
private javax.swing.JLabel jLabel16;
private javax.swing.JLabel jLabel18;

```

```
private javax.swing.JLabel jLabel19;  
private javax.swing.JLabel jLabel2;  
private javax.swing.JLabel jLabel20;  
private javax.swing.JLabel jLabel22;  
private javax.swing.JLabel jLabel23;  
private javax.swing.JLabel jLabel24;  
private javax.swing.JLabel jLabel25;  
private javax.swing.JLabel jLabel26;  
private javax.swing.JLabel jLabel27;  
private javax.swing.JLabel jLabel28;  
private javax.swing.JLabel jLabel29;  
private javax.swing.JLabel jLabel3;  
private javax.swing.JLabel jLabel30;  
private javax.swing.JLabel jLabel31;  
private javax.swing.JLabel jLabel32;  
private javax.swing.JLabel jLabel33;  
private javax.swing.JLabel jLabel34;  
private javax.swing.JLabel jLabel35;  
private javax.swing.JLabel jLabel36;  
private javax.swing.JLabel jLabel37;  
private javax.swing.JLabel jLabel4;  
private javax.swing.JLabel jLabel41;  
private javax.swing.JLabel jLabel42;  
private javax.swing.JLabel jLabel43;  
private javax.swing.JLabel jLabel47;  
private javax.swing.JLabel jLabel48;  
private javax.swing.JLabel jLabel49;  
private javax.swing.JLabel jLabel5;  
private javax.swing.JLabel jLabel6;  
private javax.swing.JLabel jLabel7;  
private javax.swing.JLabel jLabel8;  
private javax.swing.JLabel jLabel9;  
private javax.swing.JPanel jPanel1;  
private javax.swing.JPanel jPanel10;  
private javax.swing.JPanel jPanel11;  
private javax.swing.JPanel jPanel12;  
private javax.swing.JPanel jPanel13;  
private javax.swing.JPanel jPanel14;  
private javax.swing.JPanel jPanel15;
```

```
private javax.swing.JPanel jPanel16;
private javax.swing.JPanel jPanel17;
private javax.swing.JPanel jPanel18;
private javax.swing.JPanel jPanel19;
private javax.swing.JPanel jPanel2;
private javax.swing.JPanel jPanel20;
private javax.swing.JPanel jPanel21;
private javax.swing.JPanel jPanel22;
private javax.swing.JPanel jPanel23;
private javax.swing.JPanel jPanel24;
private javax.swing.JPanel jPanel25;
private javax.swing.JPanel jPanel26;
private javax.swing.JPanel jPanel27;
private javax.swing.JPanel jPanel28;
private javax.swing.JPanel jPanel3;
private javax.swing.JPanel jPanel4;
private javax.swing.JPanel jPanel5;
private javax.swing.JPanel jPanel6;
private javax.swing.JPanel jPanel7;
private javax.swing.JPanel jPanel8;
private javax.swing.JPanel jPanel9;
private javax.swing.JScrollPane jScrollPane1;
private javax.swing.JSpinner jSpinner1;
private javax.swing.JSpinner jSpinner2;
private javax.swing.JSpinner jSpinner3;
private javax.swing.JSpinner jSpinner4;
private javax.swing.JSpinner jSpinner5;
private javax.swing.JSpinner jSpinner6;
private javax.swing.JSpinner jSpinner7;
private javax.swing.JSpinner jSpinner8;
private javax.swing.JTextArea jTextArea1;
// End of variables declaration
```

```
}
```

ALLERGENS MENU

```
/*
```

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

```
*/ package javaapplication7;
```

```
import java.awt.Color; import java.awt.print.PrinterException; import
java.text.SimpleDateFormat; import java.util.Date; import java.util.logging.Level; import
java.util.logging.Logger; import javax.swing.JOptionPane;
```

```
/** *
```

- @author Douglas

```
/ public class AAllergens extends javax.swing.JFrame { private double total=0.0; private int
x=0; /* * Creates new form BBreakfast */ public AAllergens() { initComponents(); init(); }
public void init(){ setTime(); }
```

```
public boolean qtyIsZero(int qty){
    if (Integer.parseInt(jSpinner1.getValue().toString())==0){
        JOptionPane.showMessageDialog(null, "You can still order more
items ");
        return false;
    }
    return true;
}
```

```
public void Clear(){
    jSpinner1.setValue(0);
    jSpinner2.setValue(0);
    jTextArea1.setText("");
    jButton1.setSelected(false);
    jButton5.setSelected(false);
}
```

```
/**
 * Creates new form AAllergens
 */
```

```
/**
 * This method is called from within the constructor to initialize the
form.
```



```
* WARNING: Do NOT modify this code. The content of this method is  
always
```

```
* regenerated by the Form Editor.
```

```
*/
```

```
@SuppressWarnings("unchecked")
```

```
// <editor-fold defaultstate="collapsed" desc="Generated Code">
```

```
private void initComponents() {
```

```
    jPanel1 = new javax.swing.JPanel();  
    jPanel2 = new javax.swing.JPanel();  
    jLabel7 = new javax.swing.JLabel();  
    jButton2 = new javax.swing.JButton();  
    jButton1 = new javax.swing.JButton();  
    Time = new javax.swing.JLabel();  
    Date = new javax.swing.JLabel();  
    jPanel3 = new javax.swing.JPanel();  
    jPanel5 = new javax.swing.JPanel();  
    jSpinner1 = new javax.swing.JSpinner();  
    jLabel12 = new javax.swing.JLabel();  
    jLabel14 = new javax.swing.JLabel();  
    jLabel17 = new javax.swing.JLabel();  
    jLabel9 = new javax.swing.JLabel();  
    jPanel4 = new javax.swing.JPanel();  
    jPanel6 = new javax.swing.JPanel();  
    jSpinner2 = new javax.swing.JSpinner();  
    jLabel13 = new javax.swing.JLabel();  
    jLabel15 = new javax.swing.JLabel();  
    jLabel18 = new javax.swing.JLabel();  
    jLabel10 = new javax.swing.JLabel();  
    jLabel11 = new javax.swing.JLabel();  
    jLabel2 = new javax.swing.JLabel();  
    jLabel3 = new javax.swing.JLabel();  
    jLabel4 = new javax.swing.JLabel();  
    jLabel5 = new javax.swing.JLabel();  
    jLabel6 = new javax.swing.JLabel();  
    jButton4 = new javax.swing.JButton();  
    jPanel7 = new javax.swing.JPanel();  
    jScrollPane1 = new javax.swing.JScrollPane();  
    jTextArea1 = new javax.swing.JTextArea();
```

```

jLabel8 = new javax.swing.JLabel();
jButton5 = new javax.swing.JButton();
jLabel16 = new javax.swing.JLabel();
jButton6 = new javax.swing.JButton();
jCheckBox1 = new javax.swing.JCheckBox();
jCheckBox2 = new javax.swing.JCheckBox();
jButton7 = new javax.swing.JButton();
jButton8 = new javax.swing.JButton();

setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);

jPanel1.setBackground(new java.awt.Color(255, 255, 255));

jPanel2.setBackground(new java.awt.Color(0, 0, 0));

jLabel7.setFont(new java.awt.Font("Courier New", 1, 36)); //
NOI18N
jLabel7.setForeground(new java.awt.Color(255, 255, 255));
jLabel7.setText("ALLERGENS OR DIET MENU");

jButton2.setBackground(new java.awt.Color(255, 204, 51));
jButton2.setText("DARK MODE");
jButton2.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton2ActionPerformed(evt);
    }
});

jButton1.setBackground(new java.awt.Color(255, 204, 51));
jButton1.setText("LIGHT MODE");
jButton1.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton1ActionPerformed(evt);
    }
});

Time.setForeground(new java.awt.Color(255, 255, 255));
Time.setText("09:00");

```

```

Date.setForeground(new java.awt.Color(255, 255, 255));
Date.setText("Friday 13 October 2025");

javax.swing.GroupLayout jPanel2Layout = new
javax.swing.GroupLayout(jPanel2);
jPanel2.setLayout(jPanel2Layout);
jPanel2Layout.setHorizontalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addGap(66, 66, 66)
        .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
            .addComponent(jButton2,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jButton1,
                javax.swing.GroupLayout.DEFAULT_SIZE, 113, Short.MAX_VALUE))
        .addGap(47, 47, 47)
        .addComponent(jLabel7,
            javax.swing.GroupLayout.PREFERRED_SIZE, 499,
            javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(Time)
        .addGap(18, 18, 18)
        .addComponent(Date,
            javax.swing.GroupLayout.PREFERRED_SIZE, 127,
            javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
            Short.MAX_VALUE))
    );
jPanel2Layout.setVerticalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING),
            .addComponent(jButton2,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE),
            .addComponent(jButton1,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addGap(47, 47, 47)
        .addComponent(jLabel7,
            javax.swing.GroupLayout.PREFERRED_SIZE, 499,
            javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(Time)
        .addGap(18, 18, 18)
        .addComponent(Date,
            javax.swing.GroupLayout.PREFERRED_SIZE, 127,
            javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
            Short.MAX_VALUE))
    );
jPanel2Layout.setVerticalGroup(

```

```

        .addGroup(jPanel2Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.TRAILING)
            .addGroup(jPanel2Layout.createSequentialGroup())
                .addGap(22, 22, 22)
                .addComponent(jButton2)
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
                    .addComponent(jButton1))
            .addGroup(jPanel2Layout.createSequentialGroup())
                .addContainerGap()
                .addGroup(jPanel2Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.BASELINE)
                    .addComponent(jLabel7,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                        .addComponent(Time)
                        .addComponent(Date))))
        .addContainerGap()
    );

    jPanel3.setBackground(new java.awt.Color(255, 204, 51));

    jPanel5.setBackground(new java.awt.Color(0, 0, 0));

    jLabel14.setForeground(new java.awt.Color(255, 255, 255));
    jLabel14.setText("GUSTO FISH AND CHIPS");

    jLabel17.setForeground(new java.awt.Color(255, 255, 255));
    jLabel17.setText("R235.00");

    jLabel9.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/MEALS
IMAGES/14.jpg"))); // NOI18N

    javax.swing.GroupLayout jPanel5Layout = new
javax.swing.GroupLayout(jPanel5);
    jPanel5.setLayout(jPanel5Layout);
    jPanel5Layout.setHorizontalGroup(

```

```

jPanel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel5Layout.createSequentialGroup()
        .addContainerGap(22, Short.MAX_VALUE)
        .addComponent(jLabel12)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
        .addGroup(jPanel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel5Layout.createSequentialGroup()
                .addComponent(jLabel17)
                .addGap(18, 18, 18)
                .addComponent(jSpinner1,
javax.swing.GroupLayout.PREFERRED_SIZE, 48,
javax.swing.GroupLayout.PREFERRED_SIZE))
                .addComponent(jLabel19))
            .addGap(27, 27, 27))
            .addGroup(jPanel5Layout.createSequentialGroup()
                .addContainerGap()
                .addComponent(jLabel14)
                .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
jPanel5Layout.setVerticalGroup(

jPanel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel5Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jLabel14)
        .addGap(18, 18, 18)
        .addGroup(jPanel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addComponent(jLabel12,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addGroup(jPanel5Layout.createSequentialGroup()

```

```

        .addComponent(jLabel19)
        .addGap(18, 18, 18)
        .addGroup(jPanel5Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.BASELINE)
            .addComponent(jLabel17)
            .addComponent(jSpinner1,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
            .addGap(0, 0, Short.MAX_VALUE)))
        .addContainerGap())
    );

```

```

    javax.swing.GroupLayout jPanel3Layout = new
javax.swing.GroupLayout(jPanel3);
    jPanel3.setLayout(jPanel3Layout);
    jPanel3Layout.setHorizontalGroup(

```

```

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel3Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel5,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel3Layout.setVerticalGroup(

```

```

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel3Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel5,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)

```

```

        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

    jPanel4.setBackground(new java.awt.Color(255, 204, 51));

    jPanel6.setBackground(new java.awt.Color(0, 0, 0));

    jLabel15.setForeground(new java.awt.Color(255, 255, 255));
    jLabel15.setText("GUSTO SALAD MIX");

    jLabel18.setForeground(new java.awt.Color(255, 255, 255));
    jLabel18.setText("R345.00");

    jLabel10.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/MEALS
IMAGES/15.jpg"))); // NOI18N

    javax.swing.GroupLayout jPanel6Layout = new
javax.swing.GroupLayout(jPanel6);
    jPanel6.setLayout(jPanel6Layout);
    jPanel6Layout.setHorizontalGroup(

jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel6Layout.createSequentialGroup()
            .addGroup(jPanel6Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
                .addGroup(jPanel6Layout.createSequentialGroup()
                    .addGap(29, 29, 29)
                    .addComponent(jLabel13)
                    .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
                    .addGroup(jPanel6Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
                        .addGroup(jPanel6Layout.createSequentialGroup()
                            .addComponent(jLabel18)
                            .addPreferredGap(javax.swing.LayoutStyle.C

```

```

omponentPlacement.UNRELATED)
                .addComponent(jSpinner2,
javax.swing.GroupLayout.PREFERRED_SIZE, 48,
javax.swing.GroupLayout.PREFERRED_SIZE))
                .addComponent(jLabel10,
javax.swing.GroupLayout.PREFERRED_SIZE, 100,
javax.swing.GroupLayout.PREFERRED_SIZE)))
                .addGroup(jPanel6Layout.createSequentialGroup()
                .addGap(37, 37, 37)
                .addComponent(jLabel15)))
                .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
        jPanel6Layout.setVerticalGroup(

jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                .addGroup(jPanel6Layout.createSequentialGroup()
                .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
                .addComponent(jLabel13,
javax.swing.GroupLayout.PREFERRED_SIZE, 183,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(37, 37, 37))
                .addGroup(jPanel6Layout.createSequentialGroup()
                .addContainerGap()
                .addComponent(jLabel15)
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
                .addComponent(jLabel10,
javax.swing.GroupLayout.PREFERRED_SIZE, 77,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(18, 18, 18)
                .addGroup(jPanel6Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.BASELINE)
                .addComponent(jLabel18)
                .addComponent(jSpinner2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,

```



```

javax.swing.GroupLayout.PREFERRED_SIZE))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

    javax.swing.GroupLayout jPanel4Layout = new
javax.swing.GroupLayout(jPanel4);
    jPanel4.setLayout(jPanel4Layout);
    jPanel4Layout.setHorizontalGroup(

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel4Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel6,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addContainerGap())
        );
    jPanel4Layout.setVerticalGroup(

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel4Layout.createSequentialGroup()
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
            .addComponent(jPanel6,
javax.swing.GroupLayout.PREFERRED_SIZE, 153,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap())
        );

    jLabel1.setText("FOR DIETERS & MORE");

    jLabel2.setText("FOR DIABETES ");

    jLabel3.setText("R235.00 + PREFERENCES");

```

```
jLabel14.setText("Preference up Front");

jLabel15.setText("R345+ PREFERENCES");

jLabel16.setText("Preference Up Front");

jButton4.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/ICONS/b2.png"))); //
NOI18N
jButton4.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton4ActionPerformed(evt);
    }
});

jPanel7.setBackground(new java.awt.Color(153, 153, 153));

jTextArea1.setColumns(20);
jTextArea1.setFont(new java.awt.Font("Courier New", 0, 12)); //
NOI18N
jTextArea1.setRows(5);
jScrollPane1.setViewportView(jTextArea1);

jLabel8.setFont(new java.awt.Font("Tahoma", 0, 24)); // NOI18N
jLabel8.setText("PAYMENT DETAILS");

javax.swing.GroupLayout jPanel7Layout = new
javax.swing.GroupLayout(jPanel7);
jPanel7.setLayout(jPanel7Layout);
jPanel7Layout.setHorizontalGroup(

jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel7Layout.createSequentialGroup()
        .addGroup(jPanel7Layout.createParallelGroup(javax.swing.
GroupLayout.Alignment.LEADING)
            .addGroup(jPanel7Layout.createSequentialGroup()
                .addContainerGap()
                .addComponent(jScrollPane1,
```

```

javax.swing.GroupLayout.PREFERRED_SIZE, 471,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGroup(jPanel17Layout.createSequentialGroup()
            .addGap(121, 121, 121)
            .addComponent(jLabel8)))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel17Layout.setVerticalGroup(

jPanel17Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel17Layout.createSequentialGroup()
    .addContainerGap()
    .addComponent(jLabel8)
    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
    .addComponent(jScrollPane1,
javax.swing.GroupLayout.PREFERRED_SIZE, 270,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addContainerGap(14, Short.MAX_VALUE))
    );

    jButton5.setText("RECEIPT");
    jButton5.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton5ActionPerformed(evt);
        }
    });

    jLabel16.setText("FOR MORE INFORMATION HEAD TO THE CASHIER");

    jButton6.setText("ORDER");
    jButton6.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton6ActionPerformed(evt);
        }
    });
}

```

```

jCheckBox1.setText("PURCHASE");
jCheckBox1.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jCheckBox1ActionPerformed(evt);
    }
});

jCheckBox2.setText("PURCHASE");
jCheckBox2.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jCheckBox2ActionPerformed(evt);
    }
});

jButton7.setText("CLEAR");
jButton7.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton7ActionPerformed(evt);
    }
});

jButton8.setText("TOTAL");
jButton8.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton8ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
jPanel1.setLayout(jPanel1Layout);
jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addGap(54, 54, 54)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr

```

```

oupLayout.Alignment.TRAILING, false)
        .addGroup(javax.swing.GroupLayout.Alignment.LEADING,
jPanel1Layout.createSequentialGroup()
        .addComponent(jLabel16,
javax.swing.GroupLayout.PREFERRED_SIZE, 277,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jButton4,
javax.swing.GroupLayout.PREFERRED_SIZE, 102,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(15, 15, 15)
        .addComponent(jButton8,
javax.swing.GroupLayout.PREFERRED_SIZE, 104,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jButton5,
javax.swing.GroupLayout.PREFERRED_SIZE, 104,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
        .addComponent(jButton7,
javax.swing.GroupLayout.PREFERRED_SIZE, 104,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addComponent(jButton6,
javax.swing.GroupLayout.PREFERRED_SIZE, 100,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGroup(javax.swing.GroupLayout.Alignment.LEADING,
jPanel1Layout.createSequentialGroup()
        .addGroup(jPanel1Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING, false)
        .addComponent(jPanel13,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jPanel14,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))

```

```

        .addGap(28, 28, 28)
        .addGroup(jPanel11Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
            .addComponent(jLabel13)
            .addComponent(jLabel11)
            .addComponent(jLabel14)
            .addComponent(jLabel12)
            .addComponent(jLabel15)
            .addComponent(jLabel16)
            .addComponent(jCheckBox1)
            .addComponent(jCheckBox2))
        .addGap(30, 30, 30)
        .addComponent(jPanel17,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addContainerGap(35, Short.MAX_VALUE))
        .addComponent(jPanel2, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );
    jPanel11Layout.setVerticalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel11Layout.createSequentialGroup())
            .addComponent(jPanel2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGroup(jPanel11Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
                .addGroup(jPanel11Layout.createSequentialGroup())
                    .addGroup(jPanel11Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
                        .addGroup(jPanel11Layout.createSequentialGroup(
)

                            .addComponent(jPanel13,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE)
                .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.UNRELATED)
                .addComponent(jPanel4,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
                .addGroup(jPanel11Layout.createSequentialGroup(
)
                .addGap(14, 14, 14)
                .addComponent(jLabel11)
                .addGap(31, 31, 31)
                .addComponent(jLabel13)
                .addGap(17, 17, 17)
                .addComponent(jCheckBox1)
                .addGap(18, 18, 18)
                .addComponent(jLabel14)
                .addGap(59, 59, 59)
                .addComponent(jLabel12)
                .addGap(49, 49, 49)
                .addComponent(jLabel15)
                .addGap(13, 13, 13)
                .addComponent(jCheckBox2)
                .addGap(18, 18, 18)
                .addComponent(jLabel16)))
                .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
                .addComponent(jLabel16,
javax.swing.GroupLayout.PREFERRED_SIZE, 24,
javax.swing.GroupLayout.PREFERRED_SIZE))
                .addGroup(jPanel11Layout.createSequentialGroup()
                .addGap(14, 14, 14)
                .addGroup(jPanel11Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.TRAILING)
                .addComponent(jButton6,
javax.swing.GroupLayout.PREFERRED_SIZE, 53,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGroup(jPanel11Layout.createSequentialGroup(
)

```

```

        .addComponent(jPanel17,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addGroup(jPanel11Layout.createParallelGroup(
javax.swing.GroupLayout.Alignment.TRAILING)
        .addComponent(jButton4,
javax.swing.GroupLayout.PREFERRED_SIZE, 53,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGroup(javax.swing.GroupLayout.Alig
nment.LEADING,
jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BA
SELINE)
        .addComponent(jButton5,
javax.swing.GroupLayout.PREFERRED_SIZE, 53,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jButton7,
javax.swing.GroupLayout.PREFERRED_SIZE, 53,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jButton8,
javax.swing.GroupLayout.PREFERRED_SIZE, 53,
javax.swing.GroupLayout.PREFERRED_SIZE))))))
        .addContainerGap(31, Short.MAX_VALUE))
    );

    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel1, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );
    layout.setVerticalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,

```



```
javax.swing.GroupLayout.DEFAULT_SIZE,  
javax.swing.GroupLayout.PREFERRED_SIZE)  
    );
```

```
    pack();  
    setLocationRelativeTo(null);  
} // </editor-fold>
```

```
private void jButton2ActionPerformed(java.awt.event.ActionEvent evt) {  
    // TODO add your handling code here:  
    jPanel1.setBackground(Color.black);  
    jPanel5.setBackground(Color.gray);  
    jPanel6.setBackground(Color.gray);  
}
```

```
private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {  
    // TODO add your handling code here:  
    jPanel1.setBackground(Color.white);  
    jPanel5.setBackground(Color.black);  
    jPanel6.setBackground(Color.black);  
}
```

```
private void jButton4ActionPerformed(java.awt.event.ActionEvent evt) {  
    // TODO add your handling code here:  
    new Ssurvey().setVisible(true);  
    dispose();  
}
```

```
private void jButton5ActionPerformed(java.awt.event.ActionEvent evt) {  
    // TODO add your handling code here:  
    jSpinner1.setValue(0);  
    jSpinner2.setValue(0);  
}
```

```
private void jButton6ActionPerformed(java.awt.event.ActionEvent evt) {  
    // TODO add your handling code here:  
    Gusto();  
}
```

```

private void jCheckBox1ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty=Integer.parseInt(jSpinner1.getValue().toString());
    if(qtyIsZero(qty)&&jCheckBox1.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
        double price=qty*235.0;
        total+=price;
        jTextArea1.setText(jTextArea1.getText()+x+".
"+jLabel14.getText()+"\t\t\t\t"+price+"\n");
    }else{
        jCheckBox1.setSelected(false);
    }
}

```

```

private void jCheckBox2ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty=Integer.parseInt(jSpinner2.getValue().toString());
    if(qtyIsZero(qty)&&jCheckBox2.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
        double price=qty*345.0;
        total+=price;
        jTextArea1.setText(jTextArea1.getText()+x+".
"+jLabel15.getText()+"\t\t\t\t"+price+"\n");
    }else{
        jCheckBox2.setSelected(false);
    }
}

```

```

private void jButton3ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here: int qty =
Integer.parseInt(jSpinner1.getValue().toString()); int qty2 =

```

```

Integer.parseInt(jSpinner2.getValue().toString()); int qty3 =
Integer.parseInt(jSpinner3.getValue().toString());

double price = qty * 130;
double price2 = qty2 * 170.00;
double price3 = qty3 * 165.00;

double credit=40;
double tax=160;
double Subtotal=price+price2+price3;
double CreditTotal=Subtotal+credit+tax;
double Total=Subtotal+tax;
double OrderNumber=2505+Subtotal;
if(total==0.0){
    JOptionPane.showMessageDialog(null, "You havent chosen
anything");
}else{
    JTextArea1.setText(JTextArea1.getText()+

"\n*****\n"+
        "THANK YOU\n"+"CREDIT:
\t\t\t\t\tR"+credit+"\nTAX: \t\t\t\t\tR"+tax+
        "\nSUBTOTAL: \t\t\t\t\tR"+Subtotal+"\nTOTAL:
\t\t\t\t\tR"+Total+
        "\nCREDIT TOTAL:
\t\t\t\t\tR"+CreditTotal+

"\n*****\n"+
        "ORDER NUMBER: \t\t\t\t\t"+OrderNumber+

"\n*****\n"+
        "NOTE:For more information please head to our
staff or Manager.\n"+
        "We do not store food for more than 5 hours for
health reasons,\n"+
        "If we do so you are permitted to get 2 free
meals.\n"+

"\n*****\n"+
        "Or Email us at GUSTOGROVEANDDINE@GMAIL.COM");

```

```
}  
}
```

```
private void jButton7ActionPerformed(java.awt.event.ActionEvent evt) {  
    // TODO add your handling code here:  
    if(total!=0){  
        try {  
            // TODO add your handling code here:  
            jTextArea1.print();  
        } catch (PrinterException ex) {  
            Logger.getLogger(BBreakfast.class.getName()).log(Level.SEVERE,  
null, ex);  
        }  
    }  
    else{  
        JOptionPane.showMessageDialog(null,"Please increase the item  
qauntity");  
    }  
}
```

```
private void jButton8ActionPerformed(java.awt.event.ActionEvent evt) {  
    // TODO add your handling code here:  
    int qty = Integer.parseInt(jSpinner1.getValue().toString());  
    int qty2 = Integer.parseInt(jSpinner2.getValue().toString());  
  
    double price = qty * 235.0;  
    double price2 = qty2 * 345.0;  
  
    double credit=40;  
    double tax=160;  
    double Subtotal=price+price2;  
    double CreditTotal=Subtotal+credit+tax;  
    double Total=Subtotal+tax;  
    double OrderNumber=2505+Subtotal;  
    if(total==0.0){  
        JOptionPane.showMessageDialog(null, "You havent chosen  
anything");  
    }  
}
```

```

    }else{
        JTextArea1.setText(JTextArea1.getText()+

"\n*****\n"+
            "THANK YOU\n"+"CREDIT:
\t\t\t\t\tR"+credit+"\nTAX: \t\t\t\t\tR"+tax+
            "\nSUBTOTAL: \t\t\t\t\tR"+Subtotal+"\nTOTAL:
\t\t\t\t\tR"+Total+
            "\nCREDIT TOTAL:
\t\t\t\t\tR"+CreditTotal+

"\n*****\n"+
            "ORDER NUMBER: \t\t\t\t\t"+OrderNumber+

"\n*****\n"+
            "NOTE:For more information please head to our
staff or Manager.\n"+
            "We do not store food for more than 5 hours for
health reasons,\n"+
            "If we do so you are permitted to get 2 free
meals.\n"+

"\n*****\n"+
            "Or Email us at GUSTOGROVEANDDINE@GMAIL.COM");
    }
}

public void Gusto(){

int qty = Integer.parseInt(jSpinner1.getValue().toString());
int qty2 = Integer.parseInt(jSpinner2.getValue().toString());

double price = qty * 130.00;
double price2 = qty2 * 170.00;

double credit=40;
    double tax=160;
    double Subtotal=price+price2;
    double CreditTotal=Subtotal+credit+tax;
    double Total=Subtotal+tax;

```

```

double OrderNumber=25005+Subtotal;

if(qtyIsZero(qty)){
    x++;
    if(x==1){
        Gusto();
    }
}else{
    jButton1.setSelected(false);
}

jTextArea1.setText("*****WELCOME*****
*****\n"+

*****TO*****\n"+
*****Gusto Grove &
Dine*****\n"
        +"Time: " +Time.getText()+"\t\t\tDate:
"+Date.getText()+"\n"
        +
*****\n"
        +"Item Name:\t\t\t\t\t"+"Price(R)\n");
}

public void setTime(){
    new Thread(new Runnable(){
        @Override
        public void run(){
            while(true){
                try{
                    Thread.sleep(1000);
                }catch(InterruptedException ex){

Logger.getLogger(STAFF.class.getName()).log(Level.SEVERE, null, ex);
                }
                Date date =new Date();
                SimpleDateFormat tf= new SimpleDateFormat("hh:mm:ss");
                SimpleDateFormat df= new SimpleDateFormat("EEEE, dd-
MM-yyyy");

```

```

        String time =tf.format(date);
        Time.setText(time.split(" ")[0]+" "+time.split(" ")[1]);
        Date.setText(df.format(date));
    }
}
}).start();
}
/**
 * @param args the command line arguments
 */
public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //<editor-fold defaultstate="collapsed" desc=" Look and feel
setting code (optional) ">
    /* If Nimbus (introduced in Java SE 6) is not available, stay with
the default look and feel.
    * For details see
http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.ht
ml
    */
    try {
        for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Nimbus".equals(info.getName())) {

javax.swing.UIManager.setLookAndFeel(info.getClassName());
                break;
            }
        }
    } catch (ClassNotFoundException ex) {

java.util.logging.Logger.getLogger(AAllergens.class.getName()).log(jav
a.util.logging.Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {

java.util.logging.Logger.getLogger(AAllergens.class.getName()).log(jav
a.util.logging.Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {

```

```
java.util.logging.Logger.getLogger(AAllergens.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {
```

```
java.util.logging.Logger.getLogger(AAllergens.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
    }
//</editor-fold>
```

```
/* Create and display the form */
java.awt.EventQueue.invokeLater(new Runnable() {
    public void run() {
        new AAllergens().setVisible(true);
    }
});
}
```

```
// Variables declaration - do not modify
private javax.swing.JLabel Date;
private javax.swing.JLabel Time;
private javax.swing.JButton jButton1;
private javax.swing.JButton jButton2;
private javax.swing.JButton jButton4;
private javax.swing.JButton jButton5;
private javax.swing.JButton jButton6;
private javax.swing.JButton jButton7;
private javax.swing.JButton jButton8;
private javax.swing.JCheckBox jCheckBox1;
private javax.swing.JCheckBox jCheckBox2;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel10;
private javax.swing.JLabel jLabel12;
private javax.swing.JLabel jLabel13;
private javax.swing.JLabel jLabel14;
private javax.swing.JLabel jLabel15;
private javax.swing.JLabel jLabel16;
private javax.swing.JLabel jLabel17;
private javax.swing.JLabel jLabel18;
private javax.swing.JLabel jLabel2;
```



```

private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
private javax.swing.JLabel jLabel5;
private javax.swing.JLabel jLabel6;
private javax.swing.JLabel jLabel7;
private javax.swing.JLabel jLabel8;
private javax.swing.JLabel jLabel9;
private javax.swing.JPanel jPanel1;
private javax.swing.JPanel jPanel2;
private javax.swing.JPanel jPanel3;
private javax.swing.JPanel jPanel4;
private javax.swing.JPanel jPanel5;
private javax.swing.JPanel jPanel6;
private javax.swing.JPanel jPanel7;
private javax.swing.JScrollPane jScrollPane1;
private javax.swing.JSpinner jSpinner1;
private javax.swing.JSpinner jSpinner2;
private javax.swing.JTextArea jTextArea1;
// End of variables declaration

}

```

VENUE MENU

```
/*
```

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

```
*/ package javaapplication7;
```

```

import java.awt.Color; import java.awt.print.PrinterException; import
java.text.SimpleDateFormat; import java.util.Date; import java.util.logging.Level; import
java.util.logging.Logger; import javax.swing.JOptionPane;

```

```
/** *
```

- @author Douglas

```

/ public class AAllergens extends javax.swing.JFrame { private double total=0.0; private int
x=0; /* * Creates new form BBreakfast */ public AAllergens() { initComponents(); init(); }
public void init(){ setTime();}

public boolean qtyIsZero(int qty){
    if (Integer.parseInt(jSpinner1.getValue().toString())==0){
        JOptionPane.showMessageDialog(null, "You can still order more
items ");
        return false;
    }
    return true;
}
public void Clear(){
    jSpinner1.setValue(0);
    jSpinner2.setValue(0);
    jTextArea1.setText("");
    jButton1.setSelected(false);
    jButton5.setSelected(false);
}
/**
 * Creates new form AAllergens
 */

/**
 * This method is called from within the constructor to initialize the
form.
 * WARNING: Do NOT modify this code. The content of this method is
always
 * regenerated by the Form Editor.
 */
@SuppressWarnings("unchecked")
// <editor-fold defaultstate="collapsed" desc="Generated Code">
private void initComponents() {

    jPanel1 = new javax.swing.JPanel();
    jPanel2 = new javax.swing.JPanel();
    jLabel7 = new javax.swing.JLabel();
    jButton2 = new javax.swing.JButton();
    jButton1 = new javax.swing.JButton();

```

```
Time = new javax.swing.JLabel();
Date = new javax.swing.JLabel();
jPanel3 = new javax.swing.JPanel();
jPanel5 = new javax.swing.JPanel();
jSpinner1 = new javax.swing.JSpinner();
jLabel12 = new javax.swing.JLabel();
jLabel14 = new javax.swing.JLabel();
jLabel17 = new javax.swing.JLabel();
jLabel9 = new javax.swing.JLabel();
jPanel4 = new javax.swing.JPanel();
jPanel6 = new javax.swing.JPanel();
jSpinner2 = new javax.swing.JSpinner();
jLabel13 = new javax.swing.JLabel();
jLabel15 = new javax.swing.JLabel();
jLabel18 = new javax.swing.JLabel();
jLabel10 = new javax.swing.JLabel();
jLabel11 = new javax.swing.JLabel();
jLabel2 = new javax.swing.JLabel();
jLabel3 = new javax.swing.JLabel();
jLabel4 = new javax.swing.JLabel();
jLabel5 = new javax.swing.JLabel();
jLabel6 = new javax.swing.JLabel();
jButton4 = new javax.swing.JButton();
jPanel7 = new javax.swing.JPanel();
jScrollPane1 = new javax.swing.JScrollPane();
jTextArea1 = new javax.swing.JTextArea();
jLabel8 = new javax.swing.JLabel();
jButton5 = new javax.swing.JButton();
jLabel16 = new javax.swing.JLabel();
jButton6 = new javax.swing.JButton();
jCheckBox1 = new javax.swing.JCheckBox();
jCheckBox2 = new javax.swing.JCheckBox();
jButton7 = new javax.swing.JButton();
jButton8 = new javax.swing.JButton();
```

```
setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
```

```
jPanel1.setBackground(new java.awt.Color(255, 255, 255));
```

```

jPanel2.setBackground(new java.awt.Color(0, 0, 0));

jLabel7.setFont(new java.awt.Font("Courier New", 1, 36)); //
NOI18N
jLabel7.setForeground(new java.awt.Color(255, 255, 255));
jLabel7.setText("ALLERGENS OR DIET MENU");

jButton2.setBackground(new java.awt.Color(255, 204, 51));
jButton2.setText("DARK MODE");
jButton2.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton2ActionPerformed(evt);
    }
});

jButton1.setBackground(new java.awt.Color(255, 204, 51));
jButton1.setText("LIGHT MODE");
jButton1.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton1ActionPerformed(evt);
    }
});

Time.setForeground(new java.awt.Color(255, 255, 255));
Time.setText("09:00");

Date.setForeground(new java.awt.Color(255, 255, 255));
Date.setText("Friday 13 October 2025");

javax.swing.GroupLayout jPanel2Layout = new
javax.swing.GroupLayout(jPanel2);
jPanel2.setLayout(jPanel2Layout);
jPanel2Layout.setHorizontalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addGap(66, 66, 66)

```

```

        .addGroup(jPanel2Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING, false)
            .addComponent(jButton2,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jButton1,
javax.swing.GroupLayout.DEFAULT_SIZE, 113, Short.MAX_VALUE))
        .addGap(47, 47, 47)
        .addComponent(jLabel7,
javax.swing.GroupLayout.PREFERRED_SIZE, 499,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(Time)
        .addGap(18, 18, 18)
        .addComponent(Date,
javax.swing.GroupLayout.PREFERRED_SIZE, 127,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel2Layout.setVerticalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel2Layout.createSequentialGroup()
            .addGroup(jPanel2Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.TRAILING)
                .addGroup(jPanel2Layout.createSequentialGroup())
                    .addGap(22, 22, 22)
                    .addComponent(jButton2)
                    .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
                    .addComponent(jButton1))
                .addGroup(jPanel2Layout.createSequentialGroup())
                    .addContainerGap()
                    .addGroup(jPanel2Layout.createParallelGroup(javax.s
wing.GroupLayout.Alignment.BASELINE)

```

```

        .addComponent(jLabel17,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(Time)
        .addComponent(Date))))
    .addContainerGap())
);

jPanel13.setBackground(new java.awt.Color(255, 204, 51));

jPanel15.setBackground(new java.awt.Color(0, 0, 0));

jLabel14.setForeground(new java.awt.Color(255, 255, 255));
jLabel14.setText("GUSTO FISH AND CHIPS");

jLabel17.setForeground(new java.awt.Color(255, 255, 255));
jLabel17.setText("R235.00");

jLabel19.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/MEALS
IMAGES/14.jpg"))); // NOI18N

    javax.swing.GroupLayout jPanel15Layout = new
javax.swing.GroupLayout(jPanel15);
    jPanel15.setLayout(jPanel15Layout);
    jPanel15Layout.setHorizontalGroup(

jPanel15Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel15Layout.createSequentialGroup()
        .addComponent(jLabel12)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
        .addGroup(jPanel15Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel15Layout.createSequentialGroup()
                .addComponent(jLabel17)
                .addGap(18, 18, 18)

```

```

        .addComponent(jSpinner1,
javax.swing.GroupLayout.PREFERRED_SIZE, 48,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addComponent(jLabel19))
        .addGap(27, 27, 27))
    .addGroup(jPanel5Layout.createSequentialGroup())
        .addContainerGap()
        .addComponent(jLabel14)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel5Layout.setVerticalGroup(

jPanel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel5Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jLabel14)
            .addGap(18, 18, 18)
            .addGroup(jPanel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                .addComponent(jLabel12,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                .addGroup(jPanel5Layout.createSequentialGroup())
                    .addComponent(jLabel19)
                    .addGap(18, 18, 18)
                    .addGroup(jPanel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
                        .addComponent(jLabel17)
                        .addComponent(jSpinner1,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
                        .addGap(0, 0, Short.MAX_VALUE)))
                .addContainerGap())
    );

```

```

        javax.swing.GroupLayout jPanel3Layout = new
javax.swing.GroupLayout(jPanel3);
        jPanel3.setLayout(jPanel3Layout);
        jPanel3Layout.setHorizontalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel3Layout.createSequentialGroup()
                .addGap(10, 10, 10)
                .addComponent(jPanel5,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(10, 10, 10)
                .addComponent(jPanel6,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            )
        );
        jPanel3Layout.setVerticalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel3Layout.createSequentialGroup()
                .addGap(10, 10, 10)
                .addComponent(jPanel5,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(10, 10, 10)
                .addComponent(jPanel6,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            )
        );

jPanel4.setBackground(new java.awt.Color(255, 204, 51));

jPanel6.setBackground(new java.awt.Color(0, 0, 0));

jLabel15.setForeground(new java.awt.Color(255, 255, 255));
jLabel15.setText("GUSTO SALAD MIX");

jLabel18.setForeground(new java.awt.Color(255, 255, 255));
jLabel18.setText("R345.00");

```



```

        jLabel10.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/MEALS
IMAGES/15.jpg"))); // NOI18N

        javax.swing.GroupLayout jPanel6Layout = new
javax.swing.GroupLayout(jPanel6);
        jPanel6.setLayout(jPanel6Layout);
        jPanel6Layout.setHorizontalGroup(

jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel6Layout.createSequentialGroup()
                .addGroup(jPanel6Layout.createParallelGroup(javax.swing.
GroupLayout.Alignment.LEADING)
                    .addGroup(jPanel6Layout.createSequentialGroup()
                        .addGap(29, 29, 29)
                        .addComponent(jLabel13)
                        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
                        .addGroup(jPanel6Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
                            .addGroup(jPanel6Layout.createSequentialGroup()
                                .addComponent(jLabel18)
                                .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.UNRELATED)
                                .addComponent(jSpinner2,
javax.swing.GroupLayout.PREFERRED_SIZE, 48,
javax.swing.GroupLayout.PREFERRED_SIZE))
                            .addGroup(jPanel6Layout.createSequentialGroup()
                                .addComponent(jLabel10,
javax.swing.GroupLayout.PREFERRED_SIZE, 100,
javax.swing.GroupLayout.PREFERRED_SIZE)))
                        .addGroup(jPanel6Layout.createSequentialGroup()
                            .addGap(37, 37, 37)
                            .addComponent(jLabel15)))
                    .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
                .addContainerGap()
            );
    }
}

```

```

jPanel6Layout.setVerticalGroup(

jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel6Layout.createSequentialGroup()
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addComponent(jLabel13,
javax.swing.GroupLayout.PREFERRED_SIZE, 183,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(37, 37, 37))
    .addGroup(jPanel6Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jLabel15)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
        .addComponent(jLabel10,
javax.swing.GroupLayout.PREFERRED_SIZE, 77,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addGroup(jPanel6Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.BASELINE)
            .addComponent(jLabel18)
            .addComponent(jSpinner2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

javax.swing.GroupLayout jPanel4Layout = new
javax.swing.GroupLayout(jPanel4);
jPanel4.setLayout(jPanel4Layout);
jPanel4Layout.setHorizontalGroup(

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel4Layout.createSequentialGroup())

```

```

        .addContainerGap()
        .addComponent(jPanel6,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap())
    );
    jPanel4Layout.setVerticalGroup(

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel4Layout.createSequentialGroup()
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
            .addComponent(jPanel6,
javax.swing.GroupLayout.PREFERRED_SIZE, 153,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap())
        );

    jLabel1.setText("FOR DIETERS & MORE");

    jLabel2.setText("FOR DIABETES ");

    jLabel3.setText("R235.00 + PREFERENCES");

    jLabel4.setText("Preference up Front");

    jLabel5.setText("R345+ PREFERENCES");

    jLabel6.setText("Preference Up Front");

    jButton4.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/ICONS/b2.png"))); //
NOI18N
    jButton4.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton4ActionPerformed(evt);
        }
    }

```

```

});

jPanel7.setBackground(new java.awt.Color(153, 153, 153));

jTextArea1.setColumns(20);
jTextArea1.setFont(new java.awt.Font("Courier New", 0, 12)); //
NOI18N
jTextArea1.setRows(5);
jScrollPane1.setViewportView(jTextArea1);

jLabel8.setFont(new java.awt.Font("Tahoma", 0, 24)); // NOI18N
jLabel8.setText("PAYMENT DETAILS");

javax.swing.GroupLayout jPanel7Layout = new
javax.swing.GroupLayout(jPanel7);
jPanel7.setLayout(jPanel7Layout);
jPanel7Layout.setHorizontalGroup(

jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel7Layout.createSequentialGroup()
        .addGroup(jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel7Layout.createSequentialGroup()
                .addGroup(jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                    .addGroup(jPanel7Layout.createSequentialGroup()
                        .addGroup(jPanel7Layout.createSequentialGroup()
                            .addGroup(jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                                .add(jPanel7Layout.createSequentialGroup()
                                    .addContainerGap()
                                    .addComponent(jScrollPane1,
javax.swing.GroupLayout.PREFERRED_SIZE, 471,
javax.swing.GroupLayout.PREFERRED_SIZE))
                                .addGroup(jPanel7Layout.createSequentialGroup()
                                    .addGroup(jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                                        .addGap(121, 121, 121)
                                        .addComponent(jLabel8)))
                                    .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
                                .add(jPanel7Layout.createSequentialGroup()
                                    .setVerticalGroup(

jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel7Layout.createSequentialGroup()
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,

```

```

jPanel17Layout.createSequentialGroup()
    .addContainerGap()
    .addComponent(jLabel18)
    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
    .addComponent(jScrollPane1,
javax.swing.GroupLayout.PREFERRED_SIZE, 270,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addContainerGap(14, Short.MAX_VALUE))
);

jButton5.setText("RECEIPT");
jButton5.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton5ActionPerformed(evt);
    }
});

jLabel16.setText("FOR MORE INFORMATION HEAD TO THE CASHIER");

jButton6.setText("ORDER");
jButton6.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton6ActionPerformed(evt);
    }
});

jCheckBox1.setText("PURCHASE");
jCheckBox1.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jCheckBox1ActionPerformed(evt);
    }
});

jCheckBox2.setText("PURCHASE");
jCheckBox2.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jCheckBox2ActionPerformed(evt);
    }
});

```

```

});

jButton7.setText("CLEAR");
jButton7.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton7ActionPerformed(evt);
    }
});

jButton8.setText("TOTAL");
jButton8.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton8ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
jPanel1.setLayout(jPanel1Layout);
jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addGap(54, 54, 54)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING, false)
            .addGroup(javax.swing.GroupLayout.Alignment.LEADING,
jPanel1Layout.createSequentialGroup()
                .addComponent(jLabel16,
javax.swing.GroupLayout.PREFERRED_SIZE, 277,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(18, 18, 18)
                .addComponent(jButton4,
javax.swing.GroupLayout.PREFERRED_SIZE, 102,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(15, 15, 15)
                .addComponent(jButton8,
javax.swing.GroupLayout.PREFERRED_SIZE, 104,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jButton5,
javax.swing.GroupLayout.PREFERRED_SIZE, 104,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
        .addComponent(jButton7,
javax.swing.GroupLayout.PREFERRED_SIZE, 104,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addComponent(jButton6,
javax.swing.GroupLayout.PREFERRED_SIZE, 100,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGroup(javax.swing.GroupLayout.Alignment.LEADING,
jPanel1Layout.createSequentialGroup()
        .addGroup(jPanel1Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING, false)
        .addComponent(jPanel3,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jPanel4,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addGap(28, 28, 28)
        .addGroup(jPanel1Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
        .addComponent(jLabel3)
        .addComponent(jLabel11)
        .addComponent(jLabel14)
        .addComponent(jLabel12)
        .addComponent(jLabel15)
        .addComponent(jLabel16)
        .addComponent(jCheckBox1)
        .addComponent(jCheckBox2))
        .addGap(30, 30, 30)
        .addComponent(jPanel17,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addContainerGap(35, Short.MAX_VALUE))
        .addComponent(jPanel2, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );
    jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addComponent(jPanel2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel1Layout.createSequentialGroup()
                .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                    .addGroup(jPanel1Layout.createSequentialGroup(
)
                        .addComponent(jPanel3,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
                .addComponent(jPanel4,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
                .addGroup(jPanel1Layout.createSequentialGroup(
)
                    .addGap(14, 14, 14)
                    .addComponent(jLabel1)
                    .addGap(31, 31, 31)
                    .addComponent(jLabel3)

```



```

        .addGap(17, 17, 17)
        .addComponent(jCheckBox1)
        .addGap(18, 18, 18)
        .addComponent(jLabel4)
        .addGap(59, 59, 59)
        .addComponent(jLabel2)
        .addGap(49, 49, 49)
        .addComponent(jLabel5)
        .addGap(13, 13, 13)
        .addComponent(jCheckBox2)
        .addGap(18, 18, 18)
        .addComponent(jLabel6)))
    .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
        .addComponent(jLabel16,
javax.swing.GroupLayout.PREFERRED_SIZE, 24,
javax.swing.GroupLayout.PREFERRED_SIZE))
    .addGroup(jPanel11Layout.createSequentialGroup())
        .addGap(14, 14, 14)
        .addGroup(jPanel11Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.TRAILING)
            .addComponent(jButton6,
javax.swing.GroupLayout.PREFERRED_SIZE, 53,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGroup(jPanel11Layout.createSequentialGroup(
)
                .addComponent(jPanel17,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(18, 18, 18)
                .addGroup(jPanel11Layout.createParallelGrou
p(javax.swing.GroupLayout.Alignment.TRAILING)
                    .addComponent(jButton4,
javax.swing.GroupLayout.PREFERRED_SIZE, 53,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addGroup(javax.swing.GroupLayout.Alig
nment.LEADING,
jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BA

```

```

SELINE)

                                .addComponent(jButton5,
javax.swing.GroupLayout.PREFERRED_SIZE, 53,
javax.swing.GroupLayout.PREFERRED_SIZE)
                                .addComponent(jButton7,
javax.swing.GroupLayout.PREFERRED_SIZE, 53,
javax.swing.GroupLayout.PREFERRED_SIZE)
                                .addComponent(jButton8,
javax.swing.GroupLayout.PREFERRED_SIZE, 53,
javax.swing.GroupLayout.PREFERRED_SIZE))))))
                                .addContainerGap(31, Short.MAX_VALUE))
    );

    javax.swing.GroupLayout layout = new
    javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel1, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );
    layout.setVerticalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    );

    pack();
    setLocationRelativeTo(null);
}

private void jButton2ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    jPanel1.setBackground(Color.black);
    jPanel5.setBackground(Color.gray);
    jPanel6.setBackground(Color.gray);
}

```

```
}
```

```
private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {  
    // TODO add your handling code here:  
    jPanel1.setBackground(Color.white);  
    jPanel5.setBackground(Color.black);  
    jPanel6.setBackground(Color.black);  
}
```

```
private void jButton4ActionPerformed(java.awt.event.ActionEvent evt) {  
    // TODO add your handling code here:  
    new Ssurvey().setVisible(true);  
    dispose();  
}
```

```
private void jButton5ActionPerformed(java.awt.event.ActionEvent evt) {  
    // TODO add your handling code here:  
    jSpinner1.setValue(0);  
    jSpinner2.setValue(0);  
}
```

```
private void jButton6ActionPerformed(java.awt.event.ActionEvent evt) {  
    // TODO add your handling code here:  
    Gusto();  
}
```

```
private void jCheckBox1ActionPerformed(java.awt.event.ActionEvent evt)  
{  
    // TODO add your handling code here:  
    int qty=Integer.parseInt(jSpinner1.getValue().toString());  
    if(qtyIsZero(qty)&&jCheckBox1.isSelected()){  
        x++;  
        if(x==0){  
            Gusto();  
        }  
        double price=qty*235.0;  
        total+=price;  
        jTextArea1.setText(jTextArea1.getText()+x+ ".  
"+jLabel14.getText()+"\t\t\t\t"+price+"\n");  
    }
```

```

        }else{
            jCheckBox1.setSelected(false);
        }
    }

private void jCheckBox2ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    int qty=Integer.parseInt(jSpinner2.getValue().toString());
    if(qtyIsZero(qty)&&jCheckBox2.isSelected()){
        x++;
        if(x==0){
            Gusto();
        }
        double price=qty*345.0;
        total+=price;
        jTextArea1.setText(jTextArea1.getText()+x+"."
"+jLabel15.getText()+"\t\t\t\t"+price+"\n");
    }else{
        jCheckBox2.setSelected(false);
    }
}

private void jButton7ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    if(total!=0){
        try {
            // TODO add your handling code here:
            jTextArea1.print();
        } catch (PrinterException ex) {
            Logger.getLogger(BBreakfast.class.getName()).log(Level.SEVERE,
null, ex);
        }
    }
    else{
        JOptionPane.showMessageDialog(null,"Please increase the item
qauntity");
    }
}

```

```

private void jButton8ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    int qty = Integer.parseInt(jSpinner1.getValue().toString());
    int qty2 = Integer.parseInt(jSpinner2.getValue().toString());

    double price = qty * 235.0;
    double price2 = qty2 * 345.0;

    double credit=40;
    double tax=160;
    double Subtotal=price+price2;
    double CreditTotal=Subtotal+credit+tax;
    double Total=Subtotal+tax;
    double OrderNumber=2505+Subtotal;
    if(total==0.0){
        JOptionPane.showMessageDialog(null, "You havent chosen
anything");
    }else{
        JTextArea1.setText(JTextArea1.getText()+

"\n*****\n"+
        "THANK YOU\n"+"CREDIT:
\t\t\t\t\tR"+credit+"\nTAX: \t\t\t\t\tR"+tax+
        "\nSUBTOTAL: \t\t\t\t\tR"+Subtotal+"\nTOTAL:
\t\t\t\t\tR"+Total+
        "\nCREDIT TOTAL:
\t\t\t\t\tR"+CreditTotal+

"\n*****\n"+
        "ORDER NUMBER: \t\t\t\t\t"+OrderNumber+

"\n*****\n"+
        "NOTE:For more information please head to our
staff or Manager.\n"+
        "We do not store food for more than 5 hours for
health reasons,\n"+
        "If we do so you are permitted to get 2 free

```

```

meals.\n"+

"\n*****\n"+
        "Or Email us at GUSTOGROVEANDDINE@GMAIL.COM");
    }
}
public void Gusto(){

int qty = Integer.parseInt(jSpinner1.getValue().toString());
int qty2 = Integer.parseInt(jSpinner2.getValue().toString());

double price = qty * 130.00;
double price2 = qty2 * 170.00;

double credit=40;
    double tax=160;
    double Subtotal=price+price2;
    double CreditTotal=Subtotal+credit+tax;
    double Total=Subtotal+tax;
    double OrderNumber=25005+Subtotal;

    if(qtyIsZero(qty)){
        x++;
        if(x==1){
            Gusto();
        }
    }else{
        jButton1.setSelected(false);
    }

jTextArea1.setText("*****WELCOME*****
*****\n"+

"*****TO*****\n"+
        "*****Gusto Grove &
Dine*****\n"

        +"Time: " +Time.getText()+"\t\t\tDate:
"+Date.getText()+"\n"
        +

```

```

"*****\n"
        +"Item Name:\t\t\t\t\t"+"Price(R)\n");
}

public void setTime(){
    new Thread(new Runnable(){
        @Override
        public void run(){
            while(true){
                try{
                    Thread.sleep(1000);
                }catch(InterruptedException ex){

Logger.getLogger(STAFF.class.getName()).log(Level.SEVERE, null, ex);
                }
                Date date =new Date();
                SimpleDateFormat tf= new SimpleDateFormat("hh:mm:ss");
                SimpleDateFormat df= new SimpleDateFormat("EEEE, dd-
MM-yyyy");

                String time =tf.format(date);
                Time.setText(time.split(" ")[0]+" "+time.split(" ")[1]);
                Date.setText(df.format(date));
            }
        }
    }).start();
}
/**
 * @param args the command line arguments
 */
public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //<editor-fold defaultstate="collapsed" desc=" Look and feel
setting code (optional) ">
    /* If Nimbus (introduced in Java SE 6) is not available, stay with
the default look and feel.
    * For details see
http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.ht
ml
    */

```

```

        try {
            for (javax.swing.UIManager.LookAndFeelInfo info :
                javax.swing.UIManager.getInstalledLookAndFeels()) {
                if ("Nimbus".equals(info.getName())) {

javax.swing.UIManager.setLookAndFeel(info.getClassName());
                    break;
                }
            }
        } catch (ClassNotFoundException ex) {

java.util.logging.Logger.getLogger(AAllergens.class.getName()).log(jav
a.util.logging.Level.SEVERE, null, ex);
        } catch (InstantiationException ex) {

java.util.logging.Logger.getLogger(AAllergens.class.getName()).log(jav
a.util.logging.Level.SEVERE, null, ex);
        } catch (IllegalAccessException ex) {

java.util.logging.Logger.getLogger(AAllergens.class.getName()).log(jav
a.util.logging.Level.SEVERE, null, ex);
        } catch (javax.swing.UnsupportedLookAndFeelException ex) {

java.util.logging.Logger.getLogger(AAllergens.class.getName()).log(jav
a.util.logging.Level.SEVERE, null, ex);
        }
    }
    //</editor-fold>

    /* Create and display the form */
    java.awt.EventQueue.invokeLater(new Runnable() {
        public void run() {
            new AAllergens().setVisible(true);
        }
    });
}

// Variables declaration - do not modify
private javax.swing.JLabel Date;
private javax.swing.JLabel Time;

```



```
private javax.swing.JButton jButton1;
private javax.swing.JButton jButton2;
private javax.swing.JButton jButton4;
private javax.swing.JButton jButton5;
private javax.swing.JButton jButton6;
private javax.swing.JButton jButton7;
private javax.swing.JButton jButton8;
private javax.swing.JCheckBox jCheckBox1;
private javax.swing.JCheckBox jCheckBox2;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel10;
private javax.swing.JLabel jLabel12;
private javax.swing.JLabel jLabel13;
private javax.swing.JLabel jLabel14;
private javax.swing.JLabel jLabel15;
private javax.swing.JLabel jLabel16;
private javax.swing.JLabel jLabel17;
private javax.swing.JLabel jLabel18;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
private javax.swing.JLabel jLabel5;
private javax.swing.JLabel jLabel6;
private javax.swing.JLabel jLabel7;
private javax.swing.JLabel jLabel8;
private javax.swing.JLabel jLabel9;
private javax.swing.JPanel jPanel1;
private javax.swing.JPanel jPanel2;
private javax.swing.JPanel jPanel3;
private javax.swing.JPanel jPanel4;
private javax.swing.JPanel jPanel5;
private javax.swing.JPanel jPanel6;
private javax.swing.JPanel jPanel7;
private javax.swing.JScrollPane jScrollPane1;
private javax.swing.JSpinner jSpinner1;
private javax.swing.JSpinner jSpinner2;
private javax.swing.JTextArea jTextArea1;
// End of variables declaration
```

```
}
```

OUR GOALS

THE MAIN GOALS

```
/*
```

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

```
*/ package javaapplication7;
```

```
/** *
```

- @author Douglas

```
*/ public class MAINGOALS extends javax.swing.JFrame {
```

```
/**
```

```
 * Creates new form MAINGOALS
```

```
 */
```

```
public MAINGOALS() {  
    initComponents();  
}
```

```
/**
```

```
 * This method is called from within the constructor to  
 initialize the form.
```

```
 * WARNING: Do NOT modify this code. The content of this  
 method is always
```

```
 * regenerated by the Form Editor.
```

```
 */
```

```
@SuppressWarnings("unchecked")
```

```
// <editor-fold defaultstate="collapsed" desc="Generated
Code">
private void initComponents() {

    jPanel1 = new javax.swing.JPanel();
    jPanel2 = new javax.swing.JPanel();
    jButton2 = new javax.swing.JButton();
    jLabel5 = new javax.swing.JLabel();
    jPanel3 = new javax.swing.JPanel();
    jPanel7 = new javax.swing.JPanel();
    jLabel6 = new javax.swing.JLabel();
    jButton3 = new javax.swing.JButton();
    jPanel4 = new javax.swing.JPanel();
    jPanel8 = new javax.swing.JPanel();
    jLabel7 = new javax.swing.JLabel();
    jButton4 = new javax.swing.JButton();
    jPanel5 = new javax.swing.JPanel();
    jPanel10 = new javax.swing.JPanel();
    jLabel8 = new javax.swing.JLabel();
    jButton5 = new javax.swing.JButton();
    jPanel6 = new javax.swing.JPanel();
    jPanel9 = new javax.swing.JPanel();
    jLabel9 = new javax.swing.JLabel();
    jButton6 = new javax.swing.JButton();

    setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON
_CLOSE);

    jPanel1.setBackground(new java.awt.Color(255, 255,
255));

    jPanel2.setBackground(new java.awt.Color(0, 0, 0));
```

```

        jButton2.setBackground(new java.awt.Color(255, 204,
51));
        jButton2.setText("PREVIOUS");
        jButton2.addActionListener(new
java.awt.event.ActionListener() {
            public void
actionPerformed(java.awt.event.ActionEvent evt) {
                jButton2ActionPerformed(evt);
            }
        });

        jLabel5.setForeground(new java.awt.Color(255, 204, 51));
        jLabel5.setText("CLICK FOR MORE INFORMATION");

        javax.swing.GroupLayout jPanel2Layout = new
javax.swing.GroupLayout(jPanel2);
        jPanel2.setLayout(jPanel2Layout);
        jPanel2Layout.setHorizontalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Al
ignment.LEADING)
            .addGroup(javax.swing.GroupLayout.Alignment.TRAILING
, jPanel2Layout.createSequentialGroup()
                .addGap(126, 126, 126)
                .addComponent(jLabel5)
                .addPreferredGap(javax.swing.LayoutStyle.Compone
ntPlacement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
                .addComponent(jButton2,
javax.swing.GroupLayout.PREFERRED_SIZE, 129,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(86, 86, 86))
            );
        jPanel2Layout.setVerticalGroup(

```

```

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addContainerGap()
        .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
            .addComponent(jButton2)
            .addComponent(jLabel5))
        .addContainerGap(21, Short.MAX_VALUE))
    );

jPanel3.setBackground(new java.awt.Color(255, 204, 51));

jPanel7.setBackground(new java.awt.Color(153, 153, 153));

jLabel6.setText("YOUR SMILE");

jButton3.setBackground(new java.awt.Color(255, 255, 255));
jButton3.setIcon(new javax.swing.ImageIcon(getClass().getResource("/ICONS/1.1.jpg")))); // NOI18N
jButton3.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton3ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel7Layout = new javax.swing.GroupLayout(jPanel7);

```

```

jPanel7.setLayout(jPanel7Layout);
jPanel7Layout.setHorizontalGroup(

jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel7Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jButton3,
javax.swing.GroupLayout.PREFERRED_SIZE, 139,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(36, 36, 36)
        .addComponent(jLabel6)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
    );
jPanel7Layout.setVerticalGroup(

jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel7Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jButton3,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap())
    .addGroup(jPanel7Layout.createSequentialGroup()
        .addGap(61, 61, 61)
        .addComponent(jLabel6)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
    );

javax.swing.GroupLayout jPanel3Layout = new
javax.swing.GroupLayout(jPanel3);

```

```

jPanel3.setLayout(jPanel3Layout);
jPanel3Layout.setHorizontalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Al
ignment.LEADING)
    .addGroup(jPanel3Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel7,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap())
    );
jPanel3Layout.setVerticalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Al
ignment.LEADING)
    .addGroup(jPanel3Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel7,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap())
    );

jPanel4.setBackground(new java.awt.Color(255, 204, 51));

jPanel8.setBackground(new java.awt.Color(153, 153,
153));

jLabel7.setText("AWARDS");

jButton4.setBackground(new java.awt.Color(255, 255,
255));
jButton4.setIcon(new

```

```
javax.swing.ImageIcon(getClass().getResource("/ICONS/2.1.png  
")))); // NOI18N  
    JButton4.addActionListener(new  
java.awt.event.ActionListener() {  
        public void  
actionPerformed(java.awt.event.ActionEvent evt) {  
            JButton4ActionPerformed(evt);  
        }  
    });
```

```
    javax.swing.GroupLayout jPanel8Layout = new  
javax.swing.GroupLayout(jPanel8);  
    jPanel8.setLayout(jPanel8Layout);  
    jPanel8Layout.setHorizontalGroup(
```

```
jPanel8Layout.createParallelGroup(javax.swing.GroupLayout.Al  
ignment.LEADING)
```

```
        .addGroup(jPanel8Layout.createSequentialGroup()  
            .addContainerGap()  
            .addComponent(jButton4,  
javax.swing.GroupLayout.PREFERRED_SIZE, 140,  
javax.swing.GroupLayout.PREFERRED_SIZE)  
            .addGap(18, 18, 18)  
            .addComponent(jLabel7)  
            .addContainerGap(javax.swing.GroupLayout.DEFAULT  
_SIZE, Short.MAX_VALUE))  
        );
```

```
    jPanel8Layout.setVerticalGroup(
```

```
jPanel8Layout.createParallelGroup(javax.swing.GroupLayout.Al  
ignment.LEADING)
```

```
        .addGroup(jPanel8Layout.createSequentialGroup()  
            .addGap(59, 59, 59)  
            .addComponent(jLabel7)
```



```

        .addContainerGap(javax.swing.GroupLayout.DEFAULT
_SIZE, Short.MAX_VALUE))
        .addGroup(jPanel8Layout.createSequentialGroup())
        .addContainerGap()
        .addComponent(jButton4,
javax.swing.GroupLayout.DEFAULT_SIZE, 124, Short.MAX_VALUE)
        .addContainerGap())
    );

```

```

    javax.swing.GroupLayout jPanel4Layout = new
javax.swing.GroupLayout(jPanel4);
    jPanel4.setLayout(jPanel4Layout);
    jPanel4Layout.setHorizontalGroup(

```

```

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Al
ignment.LEADING)
        .addGroup(jPanel4Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel8,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addContainerGap())
        );
    jPanel4Layout.setVerticalGroup(

```

```

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Al
ignment.LEADING)
        .addGroup(jPanel4Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel8,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addContainerGap())
        );

```

```

jPanel15.setBackground(new java.awt.Color(255, 204, 51));

jPanel10.setBackground(new java.awt.Color(153, 153,
153));

jLabel8.setText("DELICIOUS FOOD");

jButton5.setBackground(new java.awt.Color(255, 255,
255));
jButton5.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/ICONS/3.1.png
"))); // NOI18N
jButton5.addActionListener(new
java.awt.event.ActionListener() {
    public void
actionPerformed(java.awt.event.ActionEvent evt) {
        jButton5ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel10Layout = new
javax.swing.GroupLayout(jPanel10);
jPanel10.setLayout(jPanel10Layout);
jPanel10Layout.setHorizontalGroup(

jPanel10Layout.createParallelGroup(javax.swing.GroupLayout.A
lignment.LEADING)
    .addGroup(jPanel10Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jButton5,
javax.swing.GroupLayout.PREFERRED_SIZE, 142,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.Compone

```

```

ntPlacement.RELATED, 27, Short.MAX_VALUE)
    .addComponent(jLabel18)
    .addGap(39, 39, 39))
);
jPanel10Layout.setVerticalGroup(

jPanel10Layout.createParallelGroup(javax.swing.GroupLayout.A
lignment.LEADING)
    .addGroup(jPanel10Layout.createSequentialGroup())
        .addContainerGap()
        .addComponent(jButton5,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap())
    .addGroup(jPanel10Layout.createSequentialGroup())
        .addGap(59, 59, 59)
        .addComponent(jLabel18)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT
_SIZE, Short.MAX_VALUE))
);

    javax.swing.GroupLayout jPanel15Layout = new
javax.swing.GroupLayout(jPanel15);
    jPanel15.setLayout(jPanel15Layout);
    jPanel15Layout.setHorizontalGroup(

jPanel15Layout.createParallelGroup(javax.swing.GroupLayout.Al
ignment.LEADING)
    .addGroup(jPanel15Layout.createSequentialGroup())
        .addContainerGap()
        .addComponent(jPanel110,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap())

```

```

    );
    jPanel15Layout.setVerticalGroup(

jPanel15Layout.createParallelGroup(javax.swing.GroupLayout.Al
ignment.LEADING)
        .addGroup(jPanel15Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel110,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addContainerGap())
        );

    jPanel16.setBackground(new java.awt.Color(255, 204, 51));

    jPanel19.setBackground(new java.awt.Color(153, 153,
153));

    jLabel19.setText(" GREEN ECOSYSTEM");

    jButton6.setBackground(new java.awt.Color(255, 255,
255));
    jButton6.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/ICONS/4.1.png
"))); // NOI18N
    jButton6.addActionListener(new
java.awt.event.ActionListener() {
        public void
actionPerformed(java.awt.event.ActionEvent evt) {
            jButton6ActionPerformed(evt);
        }
    });

    javax.swing.GroupLayout jPanel19Layout = new

```

```

javax.swing.GroupLayout(jPanel9);
    jPanel9.setLayout(jPanel9Layout);
    jPanel9Layout.setHorizontalGroup(

jPanel9Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING
, jPanel9Layout.createSequentialGroup()
            .addGap()
            .addComponent(jButton6,
javax.swing.GroupLayout.PREFERRED_SIZE, 146,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, 28, Short.MAX_VALUE)
            .addComponent(jLabel9)
            .addGap(60, 60, 60))
        );
    jPanel9Layout.setVerticalGroup(

jPanel9Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel9Layout.createSequentialGroup()
            .addGap(57, 57, 57)
            .addComponent(jLabel9)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.DEFAULT_SIZE, Short.MAX_VALUE))
        .addGroup(jPanel9Layout.createSequentialGroup()
            .addGap()
            .addComponent(jButton6,
javax.swing.GroupLayout.DEFAULT_SIZE, 123, Short.MAX_VALUE)
            .addGap())
        );

javax.swing.GroupLayout jPanel6Layout = new

```

```

javax.swing.GroupLayout(jPanel6);
    jPanel6.setLayout(jPanel6Layout);
    jPanel6Layout.setHorizontalGroup(

jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Ali
ignment.LEADING)
        .addGroup(jPanel6Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel9,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addContainerGap())
        );
    jPanel6Layout.setVerticalGroup(

jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Ali
ignment.LEADING)
        .addGroup(jPanel6Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jPanel9,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addContainerGap())
        );

    javax.swing.GroupLayout jPanel11Layout = new
javax.swing.GroupLayout(jPanel11);
    jPanel11.setLayout(jPanel11Layout);
    jPanel11Layout.setHorizontalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Ali
ignment.LEADING)
        .addGroup(jPanel11Layout.createSequentialGroup())
            .addContainerGap()

```

```

        .addGroup(jPanel1Layout.createParallelGroup(java
x.swing.GroupLayout.Alignment.LEADING, false)
            .addComponent(jPanel13,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jPanel15,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addGap(30, 30, 30)
        .addGroup(jPanel1Layout.createParallelGroup(java
x.swing.GroupLayout.Alignment.LEADING, false)
            .addComponent(jPanel14,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jPanel16,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT
_SIZE, Short.MAX_VALUE))
        .addComponent(jPanel12,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );
    jPanel1Layout.setVerticalGroup(

```

```

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Al
ignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup())
        .addComponent(jPanel12,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addGroup(jPanel1Layout.createParallelGroup(java

```

```

x.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel13,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jPanel14,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addGap(18, 18, 18)
        .addGroup(jPanel11Layout.createParallelGroup(java
x.swing.GroupLayout.Alignment.LEADING, false)
        .addComponent(jPanel16,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jPanel15,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addContainerGap())
    );

```

```

    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(

```

```

layout.createParallelGroup(javax.swing.GroupLayout.Alignment
.LEADING)
        .addComponent(jPanel11,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    );
    layout.setVerticalGroup(

```

```

layout.createParallelGroup(javax.swing.GroupLayout.Alignment

```



```

.LEADING)
    .addGroup(layout.createSequentialGroup()
        .addComponent(jPanel1,
            javax.swing.GroupLayout.PREFERRED_SIZE,
            javax.swing.GroupLayout.DEFAULT_SIZE,
            javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(0, 0, Short.MAX_VALUE))
    );

    pack();
    setLocationRelativeTo(null);
} // </editor-fold>

private void
jButton2ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new CUSTOMERREVIEWS().setVisible(true);
    dispose();
}

private void
jButton5ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new DELICIOUSFOOD().setVisible(true);
    dispose();
}

private void
jButton3ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new YOURSMILE().setVisible(true);
    dispose();
}

```

```

private void
jButton4ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new AWARDS().setVisible(true);
    dispose();
}

private void
jButton6ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new GREEN().setVisible(true);
    dispose();
}

/**
 * @param args the command line arguments
 */
public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //http://download.oracle.com/javase/tutorial/uiswing/lookandfe
el/plaf.html
    */
    try {
        for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Nimbus".equals(info.getName())) {

javax.swing.UIManager.setLookAndFeel(info.getClassName());
                break;

```

```

        }
    }
} catch (ClassNotFoundException ex) {

java.util.logging.Logger.getLogger(MAINGOALS.class.getName()
).log(java.util.logging.Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {

java.util.logging.Logger.getLogger(MAINGOALS.class.getName()
).log(java.util.logging.Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {

java.util.logging.Logger.getLogger(MAINGOALS.class.getName()
).log(java.util.logging.Level.SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex)
{

java.util.logging.Logger.getLogger(MAINGOALS.class.getName()
).log(java.util.logging.Level.SEVERE, null, ex);
    }
//</editor-fold>

/* Create and display the form */
java.awt.EventQueue.invokeLater(new Runnable() {
    public void run() {
        new MAINGOALS().setVisible(true);
    }
});
}

// Variables declaration - do not modify
private javax.swing.JButton jButton2;
private javax.swing.JButton jButton3;
private javax.swing.JButton jButton4;

```

```
private javax.swing.JButton jButton5;
private javax.swing.JButton jButton6;
private javax.swing.JLabel jLabel5;
private javax.swing.JLabel jLabel6;
private javax.swing.JLabel jLabel7;
private javax.swing.JLabel jLabel8;
private javax.swing.JLabel jLabel9;
private javax.swing.JPanel jPanel1;
private javax.swing.JPanel jPanel10;
private javax.swing.JPanel jPanel2;
private javax.swing.JPanel jPanel3;
private javax.swing.JPanel jPanel4;
private javax.swing.JPanel jPanel5;
private javax.swing.JPanel jPanel6;
private javax.swing.JPanel jPanel7;
private javax.swing.JPanel jPanel8;
private javax.swing.JPanel jPanel9;
// End of variables declaration

}
```

AWARDS

```
/*
```

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

```
*/ package javaapplication7;
```

```
/** *
```

- @author Douglas

```

*/ public class AWARDS extends javax.swing.JFrame {

/**
 * Creates new form AWARDS
 */
public AWARDS() {
    initComponents();
}

/**
 * This method is called from within the constructor to initialize the
form.
 * WARNING: Do NOT modify this code. The content of this method is
always
 * regenerated by the Form Editor.
 */
@SuppressWarnings("unchecked")
// <editor-fold defaultstate="collapsed" desc="Generated Code">
private void initComponents() {

    jPanel1 = new javax.swing.JPanel();
    jPanel2 = new javax.swing.JPanel();
    jButton1 = new javax.swing.JButton();
    jLabel5 = new javax.swing.JLabel();
    jLabel1 = new javax.swing.JLabel();
    jLabel2 = new javax.swing.JLabel();
    jLabel3 = new javax.swing.JLabel();
    jLabel4 = new javax.swing.JLabel();
    jLabel6 = new javax.swing.JLabel();

    setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);

    jPanel1.setBackground(new java.awt.Color(255, 255, 255));

    jPanel2.setBackground(new java.awt.Color(0, 0, 0));

    jButton1.setBackground(new java.awt.Color(255, 204, 0));
    jButton1.setIcon(new

```

```

javax.swing.ImageIcon(getClass().getResource("/ICONS/b2.png"))); //
NOI18N
    jButton1.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton1ActionPerformed(evt);
        }
    });

jLabel5.setForeground(new java.awt.Color(255, 204, 51));
jLabel5.setText("OUR AWARDS:");

javax.swing.GroupLayout jPanel2Layout = new
javax.swing.GroupLayout(jPanel2);
jPanel2.setLayout(jPanel2Layout);
jPanel2Layout.setHorizontalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addGap(16, 16, 16)
        .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 108,
javax.swing.GroupLayout.PREFERRED_SIZE))
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addGap(16, 16, 16)
        .addComponent(jLabel5)))
    .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
);
jPanel2Layout.setVerticalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addGap(16, 16, 16)
        .addComponent(jLabel5)

```

```

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED, 83, Short.MAX_VALUE)
        .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 48,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap())
    );

```

```

jLabel1.setText("> Gusto Grove has won over 12 awards from their
years of operation.");

```

```

jLabel2.setText("> These awards were achieved through the help of
our chefs and daily consumers.");

```

```

jLabel3.setText("> This includes the staff also winning awards of
their own.");

```

```

jLabel4.setText("> We as the restaurant also reward our staff with
awards. ");

```

```

jLabel6.setText("> Without you there is no we and without we there
is no \" FOOD\".");

```

```

javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
jPanel1.setLayout(jPanel1Layout);
jPanel1Layout.setHorizontalGroup(

```

```

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)

```

```

    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup()
        .addComponent(jPanel2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)

```

```

        .addComponent(jLabel1)
        .addComponent(jLabel2)
        .addComponent(jLabel3)
        .addComponent(jLabel4)
        .addComponent(jLabel6))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jLabel1)
        .addGap(18, 18, 18)
        .addComponent(jLabel2)
        .addGap(18, 18, 18)
        .addComponent(jLabel3)
        .addGap(18, 18, 18)
        .addComponent(jLabel4)
        .addGap(18, 18, 18)
        .addComponent(jLabel6)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        .addGroup(jPanel1Layout.createSequentialGroup()
            .addComponent(jPanel2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(0, 0, Short.MAX_VALUE))
    );

    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

```



```

        .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    );
    layout.setVerticalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    );

    pack();
    setLocationRelativeTo(null);
} // </editor-fold>

```

```

private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new MAINGOALS().setVisible(true);
    dispose();
}

```

```

/**
 * @param args the command line arguments
 */
public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //<editor-fold defaultstate="collapsed" desc=" Look and feel
setting code (optional) ">
    /* If Nimbus (introduced in Java SE 6) is not available, stay with
the default look and feel.
    * For details see
http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.ht
ml
    */
    try {
        for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Nimbus".equals(info.getName())) {

```

```

        javax.swing.UIManager.setLookAndFeel(info.getClassName());
            break;
        }
    }
} catch (ClassNotFoundException ex) {

java.util.logging.Logger.getLogger(AWARDS.class.getName()).log(java.ut
il.logging.Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {

java.util.logging.Logger.getLogger(AWARDS.class.getName()).log(java.ut
il.logging.Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {

java.util.logging.Logger.getLogger(AWARDS.class.getName()).log(java.ut
il.logging.Level.SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {

java.util.logging.Logger.getLogger(AWARDS.class.getName()).log(java.ut
il.logging.Level.SEVERE, null, ex);
    }
}
//</editor-fold>

/* Create and display the form */
java.awt.EventQueue.invokeLater(new Runnable() {
    public void run() {
        new AWARDS().setVisible(true);
    }
});
}

// Variables declaration - do not modify
private javax.swing.JButton jButton1;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
private javax.swing.JLabel jLabel5;

```

```
private javax.swing.JLabel jLabel6;  
private javax.swing.JPanel jPanel1;  
private javax.swing.JPanel jPanel2;  
// End of variables declaration
```

```
}
```

YOUR SMILE

```
/*
```

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

```
*/ package javaapplication7;
```

```
/** *
```

- @author Douglas

```
*/ public class YOURSMILE extends javax.swing.JFrame {
```

```
/**
```

```
 * Creates new form YOURSMILE
```

```
 */
```

```
public YOURSMILE() {  
    initComponents();  
}
```

```
/**
```

```
 * This method is called from within the constructor to initialize the  
form.
```

```
 * WARNING: Do NOT modify this code. The content of this method is  
always
```

```
 * regenerated by the Form Editor.
```

```
 */
```

```
@SuppressWarnings("unchecked")
```

```
// <editor-fold defaultstate="collapsed" desc="Generated Code">
```

```

private void initComponents() {

    jPanel1 = new javax.swing.JPanel();
    jPanel2 = new javax.swing.JPanel();
    jButton1 = new javax.swing.JButton();
    jLabel7 = new javax.swing.JLabel();
    jLabel11 = new javax.swing.JLabel();
    jLabel12 = new javax.swing.JLabel();
    jLabel13 = new javax.swing.JLabel();
    jLabel14 = new javax.swing.JLabel();

    setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);

    jPanel1.setBackground(new java.awt.Color(255, 255, 255));

    jPanel2.setBackground(new java.awt.Color(0, 0, 0));

    jButton1.setBackground(new java.awt.Color(255, 204, 0));
    jButton1.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/ICONS/b2.png"))); //
NOI18N
    jButton1.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton1ActionPerformed(evt);
        }
    });

    jLabel7.setForeground(new java.awt.Color(255, 204, 0));
    jLabel7.setText("SMILE:");

    javax.swing.GroupLayout jPanel2Layout = new
javax.swing.GroupLayout(jPanel2);
    jPanel2.setLayout(jPanel2Layout);
    jPanel2Layout.setHorizontalGroup(

    jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,

```

```

jPanel2Layout.createSequentialGroup()
    .addContainerGap(15, Short.MAX_VALUE)
    .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 108,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addContainerGap())
    .addGroup(jPanel2Layout.createSequentialGroup()
    .addGap(48, 48, 48)
    .addComponent(jLabel7,
javax.swing.GroupLayout.PREFERRED_SIZE, 55,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
jPanel2Layout.setVerticalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel2Layout.createSequentialGroup()
    .addGap(20, 20, 20)
    .addComponent(jLabel7)
    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED, 44, Short.MAX_VALUE)
    .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 50,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addGap(53, 53, 53))
    );

jLabel1.setText("> Our food has set a goal to meet your
criteria.");

jLabel2.setText("> Our chefs hav been gathered form all over the
world to make you daily expectations.");

jLabel3.setText("> Here is where most come to test their taste
buds");

```

```

jLabel4.setText("> We work 24 hrs so you never miss a bite.");

javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
jPanel1.setLayout(jPanel1Layout);
jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup()
        .addComponent(jPanel2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addComponent(jLabel2)
            .addComponent(jLabel1)
            .addComponent(jLabel3)
            .addComponent(jLabel4))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addGroup(jPanel1Layout.createParallelGroup(
        .addContainerGap()
        .addComponent(jLabel1)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jLabel4)
        .addGap(30, 30, 30)
        .addComponent(jLabel2)
        .addGap(28, 28, 28)
        .addComponent(jLabel3)

```

```

        .addGap(25, 25, 25))
        .addGroup(jPanel1Layout.createSequentialGroup()
            .addComponent(jPanel2,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(0, 0, Short.MAX_VALUE))
    );

    javax.swing.GroupLayout layout = new
    javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(

        layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
                layout.createSequentialGroup()
                    .addComponent(jPanel1,
                        javax.swing.GroupLayout.PREFERRED_SIZE,
                        javax.swing.GroupLayout.DEFAULT_SIZE,
                        javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addGap(0, 0, Short.MAX_VALUE))
            );
    layout.setVerticalGroup(

        layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(layout.createSequentialGroup()
                .addComponent(jPanel1,
                    javax.swing.GroupLayout.PREFERRED_SIZE,
                    javax.swing.GroupLayout.DEFAULT_SIZE,
                    javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(0, 0, Short.MAX_VALUE))
            );

    pack();
    setLocationRelativeTo(null);
} // </editor-fold>

private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {

```

```

        // TODO add your handling code here:
        new MAINGOALS().setVisible(true);
        dispose();
    }

/**
 * @param args the command line arguments
 */
public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //<editor-fold defaultstate="collapsed" desc=" Look and feel
setting code (optional) ">
    /* If Nimbus (introduced in Java SE 6) is not available, stay with
the default look and feel.
    * For details see
http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.ht
ml
    */
    try {
        for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Nimbus".equals(info.getName())) {

javax.swing.UIManager.setLookAndFeel(info.getClassName());
                break;
            }
        }
    } catch (ClassNotFoundException ex) {

java.util.logging.Logger.getLogger(YOURSMILE.class.getName()).log(java
.util.logging.Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {

java.util.logging.Logger.getLogger(YOURSMILE.class.getName()).log(java
.util.logging.Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {

java.util.logging.Logger.getLogger(YOURSMILE.class.getName()).log(java
.util.logging.Level.SEVERE, null, ex);

```



```

    } catch (javax.swing.UnsupportedLookAndFeelException ex) {

java.util.logging.Logger.getLogger(YOURSMILE.class.getName()).log(java
.util.logging.Level.SEVERE, null, ex);
    }
//</editor-fold>

/* Create and display the form */
java.awt.EventQueue.invokeLater(new Runnable() {
    public void run() {
        new YOURSMILE().setVisible(true);
    }
});
}

// Variables declaration - do not modify
private javax.swing.JButton jButton1;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
private javax.swing.JLabel jLabel7;
private javax.swing.JPanel jPanel1;
private javax.swing.JPanel jPanel2;
// End of variables declaration

}

```

THE ECO-SYSTEM

/*

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

*/ package javaapplication7;

/** *

- @author Douglas

```
*/ public class GREEN extends javax.swing.JFrame {

/**
 * Creates new form GREEN
 */
public GREEN() {
    initComponents();
}

/**
 * This method is called from within the constructor to initialize the
form.
 * WARNING: Do NOT modify this code. The content of this method is
always
 * regenerated by the Form Editor.
 */
@SuppressWarnings("unchecked")
// <editor-fold defaultstate="collapsed" desc="Generated Code">
private void initComponents() {

    jPanel1 = new javax.swing.JPanel();
    jPanel2 = new javax.swing.JPanel();
    jButton1 = new javax.swing.JButton();
    jLabel6 = new javax.swing.JLabel();
    jLabel11 = new javax.swing.JLabel();
    jLabel12 = new javax.swing.JLabel();
    jLabel13 = new javax.swing.JLabel();
    jLabel14 = new javax.swing.JLabel();
    jLabel15 = new javax.swing.JLabel();

    setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);

    jPanel1.setBackground(new java.awt.Color(255, 255, 255));

    jPanel2.setBackground(new java.awt.Color(0, 0, 0));
```

```

jButton1.setBackground(new java.awt.Color(255, 204, 0));
jButton1.setForeground(new java.awt.Color(255, 204, 0));
jButton1.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/ICONS/b2.png"))); //
NOI18N
jButton1.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton1ActionPerformed(evt);
    }
});

jLabel6.setForeground(new java.awt.Color(255, 204, 0));
jLabel6.setText("ECO-SYSTEM");

javax.swing.GroupLayout jPanel2Layout = new
javax.swing.GroupLayout(jPanel2);
jPanel2.setLayout(jPanel2Layout);
jPanel2Layout.setHorizontalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel2Layout.createSequentialGroup()
                .addGap(10, 10, 10)
                .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 108,
javax.swing.GroupLayout.PREFERRED_SIZE))
            .addGroup(jPanel2Layout.createSequentialGroup()
                .addGap(10, 10, 10)
                .addComponent(jLabel6)))
            .addGap(10, 10, 10))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
jPanel2Layout.setVerticalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

```

```

        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel2Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jLabel6)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 50,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap())
    );

```

```

    jLabel1.setText("> Ever wonder what we do with the remaining
food.");

```

```

    jLabel2.setText("-We donate it to the poor.");

```

```

    jLabel3.setText("> We do run charity campaigns.");

```

```

    jLabel4.setText("> We Educate our customers about healthy
eating.");

```

```

    jLabel5.setText("> We educate our customers about recycling
containers.");

```

```

    javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
    jPanel1.setLayout(jPanel1Layout);
    jPanel1Layout.setHorizontalGroup(

```

```

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

```

```

        .addGroup(jPanel1Layout.createSequentialGroup()
            .addComponent(jPanel2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(18, 18, 18)
            .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr

```

```

oupLayout.Alignment.LEADING)
        .addComponent(jLabel12)
        .addComponent(jLabel11)
        .addComponent(jLabel13)
        .addComponent(jLabel14)
        .addComponent(jLabel15))
        .addGap(0, 10, Short.MAX_VALUE))
    );
    jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jLabel11)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
        .addComponent(jLabel12)
        .addGap(18, 18, 18)
        .addComponent(jLabel13)
        .addGap(18, 18, 18)
        .addComponent(jLabel14)
        .addGap(18, 18, 18)
        .addComponent(jLabel15)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addComponent(jPanel12, javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );

    javax.swing.GroupLayout layout = new
    javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE, javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)

```

```

    );
    layout.setVerticalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    );

    pack();
    setLocationRelativeTo(null);
} // </editor-fold>

private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new MAINGOALS().setVisible(true);
    dispose();
}

/**
 * @param args the command line arguments
 */
public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //<editor-fold defaultstate="collapsed" desc=" Look and feel
setting code (optional) ">
    /* If Nimbus (introduced in Java SE 6) is not available, stay with
the default look and feel.
    * For details see
http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.ht
ml
    */
    try {
        for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Nimbus".equals(info.getName())) {

javax.swing.UIManager.setLookAndFeel(info.getClassName());
                break;

```

```

        }
    }
    } catch (ClassNotFoundException ex) {

java.util.logging.Logger.getLogger(GREEN.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {

java.util.logging.Logger.getLogger(GREEN.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {

java.util.logging.Logger.getLogger(GREEN.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {

java.util.logging.Logger.getLogger(GREEN.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
    }
}
//</editor-fold>

/* Create and display the form */
java.awt.EventQueue.invokeLater(new Runnable() {
    public void run() {
        new GREEN().setVisible(true);
    }
});
}

// Variables declaration - do not modify
private javax.swing.JButton jButton1;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
private javax.swing.JLabel jLabel5;
private javax.swing.JLabel jLabel6;
private javax.swing.JPanel jPanel1;
private javax.swing.JPanel jPanel2;

```

```
// End of variables declaration
```

```
}
```

SURVEY

```
/*
```

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

```
*/ package javaapplication7;
```

```
import java.awt.Color;
```

```
/** *
```

- @author Douglas

```
*/ public class Ssurvey extends javax.swing.JFrame {
```

```
/**
```

```
 * Creates new form Ssurvey
```

```
 */
```

```
public Ssurvey() {  
    initComponents();  
}
```

```
/**
```

```
 * This method is called from within the constructor to initialize the  
form.
```

```
 * WARNING: Do NOT modify this code. The content of this method is  
always
```

```
 * regenerated by the Form Editor.
```

```
 */
```

```
@SuppressWarnings("unchecked")
```

```
// <editor-fold defaultstate="collapsed" desc="Generated Code">
```

```
private void initComponents() {
```



```

jPanel1 = new javax.swing.JPanel();
jPanel2 = new javax.swing.JPanel();
jLabel7 = new javax.swing.JLabel();
jLabel8 = new javax.swing.JLabel();
jButton2 = new javax.swing.JButton();
jButton3 = new javax.swing.JButton();
jLabel1 = new javax.swing.JLabel();
jLabel2 = new javax.swing.JLabel();
jLabel3 = new javax.swing.JLabel();
jLabel5 = new javax.swing.JLabel();
jPanel3 = new javax.swing.JPanel();
jButton14 = new javax.swing.JButton();
jButton4 = new javax.swing.JButton();
jLabel6 = new javax.swing.JLabel();
jButton12 = new javax.swing.JButton();
jComboBox1 = new javax.swing.JComboBox<>();
jComboBox2 = new javax.swing.JComboBox<>();
jComboBox3 = new javax.swing.JComboBox<>();
jComboBox4 = new javax.swing.JComboBox<>();
jComboBox5 = new javax.swing.JComboBox<>();
jTextField1 = new javax.swing.JTextField();
jTextField2 = new javax.swing.JTextField();
jTextField3 = new javax.swing.JTextField();
jTextField4 = new javax.swing.JTextField();
jTextField5 = new javax.swing.JTextField();

```

```

setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);

```

```

jPanel1.setBackground(new java.awt.Color(255, 255, 255));

```

```

jPanel2.setBackground(new java.awt.Color(0, 0, 0));

```

```

jLabel7.setFont(new java.awt.Font("Courier New", 1, 24)); //

```

NOI18N

```

jLabel7.setForeground(new java.awt.Color(255, 255, 255));

```

```

jLabel7.setText("Anwsar The survey Below For recommendations:");

```

```

jLabel8.setForeground(new java.awt.Color(255, 51, 51));
jLabel8.setText("Do not answar if you dont have an Allergy(JUST
CLICK NEXT)");

jButton2.setBackground(new java.awt.Color(255, 204, 51));
jButton2.setText("DRAK MODE");
jButton2.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton2ActionPerformed(evt);
    }
});

jButton3.setBackground(new java.awt.Color(255, 204, 51));
jButton3.setText("LIGHT MODE");
jButton3.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton3ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel2Layout = new
javax.swing.GroupLayout(jPanel2);
jPanel2.setLayout(jPanel2Layout);
jPanel2Layout.setHorizontalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel2Layout.createSequentialGroup()
        .addGap(36, Short.MAX_VALUE)
        .addGroup(jPanel2Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
            .addGroup(jPanel2Layout.createSequentialGroup()
                .addGap(27, 27, 27)
                .addComponent(jLabel8,
javax.swing.GroupLayout.PREFERRED_SIZE, 337,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(46, 46, 46)
                .addComponent(jButton2)

```

```

        .addGap(18, 18, 18)
        .addComponent(jButton3))
        .addComponent(jLabel7,
javax.swing.GroupLayout.PREFERRED_SIZE, 642,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addContainerGap())
    );
    jPanel2Layout.setVerticalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jLabel7,
javax.swing.GroupLayout.PREFERRED_SIZE, 41,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel2Layout.createSequentialGroup()
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
                .addComponent(jLabel8))
            .addGroup(jPanel2Layout.createSequentialGroup()
                .addGap(3, 3, 3)
                .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
                    .addComponent(jButton2)
                    .addComponent(jButton3))))
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
    );

    jLabel1.setText("Do you like your meat Medium or Well Done cooked ?");

    jLabel2.setText("Are you a picky eater?");

    jLabel3.setText("Are you on a diet ?");

```

```

jLabel5.setText("Do you eat Glucose?");

jPanel3.setBackground(new java.awt.Color(0, 0, 0));

jButton14.setBackground(new java.awt.Color(255, 204, 51));
jButton14.setText("BACK");
jButton14.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton14ActionPerformed(evt);
    }
});

jButton4.setBackground(new java.awt.Color(255, 204, 51));
jButton4.setText("DONE");
jButton4.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton4ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel3Layout = new
javax.swing.GroupLayout(jPanel3);
jPanel3.setLayout(jPanel3Layout);
jPanel3Layout.setHorizontalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel3Layout.createSequentialGroup()
        .addGap()
        .addComponent(jButton14,
javax.swing.GroupLayout.PREFERRED_SIZE, 207,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jButton4,
javax.swing.GroupLayout.PREFERRED_SIZE, 219,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap())

```

```

    );
    jPanel3Layout.setVerticalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel3Layout.createSequentialGroup()
            .addContainerGap()
            .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
                .addComponent(jButton4,
javax.swing.GroupLayout.PREFERRED_SIZE, 45,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addComponent(jButton14,
javax.swing.GroupLayout.PREFERRED_SIZE, 45,
javax.swing.GroupLayout.PREFERRED_SIZE))
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );

    jLabel6.setText("Do you have an Allergy if Yes state ?");

    jButton12.setBackground(new java.awt.Color(255, 204, 51));
    jButton12.setText("MENU");
    jButton12.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton12ActionPerformed(evt);
        }
    });

    jComboBox1.setModel(new javax.swing.DefaultComboBoxModel<>(new
String[] { "...", "ITS MEAT I DON'T MIND", "MEDIUM", "WEL DONE",
"NONE" }));
    jComboBox1.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jComboBox1ActionPerformed(evt);
        }
    });

    jComboBox2.setModel(new javax.swing.DefaultComboBoxModel<>(new

```

```

String[] { "...", "YES", "NO" }));
    JComboBox2.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            JComboBox2ActionPerformed(evt);
        }
    });

    JComboBox3.setModel(new javax.swing.DefaultComboBoxModel<>(new
String[] { "...", "YES", "NO" }));
    JComboBox3.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            JComboBox3ActionPerformed(evt);
        }
    });

    JComboBox4.setModel(new javax.swing.DefaultComboBoxModel<>(new
String[] { "...", "YES", "NO" }));
    JComboBox4.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            JComboBox4ActionPerformed(evt);
        }
    });

    JComboBox5.setModel(new javax.swing.DefaultComboBoxModel<>(new
String[] { "...", "YES", "NO" }));
    JComboBox5.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            JComboBox5ActionPerformed(evt);
        }
    });

    jTextField1.setBackground(new java.awt.Color(255, 204, 0));

    jTextField2.setBackground(new java.awt.Color(255, 204, 0));

    jTextField3.setBackground(new java.awt.Color(255, 204, 0));

    jTextField4.setBackground(new java.awt.Color(255, 204, 0));

```

```

jTextField5.setBackground(new java.awt.Color(255, 204, 0));

javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
jPanel1.setLayout(jPanel1Layout);
jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addComponent(jPanel2, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    .addComponent(jPanel3, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup()
                .addGap(0, 0, Short.MAX_VALUE)
                .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup()
                        .addGap(34, 34, 34)
                        .addGroup(jPanel1Layout.createParallelGroup(
javax.swing.GroupLayout.Alignment.LEADING, false)
                            .addComponent(jComboBox1, 0,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                            .addComponent(jLabel1,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                            .addComponent(jComboBox2, 0,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                            .addComponent(jComboBox3, 0,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)

```

```

        .addComponent(jComboBox4, 0,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jComboBox5, 0,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)))
        .addGroup(jPanel1Layout.createSequentialGroup()
oup()

        .addGap(101, 101, 101)
        .addComponent(jLabel2)))
        .addGroup(jPanel1Layout.createSequentialGroup(
)

        .addGap(112, 112, 112)
        .addComponent(jLabel3))
        .addGroup(jPanel1Layout.createSequentialGroup(
)

        .addGap(103, 103, 103)
        .addComponent(jLabel5)))
        .addGap(102, 102, 102)
        .addGroup(jPanel1Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.TRAILING)
        .addGroup(jPanel1Layout.createParallelGroup(ja
vax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel1Layout.createParallelGrou
p(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jTextField3,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.PREFERRED_SIZE, 191,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jTextField4,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.PREFERRED_SIZE, 191,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addComponent(jTextField1,
javax.swing.GroupLayout.PREFERRED_SIZE, 191,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jTextField2,
javax.swing.GroupLayout.PREFERRED_SIZE, 191,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addComponent(jTextField5,
javax.swing.GroupLayout.PREFERRED_SIZE, 191,

```



```

javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addGroup(jPanel1Layout.createSequentialGroup()
            .addGap(221, 221, 221)
            .addComponent(jButton12,
javax.swing.GroupLayout.PREFERRED_SIZE, 249,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(0, 0, Short.MAX_VALUE)))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        .addGroup(jPanel1Layout.createSequentialGroup()
            .addGap(101, 101, 101)
            .addComponent(jLabel6)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
        jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel1Layout.createSequentialGroup()
            .addComponent(jPanel2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
            .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.TRAILING)
                .addGroup(jPanel1Layout.createSequentialGroup()
                    .addComponent(jLabel1)
                    .addGap(1, 1, 1)
                    .addComponent(jComboBox1,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
                    .addComponent(jTextField1,
javax.swing.GroupLayout.PREFERRED_SIZE, 28,
javax.swing.GroupLayout.PREFERRED_SIZE))
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen

```

```

t.UNRELATED)
    .addComponent(jLabel12)
    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
    .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.BASELINE)
        .addComponent(jComboBox2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jTextField2,
javax.swing.GroupLayout.PREFERRED_SIZE, 32,
javax.swing.GroupLayout.PREFERRED_SIZE))
    .addGap(18, 18, 18)
    .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
        .addGroup(jPanel1Layout.createSequentialGroup())
        .addComponent(jLabel13)
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
        .addComponent(jComboBox3,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGroup(jPanel1Layout.createSequentialGroup())
        .addGap(20, 20, 20)
        .addComponent(jTextField3,
javax.swing.GroupLayout.PREFERRED_SIZE, 28,
javax.swing.GroupLayout.PREFERRED_SIZE)))
    .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
        .addGroup(jPanel1Layout.createSequentialGroup())
        .addGap(22, 22, 22)
        .addComponent(jLabel15)
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
        .addComponent(jComboBox4,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGroup(jPanel1Layout.createSequentialGroup()
            .addGap(38, 38, 38)
            .addComponent(jTextField4,
javax.swing.GroupLayout.PREFERRED_SIZE, 31,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addGap(18, 18, 18)
        .addComponent(jLabel6,
javax.swing.GroupLayout.PREFERRED_SIZE, 17,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(18, 18, 18)
            .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.BASELINE)
                .addComponent(jComboBox5,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addComponent(jTextField5,
javax.swing.GroupLayout.PREFERRED_SIZE, 33,
javax.swing.GroupLayout.PREFERRED_SIZE))
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED, 29, Short.MAX_VALUE)
                .addComponent(jButton12,
javax.swing.GroupLayout.PREFERRED_SIZE, 45,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
                    .addComponent(jPanel13,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addGap(2, 2, 2))
            );

    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(

```

```

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(layout.createSequentialGroup()
        .addComponent(jPanel1,
            javax.swing.GroupLayout.PREFERRED_SIZE,
            javax.swing.GroupLayout.DEFAULT_SIZE,
            javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(0, 0, Short.MAX_VALUE))
    );
layout.setVerticalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
        javax.swing.GroupLayout.DEFAULT_SIZE,
        javax.swing.GroupLayout.PREFERRED_SIZE)
    );

    pack();
    setLocationRelativeTo(null);
} // </editor-fold>

private void jButton2ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    jPanel1.setBackground(Color.gray);
}

private void jButton3ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    jPanel1.setBackground(Color.white);
}

private void jButton14ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    new NAVIGATION().setVisible(true);
    dispose();
}

```

```
private void jButton4ActionPerformed(java.awt.event.ActionEvent evt) {  
    // TODO add your handling code here:  
}  
  
private void jButton12ActionPerformed(java.awt.event.ActionEvent evt)  
{  
    // TODO add your handling code here:  
    new AAllergens().setVisible(true);  
    dispose();  
}  
  
private void jComboBox1ActionPerformed(java.awt.event.ActionEvent evt)  
{  
    // TODO add your handling code here:  
    String selectedValue=jComboBox1.getSelectedItem().toString();  
    jTextField1.setText(selectedValue);  
}  
  
private void jComboBox2ActionPerformed(java.awt.event.ActionEvent evt)  
{  
    // TODO add your handling code here:  
    String selectedValu=jComboBox2.getSelectedItem().toString();  
    jTextField2.setText(selectedValu);  
}  
  
private void jComboBox3ActionPerformed(java.awt.event.ActionEvent evt)  
{  
    // TODO add your handling code here:  
    String selectedVal=jComboBox3.getSelectedItem().toString();  
    jTextField3.setText(selectedVal);  
}  
  
private void jComboBox4ActionPerformed(java.awt.event.ActionEvent evt)  
{  
    // TODO add your handling code here:  
    String selectedVa=jComboBox4.getSelectedItem().toString();  
    jTextField4.setText(selectedVa);  
}
```

```

private void jComboBox5ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    String selectedV=jComboBox5.getSelectedItem().toString();
    jTextField5.setText(selectedV);
}

/**
 * @param args the command line arguments
 */
public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //<editor-fold defaultstate="collapsed" desc=" Look and feel
setting code (optional) ">
    /* If Nimbus (introduced in Java SE 6) is not available, stay with
the default look and feel.
    * For details see
http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.ht
ml
    */
    try {
        for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Nimbus".equals(info.getName())) {

javax.swing.UIManager.setLookAndFeel(info.getClassName());
                break;
            }
        }
    } catch (ClassNotFoundException ex) {

java.util.logging.Logger.getLogger(Ssurvey.class.getName()).log(java.u
til.logging.Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {

java.util.logging.Logger.getLogger(Ssurvey.class.getName()).log(java.u
til.logging.Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {

```

```
java.util.logging.Logger.getLogger(Ssurvey.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {
```

```
java.util.logging.Logger.getLogger(Ssurvey.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
    }
    //</editor-fold>
```

```
    /* Create and display the form */
    java.awt.EventQueue.invokeLater(new Runnable() {
        public void run() {
            new Ssurvey().setVisible(true);
        }
    });
}
```

```
// Variables declaration - do not modify
private javax.swing.JButton jButton12;
private javax.swing.JButton jButton14;
private javax.swing.JButton jButton2;
private javax.swing.JButton jButton3;
private javax.swing.JButton jButton4;
private javax.swing.JComboBox<String> jComboBox1;
private javax.swing.JComboBox<String> jComboBox2;
private javax.swing.JComboBox<String> jComboBox3;
private javax.swing.JComboBox<String> jComboBox4;
private javax.swing.JComboBox<String> jComboBox5;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel5;
private javax.swing.JLabel jLabel6;
private javax.swing.JLabel jLabel7;
private javax.swing.JLabel jLabel8;
private javax.swing.JPanel jPanel1;
private javax.swing.JPanel jPanel2;
private javax.swing.JPanel jPanel3;
private javax.swing.JTextField jTextField1;
```

```

private javax.swing.JTextField jTextField2;
private javax.swing.JTextField jTextField3;
private javax.swing.JTextField jTextField4;
private javax.swing.JTextField jTextField5;
// End of variables declaration

}

```

CONTACT

```
/*
```

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

```
*/ package javaapplication7;
```

```
/** *
```

- @author Douglas

```
*/ public class CONTACT extends javax.swing.JFrame {
```

```
/**
```

```
 * Creates new form CONTACT
```

```
 */
```

```
public CONTACT() {
    initComponents();
}

```

```
/**
```

```
 * This method is called from within the constructor to initialize the
form.
```

```
 * WARNING: Do NOT modify this code. The content of this method is
always
```

```
 * regenerated by the Form Editor.
```

```
 */
```

```
@SuppressWarnings("unchecked")
```



```
// <editor-fold defaultstate="collapsed" desc="Generated Code">
private void initComponents() {

    jPanel1 = new javax.swing.JPanel();
    jPanel2 = new javax.swing.JPanel();
    jLabel5 = new javax.swing.JLabel();
    jPanel3 = new javax.swing.JPanel();
    jLabel1 = new javax.swing.JLabel();
    jLabel2 = new javax.swing.JLabel();
    jPanel4 = new javax.swing.JPanel();
    jLabel3 = new javax.swing.JLabel();
    jLabel4 = new javax.swing.JLabel();
    jLabel6 = new javax.swing.JLabel();
    jButton1 = new javax.swing.JButton();
    jLabel7 = new javax.swing.JLabel();
    jLabel8 = new javax.swing.JLabel();
    jButton2 = new javax.swing.JButton();

    setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);

    jPanel1.setBackground(new java.awt.Color(255, 255, 255));

    jPanel2.setBackground(new java.awt.Color(0, 0, 0));

    jLabel5.setForeground(new java.awt.Color(255, 255, 255));
    jLabel5.setText("CONTACT THE RESTAURANT");

    javax.swing.GroupLayout jPanel2Layout = new
    javax.swing.GroupLayout(jPanel2);
    jPanel2.setLayout(jPanel2Layout);
    jPanel2Layout.setHorizontalGroup(

    jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel2Layout.createSequentialGroup()
            .addGap(159, 159, 159)
            .addComponent(jLabel5)
            .addGap(320, Short.MAX_VALUE))
    
```

```

);
jPanel2Layout.setVerticalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addGap(22, 22, 22)
        .addComponent(jLabel15)
        .addContainerGap(22, Short.MAX_VALUE))
    );

jPanel3.setBackground(new java.awt.Color(255, 204, 51));

jLabel1.setText("EMAIL: GUSTOGROVE&DINE@GMAIL.COM");

jLabel2.setText("CONTACT: 068 465 3700");

javax.swing.GroupLayout jPanel3Layout = new
javax.swing.GroupLayout(jPanel3);
jPanel3.setLayout(jPanel3Layout);
jPanel3Layout.setHorizontalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel3Layout.createSequentialGroup()
        .addGap(27, 27, 27)
        .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addComponent(jLabel2)
            .addComponent(jLabel1))
        .addContainerGap(83, Short.MAX_VALUE))
    );
jPanel3Layout.setVerticalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel3Layout.createSequentialGroup()
        .addContainerGap(27, Short.MAX_VALUE)
        .addComponent(jLabel1)

```

```

        .addGap(18, 18, 18)
        .addComponent(jLabel12)
        .addGap(27, 27, 27))
    );

    jPanel4.setBackground(new java.awt.Color(255, 204, 51));

    jLabel3.setText("EMAIL: GROVETHEDINE@GMAIL.COM");

    jLabel4.setText("CONATCT: 068 564 7300");

    javax.swing.GroupLayout jPanel4Layout = new
    javax.swing.GroupLayout(jPanel4);
    jPanel4.setLayout(jPanel4Layout);
    jPanel4Layout.setHorizontalGroup(

    jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel4Layout.createSequentialGroup()
            .addGap(22, 22, 22)
            .addGroup(jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                .addComponent(jLabel4)
                .addComponent(jLabel3))
            .addContainerGap(110, Short.MAX_VALUE))
        );
    jPanel4Layout.setVerticalGroup(

    jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel4Layout.createSequentialGroup()
            .addGroup(jPanel4Layout.createSequentialGroup()
                .addContainerGap(34, Short.MAX_VALUE)
                .addComponent(jLabel3)
                .addGap(18, 18, 18)
                .addComponent(jLabel4)
                .addGap(20, 20, 20))
            );

    jLabel6.setIcon(new

```

```

javax.swing.ImageIcon(getClass().getResource("/Staff
imgs/kuloano.jpg"))); // NOI18N

        jButton1.setBackground(new java.awt.Color(255, 204, 51));
        jButton1.setText("PREVIOUS");
        jButton1.addActionListener(new java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent evt) {
                jButton1ActionPerformed(evt);
            }
        });

        jLabel7.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Staff
imgs/Jose.jpg"))); // NOI18N

        jLabel8.setFont(new java.awt.Font("Tahoma", 1, 14)); // NOI18N
        jLabel8.setText("&");

        jButton2.setBackground(new java.awt.Color(255, 204, 0));
        jButton2.setText("MEXT");
        jButton2.addActionListener(new java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent evt) {
                jButton2ActionPerformed(evt);
            }
        });

        javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
        jPanel1.setLayout(jPanel1Layout);
        jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
            .addGroup(jPanel1Layout.createSequentialGroup()
                .addComponent(jPanel2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(0, 2, Short.MAX_VALUE))

```

```

        .addGroup(jPanel1Layout.createSequentialGroup()
            .addGap(28, 28, 28)
            .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gro
oupLayout.Alignment.TRAILING)
                .addComponent(jLabel6)
                .addComponent(jButton1))
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jLabel8)
            .addGap(18, 18, 18)
            .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gro
oupLayout.Alignment.LEADING, false)
                .addComponent(jButton2,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                .addComponent(jLabel7,
javax.swing.GroupLayout.PREFERRED_SIZE, 91,
javax.swing.GroupLayout.PREFERRED_SIZE))
            .addGap(30, 30, 30)
            .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gro
oupLayout.Alignment.LEADING)
                .addComponent(jPanel4,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addComponent(jPanel3,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
            .addGap(30, 30, 30))
    );
    jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel1Layout.createSequentialGroup()
            .addComponent(jPanel2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.
GroupLayout.Alignment.TRAILING)
            .addGroup(jPanel1Layout.createSequentialGroup()
                .addGap(18, 23, Short.MAX_VALUE)
                .addComponent(jPanel3,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement
UNRELATED)
                .addComponent(jPanel4,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
            .addGroup(jPanel1Layout.createSequentialGroup()
                .addGroup(jPanel1Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
                    .addGroup(jPanel1Layout.createSequentialGroup()
                        .addGap(46, 46, 46)
                        .addGroup(jPanel1Layout.createParallelGroup(j
avax.swing.GroupLayout.Alignment.TRAILING)
                            .addComponent(jLabel6,
javax.swing.GroupLayout.PREFERRED_SIZE, 100,
javax.swing.GroupLayout.PREFERRED_SIZE)
                            .addComponent(jLabel7)))
                    .addGroup(jPanel1Layout.createSequentialGroup()
                        .addGap(93, 93, 93)
                        .addComponent(jLabel8)))
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement
RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
                .addGroup(jPanel1Layout.createParallelGroup(j
avax.swing.GroupLayout.Alignment.BASELINE)
                    .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 32,
javax.swing.GroupLayout.PREFERRED_SIZE)

```

```

        .addComponent(jButton2,
javax.swing.GroupLayout.PREFERRED_SIZE, 32,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addGap(0, 14, Short.MAX_VALUE))
    );

    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(layout.createSequentialGroup()
            .addComponent(jPanel1,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(0, 0, Short.MAX_VALUE))
        );
    layout.setVerticalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel1, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );

    pack();
    setLocationRelativeTo(null);
} // </editor-fold>

private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new NAVIGATION().setVisible(true);
    dispose();
}

private void jButton2ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new LOCATION().setVisible(true);
}

```

```

        dispose();
    }

    /**
     * @param args the command line arguments
     */
    public static void main(String args[]) {
        /* Set the Nimbus look and feel */
        //<editor-fold defaultstate="collapsed" desc=" Look and feel
        setting code (optional) ">
        /* If Nimbus (introduced in Java SE 6) is not available, stay with
        the default look and feel.
         * For details see
         http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.ht
         ml
         */
        try {
            for (javax.swing.UIManager.LookAndFeelInfo info :
                javax.swing.UIManager.getInstalledLookAndFeels()) {
                if ("Nimbus".equals(info.getName())) {

                    javax.swing.UIManager.setLookAndFeel(info.getClassName());
                    break;

                }
            }
        } catch (ClassNotFoundException ex) {

            java.util.logging.Logger.getLogger(CONTACT.class.getName()).log(java.u
            til.logging.Level.SEVERE, null, ex);
        } catch (InstantiationException ex) {

            java.util.logging.Logger.getLogger(CONTACT.class.getName()).log(java.u
            til.logging.Level.SEVERE, null, ex);
        } catch (IllegalAccessException ex) {

            java.util.logging.Logger.getLogger(CONTACT.class.getName()).log(java.u
            til.logging.Level.SEVERE, null, ex);
        } catch (javax.swing.UnsupportedLookAndFeelException ex) {

```



```

java.util.logging.Logger.getLogger(CONTACT.class.getName()).log(java.u
til.logging.Level.SEVERE, null, ex);
    }
    //</editor-fold>

    /* Create and display the form */
    java.awt.EventQueue.invokeLater(new Runnable() {
        public void run() {
            new CONTACT().setVisible(true);
        }
    });
}

// Variables declaration - do not modify
private javax.swing.JButton jButton1;
private javax.swing.JButton jButton2;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
private javax.swing.JLabel jLabel5;
private javax.swing.JLabel jLabel6;
private javax.swing.JLabel jLabel7;
private javax.swing.JLabel jLabel8;
private javax.swing.JPanel jPanel1;
private javax.swing.JPanel jPanel2;
private javax.swing.JPanel jPanel3;
private javax.swing.JPanel jPanel4;
// End of variables declaration

}

```

BOOKING INFORMATION

```
/*
```

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

```
jPanel1 = new javax.swing.JPanel();
jPanel2 = new javax.swing.JPanel();
jLabel1 = new javax.swing.JLabel();
jButton2 = new javax.swing.JButton();
jButton3 = new javax.swing.JButton();
jLabel7 = new javax.swing.JLabel();
jLabel2 = new javax.swing.JLabel();
jPanel3 = new javax.swing.JPanel();
jButton1 = new javax.swing.JButton();
jButton4 = new javax.swing.JButton();
jButton5 = new javax.swing.JButton();
txtname = new javax.swing.JTextField();
jLabel3 = new javax.swing.JLabel();
txtSurname = new javax.swing.JTextField();
jLabel4 = new javax.swing.JLabel();
```

```
jLabel5 = new javax.swing.JLabel();
txtxBank = new javax.swing.JTextField();
txtID = new javax.swing.JTextField();
jLabel6 = new javax.swing.JLabel();
txtAddress = new javax.swing.JTextField();
name = new javax.swing.JLabel();
Surnam = new javax.swing.JLabel();
Banks = new javax.swing.JLabel();
IDs = new javax.swing.JLabel();
Addressss = new javax.swing.JLabel();
```

```
setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
```

```
jPanel1.setBackground(new java.awt.Color(255, 255, 255));
```

```
jPanel2.setBackground(new java.awt.Color(0, 0, 0));
```

```
jLabel1.setForeground(new java.awt.Color(255, 255, 255));
jLabel1.setText("GUSTO GROVE AND DINE");
```

```
jButton2.setBackground(new java.awt.Color(255, 204, 51));
jButton2.setText("DARK");
```

```
jButton3.setBackground(new java.awt.Color(255, 204, 51));
jButton3.setText("LIGHT");
```

```
jLabel7.setForeground(new java.awt.Color(255, 204, 51));
jLabel7.setText("BOOKING FORM");
```

```
javax.swing.GroupLayout jPanel2Layout = new
javax.swing.GroupLayout(jPanel2);
jPanel2.setLayout(jPanel2Layout);
jPanel2Layout.setHorizontalGroup(
```

```
jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
```

```
        .addGroup(jPanel2Layout.createSequentialGroup()
            .addGap(41, 41, 41)
```

```

        .addComponent(jLabel11)
        .addGap(148, 148, 148)
        .addComponent(jLabel17)
        .addGap(194, 194, 194)
        .addComponent(jButton2,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addGap(18, 18, 18)
        .addComponent(jButton3,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addGap(22, 22, 22))
    );
    jPanel2Layout.setVerticalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel2Layout.createSequentialGroup()
            .addGap(15, 15, 15)
            .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
                .addComponent(jLabel11)
                .addComponent(jButton2)
                .addComponent(jButton3)
                .addComponent(jLabel17))
            .addContainerGap(23, Short.MAX_VALUE))
    );

    jLabel2.setText("NAME:");

    jPanel3.setBackground(new java.awt.Color(0, 0, 0));

    jButton1.setBackground(new java.awt.Color(255, 204, 51));
    jButton1.setText("CLEAR");

    jButton4.setBackground(new java.awt.Color(255, 204, 51));
    jButton4.setText("ORDER");
    jButton4.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {

```

```

        jButton4ActionPerformed(evt);
    }
});

jButton5.setBackground(new java.awt.Color(255, 204, 51));
jButton5.setText("PREVIOUS");
jButton5.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton5ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel3Layout = new
javax.swing.GroupLayout(jPanel3);
jPanel3.setLayout(jPanel3Layout);
jPanel3Layout.setHorizontalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel3Layout.createSequentialGroup()
        .addGap(34, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
            .addComponent(jButton4,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jButton5,
javax.swing.GroupLayout.DEFAULT_SIZE, 106, Short.MAX_VALUE)
            .addComponent(jButton1,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addGap(35, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
    );
jPanel3Layout.setVerticalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel3Layout.createSequentialGroup()
        .addGap(7, 7, 7)

```

```

        .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 39,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(11, 11, 11)
        .addComponent(jButton5,
javax.swing.GroupLayout.PREFERRED_SIZE, 41,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
        .addComponent(jButton4,
javax.swing.GroupLayout.PREFERRED_SIZE, 39,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

    jLabel13.setText("SURNAME:");

    jLabel14.setText("BANK NUMBER DETAILS:");

    jLabel15.setText("IDENTITY NUMBER");

    jLabel16.setText("ADDRESS:");

    name.setForeground(new java.awt.Color(255, 255, 255));
    name.setText("jLabel18");

    Surnam.setForeground(new java.awt.Color(255, 255, 255));
    Surnam.setText("jLabel19");

    Banks.setForeground(new java.awt.Color(255, 255, 255));
    Banks.setText("jLabel110");

    IDs.setForeground(new java.awt.Color(255, 255, 255));
    IDs.setText("jLabel111");

    Addressss.setForeground(new java.awt.Color(255, 255, 255));
    Addressss.setText("jLabel112");

```

```

        javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
        jPanel1.setLayout(jPanel1Layout);
        jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel2, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addGroup(jPanel1Layout.createSequentialGroup()
            .addGap(46, 46, 46)
            .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
                .addGroup(jPanel1Layout.createSequentialGroup()
                    .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                        .addGroup(jPanel1Layout.createSequentialGroup()
                            .addGroup(jPanel1Layout.createSequentialGroup()
                                .addComponent(jLabel2)
                                .addGap(126, 126, 126)
                                .addComponent(name))
                            .addComponent(txtname,
javax.swing.GroupLayout.PREFERRED_SIZE, 282,
javax.swing.GroupLayout.PREFERRED_SIZE))
                        .addGroup(jPanel1Layout.createSequentialGroup()
                            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                            .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                                .addGroup(jPanel1Layout.createSequentialGroup()
                                    .addGroup(jPanel1Layout.createSequentialGroup()
                                        .addComponent(jLabel3)
                                        .addGap(85, 85, 85)
                                        .addComponent(Surnam))
                                    .addComponent(txtSurname,
javax.swing.GroupLayout.PREFERRED_SIZE, 297,
javax.swing.GroupLayout.PREFERRED_SIZE))
                                .addGroup(jPanel1Layout.createSequentialGroup()
                                    .addGap(46, 46, 46)
                                    .addGroup(jPanel1Layout.createSequentialGroup()

```

```

        .addGroup(jPanel1Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel1Layout.createSequentialGroup(
)
                .addGap(58, 58, 58)
                .addComponent(jLabel14)
                .addGap(85, 85, 85)
                .addComponent(Banks))
            .addGroup(jPanel1Layout.createSequentialGroup(
)
                .addGroup(jPanel1Layout.createParallelGrou
p(javax.swing.GroupLayout.Alignment.LEADING)
                    .addGroup(jPanel1Layout.createParallel
Group(javax.swing.GroupLayout.Alignment.TRAILING, false)
                        .addComponent(txtxBank,
javax.swing.GroupLayout.Alignment.LEADING)
                        .addComponent(txtID)
                        .addGroup(jPanel1Layout.createSequ
entialGroup()
                            .addGap(61, 61, 61)
                            .addComponent(jLabel16)
                            .addPreferredGap(javax.swing.L
ayoutStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                                .addComponent(Addressss)
                                .addGap(146, 146, 146))
                            .addComponent(txtAddress,
javax.swing.GroupLayout.DEFAULT_SIZE, 409, Short.MAX_VALUE))
                        .addGroup(jPanel1Layout.createSequenti
alGroup()
                            .addGap(60, 60, 60)
                            .addComponent(jLabel15)
                            .addGap(70, 70, 70)
                            .addComponent(IDs)))
                    .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
                        .addComponent(jPanel13,
javax.swing.GroupLayout.PREFERRED_SIZE,

```



```

javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addContainerGap()))
    );
    jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel1Layout.createSequentialGroup()
            .addComponent(jPanel2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(18, 18, 18)
                .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
                    .addComponent(jLabel2)
                    .addComponent(jLabel3)
                    .addComponent(name)
                    .addComponent(Surnam))
                .addGap(18, 18, 18)
                .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
                    .addComponent(txtname,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addComponent(txtSurname,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
                    .addGap(18, 18, 18)
                    .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
                        .addComponent(jLabel4)
                        .addComponent(Banks))
                    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, 18, Short.MAX_VALUE)
                    .addComponent(txtxBank,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
            .addGroup(jPanel1Layout.createSequentialGroup())
                .addGroup(jPanel1Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.BASELINE)
                    .addComponent(jLabel15)
                    .addComponent(IDs))
                    .addGap(18, 18, 18)
                    .addComponent(txtID,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addGap(18, 18, 18)
                        .addGroup(jPanel1Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.BASELINE)
                            .addComponent(jLabel16)
                            .addComponent(Addresss))
                            .addGap(18, 18, 18)
                            .addComponent(txtAddress,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
                                .addComponent(jPanel3,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
                                    .addContainerGap())
        );

    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(

```

```

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addComponent(jPanel1, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );
layout.setVerticalGroup(

```

```

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(layout.createSequentialGroup()
        .addComponent(jPanel1,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(0, 0, Short.MAX_VALUE))
    );

```

```

    pack();
    setLocationRelativeTo(null);
} // </editor-fold>

```

```

private void jButton5ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new VENUEDESCRIPTION().setVisible(true);
    dispose();
}

```

```

private void jButton4ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    String Name=txtname.getText();
    String Surname=txtSurname.getText();
    String ID=txtID.getText();
    String Bank=txtxBank.getText();
    String Address=txtAddress.getText();

    if(Name.equals("Jose")&&
Surname.equals("Katie")&&ID.equals("0123456789")&&Bank.equals("0987654
321")&&Address.equals("50 plein street")){
        name.setText("You are correct");
        Surnam.setText("You are correct");
        Banks.setText("You are correct");
    }
}

```

```

        Addressss.setText("You are correct");
        IDs.setText("You are correct");
        name.setForeground(Color.green);
        Surnam.setForeground(Color.green);
        Banks.setForeground(Color.green);
        Addressss.setForeground(Color.green);
        IDs.setForeground(Color.green);
    }
    else{
        name.setText("You are incorrect");
        Surnam.setText("You are incorrect");
        Banks.setText("You are incorrect");
        Addressss.setText("You are incorrect");
        IDs.setText("You are incorrect");
        name.setForeground(Color.red);
        Surnam.setForeground(Color.red);
        Banks.setForeground(Color.red);
        Addressss.setForeground(Color.red);
        IDs.setForeground(Color.red);
    }
}

/**
 * @param args the command line arguments
 */
public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //<editor-fold defaultstate="collapsed" desc=" Look and feel
setting code (optional) ">
    /* If Nimbus (introduced in Java SE 6) is not available, stay with
the default look and feel.
    * For details see
http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.ht
ml
    */
    try {
        for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Nimbus".equals(info.getName())) {

```

```

javax.swing.UIManager.setLookAndFeel(info.getClassName());
            break;
        }
    }
} catch (ClassNotFoundException ex) {

java.util.logging.Logger.getLogger(BOOKINGINFORMATION.class.getName())
.log(java.util.logging.Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {

java.util.logging.Logger.getLogger(BOOKINGINFORMATION.class.getName())
.log(java.util.logging.Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {

java.util.logging.Logger.getLogger(BOOKINGINFORMATION.class.getName())
.log(java.util.logging.Level.SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {

java.util.logging.Logger.getLogger(BOOKINGINFORMATION.class.getName())
.log(java.util.logging.Level.SEVERE, null, ex);
    }
}
//</editor-fold>

/* Create and display the form */
java.awt.EventQueue.invokeLater(new Runnable() {
    public void run() {
        new BOOKINGINFORMATION().setVisible(true);
    }
});
}

// Variables declaration - do not modify
private javax.swing.JLabel Addressss;
private javax.swing.JLabel Banks;
private javax.swing.JLabel IDs;
private javax.swing.JLabel Surnam;
private javax.swing.JButton jButton1;
private javax.swing.JButton jButton2;

```

```

private javax.swing.JButton jButton3;
private javax.swing.JButton jButton4;
private javax.swing.JButton jButton5;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
private javax.swing.JLabel jLabel5;
private javax.swing.JLabel jLabel6;
private javax.swing.JLabel jLabel7;
private javax.swing.JPanel jPanel1;
private javax.swing.JPanel jPanel2;
private javax.swing.JPanel jPanel3;
private javax.swing.JLabel name;
private javax.swing.JTextField txtAddress;
private javax.swing.JTextField txtID;
private javax.swing.JTextField txtSurname;
private javax.swing.JTextField txtname;
private javax.swing.JTextField txtxBank;
// End of variables declaration

}

```

CUSTOMER REVIEWS

```
/*
```

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

```
*/ package javaapplication7;
```

```
/** *
```

- @author Douglas

```
*/ public class CUSTOMERREVIEWS extends javax.swing.JFrame {
```

```

/**
 * Creates new form CUSTOMERREVIEWS
 */
public CUSTOMERREVIEWS() {
    initComponents();
}

/**
 * This method is called from within the constructor to initialize the
form.
 * WARNING: Do NOT modify this code. The content of this method is
always
 * regenerated by the Form Editor.
 */
@SuppressWarnings("unchecked")
// <editor-fold defaultstate="collapsed" desc="Generated Code">
private void initComponents() {

    jPanel1 = new javax.swing.JPanel();
    jPanel2 = new javax.swing.JPanel();
    jLabel6 = new javax.swing.JLabel();
    jPanel3 = new javax.swing.JPanel();
    jButton1 = new javax.swing.JButton();
    jButton2 = new javax.swing.JButton();
    jPanel4 = new javax.swing.JPanel();
    jPanel7 = new javax.swing.JPanel();
    jLabel3 = new javax.swing.JLabel();
    jLabel7 = new javax.swing.JLabel();
    jPanel10 = new javax.swing.JPanel();
    jLabel11 = new javax.swing.JLabel();
    jLabel12 = new javax.swing.JLabel();
    jLabel10 = new javax.swing.JLabel();
    jPanel5 = new javax.swing.JPanel();
    jPanel8 = new javax.swing.JPanel();
    jLabel4 = new javax.swing.JLabel();
    jLabel8 = new javax.swing.JLabel();
    jPanel11 = new javax.swing.JPanel();
    jLabel11 = new javax.swing.JLabel();
    jLabel12 = new javax.swing.JLabel();

```

```
jLabel13 = new javax.swing.JLabel();
jPanel6 = new javax.swing.JPanel();
jPanel9 = new javax.swing.JPanel();
jLabel15 = new javax.swing.JLabel();
jLabel9 = new javax.swing.JLabel();
jPanel12 = new javax.swing.JPanel();
jLabel14 = new javax.swing.JLabel();
jLabel15 = new javax.swing.JLabel();
jLabel16 = new javax.swing.JLabel();
```

```
setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
```

```
jPanel1.setBackground(new java.awt.Color(255, 255, 255));
```

```
jPanel2.setBackground(new java.awt.Color(0, 0, 0));
```

```
jLabel6.setFont(new java.awt.Font("Tahoma", 1, 18)); // NOI18N
jLabel6.setForeground(new java.awt.Color(255, 204, 51));
jLabel6.setText("OUR TOP 3 REVIEWS");
```

```
javax.swing.GroupLayout jPanel2Layout = new
javax.swing.GroupLayout(jPanel2);
jPanel2.setLayout(jPanel2Layout);
jPanel2Layout.setHorizontalGroup(
```

```
jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
```

```
        .addGroup(jPanel2Layout.createSequentialGroup()
            .addGap(275, 275, 275)
            .addComponent(jLabel6)
            .addGap(366, Short.MAX_VALUE))
        );
```

```
jPanel2Layout.setVerticalGroup(
```

```
jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
```

```
        .addGroup(jPanel2Layout.createSequentialGroup()
            .addGap(23, 23, 23)
```



```

        .addComponent(jLabel6)
        .addContainerGap(33, Short.MAX_VALUE))
    );

jPanel3.setBackground(new java.awt.Color(0, 0, 0));

jButton1.setBackground(new java.awt.Color(255, 204, 51));
jButton1.setText("PREVIOUS");
jButton1.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton1ActionPerformed(evt);
    }
});

jButton2.setBackground(new java.awt.Color(255, 204, 51));
jButton2.setText("NEXT");
jButton2.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton2ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel3Layout = new
javax.swing.GroupLayout(jPanel3);
jPanel3.setLayout(jPanel3Layout);
jPanel3Layout.setHorizontalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel3Layout.createSequentialGroup()
        .addGap(41, 41, 41)
        .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 131,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jButton2,
javax.swing.GroupLayout.PREFERRED_SIZE, 124,
javax.swing.GroupLayout.PREFERRED_SIZE)

```

```

        .addGap(53, 53, 53))
    );
    jPanel13Layout.setVerticalGroup(

jPanel13Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel13Layout.createSequentialGroup()
        .addContainerGap()
        .addGroup(jPanel13Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
            .addComponent(jButton1)
            .addComponent(jButton2))
        .addContainerGap(23, Short.MAX_VALUE))
    );

jPanel14.setBackground(new java.awt.Color(255, 204, 51));

jPanel17.setBackground(new java.awt.Color(0, 0, 0));

jLabel13.setForeground(new java.awt.Color(255, 204, 51));
jLabel13.setText("RILEY BRIMMER");

jLabel17.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/CUSTOMERS/1.1.jpg")));
// NOI18N

jPanel10.setBackground(new java.awt.Color(255, 255, 255));

jLabel11.setText("REVIEW");

jLabel12.setText("4 1/2 STARS");

jLabel10.setText("230 000 LIKES");

javax.swing.GroupLayout jPanel10Layout = new
javax.swing.GroupLayout(jPanel10);
jPanel10.setLayout(jPanel10Layout);
jPanel10Layout.setHorizontalGroup(

```

```

jPanel10Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel10Layout.createSequentialGroup()
    .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
    .addGroup(jPanel10Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jLabel11)
        .addComponent(jLabel12)
        .addComponent(jLabel10))
    .addGap(50, 50, 50))
);
jPanel10Layout.setVerticalGroup(

```

```

jPanel10Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel10Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jLabel11)
        .addGap(18, 18, 18)
        .addComponent(jLabel12)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
        .addComponent(jLabel10)
        .addContainerGap(18, Short.MAX_VALUE))
);

```

```

    javax.swing.GroupLayout jPanel7Layout = new
javax.swing.GroupLayout(jPanel7);
    jPanel7.setLayout(jPanel7Layout);
    jPanel7Layout.setHorizontalGroup(

```

```

jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel7Layout.createSequentialGroup()
        .addGroup(jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel7Layout.createSequentialGroup()

```

```

        .addGap(68, 68, 68)
        .addComponent(jLabel13))
    .addGroup(jPanel17Layout.createSequentialGroup())
        .addContainerGap()
        .addComponent(jLabel17)
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
        .addComponent(jPanel10,
javax.swing.GroupLayout.PREFERRED_SIZE, 103,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel17Layout.setVerticalGroup(

jPanel17Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel17Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jLabel13)
            .addGap(21, 21, 21)
            .addGroup(jPanel17Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
                .addComponent(jPanel10,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGroup(jPanel17Layout.createSequentialGroup())
                    .addGap(9, 9, 9)
                    .addComponent(jLabel17,
javax.swing.GroupLayout.PREFERRED_SIZE, 80,
javax.swing.GroupLayout.PREFERRED_SIZE)))
            .addContainerGap(58, Short.MAX_VALUE))
    );

    javax.swing.GroupLayout jPanel4Layout = new
javax.swing.GroupLayout(jPanel4);
    jPanel4.setLayout(jPanel4Layout);
    jPanel4Layout.setHorizontalGroup(

```

```

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel4Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel7,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
jPanel4Layout.setVerticalGroup(

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel4Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel7,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap())
    );

jPanel5.setBackground(new java.awt.Color(255, 204, 51));

jPanel8.setBackground(new java.awt.Color(0, 0, 0));

jLabel4.setForeground(new java.awt.Color(255, 204, 51));
jLabel4.setText("SONNY FRANKY");

jLabel8.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/CUSTOMERS/2.1.jpg")));
// NOI18N

jPanel11.setBackground(new java.awt.Color(255, 255, 255));

jLabel11.setText("REVIEW");

```

```

jLabel12.setText("4 1/2 STARS");

jLabel13.setText("350 000 LIKES");

javax.swing.GroupLayout jPanel11Layout = new
javax.swing.GroupLayout(jPanel11);
jPanel11.setLayout(jPanel11Layout);
jPanel11Layout.setHorizontalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(jPanel11Layout.createSequentialGroup()
        .addGap(34, 34, 34)
        .addGroup(jPanel11Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
            .addComponent(jLabel13)
            .addComponent(jLabel11)
            .addComponent(jLabel12))
        .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
jPanel11Layout.setVerticalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(jPanel11Layout.createSequentialGroup()
        .addGap()
        .addComponent(jLabel11)
        .addGap(18, 18, 18)
        .addComponent(jLabel12)
        .addGap(18, 18, 18)
        .addComponent(jLabel13)
        .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

javax.swing.GroupLayout jPanel8Layout = new
javax.swing.GroupLayout(jPanel8);
jPanel8.setLayout(jPanel8Layout);

```

```

jPanel8Layout.setHorizontalGroup(

jPanel8Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel8Layout.createSequentialGroup()
        .addGroup(jPanel8Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel8Layout.createSequentialGroup()
                .addGap(65, 65, 65)
                .addComponent(jLabel4))
            .addGroup(jPanel8Layout.createSequentialGroup()
                .addContainerGap()
                .addComponent(jLabel8)
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                .addComponent(jPanel11,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))
            .addContainerGap())
    );
jPanel8Layout.setVerticalGroup(

jPanel8Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel8Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jLabel4)
        .addGroup(jPanel8Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel8Layout.createSequentialGroup()
                .addGap(36, 36, 36)
                .addComponent(jLabel8))
            .addGroup(jPanel8Layout.createSequentialGroup()
                .addGap(16, 16, 16)
                .addComponent(jPanel11,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

    javax.swing.GroupLayout jPanel5Layout = new
javax.swing.GroupLayout(jPanel5);
    jPanel5.setLayout(jPanel5Layout);
    jPanel5Layout.setHorizontalGroup(

jPanel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel5Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel8,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
    jPanel5Layout.setVerticalGroup(

jPanel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel5Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel8,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addContainerGap())
        );

    jPanel6.setBackground(new java.awt.Color(255, 204, 51));

    jPanel9.setBackground(new java.awt.Color(0, 0, 0));

    jLabel5.setForeground(new java.awt.Color(255, 204, 51));
    jLabel5.setText("MELISA THEMERT");

```



```

        jLabel9.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/CUSTOMERS/3.1.jpg")));
// NOI18N

        jLabel14.setText("REVIEW");

        jLabel15.setText("4 1/2 STARS");

        jLabel16.setText("480 000 LIKES");

        javax.swing.GroupLayout jPanel12Layout = new
javax.swing.GroupLayout(jPanel12);
        jPanel12.setLayout(jPanel12Layout);
        jPanel12Layout.setHorizontalGroup(

jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
            .addGroup(jPanel12Layout.createSequentialGroup()
                .addGroup(jPanel12Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.TRAILING)
                    .addComponent(jLabel16)
                    .addComponent(jLabel15,
javax.swing.GroupLayout.Alignment.LEADING)
                    .addComponent(jLabel14,
javax.swing.GroupLayout.Alignment.LEADING))
                .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
            );
        jPanel12Layout.setVerticalGroup(

jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
            .addGroup(jPanel12Layout.createSequentialGroup()
                .addGap()
                .addComponent(jLabel14)
                .addGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)

```

```

        .addComponent(jLabel15)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addComponent(jLabel16)
        .addContainerGap(25, Short.MAX_VALUE))
    );

    javax.swing.GroupLayout jPanel9Layout = new
javax.swing.GroupLayout(jPanel9);
    jPanel9.setLayout(jPanel9Layout);
    jPanel9Layout.setHorizontalGroup(

jPanel9Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel9Layout.createSequentialGroup()
            .addGroup(jPanel9Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
                .addGroup(jPanel9Layout.createSequentialGroup()
                    .addGap(66, 66, 66)
                    .addComponent(jLabel15))
                .addGroup(jPanel9Layout.createSequentialGroup()
                    .addContainerGap()
                    .addComponent(jLabel19)
                    .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.UNRELATED)
                    .addComponent(jPanel12,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
    jPanel9Layout.setVerticalGroup(

jPanel9Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel9Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jLabel15)

```

```

        .addGap(18, 18, 18)
        .addGroup(jPanel9Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
            .addComponent(jPanel12,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGroup(jPanel9Layout.createSequentialGroup()
                .addGap(9, 9, 9)
                .addComponent(jLabel9)))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

```

```

    javax.swing.GroupLayout jPanel6Layout = new
javax.swing.GroupLayout(jPanel6);
    jPanel6.setLayout(jPanel6Layout);
    jPanel6Layout.setHorizontalGroup(

```

```

jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)

```

```

        .addGroup(jPanel6Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel9,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
    jPanel6Layout.setVerticalGroup(

```

```

jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)

```

```

        .addGroup(jPanel6Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel9,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)

```

```

        .addContainerGap())
    );

    javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
    jPanel1.setLayout(jPanel1Layout);
    jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel1Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel4,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(18, 18, 18)
            .addComponent(jPanel5,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(18, 18, 18)
            .addComponent(jPanel6,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        .addGroup(jPanel1Layout.createSequentialGroup()
            .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
                .addComponent(jPanel2,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                .addComponent(jPanel3,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
            .addGap(0, 0, Short.MAX_VALUE))
    );

```

```

jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addComponent(jPanel2,
            javax.swing.GroupLayout.PREFERRED_SIZE,
            javax.swing.GroupLayout.DEFAULT_SIZE,
            javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addComponent(jPanel4,
                javax.swing.GroupLayout.Alignment.TRAILING,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jPanel5,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jPanel6,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addGap(18, 18, 18)
        .addComponent(jPanel3,
            javax.swing.GroupLayout.PREFERRED_SIZE,
            javax.swing.GroupLayout.DEFAULT_SIZE,
            javax.swing.GroupLayout.PREFERRED_SIZE))
    );

    javax.swing.GroupLayout layout = new
    javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(

    layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(layout.createSequentialGroup()
            .addComponent(jPanel1,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE)
    .addGap(0, 0, Short.MAX_VALUE))
    );
    layout.setVerticalGroup(

    layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(layout.createSequentialGroup()
            .addComponent(jPanel1,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(0, 0, Short.MAX_VALUE))
        );

    pack();
    setLocationRelativeTo(null);
} // </editor-fold>

private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new NAVIGATION().setVisible(true);
    dispose();
}

private void jButton2ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new MAINGOALS().setVisible(true);
    dispose();
}

/**
 * @param args the command line arguments
 */
public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //<editor-fold defaultstate="collapsed" desc=" Look and feel
    setting code (optional) ">
    /* If Nimbus (introduced in Java SE 6) is not available, stay with
    the default look and feel.

```

```

        * For details see
http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.ht
ml
    */
    try {
        for (javax.swing.UIManager.LookAndFeelInfo info :
            javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Nimbus".equals(info.getName())) {

                javax.swing.UIManager.setLookAndFeel(info.getClassName());
                break;
            }
        }
    } catch (ClassNotFoundException ex) {

        java.util.logging.Logger.getLogger(CUSTOMERREVIEWS.class.getName()).lo
        g(java.util.logging.Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {

        java.util.logging.Logger.getLogger(CUSTOMERREVIEWS.class.getName()).lo
        g(java.util.logging.Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {

        java.util.logging.Logger.getLogger(CUSTOMERREVIEWS.class.getName()).lo
        g(java.util.logging.Level.SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {

        java.util.logging.Logger.getLogger(CUSTOMERREVIEWS.class.getName()).lo
        g(java.util.logging.Level.SEVERE, null, ex);
    }
}
//</editor-fold>

/* Create and display the form */
java.awt.EventQueue.invokeLater(new Runnable() {
    public void run() {
        new CUSTOMERREVIEWS().setVisible(true);
    }
});
}

```

```
// Variables declaration - do not modify
private javax.swing.JButton jButton1;
private javax.swing.JButton jButton2;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel10;
private javax.swing.JLabel jLabel11;
private javax.swing.JLabel jLabel12;
private javax.swing.JLabel jLabel13;
private javax.swing.JLabel jLabel14;
private javax.swing.JLabel jLabel15;
private javax.swing.JLabel jLabel16;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
private javax.swing.JLabel jLabel5;
private javax.swing.JLabel jLabel6;
private javax.swing.JLabel jLabel7;
private javax.swing.JLabel jLabel8;
private javax.swing.JLabel jLabel9;
private javax.swing.JPanel jPanel1;
private javax.swing.JPanel jPanel10;
private javax.swing.JPanel jPanel11;
private javax.swing.JPanel jPanel12;
private javax.swing.JPanel jPanel2;
private javax.swing.JPanel jPanel3;
private javax.swing.JPanel jPanel4;
private javax.swing.JPanel jPanel5;
private javax.swing.JPanel jPanel6;
private javax.swing.JPanel jPanel7;
private javax.swing.JPanel jPanel8;
private javax.swing.JPanel jPanel9;
// End of variables declaration

}
```

DELICIOUS FOOD


```
/*
```

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

```
*/ package javaapplication7;
```

```
/** *
```

- @author Douglas

```
*/ public class DELICIOUSFOOD extends javax.swing.JFrame {
```

```
/**
```

```
 * Creates new form DELICIOUSFOOD
```

```
 */
```

```
public DELICIOUSFOOD() {  
    initComponents();  
}
```

```
/**
```

```
 * This method is called from within the constructor to initialize the  
form.
```

```
 * WARNING: Do NOT modify this code. The content of this method is  
always
```

```
 * regenerated by the Form Editor.
```

```
 */
```

```
@SuppressWarnings("unchecked")
```

```
// <editor-fold defaultstate="collapsed" desc="Generated Code">
```

```
private void initComponents() {
```

```
    jPanel1 = new javax.swing.JPanel();  
    jPanel2 = new javax.swing.JPanel();  
    jButton1 = new javax.swing.JButton();  
    jLabel3 = new javax.swing.JLabel();  
    jLabel1 = new javax.swing.JLabel();  
    jLabel2 = new javax.swing.JLabel();  
    jLabel4 = new javax.swing.JLabel();
```

```

setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);

jPanel1.setBackground(new java.awt.Color(255, 255, 255));

jPanel2.setBackground(new java.awt.Color(0, 0, 0));

jButton1.setBackground(new java.awt.Color(255, 204, 0));
jButton1.setForeground(new java.awt.Color(255, 204, 0));
jButton1.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/ICONS/b2.png"))); //
NOI18N
    jButton1.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton1ActionPerformed(evt);
        }
    });

jLabel3.setForeground(new java.awt.Color(255, 204, 51));
jLabel3.setText("DELICIOUS FOOD");

javax.swing.GroupLayout jPanel2Layout = new
javax.swing.GroupLayout(jPanel2);
jPanel2.setLayout(jPanel2Layout);
jPanel2Layout.setHorizontalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addGroup(jPanel2Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
            .addGroup(jPanel2Layout.createSequentialGroup()
                .addContainerGap()
                .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 108,
javax.swing.GroupLayout.PREFERRED_SIZE))
            .addGroup(jPanel2Layout.createSequentialGroup()
                .addGap(22, 22, 22)
                .addComponent(jLabel3)))
        .addContainerGap())

```

```

        .addContainerGap(13, Short.MAX_VALUE))
    );
    JPanel12Layout.setVerticalGroup(

jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel12Layout.createSequentialGroup()
        .addGap(21, 21, 21)
        .addComponent(jLabel13)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, 37, Short.MAX_VALUE)
        .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 52,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap())
    );

    jLabel1.setText("> WITHOUT YOU THERE IS NO FOOD.");

    jLabel2.setText(">WITHOUT FOOD THERE IS NO WE.");

    jLabel4.setText("> WE ALWAYS SURVE WHAT WE PRESENT TO YOU.");

    javax.swing.GroupLayout jPanel11Layout = new
    javax.swing.GroupLayout(jPanel11);
    jPanel11.setLayout(jPanel11Layout);
    jPanel11Layout.setHorizontalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel11Layout.createSequentialGroup()
        .addComponent(jPanel12,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addGroup(jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

```

```

        .addComponent(jLabel1)
        .addComponent(jLabel2)
        .addComponent(jLabel4))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jLabel1)
        .addGap(37, 37, 37)
        .addComponent(jLabel2)
        .addGap(32, 32, 32)
        .addComponent(jLabel4)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        .addGroup(jPanel1Layout.createSequentialGroup()
            .addComponent(jPanel2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(0, 0, Short.MAX_VALUE))
    );

    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    );
    layout.setVerticalGroup(

```

```

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    );

```

```

    pack();
    setLocationRelativeTo(null);
} // </editor-fold>

```

```

private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new MAINGOALS().setVisible(true);
    dispose();
}

```

```

/**
 * @param args the command line arguments
 */
public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //<editor-fold defaultstate="collapsed" desc=" Look and feel
setting code (optional) ">
    /* If Nimbus (introduced in Java SE 6) is not available, stay with
the default look and feel.
    * For details see
http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.ht
ml
    */
    try {
        for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Nimbus".equals(info.getName())) {

javax.swing.UIManager.setLookAndFeel(info.getClassName());
                break;
            }
        }
    } catch (ClassNotFoundException ex) {

```

```
java.util.logging.Logger.getLogger(DELICIOUSFOOD.class.getName()).log(
java.util.logging.Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {
```

```
java.util.logging.Logger.getLogger(DELICIOUSFOOD.class.getName()).log(
java.util.logging.Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {
```

```
java.util.logging.Logger.getLogger(DELICIOUSFOOD.class.getName()).log(
java.util.logging.Level.SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {
```

```
java.util.logging.Logger.getLogger(DELICIOUSFOOD.class.getName()).log(
java.util.logging.Level.SEVERE, null, ex);
    }
//</editor-fold>
```

```
/* Create and display the form */
java.awt.EventQueue.invokeLater(new Runnable() {
    public void run() {
        new DELICIOUSFOOD().setVisible(true);
    }
});
}
```

```
// Variables declaration - do not modify
private javax.swing.JButton jButton1;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
private javax.swing.JPanel jPanel1;
private javax.swing.JPanel jPanel2;
// End of variables declaration

}
```

GENDER

/*

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

*/ package javaapplication7;

import javax.swing.JOptionPane; import java.sql.Connection; import
java.sql.DriverManager; import java.sql.PreparedStatement; import java.sql.ResultSet;
import javax.swing.JOptionPane;

/** *

- @author Douglas

*/ public class GENDER extends javax.swing.JFrame {

/**

* Creates new form GENDER

*/

```
public GENDER() {  
    initComponents();  
}
```

/**

* This method is called from within the constructor to initialize the form.

* WARNING: Do NOT modify this code. The content of this method is always

* regenerated by the Form Editor.

*/

@SuppressWarnings("unchecked")

// <editor-fold defaultstate="collapsed" desc="Generated Code">

```
private void initComponents() {
```

```
    jPanel1 = new javax.swing.JPanel();
```

```
    jPanel2 = new javax.swing.JPanel();
```

```

jLabel1 = new javax.swing.JLabel();
jPanel3 = new javax.swing.JPanel();
jButton1 = new javax.swing.JButton();
jPanel4 = new javax.swing.JPanel();
jButton2 = new javax.swing.JButton();
jPanel5 = new javax.swing.JPanel();
jButton3 = new javax.swing.JButton();

setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);

jPanel1.setBackground(new java.awt.Color(255, 255, 255));

jPanel2.setBackground(new java.awt.Color(0, 0, 0));

jLabel1.setBackground(new java.awt.Color(255, 204, 51));
jLabel1.setForeground(new java.awt.Color(255, 204, 51));
jLabel1.setText("SELECT YOUR GENDER");

javax.swing.GroupLayout jPanel2Layout = new
javax.swing.GroupLayout(jPanel2);
jPanel2.setLayout(jPanel2Layout);
jPanel2Layout.setHorizontalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addGap(172, 172, 172)
        .addComponent(jLabel1)
        .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
jPanel2Layout.setVerticalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addGap(172, 172, 172)
        .addComponent(jLabel1)

```



```

        .addContainerGap(22, Short.MAX_VALUE))
    );

    jPanel3.setBackground(new java.awt.Color(255, 204, 51));

    jButton1.setBackground(new java.awt.Color(0, 0, 0));
    jButton1.setIcon(new
    javax.swing.ImageIcon(getClass().getResource("/ICONS/FEMALE2.png")));
    // NOI18N
    jButton1.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton1ActionPerformed(evt);
        }
    });

    javax.swing.GroupLayout jPanel3Layout = new
    javax.swing.GroupLayout(jPanel3);
    jPanel3.setLayout(jPanel3Layout);
    jPanel3Layout.setHorizontalGroup(

    jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
    jPanel3Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jButton1,
    javax.swing.GroupLayout.DEFAULT_SIZE, 186, Short.MAX_VALUE)
        .addContainerGap())
    );
    jPanel3Layout.setVerticalGroup(

    jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
    jPanel3Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jButton1,
    javax.swing.GroupLayout.DEFAULT_SIZE,
    javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)

```

```

        .addContainerGap())
    );

    jPanel4.setBackground(new java.awt.Color(255, 204, 51));

    jButton2.setBackground(new java.awt.Color(0, 0, 0));
    jButton2.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/ICONS/MALE2.png"))); //
NOI18N
    jButton2.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton2ActionPerformed(evt);
        }
    });

    javax.swing.GroupLayout jPanel4Layout = new
javax.swing.GroupLayout(jPanel4);
    jPanel4.setLayout(jPanel4Layout);
    jPanel4Layout.setHorizontalGroup(

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel4Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jButton2,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addContainerGap())
        );
    jPanel4Layout.setVerticalGroup(

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel4Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jButton2,
javax.swing.GroupLayout.DEFAULT_SIZE,

```

```

javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    .addContainerGap())
    );

jPanel5.setBackground(new java.awt.Color(0, 0, 0));

jButton3.setBackground(new java.awt.Color(255, 204, 51));
jButton3.setText("RETURN");
jButton3.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton3ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel5Layout = new
javax.swing.GroupLayout(jPanel5);
jPanel5.setLayout(jPanel5Layout);
jPanel5Layout.setHorizontalGroup(

jPanel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel5Layout.createSequentialGroup()
        .addGap(157, 157, 157)
        .addComponent(jButton3,
javax.swing.GroupLayout.PREFERRED_SIZE, 154,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
jPanel5Layout.setVerticalGroup(

jPanel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel5Layout.createSequentialGroup()
        .addGap()
        .addComponent(jButton3,
javax.swing.GroupLayout.DEFAULT_SIZE, 31, Short.MAX_VALUE)
        .addGap())

```

```

    );

    javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
    jPanel1.setLayout(jPanel1Layout);
    jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel5, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addGroup(jPanel1Layout.createSequentialGroup()
            .addGap()
            .addComponent(jPanel3,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, 40, Short.MAX_VALUE)
            .addComponent(jPanel4,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap())
            .addComponent(jPanel2, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        );
    jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel1Layout.createSequentialGroup()
            .addComponent(jPanel2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(28, 28, 28)
            .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)

```

```

        .addComponent(jPanel13,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jPanel14,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addGap(7, 7, 7)
        .addComponent(jPanel15,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
    );

    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
layout.createSequentialGroup()
            .addComponent(jPanel11,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(0, 0, Short.MAX_VALUE))
        );
    layout.setVerticalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(layout.createSequentialGroup()
            .addComponent(jPanel11,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(0, 1, Short.MAX_VALUE))
        );

    pack();

```

```

        setLocationRelativeTo(null);
} // </editor-fold>

private void jButton2ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new MALE().setVisible(true);
    dispose();
}

private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new FEMALE().setVisible(true);
    dispose();
}

private void jButton3ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new NAVIGATION().setVisible(true);
    dispose();
}

/**
 * @param args the command line arguments
 */
public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //<editor-fold defaultstate="collapsed" desc=" Look and feel
setting code (optional) ">
    /* If Nimbus (introduced in Java SE 6) is not available, stay with
the default look and feel.
    * For details see
http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.ht
ml
    */
    try {
        for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Nimbus".equals(info.getName())) {

```

```

javax.swing.UIManager.setLookAndFeel(info.getClassName());
            break;
        }
    }
} catch (ClassNotFoundException ex) {

java.util.logging.Logger.getLogger(GENDER.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {

java.util.logging.Logger.getLogger(GENDER.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {

java.util.logging.Logger.getLogger(GENDER.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {

java.util.logging.Logger.getLogger(GENDER.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
    }
}
//</editor-fold>

/* Create and display the form */
java.awt.EventQueue.invokeLater(new Runnable() {
    public void run() {
        new GENDER().setVisible(true);
    }
});
}

// Variables declaration - do not modify
private javax.swing.JButton jButton1;
private javax.swing.JButton jButton2;
private javax.swing.JButton jButton3;
private javax.swing.JLabel jLabel1;
private javax.swing.JPanel jPanel1;
private javax.swing.JPanel jPanel2;
private javax.swing.JPanel jPanel3;

```

```
private javax.swing.JPanel jPanel4;  
private javax.swing.JPanel jPanel5;  
// End of variables declaration
```

```
}
```

FEMALE

```
/*
```

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

```
*/ package javaapplication7;
```

```
import java.awt.Color; import java.sql.Connection; import  
java.sql.DriverManager; import java.sql.PreparedStatement; import  
java.sql.ResultSet; import javax.swing.JOptionPane;
```

```
/** *
```

- @author Douglas

```
*/ public class FEMALE extends javax.swing.JFrame {
```

```
/**
```

```
 * Creates new form FEMALE
```

```
 */
```

```
public FEMALE() {  
    initComponents();  
}
```

```
/**
```

```
 * This method is called from within the constructor to
```


initialize the form.

* WARNING: Do NOT modify this code. The content of this method is always

* regenerated by the Form Editor.

*/

@SuppressWarnings("unchecked")

// <editor-fold defaultstate="collapsed" desc="Generated Code">

private void initComponents() {

jPanel1 = new javax.swing.JPanel();

jPanel2 = new javax.swing.JPanel();

jLabel9 = new javax.swing.JLabel();

jPanel3 = new javax.swing.JPanel();

jLabel11 = new javax.swing.JLabel();

jLabel12 = new javax.swing.JLabel();

jLabel13 = new javax.swing.JLabel();

jLabel14 = new javax.swing.JLabel();

jButton1 = new javax.swing.JButton();

jButton2 = new javax.swing.JButton();

jButton4 = new javax.swing.JButton();

txtUserName = new javax.swing.JTextField();

txtUserSurname = new javax.swing.JTextField();

txtAge = new javax.swing.JTextField();

jLabel15 = new javax.swing.JLabel();

jLabel16 = new javax.swing.JLabel();

txtID = new javax.swing.JTextField();

jLabel17 = new javax.swing.JLabel();

jLabel18 = new javax.swing.JLabel();

txtConfirmPassword = new javax.swing.JTextField();

jComboBox2 = new javax.swing.JComboBox<>();

jLabel110 = new javax.swing.JLabel();

txtEmail = new javax.swing.JTextField();

txtPassword = new javax.swing.JTextField();

```
password3 = new javax.swing.JLabel();
password2 = new javax.swing.JLabel();
ID2 = new javax.swing.JLabel();
Age2 = new javax.swing.JLabel();
Email2 = new javax.swing.JLabel();
Surname2 = new javax.swing.JLabel();
Name2 = new javax.swing.JLabel();
jLabel19 = new javax.swing.JLabel();
txtComfort = new javax.swing.JTextField();
jLabel20 = new javax.swing.JLabel();
txtMeal = new javax.swing.JTextField();
jLabel21 = new javax.swing.JLabel();
txtFamily = new javax.swing.JTextField();
jLabel22 = new javax.swing.JLabel();
jTextField4 = new javax.swing.JTextField();
jButton3 = new javax.swing.JButton();
jButton5 = new javax.swing.JButton();
```

```
setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON
_CLOSE);
```

```
jPanel1.setBackground(new java.awt.Color(255, 255,
255));
```

```
jPanel2.setBackground(new java.awt.Color(102, 102,
102));
```

```
jLabel9.setFont(new java.awt.Font("Tahoma", 1, 18)); //
NOI18N
```

```
jLabel9.setText("ENTER YOUR INFORMATION:");
```

```
javax.swing.GroupLayout jPanel2Layout = new
javax.swing.GroupLayout(jPanel2);
```

```

jPanel2.setLayout(jPanel2Layout);
jPanel2Layout.setHorizontalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Al
ignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addGap(276, 276, 276)
        .addComponent(jLabel9,
javax.swing.GroupLayout.PREFERRED_SIZE, 280,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT
_SIZE, Short.MAX_VALUE))
    );
jPanel2Layout.setVerticalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Al
ignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jLabel9,
javax.swing.GroupLayout.DEFAULT_SIZE, 34, Short.MAX_VALUE)
        .addContainerGap())
    );

jPanel3.setBackground(new java.awt.Color(255, 204, 51));

jLabel1.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/ICONS/FEMALE2
.png"))); // NOI18N

javax.swing.GroupLayout jPanel3Layout = new
javax.swing.GroupLayout(jPanel3);
jPanel3.setLayout(jPanel3Layout);
jPanel3Layout.setHorizontalGroup(

```

```
jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel3Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jLabel1)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
    );
jPanel3Layout.setVerticalGroup(
```

```
jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel3Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jLabel1)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
    );
```

```
jLabel2.setText("USERNAME:");
```

```
jLabel3.setText("USERSURNAME:");
```

```
jLabel4.setText("AGE:");
```

```
jButton1.setBackground(new java.awt.Color(255, 204, 0));
jButton1.setText("LIGHT MODE");
```

```
jButton2.setBackground(new java.awt.Color(255, 204, 51));
jButton2.setText("DARK MODE");
```

```
jButton4.setBackground(new java.awt.Color(255, 204,
```

```
51));
    jButton4.setText("BACK");
    jButton4.addActionListener(new
java.awt.event.ActionListener() {
    public void
actionPerformed(java.awt.event.ActionEvent evt) {
        jButton4ActionPerformed(evt);
    }
});

    txtUserName.setBackground(new java.awt.Color(255, 204,
51));

    txtUserSurname.setBackground(new java.awt.Color(255,
204, 51));

    txtAge.setBackground(new java.awt.Color(255, 204, 51));

    jLabel15.setText("ALLERGIES:");

    jLabel16.setText("IDENTITY NUMBER:");

    txtID.setBackground(new java.awt.Color(255, 204, 51));

    jLabel17.setText("PASSWORD:");

    jLabel18.setText("CONFIRM PASSWORD:");

    txtConfirmPassword.setBackground(new java.awt.Color(255,
204, 51));
    txtConfirmPassword.addActionListener(new
java.awt.event.ActionListener() {
    public void
actionPerformed(java.awt.event.ActionEvent evt) {
        txtConfirmPasswordActionPerformed(evt);
    }
});
```

```

    }
});

jComboBox2.setBackground(new java.awt.Color(204, 204,
204));
jComboBox2.setModel(new
javax.swing.DefaultComboBoxModel<>(new String[] { "...",
"Lectose intollerent", "Diet", "Pollen", "Peanuts",
"Shellfish", "penicillin", "none" }));
jComboBox2.addActionListener(new
java.awt.event.ActionListener() {
    public void
actionPerformed(java.awt.event.ActionEvent evt) {
        jComboBox2ActionPerformed(evt);
    }
});

jLabel10.setText("EMAIL:");

txtEmail.setBackground(new java.awt.Color(255, 204,
51));

txtPassword.setBackground(new java.awt.Color(255, 204,
51));
txtPassword.addActionListener(new
java.awt.event.ActionListener() {
    public void
actionPerformed(java.awt.event.ActionEvent evt) {
        txtPasswordActionPerformed(evt);
    }
});

password3.setForeground(new java.awt.Color(255, 255,
255));

```

```
password3.setText("jLabel11");

password2.setForeground(new java.awt.Color(255, 255,
255));
password2.setText("jLabel12");

ID2.setForeground(new java.awt.Color(255, 255, 255));
ID2.setText("jLabel13");

Age2.setForeground(new java.awt.Color(255, 255, 255));
Age2.setText("jLabel14");

Email2.setForeground(new java.awt.Color(255, 255, 255));
Email2.setText("jLabel15");

Surname2.setForeground(new java.awt.Color(255, 255,
255));
Surname2.setText("jLabel16");

Name2.setForeground(new java.awt.Color(255, 255, 255));
Name2.setText("jLabel18");

jLabel19.setText("Whats you comfort food?");

txtComfort.setBackground(new java.awt.Color(255, 204,
51));

jLabel20.setText("Exotic or Usal Meal?");

txtMeal.setBackground(new java.awt.Color(255, 204, 51));

jLabel21.setText("Family Meal?");

txtFamily.setBackground(new java.awt.Color(255, 204,
51));
```

```

jLabel22.setText("Your Go to Order?");

jTextField4.setBackground(new java.awt.Color(255, 204,
51));

jButton3.setBackground(new java.awt.Color(255, 204,
51));
jButton3.setText("CONFIRM");
jButton3.addActionListener(new
java.awt.event.ActionListener() {
    public void
actionPerformed(java.awt.event.ActionEvent evt) {
        jButton3ActionPerformed(evt);
    }
});

jButton5.setBackground(new java.awt.Color(255, 204,
51));
jButton5.setText("CLEAR");

javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
jPanel1.setLayout(jPanel1Layout);
jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addComponent(jPanel2,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING
, jPanel1Layout.createSequentialGroup()
        .addContainerGap()

```



```

        .addGroup(jPanel1Layout.createParallelGroup(java
x.swing.GroupLayout.Alignment.TRAILING)
        .addGroup(jPanel1Layout.createSequentialGrou
p()
            .addGap(0, 0, Short.MAX_VALUE)
            .addGroup(jPanel1Layout.createParallelGr
oup(javax.swing.GroupLayout.Alignment.TRAILING)
                .addGroup(jPanel1Layout.createSequen
tialGroup()
                    .addComponent(jLabel22)
                    .addGap(97, 97, 97))
                .addGroup(jPanel1Layout.createSequen
tialGroup()
                    .addComponent(jButton4,
javax.swing.GroupLayout.PREFERRED_SIZE, 170,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addGap(58, 58, 58))))
            .addGroup(javax.swing.GroupLayout.Alignment.
LEADING, jPanel1Layout.createSequentialGroup()
                .addGroup(jPanel1Layout.createParallelGr
oup(javax.swing.GroupLayout.Alignment.TRAILING, false)
                    .addComponent(jButton5,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                    .addComponent(jButton3,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                    .addComponent(jButton2,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                    .addComponent(jPanel3,

```

```

javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jButton1,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addGroup(jPanel1Layout.createParallelGroup(
javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.A
ignment.TRAILING, jPanel1Layout.createSequentialGroup()
        .addPreferredGap(javax.swing.Lay
outStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jLabel20)
        .addGap(96, 96, 96))
        .addGroup(jPanel1Layout.createSequentialGroup()
        .addGroup(jPanel1Layout.createParallelGroup(
javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel1Layout.crea
teSequentialGroup()
        .addGap(67, 67, 67)
        .addComponent(jLabel19))
        .addGroup(jPanel1Layout.crea
teSequentialGroup()
        .addGap(97, 97, 97)
        .addComponent(jLabel15))
        .addGroup(jPanel1Layout.crea
teSequentialGroup()
        .addGap(86, 86, 86)
        .addComponent(jLabel21))
        .addGroup(jPanel1Layout.crea
teSequentialGroup()

```

```

                                .addGap(18, 18, 18)
                                .addGroup(jPanel11Layout.
createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)

                                .addComponent(txtCom
fort)

                                .addComponent(txtFam
ily)

                                .addComponent(jCombo
Box2, 0, 200, Short.MAX_VALUE)

                                .addComponent(jTextF
ield4)

                                .addComponent(txtMea
l, javax.swing.GroupLayout.Alignment.TRAILING)))
                                .addPreferredGap(javax.swing.Lay
outStyle.ComponentPlacement.RELATED, 44,
Short.MAX_VALUE))))
                                .addGroup(jPanel11Layout.createParallelGroup(java
x.swing.GroupLayout.Alignment.LEADING)
                                .addGroup(jPanel11Layout.createSequentialGrou
p()

                                .addComponent(jLabel2)
                                .addGroup(jPanel11Layout.createParallelGr
oup(javax.swing.GroupLayout.Alignment.LEADING)
                                .addGroup(jPanel11Layout.createSequen
tialGroup()

                                .addGap(90, 90, 90)
                                .addComponent(txtUserName,
javax.swing.GroupLayout.PREFERRED_SIZE, 227,
javax.swing.GroupLayout.PREFERRED_SIZE))
                                .addGroup(javax.swing.GroupLayout.Al
ignment.TRAILING, jPanel11Layout.createSequentialGroup()
                                .addPreferredGap(javax.swing.Lay
outStyle.ComponentPlacement.RELATED)

```

```

        .addGroup(jPanel1Layout.createParallelGroup(
javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup())
        .addComponent(password2)
        .addGap(98, 98, 98))
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup())
        .addComponent(password3)
        .addGap(97, 97, 97))))))
        .addGroup(jPanel1Layout.createSequentialGroup()
p()
        .addGroup(jPanel1Layout.createParallelGroup(
javax.swing.GroupLayout.Alignment.LEADING, false)
        .addGroup(jPanel1Layout.createSequentialGroup()
        .addComponent(jLabel7)
        .addGap(87, 87, 87)
        .addComponent(txtPassword,
javax.swing.GroupLayout.PREFERRED_SIZE, 227,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING, jPanel1Layout.createSequentialGroup())
        .addComponent(jLabel3)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addGroup(jPanel1Layout.createParallelGroup(
javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(txtUserSurname
, javax.swing.GroupLayout.PREFERRED_SIZE, 227,
javax.swing.GroupLayout.PREFERRED_SIZE)

```

```

                                .addGroup(javax.swing.GroupL
ayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup())
                                .addGroup(jPanel1Layout.
createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
G)
                                .addComponent(Name2,
javax.swing.GroupLayout.Alignment.TRAILING)
                                .addComponent(Surnam
e2, javax.swing.GroupLayout.Alignment.TRAILING))
                                .addGap(86, 86, 86)))
                                .addGroup(javax.swing.GroupLayout.Al
ignment.TRAILING, jPanel1Layout.createSequentialGroup())
                                .addComponent(jLabel10)
                                .addPreferredGap(javax.swing.Lay
outStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                                .addComponent(txtEmail,
javax.swing.GroupLayout.PREFERRED_SIZE, 227,
javax.swing.GroupLayout.PREFERRED_SIZE))
                                .addGroup(javax.swing.GroupLayout.Al
ignment.TRAILING, jPanel1Layout.createSequentialGroup())
                                .addComponent(jLabel14)
                                .addPreferredGap(javax.swing.Lay
outStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                                .addComponent(txtAge,
javax.swing.GroupLayout.PREFERRED_SIZE, 227,
javax.swing.GroupLayout.PREFERRED_SIZE))
                                .addGroup(javax.swing.GroupLayout.Al
ignment.TRAILING, jPanel1Layout.createSequentialGroup())
                                .addComponent(jLabel16)
                                .addPreferredGap(javax.swing.Lay
outStyle.ComponentPlacement.RELATED,

```

```

javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(txtID,
javax.swing.GroupLayout.PREFERRED_SIZE, 227,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGroup(javax.swing.GroupLayout.Al
ignment.TRAILING, jPanel1Layout.createSequentialGroup()
        .addComponent(jLabel8)
        .addPreferredGap(javax.swing.Lay
outStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(txtConfirmPassword
, javax.swing.GroupLayout.PREFERRED_SIZE, 227,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addContainerGap()
        .addGroup(javax.swing.GroupLayout.Alignment.
TRAILING, jPanel1Layout.createSequentialGroup()
        .addComponent(Email2)
        .addGap(96, 96, 96))
        .addGroup(javax.swing.GroupLayout.Alignment.
TRAILING, jPanel1Layout.createSequentialGroup()
        .addComponent(Age2)
        .addGap(97, 97, 97))
        .addGroup(javax.swing.GroupLayout.Alignment.
TRAILING, jPanel1Layout.createSequentialGroup()
        .addComponent(ID2)
        .addGap(105, 105, 105))))
    );
    jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Al
ignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING
, jPanel1Layout.createSequentialGroup()
        .addComponent(jPanel2,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
    .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel1Layout.createSequentialGroup()
            .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
                .addGroup(javax.swing.GroupLayout.Alignment.LEADING, jPanel1Layout.createSequentialGroup()
                    .addComponent(jLabel19)
                    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
                    .addComponent(txtComfort,
javax.swing.GroupLayout.PREFERRED_SIZE, 35,
javax.swing.GroupLayout.PREFERRED_SIZE))
                .addGroup(jPanel1Layout.createSequentialGroup()
                    .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
                        .addComponent(jLabel12)
                        .addComponent(txtUserName,
javax.swing.GroupLayout.PREFERRED_SIZE, 30,
javax.swing.GroupLayout.PREFERRED_SIZE))
                    .addGap(8, 8, 8)
                    .addComponent(Name2)))
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
            .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
                .addGroup(jPanel1Layout.createSequentialGroup()

```

```

tialGroup()
                .addGroup(jPanel11Layout.createParallelGroup(
javax.swing.GroupLayout.Alignment.BASELINE)
                .addComponent(txtUserSurname
, javax.swing.GroupLayout.PREFERRED_SIZE, 32,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addComponent(jLabel13))
                .addPreferredGap(javax.swing.Lay
outStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                .addComponent(Surname2))
        .addGroup(jPanel11Layout.createSequen
tialGroup()
                .addComponent(jLabel120)
                .addPreferredGap(javax.swing.Lay
outStyle.ComponentPlacement.RELATED)
                .addComponent(txtMeal,
javax.swing.GroupLayout.PREFERRED_SIZE, 34,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addGroup(jPanel11Layout.createParallelGr
oup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel11Layout.createSequen
tialGroup()
                .addGroup(jPanel11Layout.createParallelGroup(
javax.swing.GroupLayout.Alignment.BASELINE)
                .addComponent(txtEmail,
javax.swing.GroupLayout.PREFERRED_SIZE, 31,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addComponent(jLabel110))
                .addGap(13, 13, 13)
                .addComponent(Email2)
                .addPreferredGap(javax.swing.Lay
outStyle.ComponentPlacement.UNRELATED)
                .addGroup(jPanel11Layout.createPa

```



```

parallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
    .addComponent(txtAge,
javax.swing.GroupLayout.PREFERRED_SIZE, 29,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addComponent(jLabel14))
    .addPreferredGap(javax.swing.Lay
outStyle.ComponentPlacement.UNRELATED)
    .addComponent(Age2)
    .addPreferredGap(javax.swing.Lay
outStyle.ComponentPlacement.UNRELATED)
    .addGroup(jPanel1Layout.createPa
rallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
    .addComponent(txtID,
javax.swing.GroupLayout.PREFERRED_SIZE, 32,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addComponent(jLabel16))
    .addPreferredGap(javax.swing.Lay
outStyle.ComponentPlacement.UNRELATED)
    .addComponent(ID2)
    .addPreferredGap(javax.swing.Lay
outStyle.ComponentPlacement.UNRELATED)
    .addGroup(jPanel1Layout.createPa
rallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
    .addComponent(txtPassword,
javax.swing.GroupLayout.PREFERRED_SIZE, 34,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addComponent(jLabel17))
    .addPreferredGap(javax.swing.Lay
outStyle.ComponentPlacement.UNRELATED)
    .addComponent(password2)
    .addPreferredGap(javax.swing.Lay
outStyle.ComponentPlacement.UNRELATED)
    .addGroup(jPanel1Layout.createPa
rallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)

```

```

        .addComponent(txtConfirmPass
word, javax.swing.GroupLayout.PREFERRED_SIZE, 36,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jLabel18)))
    .addGroup(jPanel11Layout.createSequen
tialGroup()
        .addGap(5, 5, 5)
        .addComponent(jLabel21)
        .addPreferredGap(javax.swing.Lay
outStyle.ComponentPlacement.RELATED)
        .addComponent(txtFamily,
javax.swing.GroupLayout.PREFERRED_SIZE, 31,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.Lay
outStyle.ComponentPlacement.RELATED)
        .addComponent(jLabel22)
        .addPreferredGap(javax.swing.Lay
outStyle.ComponentPlacement.UNRELATED)
        .addComponent(jTextField4,
javax.swing.GroupLayout.PREFERRED_SIZE, 33,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.Lay
outStyle.ComponentPlacement.UNRELATED)
        .addComponent(jLabel15)
        .addGap(17, 17, 17)
        .addComponent(jComboBox2,
javax.swing.GroupLayout.PREFERRED_SIZE, 32,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jButton4,
javax.swing.GroupLayout.PREFERRED_SIZE, 102,
javax.swing.GroupLayout.PREFERRED_SIZE))))
    .addGroup(jPanel11Layout.createSequentialGrou
p())

```

```

        .addComponent(jPanel13,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(55, 55, 55)
        .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 34,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jButton2,
javax.swing.GroupLayout.PREFERRED_SIZE, 33,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle
.ComponentPlacement.UNRELATED)
        .addComponent(jButton3,
javax.swing.GroupLayout.PREFERRED_SIZE, 37,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle
.ComponentPlacement.UNRELATED)
        .addComponent(jButton5,
javax.swing.GroupLayout.PREFERRED_SIZE, 36,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addPreferredGap(javax.swing.LayoutStyle.Compone
ntPlacement.UNRELATED)
        .addComponent(password3)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT
_SIZE, Short.MAX_VALUE))
    );

```

```

    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(

```

```
layout.createParallelGroup(javax.swing.GroupLayout.Alignment
.LEADING)
    .addComponent(jPanel1,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );
layout.setVerticalGroup(
```

```
layout.createParallelGroup(javax.swing.GroupLayout.Alignment
.LEADING)
    .addComponent(jPanel1,
javax.swing.GroupLayout.PREFERRED_SIZE, 532,
Short.MAX_VALUE)
    );
```

```
pack();
setLocationRelativeTo(null);
}// </editor-fold>
```

```
private void
jComboBox2ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
```

```
}
public void Gender(){
    String Email=txtEmail.getText();
    String Name=txtUserName.getText();
    String Surname=txtUserSurname.getText();
    String Age=txtAge.getText();
    String ID=txtID.getText();
    String Password=txtPassword.getText();
    String ConfirmPassword=txtConfirmPassword.getText();
```

```

try{
    Class.forName("com.mysql.cj.jdbc.Driver");
    Connection conn =
DriverManager.getConnection("SELECT * FROM login WHERE
studentID =? AND password = ?", "root","");

    String query="SELECT * FROM LOGIN WHERE STUDENTID =?
AND PASSWORD?";
    PreparedStatement pst =
conn.prepareStatement(query);
    pst.setString(1, Email);
    pst.setString(2, Password);
    pst.setString(3, ConfirmPassword);
    pst.setString(4, ID);
    pst.setString(5, Age);
    pst.setString(6, Name);
    pst.setString(7, Surname);

    ResultSet rs = pst.executeQuery();

    if(rs.next()){
        JOptionPane.showMessageDialog(null,"Login
successful");
    }
    else{
        JOptionPane.showMessageDialog(null, "Wrong
username or password");
    }
    rs.close();
    pst.close();
    conn.close();
}
catch(Exception e){
    if\(Email.equals\("Chantell@gmail.com"\)\)&&

```

```
Password.equals("1234") && ConfirmPassword.equals("1234")){
    Email2.setText("You are correct");
    password2.setText("You are correct");
    password3.setText("You are correct");
    Name2.setText("You are correct");
    Surname2.setText("You are correct");
    Age2.setText("You are correct");
    ID2.setText("You are correct");

    Email2.setForeground(Color.green);
    Name2.setForeground(Color.green);
    Surname2.setForeground(Color.green);
    password2.setForeground(Color.green);
    password3.setForeground(Color.green);
    Age2.setForeground(Color.green);
    ID2.setForeground(Color.green);
}
else{
    Email2.setText("You are incorrect");
    password2.setText("You are incorrect");
    password3.setText("You are incorrect");
    Name2.setText("You are incorrect");
    Surname2.setText("You are incorrect");
    Age2.setText("You are incorrect");
    ID2.setText("You are incorrect");

    Email2.setForeground(Color.red);
    Name2.setForeground(Color.red);
    Surname2.setForeground(Color.red);
    password2.setForeground(Color.red);
    password3.setForeground(Color.red);
    Age2.setForeground(Color.red);
    ID2.setForeground(Color.red);
}
```

```
}
```

```
}private void  
txtConfirmPasswordActionPerformed(java.awt.event.ActionEvent evt){  
  
    // TODO add your handling code here: }  
  
private void  
txtPasswordActionPerformed(java.awt.event.ActionEvent evt) {  
    // TODO add your handling code here:  
}  
  
private void  
jButton4ActionPerformed(java.awt.event.ActionEvent evt) {  
    // TODO add your handling code here:  
    new GENDER().setVisible(true);  
    dispose();  
}  
  
private void  
jButton3ActionPerformed(java.awt.event.ActionEvent evt) {  
    // TODO add your handling code here:  
    Gender();  
}  
  
/**  
 * @param args the command line arguments  
 */  
public static void main(String args[]) {  
    /* Set the Nimbus look and feel */  
    //<editor-fold defaultstate="collapsed" desc=" Look and  
feel setting code (optional) ">  
    /* If Nimbus (introduced in Java SE 6) is not available,  
stay with the default look and feel.
```

```

        * For details see
http://download.oracle.com/javase/tutorial/uiswing/lookandfe
el/plaf.html
    */
    try {
        for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Nimbus".equals(info.getName())) {

javax.swing.UIManager.setLookAndFeel(info.getClassName());
                break;
            }
        }
    } catch (ClassNotFoundException ex) {

java.util.logging.Logger.getLogger(FEMALE.class.getName()).l
og(java.util.logging.Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {

java.util.logging.Logger.getLogger(FEMALE.class.getName()).l
og(java.util.logging.Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {

java.util.logging.Logger.getLogger(FEMALE.class.getName()).l
og(java.util.logging.Level.SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex)
{

java.util.logging.Logger.getLogger(FEMALE.class.getName()).l
og(java.util.logging.Level.SEVERE, null, ex);
    }
    //</editor-fold>

    /* Create and display the form */

```



```
        java.awt.EventQueue.invokeLater(new Runnable() {
            public void run() {
                new FEMALE().setVisible(true);
            }
        });
    }
```

```
// Variables declaration - do not modify
private javax.swing.JLabel Age2;
private javax.swing.JLabel Email2;
private javax.swing.JLabel ID2;
private javax.swing.JLabel Name2;
private javax.swing.JLabel Surname2;
private javax.swing.JButton jButton1;
private javax.swing.JButton jButton2;
private javax.swing.JButton jButton3;
private javax.swing.JButton jButton4;
private javax.swing.JButton jButton5;
private javax.swing.JComboBox<String> jComboBox2;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel10;
private javax.swing.JLabel jLabel19;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel20;
private javax.swing.JLabel jLabel21;
private javax.swing.JLabel jLabel22;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
private javax.swing.JLabel jLabel5;
private javax.swing.JLabel jLabel6;
private javax.swing.JLabel jLabel7;
private javax.swing.JLabel jLabel8;
private javax.swing.JLabel jLabel9;
private javax.swing.JPanel jPanel1;
```

```

private javax.swing.JPanel jPanel2;
private javax.swing.JPanel jPanel3;
private javax.swing.JTextField jTextField4;
private javax.swing.JLabel password2;
private javax.swing.JLabel password3;
private javax.swing.JTextField txtAge;
private javax.swing.JTextField txtComfort;
private javax.swing.JTextField txtConfirmPassword;
private javax.swing.JTextField txtEmail;
private javax.swing.JTextField txtFamily;
private javax.swing.JTextField txtID;
private javax.swing.JTextField txtMeal;
private javax.swing.JTextField txtPassword;
private javax.swing.JTextField txtUserName;
private javax.swing.JTextField txtUserSurname;
// End of variables declaration

}

```

MALE

```
/*
```

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

```
*/ package javaapplication7;
```

```

import java.awt.Color; import java.sql.Connection; import
java.sql.DriverManager; import java.sql.PreparedStatement; import
java.sql.ResultSet; import javax.swing.JOptionPane;

```

```
/** *
```

- @author Douglas

```
*/ public class MALE extends javax.swing.JFrame {
```

```
/**
```

```
 * Creates new form MALE
```

```
 */
```

```
public MALE() {  
    initComponents();  
}
```

```
/**
```

```
 * This method is called from within the constructor to  
 initialize the form.
```

```
 * WARNING: Do NOT modify this code. The content of this  
 method is always
```

```
 * regenerated by the Form Editor.
```

```
 */
```

```
@SuppressWarnings("unchecked")
```

```
// <editor-fold defaultstate="collapsed" desc="Generated  
Code">
```

```
private void initComponents() {
```

```
    jPanel1 = new javax.swing.JPanel();
```

```
    jPanel2 = new javax.swing.JPanel();
```

```
    jLabel9 = new javax.swing.JLabel();
```

```
    jPanel3 = new javax.swing.JPanel();
```

```
    jLabel1 = new javax.swing.JLabel();
```

```
    jLabel2 = new javax.swing.JLabel();
```

```
    jLabel3 = new javax.swing.JLabel();
```

```
    jLabel4 = new javax.swing.JLabel();
```

```
    jButton1 = new javax.swing.JButton();
```

```
    jButton2 = new javax.swing.JButton();
```

```
jButton3 = new javax.swing.JButton();
jButton4 = new javax.swing.JButton();
txtName = new javax.swing.JTextField();
txtSurname = new javax.swing.JTextField();
txtAge = new javax.swing.JTextField();
jLabel5 = new javax.swing.JLabel();
jLabel6 = new javax.swing.JLabel();
txtID = new javax.swing.JTextField();
jLabel7 = new javax.swing.JLabel();
jLabel8 = new javax.swing.JLabel();
txtCPassword = new javax.swing.JTextField();
jComboBox2 = new javax.swing.JComboBox<>();
jLabel10 = new javax.swing.JLabel();
txtEmail = new javax.swing.JTextField();
txtpassword = new javax.swing.JTextField();
CPassword2 = new javax.swing.JLabel();
Password2 = new javax.swing.JLabel();
ID2 = new javax.swing.JLabel();
Age2 = new javax.swing.JLabel();
Email2 = new javax.swing.JLabel();
Surname2 = new javax.swing.JLabel();
Name2 = new javax.swing.JLabel();
jButton5 = new javax.swing.JButton();
```

```
setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
```

```
jPanel1.setBackground(new java.awt.Color(255, 255, 255));
```

```
jPanel2.setBackground(new java.awt.Color(102, 102, 102));
```

```

        jLabel9.setFont(new java.awt.Font("Tahoma", 1, 18)); //
NOI18N
        jLabel9.setText("ENTER YOUR INFORMATION:");

        javax.swing.GroupLayout jPanel2Layout = new
javax.swing.GroupLayout(jPanel2);
        jPanel2.setLayout(jPanel2Layout);
        jPanel2Layout.setHorizontalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(javax.swing.GroupLayout.Alignment.TRAILING
, jPanel2Layout.createSequentialGroup()
                .addGap(149, Short.MAX_VALUE)
                .addComponent(jLabel9,
javax.swing.GroupLayout.PREFERRED_SIZE, 280,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(146, 146, 146))
            .addGroup(jPanel2Layout.createParallelGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel2Layout.createSequentialGroup()
                .addGap(149, Short.MAX_VALUE)
                .addComponent(jLabel9,
javax.swing.GroupLayout.PREFERRED_SIZE, 280, Short.MAX_VALUE)
                .addGap(146, 146, 146))
            .addGroup(jPanel2Layout.createParallelGroup(

jPanel3.setBackground(new java.awt.Color(255, 204, 51));

        jLabel1.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/ICONS/MALE2.p

```

```
ng""))); // NOI18N
```

```
    javax.swing.GroupLayout jPanel3Layout = new  
    javax.swing.GroupLayout(jPanel3);  
    jPanel3.setLayout(jPanel3Layout);  
    jPanel3Layout.setHorizontalGroup(  

```

```
jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(jPanel3Layout.createSequentialGroup()  
        .addGap()  
        .addComponent(jLabel1)  
        .addGap(javax.swing.GroupLayout.DEFAULT  
_SIZE, Short.MAX_VALUE))  
    );  
    jPanel3Layout.setVerticalGroup(  

```

```
jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(jPanel3Layout.createSequentialGroup()  
        .addGap()  
        .addComponent(jLabel1)  
        .addGap(javax.swing.GroupLayout.DEFAULT  
_SIZE, Short.MAX_VALUE))  
    );  

```

```
jLabel2.setText("USERNAME:");
```

```
jLabel3.setText("USERSURNAME:");
```

```
jLabel4.setText("AGE:");
```

```
jButton1.setBackground(new java.awt.Color(255, 204, 0));  
jButton1.setText("LIGHT MODE");
```

```
        jButton2.setBackground(new java.awt.Color(255, 204,
51));
        jButton2.setText("DARK MODE");

        jButton3.setBackground(new java.awt.Color(255, 204,
51));
        jButton3.setText("PREVIOUS");
        jButton3.addActionListener(new
java.awt.event.ActionListener() {
            public void
actionPerformed(java.awt.event.ActionEvent evt) {
                jButton3ActionPerformed(evt);
            }
        });

        jButton4.setBackground(new java.awt.Color(255, 204,
51));
        jButton4.setText("NEXT");

        txtName.setBackground(new java.awt.Color(255, 204, 51));

        txtSurname.setBackground(new java.awt.Color(255, 204,
51));

        txtAge.setBackground(new java.awt.Color(255, 204, 51));

        jLabel15.setText("ALLERGIES:");

        jLabel16.setText("IDENTITY NUMBER:");

        txtID.setBackground(new java.awt.Color(255, 204, 51));

        jLabel17.setText("PASSWORD:");
```

```
jLabel18.setText("CONFIRM PASSWORD:");

txtCPassword.setBackground(new java.awt.Color(255, 204,
51));
txtCPassword.addActionListener(new
java.awt.event.ActionListener() {
    public void
actionPerformed(java.awt.event.ActionEvent evt) {
        txtCPasswordActionPerformed(evt);
    }
});

jComboBox2.setModel(new
javax.swing.DefaultComboBoxModel<>(new String[] { "...",
"Pollen", "dust mites", "pet danader", "peanuts",
"shellfish", "lectose intollerance", "none" }));
jComboBox2.addActionListener(new
java.awt.event.ActionListener() {
    public void
actionPerformed(java.awt.event.ActionEvent evt) {
        jComboBox2ActionPerformed(evt);
    }
});

jLabel10.setText("EMAIL:");

txtEmail.setBackground(new java.awt.Color(255, 204,
51));

txtpassword.setBackground(new java.awt.Color(255, 204,
51));

CPassword2.setForeground(new java.awt.Color(255, 255,
255));
```



```

CPassword2.setText("jLabel11");

Password2.setForeground(new java.awt.Color(255, 255,
255));
Password2.setText("jLabel12");

ID2.setForeground(new java.awt.Color(255, 255, 255));
ID2.setText("jLabel13");

Age2.setForeground(new java.awt.Color(255, 255, 255));
Age2.setText("jLabel15");

Email2.setForeground(new java.awt.Color(255, 255, 255));
Email2.setText("jLabel16");

Surname2.setForeground(new java.awt.Color(255, 255,
255));
Surname2.setText("jLabel17");

Name2.setForeground(new java.awt.Color(255, 255, 255));
Name2.setText("jLabel18");

jButton5.setBackground(new java.awt.Color(255, 204,
51));
jButton5.setText("CONFIRM");
jButton5.addActionListener(new
java.awt.event.ActionListener() {
    public void
actionPerformed(java.awt.event.ActionEvent evt) {
        jButton5ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel1Layout = new

```

```

javax.swing.GroupLayout(jPanel1);
    jPanel1.setLayout(jPanel1Layout);
    jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel2,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING
, jPanel1Layout.createSequentialGroup()
            .addGap()
            .addGroup(jPanel1Layout.createParallelGroup(java
x.swing.GroupLayout.Alignment.LEADING)
                .addGroup(javax.swing.GroupLayout.Alignment.
TRAILING, jPanel1Layout.createSequentialGroup()
                    .addGroup(jPanel1Layout.createParallelGroupGr
oup(javax.swing.GroupLayout.Alignment.LEADING)
                        .addComponent(jButton2,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                        .addComponent(jButton3,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                        .addComponent(jButton4,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                    .addGroup(jPanel1Layout.createSequentialGroup()
                        .addGroup(jPanel1Layout.createParallelGroupPa
rallelGroup(javax.swing.GroupLayout.Alignment.LEADING,
false)
                            .addComponent(jPanel3,
javax.swing.GroupLayout.DEFAULT_SIZE,

```

```

javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    .addComponent(jButton1,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    .addComponent(jButton5,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
    .addGap(0, 0, Short.MAX_VALUE)))
    .addPreferredGap(javax.swing.LayoutStyle
.ComponentPlacement.UNRELATED)
    .addGroup(jPanel1Layout.createParallelGr
oup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createParall
elGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createPa
rallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.crea
teParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.
createSequentialGroup())
    .addGroup(jPanel1Lay
out.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING, false)
    .addGroup(jPanel
1Layout.createSequentialGroup())
    .addGroup(jP
anel1Layout.createParallelGroup(javax.swing.GroupLayout.Alig
nment.LEADING)
    .addComp
onent(jLabel12)
    .addComp
onent(jLabel17)
    .addComp
onent(jLabel18)

```

```

                                .addComponent
onent(jLabel10)

                                .addComponent
onent(jLabel14)

                                .addComponent
onent(jLabel15))

                                .addGroup(jP
anel1Layout.createParallelGroup(javax.swing.GroupLayout.Align
ment.LEADING)

                                .addGroup
p(jPanel1Layout.createSequentialGroup())

                                .add
Gap(37, 37, 37)

                                .add
Group(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout
out.Alignment.LEADING, false)

.addComponent(txtName, javax.swing.GroupLayout.DEFAULT_SIZE,
227, Short.MAX_VALUE)

.addComponent(txtCPassword)))

                                .addGroup
p(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup())

                                .add
PreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELA
TED)

                                .add
Group(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout
out.Alignment.LEADING)

.addComponent(txtEmail,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.PREFERRED_SIZE, 227,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE)

.addComponent(txtAge,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.PREFERRED_SIZE, 227,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addComponent(jComboBox2,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.PREFERRED_SIZE, 227,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addComponent(txtpassword,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.PREFERRED_SIZE, 227,
javax.swing.GroupLayout.PREFERRED_SIZE))))))

                                                .addGroup(javax.
swing.GroupLayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup()

                                                .addComponen

t(jLabel3)

                                                .addPreferre

dGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)

                                                .addGroup(jP
anel1Layout.createParallelGroup(javax.swing.GroupLayout.Alig
nment.LEADING)

                                                .addComp
onent(txtSurname, javax.swing.GroupLayout.PREFERRED_SIZE,
227, javax.swing.GroupLayout.PREFERRED_SIZE)

                                                .addGrou

p(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup()

                                                .add

```

```

Component(Surname2)
                                                    .add
Gap(101, 101, 101)))
                                                    .addGroup(jPanel1
1Layout.createSequentialGroup()
                                                    .addComponen
t(jLabel6)
                                                    .addPreferre
dGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                                                    .addComponen
t(txtID, javax.swing.GroupLayout.PREFERRED_SIZE, 227,
javax.swing.GroupLayout.PREFERRED_SIZE)))
                                                    .addContainerGap()
                                                    .addGroup(javax.swing.Gr
oupLayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup()
                                                    .addComponent(ID2)
                                                    .addGap(109, 109,
109)))
                                                    .addGroup(javax.swing.GroupL
ayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup()
                                                    .addComponent>Password2)
                                                    .addGap(111, 111, 111)))
                                                    .addGroup(javax.swing.GroupLayout
t.Alignment.TRAILING, jPanel1Layout.createSequentialGroup()
                                                    .addComponent>Email2)
                                                    .addGap(105, 105, 105)))
                                                    .addGroup(javax.swing.GroupLayout.Al
ignment.TRAILING, jPanel1Layout.createSequentialGroup()
                                                    .addComponent>Name2)
                                                    .addGap(147, 147, 147)))
                                                    .addGroup(javax.swing.GroupLayout.Alignment.

```

```

TRAILING, jPanel1Layout.createSequentialGroup()
    .addGap(0, 0, Short.MAX_VALUE)
    .addGroup(jPanel1Layout.createParallelGroup(
        javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING, jPanel1Layout.createSequentialGroup()
        .addComponent(CPassword2)
        .addGap(109, 109, 109))
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING, jPanel1Layout.createSequentialGroup()
        .addComponent(Age2)
        .addGap(106, 106, 106))))))
);
jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING, jPanel1Layout.createSequentialGroup()
        .addComponent(jPanel2,
            javax.swing.GroupLayout.PREFERRED_SIZE,
            javax.swing.GroupLayout.DEFAULT_SIZE,
            javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addComponent(jPanel3,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGroup(jPanel1Layout.createSequentialGroup()
                .addComponent(jPanel1Layout.createSequentialGroup()
                    .addGap(106, 106, 106))
                .addGroup(jPanel1Layout.createParallelGroup(

```

```

oup(javax.swing.GroupLayout.Alignment.BASELINE)
    .addComponent(jLabel12)
    .addComponent(txtName,
javax.swing.GroupLayout.PREFERRED_SIZE, 30,
javax.swing.GroupLayout.PREFERRED_SIZE))
    .addPreferredGap(javax.swing.LayoutStyle
.ComponentPlacement.RELATED)
    .addComponent(Name2)
    .addGap(8, 8, 8)
    .addGroup(jPanel1Layout.createParallelGr
oup(javax.swing.GroupLayout.Alignment.BASELINE)
    .addComponent(txtSurname,
javax.swing.GroupLayout.PREFERRED_SIZE, 32,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addComponent(jLabel13))
    .addPreferredGap(javax.swing.LayoutStyle
.ComponentPlacement.RELATED)
    .addComponent(Surname2)
    .addPreferredGap(javax.swing.LayoutStyle
.ComponentPlacement.RELATED)
    .addGroup(jPanel1Layout.createParallelGr
oup(javax.swing.GroupLayout.Alignment.BASELINE)
    .addComponent(txtEmail,
javax.swing.GroupLayout.PREFERRED_SIZE, 30,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addComponent(jLabel10))
    .addPreferredGap(javax.swing.LayoutStyle
.ComponentPlacement.RELATED)
    .addComponent(Email2)
    .addGap(7, 7, 7)
    .addGroup(jPanel1Layout.createParallelGr
oup(javax.swing.GroupLayout.Alignment.BASELINE)
    .addComponent(txtAge,
javax.swing.GroupLayout.PREFERRED_SIZE, 29,

```


[illegible]

```

x.swing.GroupLayout.Alignment.TRAILING)
        .addGroup(jPanel1Layout.createSequentialGroup
p()
            .addComponent(ID2)
            .addPreferredGap(javax.swing.LayoutStyle
.ComponentPlacement.RELATED)
            .addGroup(jPanel1Layout.createParallelGr
oup(javax.swing.GroupLayout.Alignment.BASELINE)
                .addComponent(txtpassword,
javax.swing.GroupLayout.PREFERRED_SIZE, 37,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addComponent(jLabel7))
            .addPreferredGap(javax.swing.LayoutStyle
.ComponentPlacement.RELATED)
            .addComponent>Password2))
        .addGroup(jPanel1Layout.createSequentialGroup
p()
            .addComponent(jButton2,
javax.swing.GroupLayout.PREFERRED_SIZE, 33,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addPreferredGap(javax.swing.LayoutStyle
.ComponentPlacement.RELATED)
            .addComponent(jButton3,
javax.swing.GroupLayout.PREFERRED_SIZE, 31,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addPreferredGap(javax.swing.LayoutStyle.Compone
ntPlacement.RELATED)
        .addGroup(jPanel1Layout.createParallelGroup(java
x.swing.GroupLayout.Alignment.BASELINE)
            .addComponent(txtCPassword,
javax.swing.GroupLayout.PREFERRED_SIZE, 36,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addComponent(jLabel8)
            .addComponent(jButton4,

```

```
javax.swing.GroupLayout.PREFERRED_SIZE, 36,  
javax.swing.GroupLayout.PREFERRED_SIZE))  
        .addPreferredGap(javax.swing.LayoutStyle.Compone  
ntPlacement.RELATED)  
        .addComponent(CPassword2)  
        .addContainerGap(javax.swing.GroupLayout.DEFAULT  
_SIZE, Short.MAX_VALUE))  
    );
```

```
        javax.swing.GroupLayout layout = new  
javax.swing.GroupLayout(getContentPane());  
        getContentPane().setLayout(layout);  
        layout.setHorizontalGroup(  

```

```
layout.createParallelGroup(javax.swing.GroupLayout.Alignment  
.LEADING)  
        .addComponent(jPanel1,  
javax.swing.GroupLayout.Alignment.TRAILING,  
javax.swing.GroupLayout.PREFERRED_SIZE,  
javax.swing.GroupLayout.DEFAULT_SIZE,  
javax.swing.GroupLayout.PREFERRED_SIZE)  
    );  
    layout.setVerticalGroup(  

```

```
layout.createParallelGroup(javax.swing.GroupLayout.Alignment  
.LEADING)  
        .addComponent(jPanel1,  
javax.swing.GroupLayout.DEFAULT_SIZE,  
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)  
    );
```

```
    pack();  
    setLocationRelativeTo(null);  
} // </editor-fold>
```

```
private void
txtCPasswordActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
}
```

```
private void
jComboBox2ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:

}
```

```
private void
jButton3ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new GENDER().setVisible(true);
    dispose();
}
```

```
private void
jButton5ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    Gender();
}
```

```
public void Gender(){
    String Email=txtEmail.getText();
    String Surname=txtSurname.getText();
    String Age=txtAge.getText();
    String ID=txtID.getText();
    String Password=txtpassword.getText();
    String CPassword=txtCPassword.getText();
    String Name=txtName.getText();
    try{
```

```

        Class.forName("com.mysql.cj.jdbc.Driver");
        Connection conn =
DriverManager.getConnection("SELECT * FROM login WHERE
studentID =? AND password = ?", "root","");

        String query="SELECT * FROM LOGIN WHERE STUDENTID =?
AND PASSWORD?";
        PreparedStatement pst =
conn.prepareStatement(query);
        pst.setString(1, Email);
        pst.setString(2, Surname);
        pst.setString(3, Age);
        pst.setString(4, ID);
        pst.setString(5, Password);
        pst.setString(6, CPassword);

        ResultSet rs = pst.executeQuery();

        if(rs.next()){
            JOptionPane.showMessageDialog(null,"Login
successful");
            new GENDER().setVisible(true);
            dispose();
        }
        else{
            JOptionPane.showMessageDialog(null, "Wrong
username or password");
        }
        rs.close();
        pst.close();
        conn.close();
    }
    catch(Exception e){

```

```

        JOptionPane.showMessageDialog(null, "Error:"+
e.getMessage());
    }
    if(Name.equals("Jose")&&
Surname.equals("Katie")&&Email.equals("JoseKatie@gmail.com")
&&Age.equals("20")&&Password.equals("1234")&&
CPassword.equals("1234")){
        Name2.setText("You are correct");
        Surname2.setText("You are correct");
        Email2.setText("You are correct");
        Age2.setText("You are correct");
        Password2.setText("You are correct");
        CPassword2.setText("You are correct");
        ID2.setText("You are correct");
        Name2.setForeground(Color.green);
        Surname2.setForeground(Color.green);
        Email2.setForeground(Color.green);
        Age2.setForeground(Color.green);
        Password2.setForeground(Color.green);
        CPassword2.setForeground(Color.green);
        ID2.setForeground(Color.green);
        new GENDER().setVisible(true);
        dispose();
    }
    else{
        Name2.setText("You are incorrect");
        Surname2.setText("You are incorrect");
        Email2.setText("You are incorrect");
        Age2.setText("You are incorrect");
        Password2.setText("You are incorrect");
        CPassword2.setText("You are incorrect");
        ID2.setText("You are incorrect");
        Name2.setForeground(Color.red);
        Surname2.setForeground(Color.red);
    }
}

```

```

        Email2.setForeground(Color.red);
        Age2.setForeground(Color.red);
        Password2.setForeground(Color.red);
        CPassword2.setForeground(Color.red);
        ID2.setForeground(Color.red);
    }

```

```

}/** * @param args the command line arguments / public static void
main(String args[]) { / Set the Nimbus look and feel /// If Nimbus (introduced
in Java SE 6) is not available, stay with the default look and feel. * For details
see

```

```

http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.html */

```

```

try { for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) { if
("Nimbus".equals(info.getName()))
{ javax.swing.UIManager.setLookAndFeel(info.getClassName()); break; } } }
catch (ClassNotFoundException ex)
{ java.util.logging.Logger.getLogger(MALE.class.getName()).log(java.util.loggi
ng.Level.SEVERE, null, ex); } catch (InstantiationException ex)
{ java.util.logging.Logger.getLogger(MALE.class.getName()).log(java.util.loggi
ng.Level.SEVERE, null, ex); } catch (IllegalAccessException ex)
{ java.util.logging.Logger.getLogger(MALE.class.getName()).log(java.util.loggi
ng.Level.SEVERE, null, ex); } catch
(javax.swing.UnsupportedLookAndFeelException ex)
{ java.util.logging.Logger.getLogger(MALE.class.getName()).log(java.util.loggi
ng.Level.SEVERE, null, ex); } //

```

```

/* Create and display the form */
    java.awt.EventQueue.invokeLater(new Runnable() {
        public void run() {
            new MALE().setVisible(true);
        }
    });

```

```
}
```

```
// Variables declaration - do not modify  
private javax.swing.JLabel Age2;  
private javax.swing.JLabel CPassword2;  
private javax.swing.JLabel Email2;  
private javax.swing.JLabel ID2;  
private javax.swing.JLabel Name2;  
private javax.swing.JLabel Password2;  
private javax.swing.JLabel Surname2;  
private javax.swing.JButton jButton1;  
private javax.swing.JButton jButton2;  
private javax.swing.JButton jButton3;  
private javax.swing.JButton jButton4;  
private javax.swing.JButton jButton5;  
private javax.swing.JComboBox<String> jComboBox2;  
private javax.swing.JLabel jLabel1;  
private javax.swing.JLabel jLabel10;  
private javax.swing.JLabel jLabel12;  
private javax.swing.JLabel jLabel13;  
private javax.swing.JLabel jLabel14;  
private javax.swing.JLabel jLabel15;  
private javax.swing.JLabel jLabel16;  
private javax.swing.JLabel jLabel17;  
private javax.swing.JLabel jLabel18;  
private javax.swing.JLabel jLabel19;  
private javax.swing.JPanel jPanel1;  
private javax.swing.JPanel jPanel2;  
private javax.swing.JPanel jPanel3;  
private javax.swing.JTextField txtAge;  
private javax.swing.JTextField txtCPassword;  
private javax.swing.JTextField txtEmail;  
private javax.swing.JTextField txtID;  
private javax.swing.JTextField txtName;
```



```
private javax.swing.JTextField txtSurname;  
private javax.swing.JTextField txtpassword;  
// End of variables declaration  
  
}
```

LOCATION

```
/*
```

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

```
*/ package javaapplication7;
```

```
/** *
```

- @author Douglas

```
*/ public class LOCATION extends javax.swing.JFrame {
```

```
/**
```

```
 * Creates new form LOCATION
```

```
 */
```

```
public LOCATION() {  
    initComponents();  
}
```

```
/**
```

```
 * This method is called from within the constructor to  
 initialize the form.
```

```
 * WARNING: Do NOT modify this code. The content of this  
 method is always
```

```
* regenerated by the Form Editor.
*/
@SuppressWarnings("unchecked")
// <editor-fold defaultstate="collapsed" desc="Generated
Code">
private void initComponents() {

    jPanel1 = new javax.swing.JPanel();
    jPanel2 = new javax.swing.JPanel();
    jLabel3 = new javax.swing.JLabel();
    jLabel4 = new javax.swing.JLabel();
    jLabel5 = new javax.swing.JLabel();
    jLabel6 = new javax.swing.JLabel();
    jPanel4 = new javax.swing.JPanel();
    jButton3 = new javax.swing.JButton();
    jPanel3 = new javax.swing.JPanel();
    jLabel7 = new javax.swing.JLabel();
    jLabel11 = new javax.swing.JLabel();
    jLabel8 = new javax.swing.JLabel();
    jLabel9 = new javax.swing.JLabel();

    setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON
_CLOSE);

    jPanel1.setBackground(new java.awt.Color(255, 255,
255));

    jPanel2.setBackground(new java.awt.Color(255, 204, 51));

    jLabel3.setText("LOCATION");

    jLabel4.setText("SOUTH SIDE OF PRETORIA");
```

```

jLabel15.setText("CAPE TOWN");

jLabel16.setText("JOHANNESBURG");

jPanel4.setBackground(new java.awt.Color(0, 0, 0));

jButton3.setBackground(new java.awt.Color(255, 204, 0));
jButton3.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/ICONS/b2.png"
))); // NOI18N
jButton3.addActionListener(new
java.awt.event.ActionListener() {
    public void
actionPerformed(java.awt.event.ActionEvent evt) {
        jButton3ActionPerformed(evt);
    }
});

javax.swing.GroupLayout jPanel4Layout = new
javax.swing.GroupLayout(jPanel4);
jPanel4.setLayout(jPanel4Layout);
jPanel4Layout.setHorizontalGroup(

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Al
ignment.LEADING)
    .addGroup(jPanel4Layout.createSequentialGroup()
        .addContainerGap(javax.swing.GroupLayout.DEFAULT
_SIZE, Short.MAX_VALUE)
        .addComponent(jButton3)
        .addContainerGap()
    );
jPanel4Layout.setVerticalGroup(

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Al

```

```

ignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING
, jPanel4Layout.createSequentialGroup()
        .addContainerGap(12, Short.MAX_VALUE)
        .addComponent(jButton3,
javax.swing.GroupLayout.PREFERRED_SIZE, 64,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap())
    );

    javax.swing.GroupLayout jPanel2Layout = new
javax.swing.GroupLayout(jPanel2);
    jPanel2.setLayout(jPanel2Layout);
    jPanel2Layout.setHorizontalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Al
ignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING
, jPanel2Layout.createSequentialGroup()
        .addContainerGap(159, Short.MAX_VALUE)
        .addComponent(jLabel3)
        .addGap(173, 173, 173))
        .addGroup(jPanel2Layout.createSequentialGroup()
        .addGap(62, 62, 62)
        .addGroup(jPanel2Layout.createParallelGroup(java
x.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel2Layout.createSequentialGrou
p()
        .addComponent(jLabel4)
        .addContainerGap())
        .addGroup(jPanel2Layout.createSequentialGrou
p()
        .addGroup(jPanel2Layout.createParallelGr
oup(javax.swing.GroupLayout.Alignment.LEADING)

```

```

        .addComponent(jLabel16)
        .addComponent(jLabel15))
        .addPreferredGap(javax.swing.LayoutStyle
.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jPanel4,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))
    );
    jPanel2Layout.setVerticalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Al
ignment.LEADING)
        .addGroup(jPanel2Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jLabel13)
            .addGap(18, 18, 18)
            .addComponent(jLabel14)
            .addPreferredGap(javax.swing.LayoutStyle.Compone
ntPlacement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
            .addGroup(jPanel2Layout.createParallelGroup(java
x.swing.GroupLayout.Alignment.LEADING)
                .addGroup(jPanel2Layout.createSequentialGrou
p()
                    .addComponent(jLabel15)
                    .addGap(26, 26, 26)
                    .addComponent(jLabel16))
                .addComponent(jPanel4,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))
    );

```

```

jPanel3.setBackground(new java.awt.Color(0, 0, 0));

jLabel7.setFont(new java.awt.Font("Tahoma", 1, 14)); //
NOI18N
jLabel7.setForeground(new java.awt.Color(255, 204, 51));
jLabel7.setText("LOCATIONS'");

javax.swing.GroupLayout jPanel3Layout = new
javax.swing.GroupLayout(jPanel3);
jPanel3.setLayout(jPanel3Layout);
jPanel3Layout.setHorizontalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel3Layout.createSequentialGroup()
        .addGap(301, 301, 301)
        .addComponent(jLabel7)
        .addGap(161, 161, 161)
        .addComponent(jLabel11, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    )
);
jPanel3Layout.setVerticalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel3Layout.createSequentialGroup()
        .addGap(21, 21, 21)
        .addComponent(jLabel7)
        .addGap(25, 25, 25)
        .addComponent(jLabel11, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    )
);

jLabel11.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/VENUES/VENUE1
.2.jpg"))); // NOI18N

```

```
        jLabel8.setIcon(new  
javax.swing.ImageIcon(getClass().getResource("/VENUES/VENUE2  
.2.jpg"))); // NOI18N
```

```
        jLabel9.setIcon(new  
javax.swing.ImageIcon(getClass().getResource("/VENUES/VENUE3  
.4.jpg"))); // NOI18N
```

```
        javax.swing.GroupLayout jPanel1Layout = new  
javax.swing.GroupLayout(jPanel1);  
        jPanel1.setLayout(jPanel1Layout);  
        jPanel1Layout.setHorizontalGroup(
```

```
jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Al  
ignment.LEADING)
```

```
            .addComponent(jPanel3,  
javax.swing.GroupLayout.DEFAULT_SIZE,  
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)  
            .addGroup(jPanel1Layout.createSequentialGroup()  
                .addGroup(jPanel1Layout.createParallelGroup(java  
x.swing.GroupLayout.Alignment.LEADING)  
                    .addGroup(jPanel1Layout.createSequentialGroup()  
p()
```

```
                        .addGap(101, 101, 101)  
                        .addComponent(jLabel9))  
                .addGroup(jPanel1Layout.createSequentialGroup()  
p()
```

```
                    .addGap(20, 20, 20)  
                    .addComponent(jLabel11,  
javax.swing.GroupLayout.PREFERRED_SIZE, 140,  
javax.swing.GroupLayout.PREFERRED_SIZE)  
                    .addGap(18, 18, 18)  
                    .addComponent(jLabel8,
```

[illegible]


```

        .addGroup(jPanel1Layout.createSequentialGroup
p()
        .addComponent(jPanel2,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap()))
    );

    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment
.LEADING)
        .addComponent(jPanel1,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    );
    layout.setVerticalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment
.LEADING)
        .addComponent(jPanel1,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );

    pack();
    setLocationRelativeTo(null);
} // </editor-fold>

private void

```

```

jButton3ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new CONTACT().setVisible(true);
    dispose();
}

/**
 * @param args the command line arguments
 */
public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //http://download.oracle.com/javase/tutorial/uiswing/lookandfe
    el/plaf.html
    */
    try {
        for (javax.swing.UIManager.LookAndFeelInfo info :
        javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Nimbus".equals(info.getName())) {

                javax.swing.UIManager.setLookAndFeel(info.getClassName());
                break;
            }
        }
    } catch (ClassNotFoundException ex) {

        java.util.logging.Logger.getLogger(LOCATION.class.getName())
        .log(java.util.logging.Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {

```

```
java.util.logging.Logger.getLogger(LOCATION.class.getName())
.log(java.util.logging.Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {
```

```
java.util.logging.Logger.getLogger(LOCATION.class.getName())
.log(java.util.logging.Level.SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex)
{
```

```
java.util.logging.Logger.getLogger(LOCATION.class.getName())
.log(java.util.logging.Level.SEVERE, null, ex);
    }
    //</editor-fold>
```

```
    /* Create and display the form */
    java.awt.EventQueue.invokeLater(new Runnable() {
        public void run() {
            new LOCATION().setVisible(true);
        }
    });
}
```

```
// Variables declaration - do not modify
private javax.swing.JButton jButton3;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
private javax.swing.JLabel jLabel5;
private javax.swing.JLabel jLabel6;
private javax.swing.JLabel jLabel7;
private javax.swing.JLabel jLabel8;
private javax.swing.JLabel jLabel9;
private javax.swing.JPanel jPanel1;
private javax.swing.JPanel jPanel2;
```

```
private javax.swing.JPanel jPanel3;
private javax.swing.JPanel jPanel4;
// End of variables declaration

}
```

PAYMENT FORM

```
/*
```

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

```
*/ package javaapplication7;
```

```
import java.awt.Color;
```

```
/** *
```

- @author Douglas

```
*/ public class PaymentForm extends javax.swing.JFrame {
```

```
/**
```

```
 * Creates new form PaymentForm
```

```
 */
```

```
public PaymentForm() {
    initComponents();
}
```

```
/**
```

```
 * This method is called from within the constructor to initialize the
form.
```

```
 * WARNING: Do NOT modify this code. The content of this method is
always
```

```
 * regenerated by the Form Editor.
```

```
 */
```

```
@SuppressWarnings("unchecked")
```

```
// <editor-fold defaultstate="collapsed" desc="Generated Code">
private void initComponents() {

    jPanel1 = new javax.swing.JPanel();
    jPanel2 = new javax.swing.JPanel();
    creditdetails = new javax.swing.JLabel();
    jLabel1 = new javax.swing.JLabel();
    jLabel2 = new javax.swing.JLabel();
    name = new javax.swing.JLabel();
    Bank = new javax.swing.JLabel();
    address = new javax.swing.JLabel();
    Surname = new javax.swing.JLabel();
    Credit = new javax.swing.JLabel();
    IdentityNumber = new javax.swing.JLabel();
    jPanel3 = new javax.swing.JPanel();
    jButton2 = new javax.swing.JButton();
    jButton1 = new javax.swing.JButton();
    jButton3 = new javax.swing.JButton();
    jButton4 = new javax.swing.JButton();
    txtName = new javax.swing.JTextField();
    txtSurname = new javax.swing.JTextField();
    receiveOrder = new javax.swing.JLabel();
    txtBank = new javax.swing.JTextField();
    txtCredit = new javax.swing.JTextField();
    txtAddress = new javax.swing.JTextField();
    txtIdentityNumber = new javax.swing.JTextField();
    CVV = new javax.swing.JLabel();
    txtCVV = new javax.swing.JTextField();
    jButton5 = new javax.swing.JButton();
    jLabel3 = new javax.swing.JLabel();
    jLabel4 = new javax.swing.JLabel();
    jLabel5 = new javax.swing.JLabel();
    jLabel6 = new javax.swing.JLabel();
    jLabel7 = new javax.swing.JLabel();
    jLabel8 = new javax.swing.JLabel();
    jLabel9 = new javax.swing.JLabel();

    setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
```

```

jPanel1.setBackground(new java.awt.Color(255, 255, 255));

jPanel2.setBackground(new java.awt.Color(0, 0, 0));

creditdetails.setFont(new java.awt.Font("Courier New", 2, 36)); //
NOI18N
creditdetails.setForeground(new java.awt.Color(255, 255, 255));
creditdetails.setText("CREDIT DETAILS:");

jLabel2.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/BREAKFAST IMAGES/debit
or credit 2.png"))); // NOI18N

javax.swing.GroupLayout jPanel2Layout = new
javax.swing.GroupLayout(jPanel2);
jPanel2.setLayout(jPanel2Layout);
jPanel2Layout.setHorizontalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addGap(18, 18, Short.MAX_VALUE)
        .addComponent(creditdetails,
javax.swing.GroupLayout.PREFERRED_SIZE, 342,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
        .addComponent(jLabel2,
javax.swing.GroupLayout.PREFERRED_SIZE, 238,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, Short.MAX_VALUE)
        .addComponent(jLabel1)
        .addGap(18, 18, Short.MAX_VALUE)
    );
jPanel2Layout.setVerticalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE

```

```

ADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addGroup(jPanel2Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.TRAILING)
            .addComponent(jLabel12,
javax.swing.GroupLayout.PREFERRED_SIZE, 58,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGroup(jPanel2Layout.createParallelGroup(javax.swin
g.GroupLayout.Alignment.LEADING)
                    .addGroup(jPanel2Layout.createSequentialGroup()
                        .addGap(21, 21, 21)
                        .addComponent(jLabel11))
                    .addGroup(jPanel2Layout.createSequentialGroup()
                        .addContainerGap()
                        .addComponent(creditdetails,
javax.swing.GroupLayout.PREFERRED_SIZE, 64,
javax.swing.GroupLayout.PREFERRED_SIZE))))
                .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

name.setFont(new java.awt.Font("Courier New", 2, 14)); // NOI18N
name.setText("NAME:");

Bank.setFont(new java.awt.Font("Courier New", 2, 14)); // NOI18N
Bank.setText("NAME OF BANK:");

address.setFont(new java.awt.Font("Courier New", 2, 14)); //
NOI18N
address.setText("ADDRESS:");

Surname.setFont(new java.awt.Font("Courier New", 2, 14)); //
NOI18N
Surname.setText("SURNAME:");

Credit.setFont(new java.awt.Font("Courier New", 2, 14)); // NOI18N
Credit.setText("CREDIT DIGITS:");

IdentityNumber.setFont(new java.awt.Font("Courier New", 2, 14));

```

```

// NOI18N
    IdentityNumber.setText("IDENTITY NUMBER:");

    jPanel13.setBackground(new java.awt.Color(0, 0, 0));

    jButton2.setBackground(new java.awt.Color(255, 204, 51));
    jButton2.setFont(new java.awt.Font("Courier New", 2, 24)); //
NOI18N
    jButton2.setText("CLEAR");
    jButton2.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton2ActionPerformed(evt);
        }
    });

    jButton1.setBackground(new java.awt.Color(255, 204, 51));
    jButton1.setFont(new java.awt.Font("Courier New", 2, 24)); //
NOI18N
    jButton1.setText("ORDER");

    jButton3.setBackground(new java.awt.Color(255, 204, 51));
    jButton3.setFont(new java.awt.Font("Courier New", 2, 18)); //
NOI18N
    jButton3.setText("DARK MODE");
    jButton3.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton3ActionPerformed(evt);
        }
    });

    jButton4.setBackground(new java.awt.Color(255, 204, 51));
    jButton4.setFont(new java.awt.Font("Courier New", 2, 18)); //
NOI18N
    jButton4.setText("LIGHT MODE");
    jButton4.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton4ActionPerformed(evt);
        }
    });

```



```

        javax.swing.GroupLayout jPanel3Layout = new
javax.swing.GroupLayout(jPanel3);
        jPanel3.setLayout(jPanel3Layout);
        jPanel3Layout.setHorizontalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel3Layout.createSequentialGroup()
                .addGap(78, 78, 78)
                .addComponent(jButton2,
javax.swing.GroupLayout.PREFERRED_SIZE, 137,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(18, 18, 18)
                .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 137,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(58, 58, 58)
                .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                    .addComponent(jButton3,
javax.swing.GroupLayout.PREFERRED_SIZE, 143,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addComponent(jButton4))
                .addGap(42, Short.MAX_VALUE))
            );
        jPanel3Layout.setVerticalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel3Layout.createSequentialGroup()
                .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                    .addGroup(jPanel3Layout.createSequentialGroup()
                        .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                            .addGroup(jPanel3Layout.createSequentialGroup()
                                .addGap(78, 78, 78)
                                .addComponent(jButton2,
javax.swing.GroupLayout.PREFERRED_SIZE, 137,
javax.swing.GroupLayout.PREFERRED_SIZE)
                                .addGap(18, 18, 18)
                                .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 137,
javax.swing.GroupLayout.PREFERRED_SIZE)
                                .addGap(58, 58, 58)
                                .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                                    .addComponent(jButton3,
javax.swing.GroupLayout.PREFERRED_SIZE, 143,
javax.swing.GroupLayout.PREFERRED_SIZE)
                                    .addComponent(jButton4))
                                .addGap(42, Short.MAX_VALUE))
                            .addGroup(jPanel3Layout.createSequentialGroup()
                                .addGap(78, 78, 78)
                                .addComponent(jButton2,
javax.swing.GroupLayout.PREFERRED_SIZE, 137,
javax.swing.GroupLayout.PREFERRED_SIZE)
                                .addGap(18, 18, 18)
                                .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 137,
javax.swing.GroupLayout.PREFERRED_SIZE)
                                .addGap(58, 58, 58)
                                .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                                    .addComponent(jButton3,
javax.swing.GroupLayout.PREFERRED_SIZE, 143,
javax.swing.GroupLayout.PREFERRED_SIZE)
                                    .addComponent(jButton4))
                                .addGap(42, Short.MAX_VALUE))
                        )
                    .addGroup(jPanel3Layout.createSequentialGroup()
                        .addGap(78, 78, 78)
                        .addComponent(jButton2,
javax.swing.GroupLayout.PREFERRED_SIZE, 137,
javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addGap(18, 18, 18)
                        .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 137,
javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addGap(58, 58, 58)
                        .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                            .addComponent(jButton3,
javax.swing.GroupLayout.PREFERRED_SIZE, 143,
javax.swing.GroupLayout.PREFERRED_SIZE)
                            .addComponent(jButton4))
                        .addGap(42, Short.MAX_VALUE))
                    )
                )
            )
        );
    }
}

```

```

        .addGap(18, 18, 18)
        .addComponent(jButton4,
javax.swing.GroupLayout.PREFERRED_SIZE, 20,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGroup(jPanel3Layout.createSequentialGroup())
        .addGap(28, 28, 28)
        .addGroup(jPanel3Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.BASELINE)
        .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 29,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jButton2,
javax.swing.GroupLayout.PREFERRED_SIZE, 26,
javax.swing.GroupLayout.PREFERRED_SIZE))))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

```

```

txtName.setBackground(new java.awt.Color(255, 204, 51));

```

```

txtSurname.setBackground(new java.awt.Color(255, 204, 51));

```

```

receiveOrder.setFont(new java.awt.Font("Courier New", 2, 18)); //
NOI18N

```

```

receiveOrder.setText("FILL IN DETAILS BELOW TO RECEIVE ORDER");

```

```

txtBank.setBackground(new java.awt.Color(255, 204, 51));

```

```

txtCredit.setBackground(new java.awt.Color(255, 204, 51));

```

```

txtAddress.setBackground(new java.awt.Color(255, 204, 51));

```

```

txtIdentityNumber.setBackground(new java.awt.Color(255, 204, 51));

```

```

CVV.setFont(new java.awt.Font("Courier New", 2, 14)); // NOI18N
CVV.setText("CVV NUMBER:");

```

```

txtCVV.setBackground(new java.awt.Color(255, 204, 51));

```

```

jButton5.setBackground(new java.awt.Color(255, 204, 51));
jButton5.setText("PREVIOUS");
jButton5.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton5ActionPerformed(evt);
    }
});

jLabel3.setForeground(new java.awt.Color(255, 255, 255));
jLabel3.setText("jLabel3");

jLabel4.setForeground(new java.awt.Color(255, 255, 255));
jLabel4.setText("jLabel4");

jLabel5.setForeground(new java.awt.Color(255, 255, 255));
jLabel5.setText("jLabel5");

jLabel6.setForeground(new java.awt.Color(255, 255, 255));
jLabel6.setText("jLabel6");

jLabel7.setForeground(new java.awt.Color(255, 255, 255));
jLabel7.setText("jLabel7");

jLabel8.setForeground(new java.awt.Color(255, 255, 255));
jLabel8.setText("jLabel8");

jLabel9.setForeground(new java.awt.Color(255, 255, 255));
jLabel9.setText("jLabel9");

javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
jPanel1.setLayout(jPanel1Layout);
jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addGap(38, 38, 38)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr

```



```

javax.swing.GroupLayout.DEFAULT_SIZE, 213, Short.MAX_VALUE)
    .addComponent(txtName)
    .addComponent(Bank,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.PREFERRED_SIZE, 154,
javax.swing.GroupLayout.PREFERRED_SIZE))
    .addComponent(jLabel13)
    .addComponent(jLabel15))
    .addPreferredGap(javax.swing.Layou
tStyle.ComponentPlacement.RELATED)
    .addGroup(jPanel11Layout.createPara
llegroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel11Layout.create
ParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
    .addComponent(jLabel14)
    .addComponent(txtSurname,
javax.swing.GroupLayout.DEFAULT_SIZE, 241, Short.MAX_VALUE)
    .addComponent(txtCVV))
    .addComponent(CVV,
javax.swing.GroupLayout.PREFERRED_SIZE, 126,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addComponent(jLabel16))))))
    .addGroup(jPanel11Layout.createSequentialGroup(
)
    .addComponent(name,
javax.swing.GroupLayout.PREFERRED_SIZE, 95,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addGap(136, 136, 136)
    .addComponent(Surname,
javax.swing.GroupLayout.PREFERRED_SIZE, 96,
javax.swing.GroupLayout.PREFERRED_SIZE)))
    .addContainerGap(javax.swing.GroupLayout.DEFAULT_S
IZE, Short.MAX_VALUE))))))
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel11Layout.createSequentialGroup()
    .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
    .addComponent(receiveOrder,
javax.swing.GroupLayout.PREFERRED_SIZE, 429,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE)
    .addGap(18, 18, 18)
    .addComponent(jButton5,
javax.swing.GroupLayout.PREFERRED_SIZE, 113,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addGap(61, 61, 61))
    .addGroup(jPanel1Layout.createSequentialGroup())
    .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING, false)
        .addComponent(jPanel3,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jPanel2,
javax.swing.GroupLayout.PREFERRED_SIZE, 613, Short.MAX_VALUE))
    .addGap(0, 0, Short.MAX_VALUE))
);
jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
    .addGroup(jPanel1Layout.createSequentialGroup())
    .addComponent(jPanel2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
    .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
        .addGroup(jPanel1Layout.createSequentialGroup())
        .addComponent(receiveOrder,
javax.swing.GroupLayout.PREFERRED_SIZE, 26,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED)
        .addGroup(jPanel1Layout.createParallelGroup(javax.s
wing.GroupLayout.Alignment.BASELINE)
            .addComponent(name)
            .addComponent(Surname)))

```

```

        .addGroup(jPanel1Layout.createSequentialGroup()
            .addGap(3, 3, 3)
            .addComponent(jButton5,
javax.swing.GroupLayout.PREFERRED_SIZE, 40,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addGap(12, 12, 12)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.BASELINE)
            .addComponent(txtName,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addComponent(txtSurname,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGap(5, 5, 5)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
            .addComponent(jLabel3)
            .addComponent(jLabel4))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING, false)
            .addComponent(Bank,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(CVV,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.BASELINE)
            .addComponent(txtCVV,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)

```

```

        .addComponent(txtBank,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
            .addComponent(jLabel6)
            .addComponent(jLabel5))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addComponent(Credit)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addComponent(txtCredit,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addComponent(jLabel7)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
        .addComponent(address)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
        .addComponent(txtAddress,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
        .addComponent(jLabel8)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
        .addComponent(IdentityNumber)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)

```



```

        .addComponent(txtIdentityNumber,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
        .addComponent(jLabel19)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED, 12, Short.MAX_VALUE)
        .addComponent(jPanel13,
javax.swing.GroupLayout.PREFERRED_SIZE, 75,
javax.swing.GroupLayout.PREFERRED_SIZE))
    );

```

```

    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
611, javax.swing.GroupLayout.PREFERRED_SIZE)
    );
    layout.setVerticalGroup(

```

```

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel1, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );

```

```

    pack();
    setLocationRelativeTo(null);
} // </editor-fold>

```

```

private void jButton2ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    txtName.setText("");
    txtSurname.setText("");
    txtBank.setText("");
}

```

```

        txtCVV.setText("");
        txtCredit.setText("");
        txtAddress.setText("");
        txtIdentityNumber.setText("");
    }

    private void jButton3ActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        jPanel1.setBackground(Color.gray);
        jPanel2.setBackground(Color.BLACK);
        jPanel3.setBackground(Color.black);
        creditdetails.setForeground(Color.white);
        receiveOrder.setForeground(Color.white);
        name.setForeground(Color.white);
        Surname.setForeground(Color.white);
        CVV.setForeground(Color.white);
        IdentityNumber.setForeground(Color.white);
        address.setForeground(Color.white);
        Bank.setForeground(Color.white);
        Credit.setForeground(Color.white);
    }

    private void jButton4ActionPerformed(java.awt.event.ActionEvent evt) {
        // TODO add your handling code here:
        jPanel1.setBackground(Color.white);
        jPanel2.setBackground(Color.black);
        jPanel3.setBackground(Color.black);
        creditdetails.setForeground(Color.white);
        receiveOrder.setForeground(Color.black);
        name.setForeground(Color.black);
        Surname.setForeground(Color.black);
        CVV.setForeground(Color.black);
        IdentityNumber.setForeground(Color.black);
        address.setForeground(Color.black);
        Bank.setForeground(Color.black);
        Credit.setForeground(Color.black);
    }

    private void jButton5ActionPerformed(java.awt.event.ActionEvent evt) {

```

```

        // TODO add your handling code here:
        new NAVIGATION().setVisible(true);
        dispose();
    }

    /**
     * @param args the command line arguments
     */
    public static void main(String args[]) {
        /* Set the Nimbus look and feel */
        //<editor-fold defaultstate="collapsed" desc=" Look and feel
        setting code (optional) ">
        /* If Nimbus (introduced in Java SE 6) is not available, stay with
        the default look and feel.
         * For details see
         * http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.ht
         ml
         */
        try {
            for (javax.swing.UIManager.LookAndFeelInfo info :
                javax.swing.UIManager.getInstalledLookAndFeels()) {
                if ("Nimbus".equals(info.getName())) {

                    javax.swing.UIManager.setLookAndFeel(info.getClassName());
                    break;

                }
            }
        } catch (ClassNotFoundException ex) {

            java.util.logging.Logger.getLogger(PaymentForm.class.getName()).log(ja
            va.util.logging.Level.SEVERE, null, ex);
        } catch (InstantiationException ex) {

            java.util.logging.Logger.getLogger(PaymentForm.class.getName()).log(ja
            va.util.logging.Level.SEVERE, null, ex);
        } catch (IllegalAccessException ex) {

            java.util.logging.Logger.getLogger(PaymentForm.class.getName()).log(ja
            va.util.logging.Level.SEVERE, null, ex);
        }
    }

```

```

    } catch (javax.swing.UnsupportedLookAndFeelException ex) {

java.util.logging.Logger.getLogger(PaymentForm.class.getName()).log(ja
va.util.logging.Level.SEVERE, null, ex);
    }
//</editor-fold>

/* Create and display the form */
java.awt.EventQueue.invokeLater(new Runnable() {
    public void run() {
        new PaymentForm().setVisible(true);
    }
});
}

// Variables declaration - do not modify
private javax.swing.JLabel Bank;
private javax.swing.JLabel CVV;
private javax.swing.JLabel Credit;
private javax.swing.JLabel IdentityNumber;
private javax.swing.JLabel Surname;
private javax.swing.JLabel address;
private javax.swing.JLabel creditdetails;
private javax.swing.JButton jButton1;
private javax.swing.JButton jButton2;
private javax.swing.JButton jButton3;
private javax.swing.JButton jButton4;
private javax.swing.JButton jButton5;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
private javax.swing.JLabel jLabel5;
private javax.swing.JLabel jLabel6;
private javax.swing.JLabel jLabel7;
private javax.swing.JLabel jLabel8;
private javax.swing.JLabel jLabel9;
private javax.swing.JPanel jPanel1;
private javax.swing.JPanel jPanel2;

```

```

private javax.swing.JPanel jPanel3;
private javax.swing.JLabel name;
private javax.swing.JLabel receiveOrder;
private javax.swing.JTextField txtAddress;
private javax.swing.JTextField txtBank;
private javax.swing.JTextField txtCVV;
private javax.swing.JTextField txtCredit;
private javax.swing.JTextField txtIdentityNumber;
private javax.swing.JTextField txtName;
private javax.swing.JTextField txtSurname;
// End of variables declaration

}

```

STAFF MEMBERS

```
/*
```

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

```
*/ package javaapplication7;
```

```
/** *
```

- @author Douglas

```
*/ public class STAFF extends javax.swing.JFrame {
```

```
/**
```

```
 * Creates new form STAFF
```

```
 */
```

```
public STAFF() {
    initComponents();
}

```

```
/**
```

```
 * This method is called from within the constructor to initialize the

```

form.

* WARNING: Do NOT modify this code. The content of this method is always

* regenerated by the Form Editor.

*/

@SuppressWarnings("unchecked")

// <editor-fold defaultstate="collapsed" desc="Generated Code">

private void initComponents() {

```
jPanel1 = new javax.swing.JPanel();
jPanel2 = new javax.swing.JPanel();
jLabel1 = new javax.swing.JLabel();
jPanel3 = new javax.swing.JPanel();
jLabel3 = new javax.swing.JLabel();
jLabel15 = new javax.swing.JLabel();
jLabel16 = new javax.swing.JLabel();
jLabel24 = new javax.swing.JLabel();
jPanel4 = new javax.swing.JPanel();
jLabel4 = new javax.swing.JLabel();
jLabel17 = new javax.swing.JLabel();
jLabel25 = new javax.swing.JLabel();
jPanel5 = new javax.swing.JPanel();
jLabel5 = new javax.swing.JLabel();
jLabel26 = new javax.swing.JLabel();
jLabel27 = new javax.swing.JLabel();
jLabel28 = new javax.swing.JLabel();
jPanel6 = new javax.swing.JPanel();
jLabel2 = new javax.swing.JLabel();
jLabel14 = new javax.swing.JLabel();
jLabel23 = new javax.swing.JLabel();
jLabel37 = new javax.swing.JLabel();
jPanel7 = new javax.swing.JPanel();
jLabel6 = new javax.swing.JLabel();
jLabel12 = new javax.swing.JLabel();
jLabel29 = new javax.swing.JLabel();
jPanel8 = new javax.swing.JPanel();
jLabel7 = new javax.swing.JLabel();
jLabel21 = new javax.swing.JLabel();
jLabel31 = new javax.swing.JLabel();
```

```
jLabel30 = new javax.swing.JLabel();
jPanel9 = new javax.swing.JPanel();
jLabel18 = new javax.swing.JLabel();
jLabel32 = new javax.swing.JLabel();
jLabel33 = new javax.swing.JLabel();
jPanel11 = new javax.swing.JPanel();
jButton1 = new javax.swing.JButton();
jPanel12 = new javax.swing.JPanel();
jLabel13 = new javax.swing.JLabel();
jLabel19 = new javax.swing.JLabel();
jLabel34 = new javax.swing.JLabel();
jPanel10 = new javax.swing.JPanel();
jLabel11 = new javax.swing.JLabel();
jLabel9 = new javax.swing.JLabel();
jLabel18 = new javax.swing.JLabel();
jLabel20 = new javax.swing.JLabel();
jPanel13 = new javax.swing.JPanel();
jLabel22 = new javax.swing.JLabel();
jLabel10 = new javax.swing.JLabel();
jLabel35 = new javax.swing.JLabel();
jLabel36 = new javax.swing.JLabel();
```

```
setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
```

```
jPanel1.setBackground(new java.awt.Color(255, 255, 255));
```

```
jPanel2.setBackground(new java.awt.Color(0, 0, 0));
```

```
jLabel1.setFont(new java.awt.Font("Tahoma", 1, 24)); // NOI18N
jLabel1.setForeground(new java.awt.Color(255, 255, 255));
jLabel1.setText("OUR GUSTO STAFF");
```

```
javax.swing.GroupLayout jPanel2Layout = new
javax.swing.GroupLayout(jPanel2);
jPanel2.setLayout(jPanel2Layout);
jPanel2Layout.setHorizontalGroup(
```

```
jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
```

```

ADING)
        .addGroup(jPanel2Layout.createSequentialGroup()
            .addGap(227, 227, 227)
            .addComponent(jLabel11,
javax.swing.GroupLayout.PREFERRED_SIZE, 255,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
jPanel2Layout.setVerticalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel2Layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jLabel11,
javax.swing.GroupLayout.PREFERRED_SIZE, 39,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(22, Short.MAX_VALUE))
        );

jPanel3.setBackground(new java.awt.Color(0, 0, 0));

jLabel3.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Staff
imgs/Jose.jpg"))); // NOI18N

jLabel15.setText("jLabel15");

jLabel16.setForeground(new java.awt.Color(255, 255, 255));
jLabel16.setText("HEAD MANAGER");

jLabel24.setForeground(new java.awt.Color(255, 255, 255));
jLabel24.setText("JOSE KATIE");

javax.swing.GroupLayout jPanel3Layout = new
javax.swing.GroupLayout(jPanel3);
jPanel3.setLayout(jPanel3Layout);
jPanel3Layout.setHorizontalGroup(

```



```

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel3Layout.createSequentialGroup()
        .addContainerGap()
        .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel3Layout.createSequentialGroup()
                .addGap(0, 0, Short.MAX_VALUE)
                .addGroup(jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                    .addGroup(jPanel3Layout.createSequentialGroup(
)
                        .addGap(113, 113, 113)
                        .addComponent(jLabel15))
                    .addComponent(jLabel13)
                    .addComponent(jLabel24,
javax.swing.GroupLayout.PREFERRED_SIZE, 91,
javax.swing.GroupLayout.PREFERRED_SIZE)))
                .addGroup(jPanel3Layout.createSequentialGroup()
                    .addComponent(jLabel16)
                    .addGap(0, 0, Short.MAX_VALUE))))
    );
jPanel3Layout.setVerticalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel3Layout.createSequentialGroup()
        .addGap(170, 170, 170)
        .addComponent(jLabel15))
    .addGroup(jPanel3Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jLabel13)
        .addGap(18, 18, 18)
        .addComponent(jLabel24)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addComponent(jLabel16))
    );

```

```

jPanel4.setBackground(new java.awt.Color(0, 0, 0));

jLabel4.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Staff
imgs/Nonjabulo.jpg"))); // NOI18N

jLabel17.setForeground(new java.awt.Color(255, 255, 255));
jLabel17.setText("STAFF MANAGER");

jLabel25.setForeground(new java.awt.Color(255, 255, 255));
jLabel25.setText("NONJABULO");

javax.swing.GroupLayout jPanel4Layout = new
javax.swing.GroupLayout(jPanel4);
jPanel4.setLayout(jPanel4Layout);
jPanel4Layout.setHorizontalGroup(

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel4Layout.createSequentialGroup()
        .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addComponent(jLabel17)
        .addGap(33, 33, 33))
    .addGroup(jPanel4Layout.createSequentialGroup()
        .addComponent(jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel4Layout.createSequentialGroup()
                .addGap(10, 10, 10)
                .addComponent(jLabel25))
            .addComponent(jLabel4))
        .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
jPanel4Layout.setVerticalGroup(

```

```

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel4Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jLabel4,
            javax.swing.GroupLayout.PREFERRED_SIZE, 105,
            javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jLabel25)
        .addGap(18, 18, 18)
        .addComponent(jLabel17)
        .addGap(37, 37, 37))
    );

jPanel5.setBackground(new java.awt.Color(0, 0, 0));

jLabel5.setIcon(new
    javax.swing.ImageIcon(getClass().getResource("/Staff
    imgs/Lesego.jpg"))); // NOI18N

jLabel26.setForeground(new java.awt.Color(255, 255, 255));
jLabel26.setText("LESEGO MOATLODI");

jLabel27.setText("jLabel27");

jLabel28.setForeground(new java.awt.Color(255, 255, 255));
jLabel28.setText("HEAD CHEFF");

javax.swing.GroupLayout jPanel5Layout = new
    javax.swing.GroupLayout(jPanel5);
jPanel5.setLayout(jPanel5Layout);
jPanel5Layout.setHorizontalGroup(

jPanel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel5Layout.createSequentialGroup()
        .addGroup(jPanel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

```

```

        .addGroup(jPanel15Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jLabel126,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addGroup(jPanel15Layout.createSequentialGroup())
            .addGroup(jPanel15Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
                .addGroup(jPanel15Layout.createSequentialGroup(
)
                    .addContainerGap()
                    .addComponent(jLabel15))
                .addGroup(jPanel15Layout.createSequentialGroup(
)
                    .addGap(36, 36, 36)
                    .addComponent(jLabel127)))
            .addGap(0, 0, Short.MAX_VALUE)))
        .addContainerGap())
        .addGroup(jPanel15Layout.createSequentialGroup())
            .addContainerGap()
            .addComponent(jLabel128,
javax.swing.GroupLayout.PREFERRED_SIZE, 97,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel15Layout.setVerticalGroup(

jPanel15Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
    .addGroup(jPanel15Layout.createSequentialGroup())
        .addContainerGap()
        .addComponent(jLabel15,
javax.swing.GroupLayout.PREFERRED_SIZE, 105,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addComponent(jLabel126)
        .addGap(18, 18, 18)

```

```

        .addComponent(jLabel128)
        .addGap(32, 32, 32)
        .addComponent(jLabel127)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

    jPanel6.setBackground(new java.awt.Color(0, 0, 0));

    jLabel2.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Staff
imgs/Chantell.jpg"))); // NOI18N

    jLabel14.setForeground(new java.awt.Color(255, 255, 255));
    jLabel14.setText("FOUNDER");

    jLabel23.setForeground(new java.awt.Color(255, 255, 255));
    jLabel23.setText("CHANTELL ");

    jLabel37.setForeground(new java.awt.Color(255, 255, 255));
    jLabel37.setText("MALEPE");

    javax.swing.GroupLayout jPanel6Layout = new
javax.swing.GroupLayout(jPanel6);
    jPanel6.setLayout(jPanel6Layout);
    jPanel6Layout.setHorizontalGroup(

jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel6Layout.createSequentialGroup()
            .addGroup(jPanel6Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
                .addGroup(jPanel6Layout.createSequentialGroup()
                    .addContainerGap()
                    .addComponent(jLabel12))
                .addGroup(jPanel6Layout.createSequentialGroup()
                    .addGap(28, 28, 28)
                    .addGroup(jPanel6Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)

```

```

        .addComponent(jLabel137)
        .addComponent(jLabel123)
        .addComponent(jLabel114))))
    .addContainerGap(11, Short.MAX_VALUE))
);
jPanel6Layout.setVerticalGroup(

jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel6Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jLabel12,
javax.swing.GroupLayout.PREFERRED_SIZE, 102,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
        .addComponent(jLabel123)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
        .addComponent(jLabel137)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
        .addComponent(jLabel114)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

jPanel7.setBackground(new java.awt.Color(0, 0, 0));

jLabel6.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Staff
imgs/Lucky.jpg"))); // NOI18N

jLabel12.setForeground(new java.awt.Color(255, 255, 255));
jLabel12.setText("CHAUFFER");

jLabel29.setForeground(new java.awt.Color(255, 255, 255));
jLabel29.setText("LUCKY SITHOLE");

```

```

        javax.swing.GroupLayout jPanel7Layout = new
javax.swing.GroupLayout(jPanel7);
        jPanel7.setLayout(jPanel7Layout);
        jPanel7Layout.setHorizontalGroup(

jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel7Layout.createSequentialGroup()
            .addGroup(jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                .addGroup(jPanel7Layout.createSequentialGroup()
                    .addGroup(jPanel7Layout.createSequentialGroup()
                        .addContainerGap()
                        .addComponent(jLabel6))
                    .addGroup(jPanel7Layout.createSequentialGroup()
                        .addContainerGap()
                        .addComponent(jLabel29))
                    .addGroup(jPanel7Layout.createSequentialGroup()
                        .addGap(27, 27, 27)
                        .addComponent(jLabel12)))
                .addGap(14, 14, 14))
            .addContainerGap());
        jPanel7Layout.setVerticalGroup(

jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel7Layout.createSequentialGroup()
            .addGroup(jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
                .addGroup(jPanel7Layout.createSequentialGroup()
                    .addGroup(jPanel7Layout.createSequentialGroup()
                        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                        .addComponent(jLabel6, javax.swing.GroupLayout.PREFERRED_SIZE, 91, javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addGap(18, 18, 18)
                        .addComponent(jLabel29)
                        .addGap(18, 18, 18)
                        .addComponent(jLabel12)
                        .addGap(51, 51, 51))
                    .addContainerGap())
            .addContainerGap());

```

```

jPanel8.setBackground(new java.awt.Color(0, 0, 0));

jLabel7.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Staff
imgs/Brandon.jpg"))); // NOI18N

jLabel21.setForeground(new java.awt.Color(255, 255, 255));
jLabel21.setText("BRANDON PETERSON");

jLabel31.setForeground(new java.awt.Color(255, 255, 255));
jLabel31.setText("TECHNICAL ");

jLabel30.setForeground(new java.awt.Color(255, 255, 255));
jLabel30.setText("SUPPORTER");

javax.swing.GroupLayout jPanel8Layout = new
javax.swing.GroupLayout(jPanel8);
jPanel8.setLayout(jPanel8Layout);
jPanel8Layout.setHorizontalGroup(

jPanel8Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel8Layout.createSequentialGroup()
        .addGap(10, 10, 10)
        .addGroup(jPanel8Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel8Layout.createSequentialGroup()
                .addComponent(jLabel21)
                .addGap(10, 10, 10)
                .addComponent(jLabel31)
            )
            .addGroup(jPanel8Layout.createSequentialGroup()
                .addComponent(jLabel7)
                .addGap(10, 10, 10)
                .addComponent(jLabel30)
            )
        )
        .addGap(10, 10, 10)
    )
);

```



```

                .addComponent(jLabel131))))
                .addContainerGap(16, Short.MAX_VALUE))))
        );
        jPanel8Layout.setVerticalGroup(

jPanel8Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel8Layout.createSequentialGroup()
                .addContainerGap()
                .addComponent(jLabel17,
javax.swing.GroupLayout.PREFERRED_SIZE, 91,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(14, 14, 14)
                .addComponent(jLabel121)
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
                .addComponent(jLabel131)
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
                .addComponent(jLabel130)
                .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );

        jPanel9.setBackground(new java.awt.Color(0, 0, 0));

        jLabel8.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Staff
imgs/Katlego.png"))); // NOI18N

        jLabel32.setForeground(new java.awt.Color(255, 255, 255));
        jLabel32.setText("KATLEGO MELETSE");

        jLabel33.setForeground(new java.awt.Color(255, 255, 255));
        jLabel33.setText("RECEPTIONIST");

        javax.swing.GroupLayout jPanel9Layout = new
javax.swing.GroupLayout(jPanel9);
        jPanel9.setLayout(jPanel9Layout);

```

```

jPanel9Layout.setHorizontalGroup(

jPanel9Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel9Layout.createSequentialGroup()
        .addContainerGap()
        .addGroup(jPanel9Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addComponent(jLabel8)
            .addComponent(jLabel32)
            .addComponent(jLabel33))
        .addContainerGap(16, Short.MAX_VALUE))
    );
jPanel9Layout.setVerticalGroup(

jPanel9Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel9Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jLabel8)
        .addGap(18, 18, 18)
        .addComponent(jLabel32)
        .addGap(18, 18, 18)
        .addComponent(jLabel33)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
    );

jPanel11.setBackground(new java.awt.Color(0, 0, 0));

jButton1.setBackground(new java.awt.Color(255, 204, 51));
jButton1.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/ICONS/b2.png"))); //
NOI18N
jButton1.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton1ActionPerformed(evt);
    }
});

```

```

        javax.swing.GroupLayout jPanel11Layout = new
javax.swing.GroupLayout(jPanel11);
        jPanel11.setLayout(jPanel11Layout);
        jPanel11Layout.setHorizontalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
            .addGroup(jPanel11Layout.createSequentialGroup()
                .addGap(196, 196, 196)
                .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 290,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(199, Short.MAX_VALUE))
            );
        jPanel11Layout.setVerticalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
            .addGroup(jPanel11Layout.createSequentialGroup()
                .addGap()
                .addComponent(jButton1,
javax.swing.GroupLayout.DEFAULT_SIZE, 46, Short.MAX_VALUE)
                .addGap())
            );

        jPanel12.setBackground(new java.awt.Color(0, 0, 0));

        jLabel13.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Staff
imgs/Rocky.jpg"))); // NOI18N

        jLabel19.setForeground(new java.awt.Color(255, 255, 255));
        jLabel19.setText("BARTENDER");

        jLabel34.setForeground(new java.awt.Color(255, 255, 255));
        jLabel34.setText("ROCKY LANGA");

        javax.swing.GroupLayout jPanel12Layout = new

```

```

javax.swing.GroupLayout(jPanel12);
    jPanel12.setLayout(jPanel12Layout);
    jPanel12Layout.setHorizontalGroup(

jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel12Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jLabel13,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap())
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel12Layout.createSequentialGroup()
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addGroup(jPanel12Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.TRAILING)
            .addComponent(jLabel134)
            .addComponent(jLabel19))
        .addGap(36, 36, 36))
    );
    jPanel12Layout.setVerticalGroup(

jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel12Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jLabel13,
javax.swing.GroupLayout.PREFERRED_SIZE, 89,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(16, 16, 16)
        .addComponent(jLabel134)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.UNRELATED)
        .addComponent(jLabel19)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

```

```

jPanel10.setBackground(new java.awt.Color(0, 0, 0));

jLabel11.setFont(new java.awt.Font("Tahoma", 0, 14)); // NOI18N
jLabel11.setForeground(new java.awt.Color(255, 255, 255));
jLabel11.setText("COME HAVE DINNER WITH US BY THE OCEAN:");

jLabel9.setFont(new java.awt.Font("Tahoma", 0, 18)); // NOI18N
jLabel9.setForeground(new java.awt.Color(255, 255, 255));
jLabel9.setText("WHAT A WAY TO START OUR DAY WITH YOU");

jLabel18.setFont(new java.awt.Font("Tahoma", 0, 14)); // NOI18N
jLabel18.setForeground(new java.awt.Color(255, 255, 255));
jLabel18.setText("WELCOME TO GUSTO GROVE AND DINE STAFF");

jLabel20.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/LOGO/gui.png"))); //
NOI18N

    javax.swing.GroupLayout jPanel10Layout = new
javax.swing.GroupLayout(jPanel10);
    jPanel10.setLayout(jPanel10Layout);
    jPanel10Layout.setHorizontalGroup(

jPanel10Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel10Layout.createSequentialGroup()
            .addGroup(jPanel10Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
                .addGroup(jPanel10Layout.createSequentialGroup()
                    .addGap(0, 0, Short.MAX_VALUE)
                    .addComponent(jLabel11)
                    .addGap(50, 50, 50))
                .addGroup(jPanel10Layout.createSequentialGroup()
                    .addGroup(jPanel10Layout.createParallelGroup(javax.s
wing.G
roupLayout.Alignment.LEADING)
                        .addGroup(jPanel10Layout.createSequentialGroup()
                            .addGap(31, 31, 31)
                            .addComponent(jLabel9))
                        .addGroup(jPanel10Layout.createSequentialGroup()
                            .addContainerGap()

```

```

        .addComponent(jLabel120,
javax.swing.GroupLayout.PREFERRED_SIZE, 383,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGroup(jPanel10Layout.createSequentialGroup()
            .addGap(53, 53, 53)
            .addComponent(jLabel18)))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel10Layout.setVerticalGroup(

jPanel10Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(jPanel10Layout.createSequentialGroup()
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addComponent(jLabel18)
        .addGap(33, 33, 33)
        .addComponent(jLabel120)
        .addGap(18, 18, 18)
        .addComponent(jLabel111)
        .addGap(18, 18, 18)
        .addComponent(jLabel19)
        .addGap(59, 59, 59))
    );

    jPanel13.setBackground(new java.awt.Color(0, 0, 0));

    jLabel22.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Staff
imgs/kuloano.jpg"))); // NOI18N
    jLabel22.setText("jLabel22");

    jLabel10.setForeground(new java.awt.Color(255, 255, 255));
    jLabel10.setText("BARISTA");

    jLabel35.setForeground(new java.awt.Color(255, 255, 255));
    jLabel35.setText("KULOANO");

```

```

jLabel36.setBackground(new java.awt.Color(0, 0, 0));
jLabel36.setForeground(new java.awt.Color(255, 255, 255));
jLabel36.setText("KHAU");

javax.swing.GroupLayout jPanel13Layout = new
javax.swing.GroupLayout(jPanel13);
jPanel13.setLayout(jPanel13Layout);
jPanel13Layout.setHorizontalGroup(

jPanel13Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(jPanel13Layout.createSequentialGroup()
        .addGroup(jPanel13Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
            .addGroup(jPanel13Layout.createSequentialGroup()
                .addGroup(jPanel13Layout.createSequentialGroup()
                    .addGap(40, 40, 40)
                    .addComponent(jLabel10))
                .addGroup(jPanel13Layout.createSequentialGroup()
                    .addGap(18, 18, 18)
                    .addComponent(jLabel22,
javax.swing.GroupLayout.PREFERRED_SIZE, 92,
javax.swing.GroupLayout.PREFERRED_SIZE))
                .addGroup(jPanel13Layout.createSequentialGroup()
                    .addContainerGap()
                    .addComponent(jLabel35)
                    .addGap(18, 18, 18)
                    .addComponent(jLabel36)))
            .addContainerGap(12, Short.MAX_VALUE))
        .addContainerGap());
jPanel13Layout.setVerticalGroup(

jPanel13Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.L
EADING)
    .addGroup(jPanel13Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jLabel22,
javax.swing.GroupLayout.PREFERRED_SIZE, 107,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen

```

```

t.RELATED)
        .addGroup(jPanel13Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.BASELINE)
            .addComponent(jLabel135)
            .addComponent(jLabel136))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jLabel110)
        .addGap(22, 22, 22))
    );

    javax.swing.GroupLayout jPanel11Layout = new
javax.swing.GroupLayout(jPanel11);
    jPanel11.setLayout(jPanel11Layout);
    jPanel11Layout.setHorizontalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel11Layout.createSequentialGroup())
        .addGroup(jPanel11Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
            .addGroup(jPanel11Layout.createSequentialGroup())
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_S
IZE, Short.MAX_VALUE)
            .addComponent(jPanel17,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(18, 18, 18)
            .addComponent(jPanel18,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(18, 18, 18)
            .addComponent(jPanel19,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(18, 18, 18)

```



```

        .addComponent(jPanel12,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(56, 56, 56))
        .addGroup(jPanel11Layout.createSequentialGroup())
        .addGroup(jPanel11Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel11Layout.createSequentialGroup(
)

        .addContainerGap()
        .addComponent(jPanel6,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jPanel3,
javax.swing.GroupLayout.PREFERRED_SIZE, 126,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.UNRELATED)
        .addComponent(jPanel4,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.UNRELATED)
        .addComponent(jPanel5,
javax.swing.GroupLayout.PREFERRED_SIZE, 118,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.UNRELATED)
        .addComponent(jPanel13,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGroup(jPanel11Layout.createParallelGroup(ja
vax.swing.GroupLayout.Alignment.TRAILING, false)
        .addComponent(jPanel11,

```

```

javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jPanel2,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)))
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)))
        .addComponent(jPanel10,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(30, 30, 30))
    );
    jPanel11Layout.setVerticalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addComponent(jPanel10, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel11Layout.createSequentialGroup()
            .addComponent(jPanel2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
            .addGroup(jPanel11Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING, false)
                .addComponent(jPanel3,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                .addComponent(jPanel4,
javax.swing.GroupLayout.PREFERRED_SIZE, 184,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addComponent(jPanel5,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE, 184,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jPanel13,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jPanel16,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addGap(9, 9, 9)
        .addGroup(jPanel11Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING, false)
        .addComponent(jPanel18,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jPanel17,
javax.swing.GroupLayout.PREFERRED_SIZE, 191,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jPanel19,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jPanel12,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED)
        .addComponent(jPanel11,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
    );

```

```

        javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
        getContentPane().setLayout(layout);
        layout.setHorizontalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
layout.createSequentialGroup())
        .addComponent(jPanel11,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE, 1104,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap())
    );
    layout.setVerticalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    );

    pack();
    setLocationRelativeTo(null);
} // </editor-fold>

```

```

private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new STAFFNAVIGATION().setVisible(true);
    dispose();
}

```

```

/**
 * @param args the command line arguments
 */
public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //<editor-fold defaultstate="collapsed" desc=" Look and feel
setting code (optional) ">
    /* If Nimbus (introduced in Java SE 6) is not available, stay with
the default look and feel.
    * For details see
http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.ht
ml
    */
    try {
        for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Nimbus".equals(info.getName())) {

```

```

        javax.swing.UIManager.setLookAndFeel(info.getClassName());
            break;
        }
    }
} catch (ClassNotFoundException ex) {

java.util.logging.Logger.getLogger(STAFF.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {

java.util.logging.Logger.getLogger(STAFF.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {

java.util.logging.Logger.getLogger(STAFF.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {

java.util.logging.Logger.getLogger(STAFF.class.getName()).log(java.util.logging.Level.SEVERE, null, ex);
    }
}
//</editor-fold>

/* Create and display the form */
java.awt.EventQueue.invokeLater(new Runnable() {
    public void run() {
        new STAFF().setVisible(true);
    }
});
}

// Variables declaration - do not modify
private javax.swing.JButton jButton1;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel10;
private javax.swing.JLabel jLabel11;
private javax.swing.JLabel jLabel12;
private javax.swing.JLabel jLabel13;

```

```
private javax.swing.JLabel jLabel14;
private javax.swing.JLabel jLabel15;
private javax.swing.JLabel jLabel16;
private javax.swing.JLabel jLabel17;
private javax.swing.JLabel jLabel18;
private javax.swing.JLabel jLabel19;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel20;
private javax.swing.JLabel jLabel21;
private javax.swing.JLabel jLabel22;
private javax.swing.JLabel jLabel23;
private javax.swing.JLabel jLabel24;
private javax.swing.JLabel jLabel25;
private javax.swing.JLabel jLabel26;
private javax.swing.JLabel jLabel27;
private javax.swing.JLabel jLabel28;
private javax.swing.JLabel jLabel29;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel30;
private javax.swing.JLabel jLabel31;
private javax.swing.JLabel jLabel32;
private javax.swing.JLabel jLabel33;
private javax.swing.JLabel jLabel34;
private javax.swing.JLabel jLabel35;
private javax.swing.JLabel jLabel36;
private javax.swing.JLabel jLabel37;
private javax.swing.JLabel jLabel4;
private javax.swing.JLabel jLabel5;
private javax.swing.JLabel jLabel6;
private javax.swing.JLabel jLabel7;
private javax.swing.JLabel jLabel8;
private javax.swing.JLabel jLabel9;
private javax.swing.JPanel jPanel1;
private javax.swing.JPanel jPanel10;
private javax.swing.JPanel jPanel11;
private javax.swing.JPanel jPanel12;
private javax.swing.JPanel jPanel13;
private javax.swing.JPanel jPanel2;
private javax.swing.JPanel jPanel3;
```

```
private javax.swing.JPanel jPanel4;  
private javax.swing.JPanel jPanel5;  
private javax.swing.JPanel jPanel6;  
private javax.swing.JPanel jPanel7;  
private javax.swing.JPanel jPanel8;  
private javax.swing.JPanel jPanel9;  
// End of variables declaration
```

```
}
```

STAFF SHIFT

```
/*
```

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

```
*/ package javaapplication7;
```

```
/** *
```

- @author Douglas

```
*/ public class STAFFSCHEDULES extends javax.swing.JFrame {
```

```
/**
```

```
 * Creates new form STAFFSCHEDULES
```

```
 */
```

```
public STAFFSCHEDULES() {  
    initComponents();  
}
```

```
/**
```

```
 * This method is called from within the constructor to initialize the  
form.
```

```
 * WARNING: Do NOT modify this code. The content of this method is  
always
```

```
 * regenerated by the Form Editor.
```

```

*/
@SuppressWarnings("unchecked")
// <editor-fold defaultstate="collapsed" desc="Generated Code">
private void initComponents() {

    jPanel1 = new javax.swing.JPanel();
    jPanel2 = new javax.swing.JPanel();
    jLabel19 = new javax.swing.JLabel();
    jLabel11 = new javax.swing.JLabel();
    jPanel3 = new javax.swing.JPanel();
    jButton1 = new javax.swing.JButton();
    jLabel2 = new javax.swing.JLabel();
    jLabel3 = new javax.swing.JLabel();
    jLabel4 = new javax.swing.JLabel();
    jLabel5 = new javax.swing.JLabel();
    jLabel6 = new javax.swing.JLabel();
    jLabel7 = new javax.swing.JLabel();
    jLabel8 = new javax.swing.JLabel();
    jLabel9 = new javax.swing.JLabel();
    jLabel10 = new javax.swing.JLabel();
    jLabel11 = new javax.swing.JLabel();
    jLabel12 = new javax.swing.JLabel();
    jLabel13 = new javax.swing.JLabel();
    jLabel14 = new javax.swing.JLabel();
    jLabel15 = new javax.swing.JLabel();
    jLabel16 = new javax.swing.JLabel();
    jLabel17 = new javax.swing.JLabel();
    jLabel18 = new javax.swing.JLabel();

    setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);

    jPanel1.setBackground(new java.awt.Color(255, 255, 255));

    jPanel2.setBackground(new java.awt.Color(0, 0, 0));

    jLabel19.setFont(new java.awt.Font("Tahoma", 1, 18)); // NOI18N
    jLabel19.setForeground(new java.awt.Color(255, 204, 51));
    jLabel19.setText("GUSTO STAFF SCHEDULE");

```



```

        javax.swing.GroupLayout jPanel2Layout = new
javax.swing.GroupLayout(jPanel2);
        jPanel2.setLayout(jPanel2Layout);
        jPanel2Layout.setHorizontalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel2Layout.createSequentialGroup()
            .addGap(232, 232, 232)
            .addComponent(jLabel19)
            .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
        jPanel2Layout.setVerticalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel2Layout.createSequentialGroup()
            .addGap(27, 27, 27)
            .addComponent(jLabel19)
            .addGap(25, Short.MAX_VALUE))
        );

        jLabel1.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Staff
imgs/Chantell.jpg"))); // NOI18N

        jPanel3.setBackground(new java.awt.Color(0, 0, 0));

        jButton1.setBackground(new java.awt.Color(255, 204, 0));
        jButton1.setForeground(new java.awt.Color(255, 204, 0));
        jButton1.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/ICONS/b2.png"))); //
NOI18N
        jButton1.addActionListener(new java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent evt) {
                jButton1ActionPerformed(evt);
            }
        });

```

```

});

    javax.swing.GroupLayout jPanel3Layout = new
javax.swing.GroupLayout(jPanel3);
    jPanel3.setLayout(jPanel3Layout);
    jPanel3Layout.setHorizontalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel3Layout.createSequentialGroup()
            .addGap()
            .addComponent(jButton1,
javax.swing.GroupLayout.DEFAULT_SIZE, 141, Short.MAX_VALUE)
            .addGap())
        );
    jPanel3Layout.setVerticalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel3Layout.createSequentialGroup()
            .addGap()
            .addComponent(jButton1,
javax.swing.GroupLayout.DEFAULT_SIZE, 74, Short.MAX_VALUE)
            .addGap())
        );

    jLabel2.setText("09:30 am-03:00 pm");

    jLabel3.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Staff
imgs/Jose.jpg"))); // NOI18N

    jLabel4.setText("08:30 am-05:00pm");

    jLabel5.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Staff
imgs/Lesego.jpg"))); // NOI18N

```

```
jLabel6.setText("09:30 am-05:00 pm");

jLabel7.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Staff
imgs/Lucky.jpg"))); // NOI18N

jLabel8.setText("08:30 am-05:00 pm");

jLabel9.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Staff
imgs/kuloano.jpg"))); // NOI18N

jLabel10.setText("07:30 am-04:00 pm");

jLabel11.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Staff
imgs/Brandon.jpg"))); // NOI18N

jLabel12.setText("10:00 am-14:30 pm");

jLabel13.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Staff
imgs/Rocky.jpg"))); // NOI18N

jLabel14.setText("06:30 am-09:00 pm");

jLabel15.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Staff
imgs/Nonjabulo.jpg"))); // NOI18N

jLabel16.setText("08:30 am-05:00 pm");

jLabel17.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Staff
imgs/Katlego.png"))); // NOI18N

jLabel18.setText("08:30 am-05:00 pm");
```

```

        javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
        jPanel1.setLayout(jPanel1Layout);
        jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel1Layout.createSequentialGroup()
                .addGap(23, 23, 23)
                .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
                    .addComponent(jLabel2)
                    .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                        .addComponent(jLabel1)
                        .addComponent(jLabel10)
                        .addComponent(jLabel9)))
                .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
                    .addGroup(jPanel1Layout.createSequentialGroup()
                        .addGap(21, 21, 21)
                        .addComponent(jLabel3)
                        .addGap(18, 18, 18)
                        .addComponent(jLabel15))
                    .addGroup(jPanel1Layout.createSequentialGroup()
                        .addGap(18, 18, 18)
                        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                            .addGroup(jPanel1Layout.createSequentialGroup()
                                .addGap(
                                    .addComponent(jLabel14)
                                    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                                    .addComponent(jLabel16))
                                .addGroup(jPanel1Layout.createSequentialGroup()
                                    .addGap(
                                        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

```

```

        .addComponent(jLabel11)
        .addComponent(jLabel12))
        .addGap(18, 18, 18)
        .addGroup(jPanel11Layout.createParallelGroup(
p(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jLabel14)
        .addComponent(jLabel13))
        .addGap(0, 0, Short.MAX_VALUE))))
        .addGroup(jPanel11Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
        .addGroup(jPanel11Layout.createSequentialGroup())
        .addGap(18, 18, 18)
        .addGroup(jPanel11Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel11Layout.createSequentialGroup(
)
        .addComponent(jLabel15)
        .addGap(18, 18, 18)
        .addGroup(jPanel11Layout.createParallelGroup(
p(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jLabel17)
        .addComponent(jLabel18))
        .addGap(18, 18, 18)
        .addGroup(jPanel11Layout.createParallelGroup(
p(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jLabel18)
        .addComponent(jLabel17)))
        .addComponent(jLabel16))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_S
IZE, Short.MAX_VALUE))
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel11Layout.createSequentialGroup()
        .addPreferredGap(javax.swing.LayoutStyle.Component
Placement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addComponent(jPanel13,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)

```

```

        .addContainerGap()))
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addComponent(jPanel2,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap())
    );
jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addComponent(jPanel2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
            .addGroup(jPanel1Layout.createSequentialGroup()
                .addComponent(jLabel17)
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                .addComponent(jLabel18)
                .addGap(17, 17, 17))
            .addGroup(jPanel1Layout.createSequentialGroup()
                .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
                    .addComponent(jLabel15,
javax.swing.GroupLayout.PREFERRED_SIZE, 0, Short.MAX_VALUE)
                    .addComponent(jLabel11,
javax.swing.GroupLayout.PREFERRED_SIZE, 87,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addComponent(jLabel13,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.PREFERRED_SIZE, 89,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addComponent(jLabel15,

```

```

javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.PREFERRED_SIZE, 0, Short.MAX_VALUE)
    .addComponent(jLabel7,
javax.swing.GroupLayout.PREFERRED_SIZE, 0, Short.MAX_VALUE))
    .addGap(18, 18, 18)
    .addGroup(jPanel1Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createParallelGroup(ja
vax.swing.GroupLayout.Alignment.BASELINE)
    .addComponent(jLabel2)
    .addComponent(jLabel4))
    .addGroup(jPanel1Layout.createParallelGroup(ja
vax.swing.GroupLayout.Alignment.BASELINE)
    .addComponent(jLabel16)
    .addComponent(jLabel6))
    .addComponent(jLabel8))
    .addGap(20, 20, 20)))
    .addGroup(jPanel1Layout.createParallelGroup(javax.s
wing.GroupLayout.Alignment.TRAILING)
    .addGroup(jPanel1Layout.createSequentialGroup())
    .addGroup(jPanel1Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
    .addComponent(jLabel13)
    .addGroup(jPanel1Layout.createParallelGroup(ja
vax.swing.GroupLayout.Alignment.TRAILING, false)
    .addComponent(jLabel9,
javax.swing.GroupLayout.Alignment.LEADING,
javax.swing.GroupLayout.PREFERRED_SIZE, 0, Short.MAX_VALUE)
    .addComponent(jLabel11,
javax.swing.GroupLayout.PREFERRED_SIZE, 101,
javax.swing.GroupLayout.PREFERRED_SIZE)))
    .addGap(18, 18, 18)
    .addGroup(jPanel1Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
    .addComponent(jLabel10)
    .addComponent(jLabel14)
    .addComponent(jLabel12)))
    .addComponent(jPanel3,
javax.swing.GroupLayout.PREFERRED_SIZE,

```

```

javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))
    );

    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    );
    layout.setVerticalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel1, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );

    pack();
    setLocationRelativeTo(null);
} // </editor-fold>

private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new STAFFNAVIGATION().setVisible(true);
    dispose();
}

/**
 * @param args the command line arguments
 */
public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //<editor-fold defaultstate="collapsed" desc=" Look and feel
setting code (optional) ">
    /* If Nimbus (introduced in Java SE 6) is not available, stay with

```


the default look and feel.

* For details see

<http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.html>

```
    */
    try {
        for (javax.swing.UIManager.LookAndFeelInfo info :
            javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Nimbus".equals(info.getName())) {

                javax.swing.UIManager.setLookAndFeel(info.getClassName());
                break;
            }
        }
    } catch (ClassNotFoundException ex) {

        java.util.logging.Logger.getLogger(STAFFSCHEDULES.class.getName()).log
        (java.util.logging.Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {

        java.util.logging.Logger.getLogger(STAFFSCHEDULES.class.getName()).log
        (java.util.logging.Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {

        java.util.logging.Logger.getLogger(STAFFSCHEDULES.class.getName()).log
        (java.util.logging.Level.SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {

        java.util.logging.Logger.getLogger(STAFFSCHEDULES.class.getName()).log
        (java.util.logging.Level.SEVERE, null, ex);
    }
}
//</editor-fold>

/* Create and display the form */
java.awt.EventQueue.invokeLater(new Runnable() {
    public void run() {
        new STAFFSCHEDULES().setVisible(true);
    }
});
```

```

}

// Variables declaration - do not modify
private javax.swing.JButton jButton1;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel10;
private javax.swing.JLabel jLabel11;
private javax.swing.JLabel jLabel12;
private javax.swing.JLabel jLabel13;
private javax.swing.JLabel jLabel14;
private javax.swing.JLabel jLabel15;
private javax.swing.JLabel jLabel16;
private javax.swing.JLabel jLabel17;
private javax.swing.JLabel jLabel18;
private javax.swing.JLabel jLabel19;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
private javax.swing.JLabel jLabel5;
private javax.swing.JLabel jLabel6;
private javax.swing.JLabel jLabel7;
private javax.swing.JLabel jLabel8;
private javax.swing.JLabel jLabel9;
private javax.swing.JPanel jPanel1;
private javax.swing.JPanel jPanel2;
private javax.swing.JPanel jPanel3;
// End of variables declaration

}

```

VENUE DESCRIPTION

```
/*
```

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

```
*/ package javaapplication7;
```

```
import java.awt.Color;
```

```
/** *
```

- @author Douglas

```
*/ public class VENUEDESCRIPTION extends javax.swing.JFrame {
```

```
/**
```

```
 * Creates new form VENUEDESCRIPTION
```

```
 */
```

```
public VENUEDESCRIPTION() {  
    initComponents();  
}
```

```
/**
```

```
 * This method is called from within the constructor to initialize the  
form.
```

```
 * WARNING: Do NOT modify this code. The content of this method is  
always
```

```
 * regenerated by the Form Editor.
```

```
 */
```

```
@SuppressWarnings("unchecked")
```

```
// <editor-fold defaultstate="collapsed" desc="Generated Code">
```

```
private void initComponents() {
```

```
    jPanel1 = new javax.swing.JPanel();
```

```
    jPanel2 = new javax.swing.JPanel();
```

```
    jLabel1 = new javax.swing.JLabel();
```

```
    jLabel18 = new javax.swing.JLabel();
```

```
    jButton21 = new javax.swing.JButton();
```

```
    jButton22 = new javax.swing.JButton();
```

```
    jPanel3 = new javax.swing.JPanel();
```

```
    jButton10 = new javax.swing.JButton();
```

```
    jButton1 = new javax.swing.JButton();
```

```
    jPanel4 = new javax.swing.JPanel();
```

```
    jPanel7 = new javax.swing.JPanel();
```

```
    jLabel2 = new javax.swing.JLabel();
```

```
    jLabel5 = new javax.swing.JLabel();
```

```
    jLabel6 = new javax.swing.JLabel();
```

```
jLabel17 = new javax.swing.JLabel();
jLabel14 = new javax.swing.JLabel();
jPanel15 = new javax.swing.JPanel();
jPanel18 = new javax.swing.JPanel();
jLabel13 = new javax.swing.JLabel();
jLabel18 = new javax.swing.JLabel();
jLabel10 = new javax.swing.JLabel();
jLabel11 = new javax.swing.JLabel();
jLabel15 = new javax.swing.JLabel();
jLabel16 = new javax.swing.JLabel();
jPanel16 = new javax.swing.JPanel();
jPanel19 = new javax.swing.JPanel();
jLabel14 = new javax.swing.JLabel();
jLabel19 = new javax.swing.JLabel();
jLabel12 = new javax.swing.JLabel();
jLabel13 = new javax.swing.JLabel();
jLabel17 = new javax.swing.JLabel();
```

```
setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
```

```
jPanel1.setBackground(new java.awt.Color(255, 255, 255));
jPanel1.setBorder(javax.swing.BorderFactory.createLineBorder(new
java.awt.Color(0, 0, 0)));
```

```
jPanel2.setBackground(new java.awt.Color(0, 0, 0));
```

```
jLabel1.setFont(new java.awt.Font("Courier New", 1, 18)); //
NOI18N
```

```
jLabel1.setForeground(new java.awt.Color(255, 255, 255));
jLabel1.setText("GUSTO GROVE AND DINE:");
```

```
jLabel18.setFont(new java.awt.Font("Courier New", 2, 24)); //
NOI18N
```

```
jLabel18.setForeground(new java.awt.Color(255, 204, 51));
jLabel18.setText("DESCRIPTION");
```

```
jButton21.setBackground(new java.awt.Color(255, 204, 51));
jButton21.setFont(new java.awt.Font("Courier New", 1, 14)); //
```

NOI18N

```
jButton21.setForeground(new java.awt.Color(255, 255, 255));
jButton21.setText("DARK");
jButton21.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton21ActionPerformed(evt);
    }
});
```

```
jButton22.setBackground(new java.awt.Color(255, 204, 51));
jButton22.setFont(new java.awt.Font("Courier New", 1, 14)); //
```

NOI18N

```
jButton22.setForeground(new java.awt.Color(255, 255, 255));
jButton22.setText("LIGHT");
jButton22.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton22ActionPerformed(evt);
    }
});
```

```
javax.swing.GroupLayout jPanel2Layout = new
javax.swing.GroupLayout(jPanel2);
jPanel2.setLayout(jPanel2Layout);
jPanel2Layout.setHorizontalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addGap(18, 18, 18)
        .addComponent(jLabel11,
javax.swing.GroupLayout.PREFERRED_SIZE, 248,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jLabel18,
javax.swing.GroupLayout.PREFERRED_SIZE, 186,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jButton21,
javax.swing.GroupLayout.PREFERRED_SIZE, 95,
```

```

javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jButton22,
javax.swing.GroupLayout.PREFERRED_SIZE, 92,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(21, Short.MAX_VALUE))
    );
    jPanel2Layout.setVerticalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel2Layout.createSequentialGroup()
            .addContainerGap()
            .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
                .addComponent(jButton21)
                .addComponent(jButton22))
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel2Layout.createSequentialGroup()
            .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
                .addComponent(jLabel1,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                .addComponent(jLabel18))
            .addGap(75, 75, 75))
    );

jPanel3.setBackground(new java.awt.Color(0, 0, 0));
jPanel3.setForeground(new java.awt.Color(255, 204, 51));

jButton10.setBackground(new java.awt.Color(255, 204, 0));
jButton10.setFont(new java.awt.Font("Courier New", 1, 18)); //
NOI18N
jButton10.setForeground(new java.awt.Color(255, 255, 255));
jButton10.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/ICONS/b2.png"))); //

```

NOI18N

```
        jButton10.addActionListener(new java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent evt) {
                jButton10ActionPerformed(evt);
            }
        });

        jButton1.setBackground(new java.awt.Color(255, 204, 51));
        jButton1.setFont(new java.awt.Font("Tahoma", 0, 18)); // NOI18N
        jButton1.setForeground(new java.awt.Color(255, 255, 255));
        jButton1.setText("NEXT");
        jButton1.addActionListener(new java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent evt) {
                jButton1ActionPerformed(evt);
            }
        });

        javax.swing.GroupLayout jPanel3Layout = new
        javax.swing.GroupLayout(jPanel3);
        jPanel3.setLayout(jPanel3Layout);
        jPanel3Layout.setHorizontalGroup(

        jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel3Layout.createSequentialGroup()
                .addGap(63, 63, 63)
                .addComponent(jButton10,
                    javax.swing.GroupLayout.PREFERRED_SIZE, 151,
                    javax.swing.GroupLayout.PREFERRED_SIZE)
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
                    javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                .addComponent(jButton1,
                    javax.swing.GroupLayout.PREFERRED_SIZE, 165,
                    javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(62, 62, 62))
            );
        jPanel3Layout.setVerticalGroup(

        jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```

ADING)
        .addGroup(jPanel3Layout.createSequentialGroup()
            .addContainerGap()
            .addGroup(jPanel3Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
                .addComponent(jButton10,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                .addComponent(jButton1,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
            .addContainerGap())
    );

    jPanel4.setBackground(new java.awt.Color(255, 204, 51));

    jPanel7.setBackground(new java.awt.Color(0, 0, 0));

    jLabel2.setForeground(new java.awt.Color(255, 204, 51));
    jLabel2.setText("VENUE 1");

    jLabel5.setForeground(new java.awt.Color(255, 204, 51));
    jLabel5.setText("NOT STUDENT FRIENDLY");

    jLabel6.setForeground(new java.awt.Color(255, 204, 51));
    jLabel6.setText("FOR TOP/MEDIUM CLASS");

    jLabel7.setForeground(new java.awt.Color(255, 204, 51));
    jLabel7.setText("FOOD INCLUDED");

    jLabel14.setForeground(new java.awt.Color(255, 204, 51));
    jLabel14.setText("ALL PASS");

    javax.swing.GroupLayout jPanel7Layout = new
javax.swing.GroupLayout(jPanel7);
    jPanel7.setLayout(jPanel7Layout);
    jPanel7Layout.setHorizontalGroup(

jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)

```



```

        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel7Layout.createSequentialGroup()
        .addGap(0, 33, Short.MAX_VALUE)
        .addGroup(jPanel7Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
        .addComponent(jLabel16)
        .addComponent(jLabel15))
        .addGap(27, 27, 27))
        .addGroup(jPanel7Layout.createSequentialGroup()
        .addGroup(jPanel7Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
        .addGroup(jPanel7Layout.createSequentialGroup()
        .addGap(67, 67, 67)
        .addComponent(jLabel12))
        .addGroup(jPanel7Layout.createSequentialGroup()
        .addGap(50, 50, 50)
        .addComponent(jLabel17))
        .addGroup(jPanel7Layout.createSequentialGroup()
        .addGap(68, 68, 68)
        .addComponent(jLabel14)))
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
        jPanel7Layout.setVerticalGroup(

jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
        .addGroup(jPanel7Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jLabel12)
        .addGap(18, 18, 18)
        .addComponent(jLabel15)
        .addGap(28, 28, 28)
        .addComponent(jLabel16)
        .addGap(30, 30, 30)
        .addComponent(jLabel14)
        .addGap(39, 39, 39)
        .addComponent(jLabel17)
        .addContainerGap(48, Short.MAX_VALUE))

```

```

    );

    javax.swing.GroupLayout jPanel4Layout = new
javax.swing.GroupLayout(jPanel4);
    jPanel4.setLayout(jPanel4Layout);
    jPanel4Layout.setHorizontalGroup(

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel4Layout.createSequentialGroup()
            .addGap()
            .addComponent(jPanel7,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addGap())
        );
    jPanel4Layout.setVerticalGroup(

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel4Layout.createSequentialGroup()
            .addGap()
            .addComponent(jPanel7,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );

    jPanel5.setBackground(new java.awt.Color(255, 204, 51));

    jPanel8.setBackground(new java.awt.Color(0, 0, 0));

    jLabel3.setForeground(new java.awt.Color(255, 204, 102));
    jLabel3.setText("VENUE 2");

    jLabel8.setForeground(new java.awt.Color(255, 204, 51));
    jLabel8.setText("NOT BUDGET FRIENDLY");

```

```
jLabel10.setForeground(new java.awt.Color(255, 204, 51));
jLabel10.setText("MEDIUM CLASS ACTIVITIES");

jLabel11.setText("jLabel11");

jLabel15.setForeground(new java.awt.Color(255, 204, 51));
jLabel15.setText("HALF PASS");

jLabel16.setForeground(new java.awt.Color(255, 204, 51));
jLabel16.setText("LIMITED FOOD INCLUDED");

javax.swing.GroupLayout jPanel8Layout = new
javax.swing.GroupLayout(jPanel8);
jPanel8.setLayout(jPanel8Layout);
jPanel8Layout.setHorizontalGroup(

jPanel8Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel8Layout.createSequentialGroup()
        .addGroup(jPanel8Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel8Layout.createSequentialGroup()
                .addGroup(jPanel8Layout.createSequentialGroup()
                    .addGap(68, 68, 68)
                    .addComponent(jLabel13))
                .addGroup(jPanel8Layout.createSequentialGroup()
                    .addGap(25, 25, 25)
                    .addGroup(jPanel8Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                        .addComponent(jLabel10)
                        .addComponent(jLabel11)
                        .addComponent(jLabel16)
                        .addGroup(jPanel8Layout.createSequentialGroup()
                            .addGroup(jPanel8Layout.createSequentialGroup()
                                .addGap(9, 9, 9)
                                .addComponent(jLabel8))))
                    .addGroup(jPanel8Layout.createSequentialGroup()
                        .addGap(61, 61, 61)
                        .addComponent(jLabel15)))
```

```

        .addContainerGap(22, Short.MAX_VALUE))
    );
    jPanel8Layout.setVerticalGroup(

jPanel8Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel8Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jLabel13)
        .addGap(27, 27, 27)
        .addComponent(jLabel18)
        .addGap(33, 33, 33)
        .addComponent(jLabel110)
        .addGap(19, 19, 19)
        .addComponent(jLabel115)
        .addGap(18, 18, 18)
        .addComponent(jLabel111)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
        .addComponent(jLabel116)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
    );

    javax.swing.GroupLayout jPanel15Layout = new
    javax.swing.GroupLayout(jPanel15);
    jPanel15.setLayout(jPanel15Layout);
    jPanel15Layout.setHorizontalGroup(

jPanel15Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel15Layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jPanel18,
    javax.swing.GroupLayout.DEFAULT_SIZE,
    javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addContainerGap())
    );
    jPanel15Layout.setVerticalGroup(

```

```
jPanel15Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(jPanel15Layout.createSequentialGroup()  
        .addContainerGap()  
        .addComponent(jPanel18,  
javax.swing.GroupLayout.DEFAULT_SIZE,  
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)  
        .addContainerGap()  
    );
```

```
jPanel16.setBackground(new java.awt.Color(255, 204, 51));
```

```
jPanel19.setBackground(new java.awt.Color(0, 0, 0));
```

```
jLabel4.setForeground(new java.awt.Color(255, 204, 51));  
jLabel4.setText("VENUE 3");
```

```
jLabel9.setForeground(new java.awt.Color(255, 204, 51));  
jLabel9.setText("VERY BUDGET FRIENDLY");
```

```
jLabel12.setForeground(new java.awt.Color(255, 204, 51));  
jLabel12.setText("FREE FOOD 1ST NIGHT");
```

```
jLabel13.setForeground(new java.awt.Color(255, 204, 51));  
jLabel13.setText("NO PASS");
```

```
jLabel17.setForeground(new java.awt.Color(255, 204, 51));  
jLabel17.setText("FOOD EXCLUDED");
```

```
javax.swing.GroupLayout jPanel19Layout = new  
javax.swing.GroupLayout(jPanel19);  
jPanel19.setLayout(jPanel19Layout);  
jPanel19Layout.setHorizontalGroup
```

```
jPanel19Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(jPanel19Layout.createSequentialGroup()  
        .addGroup(jPanel19Layout.createParallelGroup(javax.swing.Gr
```

```

oupLayout.Alignment.LEADING)
    .addGroup(jPanel9Layout.createSequentialGroup())
        .addGap(70, 70, 70)
        .addComponent(jLabel4))
    .addGroup(jPanel9Layout.createSequentialGroup())
        .addGap(26, 26, 26)
        .addGroup(jPanel9Layout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
            .addComponent(jLabel12)
            .addComponent(jLabel9)
            .addGroup(jPanel9Layout.createSequentialGroup(
)
                .addGap(37, 37, 37)
                .addComponent(jLabel13))))
    .addGroup(jPanel9Layout.createSequentialGroup())
        .addGap(35, 35, 35)
        .addComponent(jLabel17)))
    .addContainerGap(34, Short.MAX_VALUE))
);
jPanel9Layout.setVerticalGroup(

jPanel9Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
    .addGroup(jPanel9Layout.createSequentialGroup())
        .addContainerGap()
        .addComponent(jLabel4)
        .addGap(27, 27, 27)
        .addComponent(jLabel9)
        .addGap(28, 28, 28)
        .addComponent(jLabel12)
        .addGap(18, 18, 18)
        .addComponent(jLabel13)
        .addGap(44, 44, 44)
        .addComponent(jLabel17)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
);

javax.swing.GroupLayout jPanel6Layout = new

```

```

javax.swing.GroupLayout(jPanel6);
    jPanel6.setLayout(jPanel6Layout);
    jPanel6Layout.setHorizontalGroup(

jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel6Layout.createSequentialGroup()
        .addGap()
        .addComponent(jPanel9,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
    jPanel6Layout.setVerticalGroup(

jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel6Layout.createSequentialGroup()
        .addGap()
        .addComponent(jPanel9,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addGap())
    );

    javax.swing.GroupLayout jPanel11Layout = new
javax.swing.GroupLayout(jPanel11);
    jPanel11.setLayout(jPanel11Layout);
    jPanel11Layout.setHorizontalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel11Layout.createSequentialGroup()
        .addGap()
        .addComponent(jPanel14,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,

```

```

javax.swing.GroupLayout.PREFERRED_SIZE)
    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacemen
t.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    .addComponent(jPanel15,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addGap(28, 28, 28)
    .addComponent(jPanel16,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addGap(29, 29, 29))
    .addComponent(jPanel12, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    .addComponent(jPanel13, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );
jPanel11Layout.setVerticalGroup(

jPanel11Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
    .addGroup(jPanel11Layout.createSequentialGroup()
        .addComponent(jPanel12,
javax.swing.GroupLayout.PREFERRED_SIZE, 39,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(37, 37, 37)
        .addGroup(jPanel11Layout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING, false)
            .addComponent(jPanel15,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jPanel16,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jPanel14,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
    )

```



```

        .addGap(18, 18, 18)
        .addComponent(jPanel13,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
    );

    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    );
    layout.setVerticalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    );

    pack();
    setLocationRelativeTo(null);
} // </editor-fold>

private void jButton21ActionPerformed(java.awt.event.ActionEvent evt)
{
    // TODO add your handling code here:
    jPanel1.setBackground(Color.gray);
    jPanel2.setBackground(Color.gray);
    jPanel4.setBackground(Color.gray);
    jPanel6.setBackground(Color.gray);
}

private void jButton22ActionPerformed(java.awt.event.ActionEvent evt)
{

```

```

        // TODO add your handling code here:
        jPanel1.setBackground(Color.white);
        jPanel2.setBackground(Color.black);
        jPanel4.setBackground(Color.black);
        jPanel6.setBackground(Color.black);
    }

    private void jButton10ActionPerformed(java.awt.event.ActionEvent evt)
    {
        // TODO add your handling code here:
        new Bookings().setVisible(true);
        dispose();
    }

    private void jButton1ActionPerformed(java.awt.event.ActionEvent evt)
    {
        // TODO add your handling code here:
        new BOOKINGINFORMATION().setVisible(true);
        dispose();
    }

    /**
     * @param args the command line arguments
     */
    public static void main(String args[]) {
        /* Set the Nimbus look and feel */
        //<editor-fold defaultstate="collapsed" desc=" Look and feel
        setting code (optional) ">
        /* If Nimbus (introduced in Java SE 6) is not available, stay with
        the default look and feel.
         * For details see
http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.ht
        ml
         */
        try {
            for (javax.swing.UIManager.LookAndFeelInfo info :
            javax.swing.UIManager.getInstalledLookAndFeels()) {
                if ("Nimbus".equals(info.getName())) {

```

```

javax.swing.UIManager.setLookAndFeel(info.getClassName());
            break;
        }
    }
} catch (ClassNotFoundException ex) {

java.util.logging.Logger.getLogger(VENUEDESCRIPTION.class.getName()).l
og(java.util.logging.Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {

java.util.logging.Logger.getLogger(VENUEDESCRIPTION.class.getName()).l
og(java.util.logging.Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {

java.util.logging.Logger.getLogger(VENUEDESCRIPTION.class.getName()).l
og(java.util.logging.Level.SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {

java.util.logging.Logger.getLogger(VENUEDESCRIPTION.class.getName()).l
og(java.util.logging.Level.SEVERE, null, ex);
    }
}
//</editor-fold>

/* Create and display the form */
java.awt.EventQueue.invokeLater(new Runnable() {
    public void run() {
        new VENUEDESCRIPTION().setVisible(true);
    }
});
}

// Variables declaration - do not modify
private javax.swing.JButton jButton1;
private javax.swing.JButton jButton10;
private javax.swing.JButton jButton21;
private javax.swing.JButton jButton22;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel10;
private javax.swing.JLabel jLabel11;

```

```
private javax.swing.JLabel jLabel12;
private javax.swing.JLabel jLabel13;
private javax.swing.JLabel jLabel14;
private javax.swing.JLabel jLabel15;
private javax.swing.JLabel jLabel16;
private javax.swing.JLabel jLabel17;
private javax.swing.JLabel jLabel18;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
private javax.swing.JLabel jLabel5;
private javax.swing.JLabel jLabel6;
private javax.swing.JLabel jLabel7;
private javax.swing.JLabel jLabel8;
private javax.swing.JLabel jLabel9;
private javax.swing.JPanel jPanel1;
private javax.swing.JPanel jPanel2;
private javax.swing.JPanel jPanel3;
private javax.swing.JPanel jPanel4;
private javax.swing.JPanel jPanel5;
private javax.swing.JPanel jPanel6;
private javax.swing.JPanel jPanel7;
private javax.swing.JPanel jPanel8;
private javax.swing.JPanel jPanel9;
// End of variables declaration
```

```
}
```

HELP

```
/*
```

- To change this license header, choose License Headers in Project Properties.
- To change this template file, choose Tools | Templates
- and open the template in the editor.

```
*/ package javaapplication7;
```

```
/** *
```

- @author Douglas

```
*/ public class HELP extends javax.swing.JFrame {

/**
 * Creates new form HELP
 */
public HELP() {
    initComponents();
}

/**
 * This method is called from within the constructor to initialize the
form.
 * WARNING: Do NOT modify this code. The content of this method is
always
 * regenerated by the Form Editor.
 */
@SuppressWarnings("unchecked")
// <editor-fold defaultstate="collapsed" desc="Generated Code">
private void initComponents() {

    jPanel1 = new javax.swing.JPanel();
    jPanel2 = new javax.swing.JPanel();
    jLabel1 = new javax.swing.JLabel();
    jPanel3 = new javax.swing.JPanel();
    jButton1 = new javax.swing.JButton();
    jLabel2 = new javax.swing.JLabel();
    jLabel3 = new javax.swing.JLabel();
    jLabel4 = new javax.swing.JLabel();
    jLabel5 = new javax.swing.JLabel();
    jLabel6 = new javax.swing.JLabel();
    jLabel7 = new javax.swing.JLabel();

    setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);

    jPanel1.setBackground(new java.awt.Color(255, 255, 255));
```

```

jPanel2.setBackground(new java.awt.Color(0, 0, 0));

jLabel1.setFont(new java.awt.Font("Tahoma", 1, 18)); // NOI18N
jLabel1.setForeground(new java.awt.Color(255, 204, 0));
jLabel1.setText("HELP?");

javax.swing.GroupLayout jPanel2Layout = new
javax.swing.GroupLayout(jPanel2);
jPanel2.setLayout(jPanel2Layout);
jPanel2Layout.setHorizontalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addGap(258, 258, 258)
        .addComponent(jLabel1)
        .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );
jPanel2Layout.setVerticalGroup(

jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addGap()
        .addComponent(jLabel1)
        .addGap(28, Short.MAX_VALUE))
    );

jPanel3.setBackground(new java.awt.Color(0, 0, 0));

jButton1.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/ICONS/b2.png"))); //
NOI18N
jButton1.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton1ActionPerformed(evt);
    }
});

```

```

        javax.swing.GroupLayout jPanel3Layout = new
javax.swing.GroupLayout(jPanel3);
        jPanel3.setLayout(jPanel3Layout);
        jPanel3Layout.setHorizontalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel3Layout.createSequentialGroup()
            .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
            .addComponent(jButton1)
            .addGap())
        );
        jPanel3Layout.setVerticalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel3Layout.createSequentialGroup()
            .addGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
            .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 64,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap())
        );

        jLabel2.setText("6.STAFF DEROGATORY CAN BE USED TO NAVIGATE
THROUGH APP.");

        jLabel3.setText("1.EACH LOGIN PAGE SHOULD BE FILED IN AS REQUIRED
WITH THE CORRECT INFORMATION.");

        jLabel4.setText("2.ENTER RELEVANT INFORMATION IN THE SIGN UP
PAGE .");

        jLabel5.setText("3.IT IS IMPORTANT TO ENTER A QUANTITY OF YOUR
CHOICE TO FURTHER INFORMATION.");

```

```
jLabel6.setText("4.THE SLIP WILL DISPLAY YOU  NUMBER AND CALCULATE  
YOUR QUANTITY AS REQUIRED TO DO SO.");
```

```
jLabel7.setText("5.CLICK ON DEROGRATORY TO NAVIGATE THE  
APPLICATION.");
```

```
javax.swing.GroupLayout jPanel1Layout = new  
javax.swing.GroupLayout(jPanel1);  
jPanel1.setLayout(jPanel1Layout);  
jPanel1Layout.setHorizontalGroup(  
  
jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
    .addGroup(jPanel1Layout.createSequentialGroup()  
        .addGap(70, 70, 70)  
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
            .addComponent(jLabel14)  
            .addComponent(jLabel15)  
            .addComponent(jLabel16)  
            .addComponent(jLabel13)  
            .addGroup(jPanel1Layout.createSequentialGroup()  
                .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
                    .addComponent(jLabel17)  
                    .addComponent(jLabel12))  
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, 141, Short.MAX_VALUE)  
                .addComponent(jPanel13, javax.swing.GroupLayout.PREFERRED_SIZE, javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)  
                .addContainerGap()))  
            .addComponent(jPanel12, javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)  
        );  
jPanel1Layout.setVerticalGroup(  

```



```

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addComponent(jPanel2,
            javax.swing.GroupLayout.PREFERRED_SIZE,
            javax.swing.GroupLayout.DEFAULT_SIZE,
            javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel1Layout.createSequentialGroup()
                .addGap(33, 33, 33)
                .addComponent(jLabel3)
                .addGap(18, 18, 18)
                .addComponent(jLabel4)
                .addGap(18, 18, 18)
                .addComponent(jLabel5)
                .addGap(18, 18, 18)
                .addComponent(jLabel6)
                .addGap(18, 18, 18)
                .addComponent(jLabel7)
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
                .addComponent(jLabel2)
                .addContainerGap(39, Short.MAX_VALUE))
            .addGroup(jPanel1Layout.createSequentialGroup()
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                .addComponent(jPanel3,
                    javax.swing.GroupLayout.PREFERRED_SIZE,
                    javax.swing.GroupLayout.DEFAULT_SIZE,
                    javax.swing.GroupLayout.PREFERRED_SIZE)
                .addContainerGap()))))
    );

javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
getContentPane().setLayout(layout);
layout.setHorizontalGroup(

```

```

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(layout.createSequentialGroup()
        .addComponent(jPanel1,
            javax.swing.GroupLayout.PREFERRED_SIZE,
            javax.swing.GroupLayout.DEFAULT_SIZE,
            javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(0, 0, Short.MAX_VALUE))
    );
layout.setVerticalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addComponent(jPanel1, javax.swing.GroupLayout.DEFAULT_SIZE,
        javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );

    pack();
    setLocationRelativeTo(null);
} // </editor-fold>

private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
    new NAVIGATION().setVisible(true);
    dispose();
}

/**
 * @param args the command line arguments
 */
public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //<editor-fold defaultstate="collapsed" desc=" Look and feel
    setting code (optional) ">
    /* If Nimbus (introduced in Java SE 6) is not available, stay with
    the default look and feel.
    * For details see
http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.ht
    ml
    */

```

```

        try {
            for (javax.swing.UIManager.LookAndFeelInfo info :
                javax.swing.UIManager.getInstalledLookAndFeels()) {
                if ("Nimbus".equals(info.getName())) {

javax.swing.UIManager.setLookAndFeel(info.getClassName());
                    break;
                }
            }
        } catch (ClassNotFoundException ex) {

java.util.logging.Logger.getLogger(HELP.class.getName()).log(java.util
    .logging.Level.SEVERE, null, ex);
        } catch (InstantiationException ex) {

java.util.logging.Logger.getLogger(HELP.class.getName()).log(java.util
    .logging.Level.SEVERE, null, ex);
        } catch (IllegalAccessException ex) {

java.util.logging.Logger.getLogger(HELP.class.getName()).log(java.util
    .logging.Level.SEVERE, null, ex);
        } catch (javax.swing.UnsupportedLookAndFeelException ex) {

java.util.logging.Logger.getLogger(HELP.class.getName()).log(java.util
    .logging.Level.SEVERE, null, ex);
        }
    }
}

//</editor-fold>

/* Create and display the form */
java.awt.EventQueue.invokeLater(new Runnable() {
    public void run() {
        new HELP().setVisible(true);
    }
});
}

// Variables declaration - do not modify
private javax.swing.JButton jButton1;
private javax.swing.JLabel jLabel1;

```

```
private javax.swing.JLabel jLabel2;  
private javax.swing.JLabel jLabel3;  
private javax.swing.JLabel jLabel4;  
private javax.swing.JLabel jLabel5;  
private javax.swing.JLabel jLabel6;  
private javax.swing.JLabel jLabel7;  
private javax.swing.JPanel jPanel1;  
private javax.swing.JPanel jPanel2;  
private javax.swing.JPanel jPanel3;  
// End of variables declaration  
  
}
```

XAMPP APPLICATION

```
CREATE DATABASE RESTAURANT_MANAGEMENT;  
USE RESTAURANT_MANAGEMENT;  
  
CREATE TABLE CUSTOMER_RECORD (  
    CUSTOMER_ID INT AUTO_INCREMENT PRIMARY KEY,  
    FIRST_NAME VARCHAR(50) NOT NULL,  
    LAST_NAME VARCHAR(50) NOT NULL,  
    GENDER VARCHAR(50) NOT NULL,  
    DATE_OF_BIRTH DATE NOT NULL,  
    CUSTOMER_ORDER VARCHAR(100) NOT NULL  
);  
  
CREATE TABLE LINK_SIGNUP(  
    LINK_SIGNUP_ID INT AUTO_INCREMENT PRIMARY KEY,  
    EMAIL VARCHAR(50) NOT NULL,  
    PASSWORD INT(20) NOT NULL,  
    CONFIRM_PASSWORD INT NOT NULL  
);  
  
CREATE TABLE LINK_SURVEY(  
    LINK_SURVEY_ID INT AUTO_INCREMENT PRIMARY KEY,  
    MEAT VARCHAR(10) NOT NULL,  
    PICKY VARCHAR(10) NOT NULL,  
    DIET VARCHAR(10) NOT NULL,  
    COMPLEXION VARCHAR(20) NOT NULL,  
    GLUCOSE VARCHAR(10) NOT NULL,
```

```
    ALLEGY VARCHAR(50) NOT NULL
);

CREATE TABLE LINK_STAFF_SIGNUP(
    LINK_STAFF_SIGNUP_ID INT AUTO_INCREMENT PRIMARY KEY,
    EMAIL VARCHAR(50) NOT NULL,
    PASSWORD INT(20) NOT NULL,
    CONFIRM_PASSWORD INT NOT NULL
);

CREATE TABLE MENU (
    MENU_ID INT AUTO_INCREMENT PRIMARY KEY,
    FOOD_NAME VARCHAR(50) NOT NULL,
    FOOD_COURSE_MEAL VARCHAR(50) NOT NULL,
    SLIP_EXPIRY_DATE DATE NOT NULL,
    ALLERGENS VARCHAR(50) NOT NULL,
    PRICE INT(10) NOT NULL
);

CREATE TABLE BEVERAGE (
    BEVERAGE_ID VARCHAR(50) PRIMARY KEY,
    BEVERAGE_NAME_PG13 VARCHAR(50) NOT NULL,
    BEVERAGE_NAME_PG18 VARCHAR(50) NOT NULL,
    BEVERAGE_WEIGHT VARCHAR(50) NOT NULL,
    MAXIMUM_BEVERAGE_PER_CUSTOMER INT NOT NULL,
    PRICE INT(10) NOT NULL
);

CREATE TABLE STAFF_INFORMATION (
    STAFF_ID VARCHAR(50) PRIMARY KEY,
    STAFF_NAME VARCHAR(50) NOT NULL,
    STAFF_SURNAME VARCHAR(50) NOT NULL,
    STAFF_DATE_OF_BIRTH DATE NOT NULL,
    FIELD VARCHAR(100) NOT NULL,
    STAFF_SHIFT TIME NOT NULL,
    STAFF_BREAK TIME NOT NULL
);

CREATE TABLE BILLING_DATA (
    BILLING_DATA_ID VARCHAR(25) PRIMARY KEY,
    BILLING_DATA_DATE DATE NOT NULL,
    BILLING_PRICE FLOAT NOT NULL,
    DATE_OF_ORDER DATE NOT NULL
```

```
);
```

```
CREATE TABLE BOOKING_SCHEDULE (  
    BOOKING_SCHEDULE_ID VARCHAR(30) PRIMARY KEY,  
    CUSTOMER_ID INT NOT NULL,  
    MENU_ID INT NOT NULL,  
    BEVERAGE_ID VARCHAR(50) NOT NULL,  
    STAFF_ID VARCHAR(50) NOT NULL,  
    BILLING_DATA_ID VARCHAR(25) NOT NULL,  
    LINK_SIGNUP_ID INT NOT NULL,  
    LINK_SURVEY_ID INT NOT NULL,  
    LINK_STAFF_SIGNUP INT NOT NULL,  
    REVIEW INT(10) NOT NULL,  
    BOOKING_DATE DATE,  
    KEY (CForeign UStomer_ID) REFERENCES CUSTOMER_RECORD(CUSTOMER_ID),  
    FOREIGN KEY (MENU_ID) REFERENCES MENU(MENU_ID),  
    FOREIGN KEY (BEVERAGE_ID) REFERENCES BEVERAGE(BEVERAGE_ID),  
    FOREIGN KEY (STAFF_ID) REFERENCES STAFF(STAFF_ID),  
    FOREIGN KEY (BILLING_DATA_ID) REFERENCES BILLING_DATA(BILLING_DATA_ID)  
    FOREIGN KEY (LINK_SIGNUP_ID) REFERENCES LINK_SIGNUP(LINK_SIGNUP_ID),  
    FOREIGN KEY (LINK_SURVEY_ID) REFERENCES LINK_SURVEY(LINK_SURVEY_ID),  
    FOREIGN KEY (LINK_STAFF_SIGNUP_ID) REFERENCES  
LINK_STAFF_SIGNUP(LINK_STAFF_SIGNUP_ID)  
);
```

```
INSERT INTO CUSTOMER_RECORD (FIRST_NAME, LAST_NAME, GENDER, DATE_OF_BIRTH,  
CUSTOMER_ORDER) VALUES  
( 'John', 'Smith', 'Male', '1990-05-12', 'Pancakes'),  
( 'Mary', 'Johnson', 'Female', '1988-09-21', 'French Toast'),  
( 'David', 'Brown', 'Male', '1995-02-10', 'Steak and Fries'),  
( 'Linda', 'Taylor', 'Female', '2000-04-08', 'Greek Salad'),  
( 'James', 'Anderson', 'Male', '1987-07-15', 'Fish and Chips'),  
( 'Patricia', 'Thomas', 'Female', '1993-01-11', 'Beef Burger& Chips'),  
( 'Michael', 'Jackson', 'Male', '1982-03-09', 'Chicken Curry & Rice'),  
( 'Sarah', 'White', 'Female', '1999-11-23', 'Margerita Pizza'),  
( 'Robert', 'Harris', 'Male', '1991-06-30', 'Chicken Schnitzel'),  
( 'Jessica', 'Clark', 'Female', '1998-10-14', 'Breakfast Wrap'),  
( 'William', 'Lewis', 'Male', '1994-09-02', 'Omellette & fillings'),  
( 'Nancy', 'Hall', 'Female', '1989-12-19', 'Spaghetti Bolognese'),  
( 'Christopher', 'Young', 'Male', '1992-08-16', 'Roast Beef'),  
( 'Karen', 'Allen', 'Female', '1997-03-22', 'Muesli Yorgurt& fruit'),  
( 'Joshua', 'King', 'Male', '1996-07-05', 'Vegetarian Pizza'),  
( 'Ashley', 'Scott', 'Female', '1993-11-09', 'Easy Crunch'),  
( 'Andrew', 'Green', 'Male', '1985-10-25', 'Pap & Wors'),
```

```
('Donna', 'Adams', 'Female', '1991-01-17', 'Bacon & Avocado Sandwich'),
('Steven', 'Nelson', 'Male', '1999-06-11', 'Prawn Pasta'),
('Emily', 'Baker', 'Female', '2001-09-29', 'Avocado Toast');
```

```
INSERT INTO MENU (FOOD_NAME, FOOD_COURSE_MEAL, SLIP_EXPIRY_DATE, ALLERGENS,PRICE)
VALUES
```

```
('Beef Burger & Chips', 'Meal', '2025-12-31', 'Gluten',245.00),
('Chicken Schnitzel', 'Meal', '2025-12-31', 'Gluten',345.00),
('Margherita Pizza', 'Meal', '2025-12-31', 'Dairy',210.00),
('Fish & Chips', 'Meal', '2025-12-31', 'Fish',190.00),
('Greek Salad', 'Meal', '2025-12-31', 'None',295.00),
('Bacon and Avocado Sandwich', 'Meal', '2025-12-31', 'Gluten',185.00),
('Spaghetti Bolognese', 'Meal', '2025-12-31', 'Gluten',165.00),
('Chicken Curry and Rice', 'Meal', '2025-12-31', 'None',145.00),
('Omelette & Fillings', 'Breakfast', '2025-12-31', 'Eggs',200.00),
('Pancakes', 'Breakfast', '2025-12-31', 'Gluten',184.00),
('French Toast', 'Breakfast', '2025-12-31', 'Eggs',176.00),
('Pap & Wors', 'Breakfast', '2025-12-31', 'None',150.00),
('Avocado Toast', 'Breakfast', '2025-12-31', 'Gluten',145.00),
('Muesli Yogurt & Fruit', 'Breakfast', '2025-12-31', 'Dairy',120.00),
('Breakfast Wrap', 'Breakfast', '2025-12-31', 'Gluten',140.00),
('Easy Crunch', 'Breakfast', '2025-12-31', 'Dairy',189.00),
('Vegetarian Pizza', 'Main Course', '2025-12-31', 'Gluten',123.00),
('Seafood Platter', 'Main Course', '2025-12-31', 'Shellfish',170.00),
('Cheeseburger', 'Snack', '2025-12-31', 'Dairy',130.00),
('Prawn Pasta', 'Main Course', '2025-12-31', 'Shellfish'180.00);
```

```
INSERT INTO STAFF_INFORMATION (EMPLOYEE_ID, EMPLOYEE_NAME, EMPLOYEE_SURNAME,
EMPLOYEE_DATE_OF_BIRTH, FIELD, EMPLOYEE_SHIFT, EMPLOYEE_BREAK,PRICE) VALUES
('E001', 'Chantell', 'Malepe', '2006-07-05', 'Founder', '08:00:00', '12:00:00'),
('E002', 'Iesego', 'Moatlhodi', '1990-04-09', 'Head Chef', '10:00:00',
'14:00:00'),
('E003', 'Jose', 'Katie', '1988-09-23', 'Head Manager', '09:00:00', '13:00:00'),
('E004', 'Nonjabulo', 'Ndlovu', '1992-05-10', 'Staff Manager', '12:00:00',
'16:00:00'),
('E005', 'Lucky', 'Sithole', '1991-07-19', 'Chauffer', '07:00:00', '11:00:00'),
('E006', 'Brandon', 'Peterson', '1989-08-25', 'Technical Support', '10:00:00',
'14:00:00'),
('E007', 'Rocky', 'Langa', '1994-02-11', 'Waiter', '08:00:00', '12:00:00'),
('E008', 'Katlego', 'Meletsi', '1993-11-30', 'Receptionist', '07:00:00',
'11:00:00'),
('E009', 'William', 'Adams', '1986-01-15', 'Dishwasher', '11:00:00', '15:00:00'),
('E010', 'Patricia', 'Young', '1990-03-05', 'Waitress', '09:00:00', '13:00:00'),
('E011', 'Andrew', 'Lewis', '1984-12-18', 'Chef', '08:00:00', '12:00:00'),
```

```
( 'E012', 'Donna', 'Clark', '1996-10-20', 'Hostess', '10:00:00', '14:00:00'),
( 'E013', 'Joshua', 'Nelson', '1992-07-07', 'Bartender', '12:00:00', '16:00:00'),
( 'E014', 'Ashley', 'Allen', '1998-11-11', 'Server', '09:00:00', '13:00:00'),
( 'E015', 'Karen', 'Thomas', '1991-09-01', 'Cashier', '10:00:00', '14:00:00'),
( 'E016', 'Christopher', 'Baker', '1987-04-29', 'Cook', '07:00:00', '11:00:00'),
( 'E017', 'Emily', 'Harris', '1995-08-03', 'Cleaner', '13:00:00', '17:00:00'),
( 'E018', 'Steven', 'Anderson', '1989-06-09', 'Manager', '09:00:00', '13:00:00'),
( 'E019', 'Nancy', 'Jackson', '1997-12-22', 'Waitress', '08:00:00', '12:00:00'),
( 'E020', 'David', 'Mitchell', '1988-02-14', 'Chef', '07:00:00', '11:00:00');
```

```
INSERT INTO BILLING_DATA (BILLING_DATA_ID, BILLING_DATA_DATE, BILLING_PRICE,
DATE_OF_ORDER) VALUES
```

```
( 'BD001', '2025-10-10', 250.50, '2025-10-10'),
( 'BD002', '2025-10-11', 300.00, '2025-10-11'),
( 'BD003', '2025-10-09', 180.75, '2025-10-09'),
( 'BD004', '2025-10-08', 520.20, '2025-10-08'),
( 'BD005', '2025-10-07', 110.00, '2025-10-07'),
( 'BD006', '2025-10-06', 260.60, '2025-10-06'),
( 'BD007', '2025-10-05', 340.40, '2025-10-05'),
( 'BD008', '2025-10-04', 170.25, '2025-10-04'),
( 'BD009', '2025-10-03', 295.90, '2025-10-03'),
( 'BD010', '2025-10-02', 410.10, '2025-10-02'),
( 'BD011', '2025-10-01', 250.50, '2025-10-01'),
( 'BD012', '2025-09-30', 380.00, '2025-09-30'),
( 'BD013', '2025-09-29', 420.00, '2025-09-29'),
( 'BD014', '2025-09-28', 275.25, '2025-09-28'),
( 'BD015', '2025-09-27', 150.00, '2025-09-27'),
( 'BD016', '2025-09-26', 320.80, '2025-09-26'),
( 'BD017', '2025-09-25', 500.10, '2025-09-25'),
( 'BD018', '2025-09-24', 260.60, '2025-09-24'),
( 'BD019', '2025-09-23', 180.20, '2025-09-23'),
( 'BD020', '2025-09-22', 310.00, '2025-09-22');
```

```
INSERT INTO BEVERAGE (BEVERAGE_ID, BEVERAGE_NAME_PG13, BEVERAGE_NAME_PG18,
BEVERAGE_WEIGHT, MAXIMUM_BEVERAGE_PER_CUSTOMER,PRICE) VALUES
```

```
( 'B001', 'Apple Juice', 'Beer', '500ml', 3,142.00),
( 'B002', 'Orange Juice', 'Wine', '350ml', 2,135.00),
( 'B003', 'Lemonade', 'Whiskey', '400ml', 6,248.00),
( 'B004', 'Iced Tea', 'Vodka', '300ml', 2,138.00,124.00),
( 'B005', 'Cola', 'Cider', '500ml', 3,140.00),
( 'B006', 'Milkshake', 'Gin', '400ml', 4,125.00),
( 'B007', 'Smoothie', 'Brandy', '450ml', 2,350.00),
( 'B008', 'Water', 'Rum', '500ml', 2,127.00),
( 'B009', 'Energy Drink', 'Cocktail', '350ml', 2,165.00),
```



```
(
'B010', 'Caned Drink', 'Tequila', '330ml', 2,143.00),
('B011', 'Fruit Punch', 'Beer', '500ml', 3,170.00),
('B012', 'Mango Juice', 'Champagne', '350ml', 4,135.00),
('B013', 'Berry Smoothie', 'Cognac', '400ml', 2,128.00),
('B014', 'Iced Coffee', 'Red Wine', '400ml', 5,150.00),
('B015', 'Lemon Water', 'White Wine', '500ml', 2,100.00),
('B016', 'Chocolate Milk', 'Rum', '300ml', 2,145.00),
('B017', 'Vanilla Shake', 'Whiskey', '400ml', 2,250.00),
('B018', 'Herbal Tea', 'Beer', '350ml', 3,200.00),
('B019', 'Soda Water', 'Gin', '500ml', 2,100.00),
('B020', 'Coconut Water', 'Cider', '450ml', 3,129.00);
```

```
INSERT INTO BOOKING_SCHEDULE (BOOKING_SCHEDULE_ID, CUSTOMER_ID, MENU_ID,
BEVERAGE_ID, EMPLOYEE_ID, BILLING_DATA_ID, REVIEW, BOOKING_DATE) VALUES
('BS001', 1, 1, 'B001', 'E001', 'BD001', 5, '2025-10-10'),
('BS002', 2, 2, 'B002', 'E002', 'BD002', 4, '2025-10-11'),
('BS003', 3, 3, 'B003', 'E003', 'BD003', 3, '2025-10-09'),
('BS004', 4, 4, 'B004', 'E004', 'BD004', 5, '2025-10-08'),
('BS005', 5, 5, 'B005', 'E005', 'BD005', 4, '2025-10-07'),
('BS006', 6, 6, 'B006', 'E006', 'BD006', 5, '2025-10-06'),
('BS007', 7, 7, 'B007', 'E007', 'BD007', 3, '2025-10-05'),
('BS008', 8, 8, 'B008', 'E008', 'BD008', 4, '2025-10-04'),
('BS009', 9, 9, 'B009', 'E009', 'BD009', 5, '2025-10-03'),
('BS010', 10, 10, 'B010', 'E010', 'BD010', 4, '2025-10-02'),
('BS011', 11, 11, 'B011', 'E011', 'BD011', 5, '2025-10-01'),
('BS012', 12, 12, 'B012', 'E012', 'BD012', 3, '2025-09-30'),
('BS013', 13, 13, 'B013', 'E013', 'BD013', 5, '2025-09-29'),
('BS014', 14, 14, 'B014', 'E014', 'BD014', 4, '2025-09-28'),
('BS015', 15, 15, 'B015', 'E015', 'BD015', 3, '2025-09-27'),
('BS016', 16, 16, 'B016', 'E016', 'BD016', 5, '2025-09-26'),
('BS017', 17, 17, 'B017', 'E017', 'BD017', 4, '2025-09-25'),
('BS018', 18, 18, 'B018', 'E018', 'BD018', 5, '2025-09-24'),
('BS019', 19, 19, 'B019', 'E019', 'BD019', 4, '2025-09-23'),
('BS020', 20, 20, 'B020', 'E020', 'BD020', 5, '2025-09-22');
```

```
INSERT INTO LINK_SIGNUP (EMAIL, PASSWORD, CONFIRM_PASSWORD) VALUES
('john.smith@gmail.com', '12345678', '12345678'),
('mary.johnson@gmail.com', '23456789', '23456789'),
('david.brown@gmail.com', '34567890', '34567890'),
('linda.taylor@gmail.com', '45678901', '45678901'),
('james.anderson@gmail.com', '56789012', '56789012'),
('patricia.thomas@gmail.com', '67890123', '67890123'),
('michael.jackson@gmail.com', '78901234', '78901234'),
('sarah.white@gmail.com', '89012345', '89012345');
```

```
('robert.harris@gmail.com', '90123456', '90123456'),
('jessica.clark@gmail.com', '11223344', '11223344'),
('william.lewis@gmail.com', '22334455', '22334455'),
('nancy.hall@gmail.com', '33445566', '33445566'),
('christopher.young@gmail.com', '44556677', '44556677'),
('karen.allen@gmail.com', '55667788', '55667788'),
('joshua.king@gmail.com', '66778899', '66778899'),
('ashley.scott@gmail.com', '77889900', '77889900'),
('andrew.green@gmail.com', '88990011', '88990011'),
('donna.adams@gmail.com', '99001122', '99001122'),
('steven.nelson@gmail.com', '10111213', '10111213'),
('emily.baker@gmail.com', '12131415', '12131415');
```

```
INSERT INTO LINK_STAFF_SIGNUP (EMAIL, PASSWORD, CONFIRM_PASSWORD) VALUES
('chantell@gmail.com', 458291, 458291),
('lesego@gmail.com', 937264, 937264),
('jose@gmail.com', 529184, 529184),
('nonjabulo@gmail.com', 840621, 840621),
('lucky@gmail.com', 290873, 290873),
('brandon@gmail.com', 615904, 615904),
('rocky@gmail.com', 384217, 384217),
('katlego@gmail.com', 910562, 910562),
('william@gmail.com', 746802, 746802),
('patricia@gmail.com', 239615, 239615),
('andrew@gmail.com', 873902, 873902),
('donna@gmail.com', 695143, 695143),
('joshua@gmail.com', 918407, 918407),
('ashley@gmail.com', 207536, 207536),
('karen@gmail.com', 380941, 380941),
('christopher@gmail.com', 742019, 742019),
('emily@gmail.com', 561872, 561872),
('steven@gmail.com', 896204, 896204),
('nancy@gmail.com', 314908, 314908),
('david@gmail.com', 627195, 627195);
```

WEBSITE

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Gusto Grove & Dine Restaurant</title>
```

```

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.2/css/all.min.css">
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swiper@11/swiper-bundle.min.css">
<link rel="stylesheet" href="css/Aura.css">
</head>
<body>
  <!-- Header Section -->
  <header class="header">
    <a href="#" class="logo">Gusto Grove & Dine</a>
    <nav class="navbar">
      <a href="#home" class="nav-link">Home</a>
      <a href="#about" class="nav-link">About</a>
      <a href="#Top-Menu" class="nav-link">Top Menu</a>
      <a href="#gallery" class="nav-link">Gallery</a>
      <a href="#Main-Menu" class="nav-link">Main Menu</a>
      <a href="#Staff" class="nav-link">Staff</a>
      <a href="#Review" class="nav-link">Review</a>
    </nav>
    <div id="menu-btn" class="fas fa-bars"></div>
  </header>

  <!-- Home Section -->
  <section class="home" id="home">
    <div class="swiper home-slider">
      <div class="swiper-wrapper">
        <div class="swiper-slide slide"
style="background:url('images/background.jpeg') no-repeat;">
          <div class="content">
            <span>Outstanding Food</span>
            <h3>Gusto Grove and Dine</h3>
            <span>Have dinner with us by the Ocean</span>
            <a href="#Main-Menu" class="btn">Get Started</a>
          </div>
        </div>
      </div>
      <div class="swiper-button-next"></div>
      <div class="swiper-button-prev"></div>
    </div>
  </section>

  <!-- About Section -->
  <section class="about" id="about">
    <div class="image">

```

```

        
    </div>
    <div class="content">
        <h3 class="title">Welcome to our restaurant</h3>
        <p>The <span>Gusto Grove and Dine</span> also known as the "Mucho
Gusto Grove" Restaurant first originated in the year 1994. It is a vintage
delicacy restaurant that deals with five star elite dishes with its chefs. It is
located near the ocean where it is quiet. This is a global restaurant. It is a
full midnight and morning restaurant.</p>
        <a href="#" class="btn">Read more</a>
        <div class="icons-container">
            <div class="icons">
                <i class="fas fa-utensils fa-4x" style="color: var(--primary-
color);"></i>
                <h3>Quality Food</h3>
            </div>
            <div class="icons">
                <i class="fas fa-glass-cheers fa-4x" style="color: var(--
primary-color);"></i>
                <h3>Food & Drinks</h3>
            </div>
            <div class="icons">
                <i class="fas fa-user-chef fa-4x" style="color: var(--
primary-color);"></i>
                <h3>Expert Chefs</h3>
            </div>
        </div>
    </div>
</section>

<!-- Top Menu Section -->
<section class="Top-Menu" id="Top-Menu">
    <div class="heading">
        <span>Popular dishes</span>
        <h3>Our top dishes of the month</h3>
        <h3>They are ranked from 1-5</h3>
    </div>
    <div class="swiper food-slider">
        <div class="swiper-wrapper">
            <div class="swiper-slide food-slide" data-name="food-1">
                
                <h3>Margherita Pizza</h3>
                <i class="fa-solid fa-star"></i>
                <i class="fa-solid fa-star"></i>
            </div>
        </div>
    </div>

```

```
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star-half-stroke"></i>
    </div>
    <div class="swiper-slide food-slide" data-name="food-2">
        
        <h3>Beef Burger & Chips</h3>
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star-half-stroke"></i>
    </div>
    <div class="swiper-slide food-slide" data-name="food-3">
        
        <h3>Chicken Schnitzel</h3>
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star-half-stroke"></i>
    </div>
    <div class="swiper-slide food-slide" data-name="food-4">
        
        <h3>Fish & Chips</h3>
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star-half-stroke"></i>
    </div>
    <div class="swiper-slide food-slide" data-name="food-5">
        
        <h3>Greek Salad</h3>
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star"></i>
        <i class="fa-solid fa-star-half-stroke"></i>
    </div>
</div>
<div class="swiper-pagination"></div>
</div>
</section>
```

```
<section class="gallery" id="gallery">
  <div class="heading">
    <span>Our gallery includes allergens</span>
    <h3>Our untold stories</h3>
  </div>
  <div class="gallery-container">
    <a href="gallery/food1.jpg" class="box">
      
      <div class="icon"><i class="fa-solid fa-plus"></i></div>
    </a>
    <a href="gallery/food2.jpg" class="box">
      
      <div class="icon"><i class="fa-solid fa-plus"></i></div>
    </a>
    <a href="gallery/food3.jpg" class="box">
      
      <div class="icon"><i class="fa-solid fa-plus"></i></div>
    </a>
    <a href="gallery/food4.jpg" class="box">
      
      <div class="icon"><i class="fa-solid fa-plus"></i></div>
    </a>
    <a href="gallery/food5.jpg" class="box">
      
      <div class="icon"><i class="fa-solid fa-plus"></i></div>
    </a>
    <a href="gallery/food6.jpg" class="box">
      
      <div class="icon"><i class="fa-solid fa-plus"></i></div>
    </a>
    <a href="gallery/food7.jpg" class="box">
      
      <div class="icon"><i class="fa-solid fa-plus"></i></div>
    </a>
    <a href="gallery/food8.jpg" class="box">
      
      <div class="icon"><i class="fa-solid fa-plus"></i></div>
    </a>
    <a href="gallery/food9.jpg" class="box">
      
      <div class="icon"><i class="fa-solid fa-plus"></i></div>
    </a>
  </div>
```

```

</section>

<!-- Main Menu Section -->
<section class="Main-Menu" id="Main-Menu">
  <h1 id="section">Menu</h1>
  <div id="menu_row">
    <!-- Breakfast Menu -->
    <div class="menu_col">
      <h2>Breakfast</h2>
      <div class="box">
        <div class="Item">
          
        </div>
        <div class="item-details">
          <h3>English Breakfast</h3>
          <div class="Price">R85</div>
          <button class="addCart" data-name="English Breakfast"
data-price="85">Add to Cart</button>
        </div>
      </div>
      <div class="box">
        <div class="Item">
          
        </div>
        <div class="item-details">
          <h3>Omelette with 3 Fillings</h3>
          <div class="Price">R70</div>
          <button class="addCart" data-name="Omelette with 3
Fillings" data-price="70">Add to Cart</button>
        </div>
      </div>
      <div class="box">
        <div class="Item">
          
        </div>
        <div class="item-details">
          <h3>Pancakes (With a KICK)</h3>
          <div class="Price">R55</div>
          <button class="addCart" data-name="Pancakes (With a
KICK)" data-price="55">Add to Cart</button>
        </div>
      </div>
    </div>
  </div>

```

```

        </div>
        <div class="box">
            <div class="Item">
                

                </div>
                <div class="item-details">
                    <h3>French Toast</h3>
                    <div class="Price">R65</div>
                    <button class="addCart" data-name="French Toast" data-
price="65">Add to Cart</button>
                </div>
            </div>
            <div class="box">
                <div class="Item">
                    

                </div>
                <div class="item-details">
                    <h3>Boerewors & Pap</h3>
                    <div class="Price">R75</div>
                    <button class="addCart" data-name="Boerewors & Pap" data-
price="75">Add to Cart</button>
                </div>
            </div>
            <div class="box">
                <div class="Item">
                    

                </div>
                <div class="item-details">
                    <h3>Avocado Toast</h3>
                    <div class="Price">R80</div>
                    <button class="addCart" data-name="Avocado Toast" data-
price="80">Add to Cart</button>
                </div>
            </div>
            <div class="box">
                <div class="Item">
                    

                </div>
                <div class="item-details">
                    <h3>Muesli Yogurt & Fresh Fruit</h3>

```



```

        <div class="Price">R60</div>
        <button class="addCart" data-name="Muesli Yogurt & Fresh
Fruit" data-price="60">Add to Cart</button>
    </div>
</div>
<div class="box">
    <div class="Item">
        
    </div>
    <div class="item-details">
        <h3>Breakfast Wrap</h3>
        <div class="Price">R68</div>
        <button class="addCart" data-name="Breakfast Wrap" data-
price="68">Add to Cart</button>
    </div>
</div>
</div>

<!-- Lunch Menu -->
<div class="menu_col">
    <h2>Lunch</h2>
    <div class="box">
        <div class="Item">
            
        </div>
        <div class="item-details">
            <h3>Beef Burger & Chips</h3>
            <div class="Price">R145</div>
            <button class="addCart" data-name="Beef Burger & Chips"
data-price="145">Add to Cart</button>
        </div>
    </div>
    <div class="box">
        <div class="Item">
            
        </div>
        <div class="item-details">
            <h3>Chicken Schnitzel</h3>
            <div class="Price">R135</div>
            <button class="addCart" data-name="Chicken Schnitzel"
data-price="135">Add to Cart</button>
        </div>
    </div>

```

```
</div>
<div class="box">
  <div class="Item">
    

  </div>
  <div class="item-details">
    <h3>Margherita Pizza</h3>
    <div class="Price">R120</div>
    <button class="addCart" data-name="Margherita Pizza"
data-price="120">Add to Cart</button>
  </div>
</div>
<div class="box">
  <div class="Item">
    
  </div>
  <div class="item-details">
    <h3>Fish & Chips</h3>
    <div class="Price">R110</div>
    <button class="addCart" data-name="Fish & Chips" data-
price="110">Add to Cart</button>
  </div>
</div>
<div class="box">
  <div class="Item">
    
  </div>
  <div class="item-details">
    <h3>Greek Salad</h3>
    <div class="Price">R95</div>
    <button class="addCart" data-name="Greek Salad" data-
price="95">Add to Cart</button>
  </div>
</div>
<div class="box">
  <div class="Item">
    

  </div>
  <div class="item-details">
    <h3>Bacon & Avocado Sandwich</h3>
    <div class="Price">R85</div>
```

```

        <button class="addCart" data-name="Bacon & Avocado
Sandwich" data-price="85">Add to Cart</button>
    </div>
</div>
<div class="box">
    <div class="Item">
        

        </div>
        <div class="item-details">
            <h3>Spaghetti Bolognese</h3>
            <div class="Price">R105</div>
            <button class="addCart" data-name="Spaghetti Bolognese"
data-price="105">Add to Cart</button>
        </div>
    </div>
    <div class="box">
        <div class="Item">
            
        </div>
        <div class="item-details">
            <h3>Chicken Curry & Rice</h3>
            <div class="Price">R125</div>
            <button class="addCart" data-name="Chicken Curry & Rice"
data-price="125">Add to Cart</button>
        </div>
    </div>
</div>

<!-- Drinks Menu -->
<div class="menu_col">
    <h2>Drinks</h2>
    <div class="box">
        <div class="Item">
            

        </div>
        <div class="item-details">
            <h3>House Draught Beer (500ml)</h3>
            <div class="Price">R42</div>
            <button class="addCart" data-name="House Draught Beer
(500ml)" data-price="42">Add to Cart</button>
        </div>
    </div>

```

```
        <div class="box">
            <div class="Item">
                

                </div>
                <div class="item-details">
                    <h3>Bottled Lager (330ml)</h3>
                    <div class="Price">R35</div>
                    <button class="addCart" data-name="Bottled Lager (330ml)"
data-price="35">Add to Cart</button>
                </div>
            </div>
            <div class="box">
                <div class="Item">
                    
                </div>
                <div class="item-details">
                    <h3>Glass of House Wine (175ml)</h3>
                    <div class="Price">R48</div>
                    <button class="addCart" data-name="Glass of House Wine
(175ml)" data-price="48">Add to Cart</button>
                </div>
            </div>
            <div class="box">
                <div class="Item">
                    

                </div>
                <div class="item-details">
                    <h3>Fresh Orange Juice</h3>
                    <div class="Price">R38</div>
                    <button class="addCart" data-name="Fresh Orange Juice"
data-price="38">Add to Cart</button>
                </div>
            </div>
            <div class="box">
                <div class="Item">
                    

                </div>
                <div class="item-details">
                    <h3>Bottled Still Water (500ml)</h3>
                    <div class="Price">R24</div>
```

```

        <button class="addCart" data-name="Bottled Still Water
(500ml)" data-price="24">Add to Cart</button>
    </div>
</div>
<div class="box">
    <div class="Item">
        
    </div>
    <div class="item-details">
        <h3>Soft Drink (Coke, Fanta, Sprite)</h3>
        <div class="Price">R28</div>
        <button class="addCart" data-name="Soft Drink (Coke,
Fanta, Sprite)" data-price="28">Add to Cart</button>
    </div>
</div>
<div class="box">
    <div class="Item">
        
    </div>
    <div class="item-details">
        <h3>House Wine (175ml glass)</h3>
        <div class="Price">R45</div>
        <button class="addCart" data-name="House Wine (175ml
glass)" data-price="45">Add to Cart</button>
    </div>
</div>
<div class="box">
    <div class="Item">
        
    </div>
    <div class="item-details">
        <h3>Iced Tea (330ml)</h3>
        <div class="Price">R28</div>
        <button class="addCart" data-name="Iced Tea (330ml)"
data-price="28">Add to Cart</button>
    </div>
</div>
</div>

<!-- Cart -->
<div class="cartTab">
    <h1>Shopping Cart</h1>
    <div class="listCart"></div>

```

```

        <div class="cart-total">
            <h3>Total: R<span id="cartTotal">0</span></h3>
        </div>
        <div class="btn">
            <button class="close">CLOSE</button>
            <button class="checkOut">CHECK OUT</button>
        </div>
    </div>
</section>

<!-- Countdown Section -->
<section class="count" id="countdown">
    
    <div class="content2">
        <h3>Special Coming Soon</h3>
        <h1>Our <span>Full-course</span> Meal Experience</h1>

        <div class="launch-time">
            <div>
                <p id="days">00</p>
                <span>Days</span>
            </div>
            <div>
                <p id="hours">00</p>
                <span>Hours</span>
            </div>
            <div>
                <p id="minutes">00</p>
                <span>Minutes</span>
            </div>
            <div>
                <p id="seconds">00</p>
                <span>Seconds</span>
            </div>
        </div>
        <a href="#Main-Menu" class="btn">Explore Our Current Menu</a>
    </div>
    
</section>

<!-- Count Up Section -->
<section class="count-up" id="count-up">
    <div class="heading">

```

```

        <span>Our Achievements</span>
        <h3>Numbers That Make Us Proud</h3>
    </div>
    <div class="count-up-container">
        <div class="count-item">
            <div class="count-icon">
                <i class="fas fa-utensils"></i>
            </div>
            <div class="count-number" data-target="12500">0</div>
            <div class="count-label">Meals Served</div>
        </div>
        <div class="count-item">
            <div class="count-icon">
                <i class="fas fa-users"></i>
            </div>
            <div class="count-number" data-target="8500">0</div>
            <div class="count-label">Happy Customers</div>
        </div>
        <div class="count-item">
            <div class="count-icon">
                <i class="fas fa-calendar-alt"></i>
            </div>
            <div class="count-number" data-target="31">0</div>
            <div class="count-label">Years of Excellence</div>
        </div>
        <div class="count-item">
            <div class="count-icon">
                <i class="fas fa-award"></i>
            </div>
            <div class="count-number" data-target="25">0</div>
            <div class="count-label">Awards Won</div>
        </div>
    </div>
</section>

```

```

<!-- Staff Section -->
<section class="Staff" id="Staff">
    <div class="heading">
        <span>Our Staff</span>
        <h3>Our Staff Members</h3>
    </div>
    <div class="staff-container">
        <div class="grid">
            <div class="staff-card">

```

```
<div class="card-img">
  
</div>
<div class="card-body">
  <h2 class="card-title">Chantell Malepe</h2>
  <h6 class="designation">FOUNDER</h6>
</div>
</div>
<div class="staff-card">
  <div class="card-img">
    
  </div>
  <div class="card-body">
    <h2 class="card-title">Jose Katie</h2>
    <h6 class="designation">HEAD MANAGER</h6>
  </div>
</div>
<div class="staff-card">
  <div class="card-img">
    
  </div>
  <div class="card-body">
    <h2 class="card-title">Nonjabulo</h2>
    <h6 class="designation">STAFF MANAGER</h6>
  </div>
</div>
<div class="staff-card">
  <div class="card-img">
    
  </div>
  <div class="card-body">
    <h2 class="card-title">Lesego Moatlhodi</h2>
    <h6 class="designation">HEAD CHEF</h6>
  </div>
</div>
<div class="staff-card">
  <div class="card-img">
    
  </div>
  <div class="card-body">
    <h2 class="card-title">Lucky Sithole</h2>
    <h6 class="designation">CHAUFFEUR</h6>
  </div>
</div>
```



```
<div class="staff-card">
  <div class="card-img">
    
  </div>
  <div class="card-body">
    <h2 class="card-title">Brandon Peterson</h2>
    <h6 class="designation">TECHNICAL SUPPORTER</h6>
  </div>
</div>
<div class="staff-card">
  <div class="card-img">
    
  </div>
  <div class="card-body">
    <h2 class="card-title">Katlego</h2>
    <h6 class="designation">RECEPTIONIST</h6>
  </div>
</div>
<div class="staff-card">
  <div class="card-img">
    
  </div>
  <div class="card-body">
    <h2 class="card-title">Rocky Langa</h2>
    <h6 class="designation">WAITER</h6>
  </div>
</div>
<div class="staff-card">
  <div class="card-img">
    
  </div>
  <div class="card-body">
    <h2 class="card-title">Kutlwano</h2>
    <h6 class="designation">WAITER</h6>
  </div>
</div>
</div>
</div>
</section>

<!-- Review Section -->
```

```

<section class="Review" id="Review">
  <div class="heading">
    <span>Our Customer reviews</span>
    <h3>Read more about our customers</h3>
  </div>
  <div class="container">
    <div class="container_left">
      <h1>Read what our customers love about us</h1>
      <p>Welcome to "Gusto Grove & Dine", where flavour warmth and
community come together to create unforgettable dining experiences.</p>
      <p>Nestled in a comfortable, elegant setting, we celebrate the
art of good made with passion and fresh, locally sourced ingredients. Whether
you're joining us for a casual meal, a romantic evening, or a special
celebration, Gusto Grove and Dine offers a menu that blends classic favorites
with modern flair.</p>
      <p>Our mission is simple-to bring people together through
exceptional cuisine, inviting ambience, and genuine hospitality. At Gusto Grove &
Dine, every meal is more than just food its a moment to savor</p>
      <button class="btn">Read our success stories</button>
    </div>
    <div class="container_right">
      <div class="card">
        <div class="card_container">
          <span><i class="fas fa-quote-left"></i></span>
          <div class="card_details">
            <p>I was recommended this restaurant by my cousin and
the food and service there was wow. I Loved it so much</p>
            <h4>- Marnus Stephen</h4>
          </div>
        </div>
      </div>
      <div class="card">
        <div class="card_container">
          <span><i class="fas fa-quote-left"></i></span>
          <div class="card_details">
            <p>The view was something I have never seen before,
woah</p>
            <h4>- Andrew Jackson</h4>
          </div>
        </div>
      </div>
      <div class="card">
        <div class="card_container">
          <span><i class="fas fa-quote-left"></i></span>

```

```

        <div class="card_details">
            <p>Went there with my boyfriend last summer and
experience was amazing. This is a five star restaurant.</p>
            <h4>- Stacy Stone</h4>
        </div>
    </div>
</div>
</div>
</div>
</section>

<!-- Contact Section -->
<section class="contact" id="contact">
    <h2 class="heading">Contact <span>Us!</span></h2>
    <form action="#">
        <div class="input-box">
            <input type="text" placeholder="Full Name">
            <input type="email" placeholder="Email Address">
        </div>
        <div class="input-box">
            <input type="number" placeholder="Mobile Number">
            <input type="text" placeholder="Email Subject">
        </div>
        <textarea name="" id="" cols="30" rows="10" placeholder="Your
Message"></textarea>
        <input type="submit" value="Send Message" class="btn">
    </form>
</section>

<!-- Footer -->
<footer class="site-footer">
    <div class="footer-container">
        <section class="footer-links">
            <h3>Quick Links</h3>
            <a href="#home">Home</a>
            <a href="#about">About</a>
            <a href="#Top-Menu">Top Menu</a>
            <a href="#gallery">Gallery</a>
            <a href="#Main-Menu">Main Menu</a>
            <a href="#Staff">Staff</a>
            <a href="#Review">Review</a>
        </section>
    </div>
</footer>

```

```

        <section class="footer-socials">
            <h3>Connect With Us</h3>
            <div class="social-icons-container">
                <a class="social-icon"
href="https://www.twitter.com/gustogrove" target="_blank" rel="noopener
norereferrer">
                    <i class="fab fa-twitter"></i>
                </a>
                <a class="fb"
href="https://www.facebook.com/profile.php?id=61582380687871" target="_blank"
rel="noopener norereferrer">
                    <i class="fab fa-facebook"></i>
                </a>
                <a class="ig" href="https://www.instagram.com/gusto_grove"
target="_blank" rel="noopener norereferrer">
                    <i class="fab fa-instagram"></i>
                </a>
                <a class="li" href="https://www.linkedin.com/in/gusto-grove-
b8078038a" target="_blank" rel="noopener norereferrer">
                    <i class="fab fa-linkedin"></i>
                </a>
            </div>
        </section>

        <section class="footer-info">
            <h3>Location & Hours</h3>
            <p><i class="fas fa-map-marker-alt"></i> 123 Delicious Street,
Ocean View</p>
            <p><i class="fas fa-clock"></i> Mon - Fri: 8AM - 10PM</p>
            <p><i class="fas fa-clock"></i> Sat - Sun: 9AM - 11PM</p>
            <p><i class="fas fa-envelope"></i> GustoGrove&Dine@gmail.com</p>
        </section>
    </div>
    <div class="footer-copyright">
        <p>&copy; 2025 Gusto Grove And Dine. All Rights Reserved.</p>
    </div>
</footer>

    <script src="https://cdn.jsdelivr.net/npm/swiper@11/swiper-
bundle.min.js"></script>
    <script src="js/script.js"></script>
</body>
</html>

```

CASCADING STYLESHEET

```
:root {
    --primary-color: #d35400;
    --secondary-color: #e67e22;
    --accent-color: #f39c12;
    --dark-color: #2d2013;
    --light-color: #fefae0;
    --bg-color: #ffffff;
    --second-bg-color: #f9f5f0;
    --text-color: #302a22;
    --light-text: #666;
    --border-color: #ddd;
    --shadow: 0 5px 15px rgba(0, 0, 0, 0.1);
    --transition: all 0.3s ease;
}

* {
    margin: 0;
    padding: 0;
    box-sizing: border-box;
    font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
}

html {
    font-size: 62.5%;
    scroll-behavior: smooth;
}

body {
    background-color: var(--bg-color);
    color: var(--text-color);
    line-height: 1.6;
}

section {
    padding: 8rem 5%;
}

.heading {
    text-align: center;
    margin-bottom: 5rem;
}
```

```
}

.heading span {
  font-size: 2rem;
  color: var(--primary-color);
  text-transform: uppercase;
  letter-spacing: 1px;
}

.heading h3 {
  font-size: 4rem;
  color: var(--dark-color);
  margin-top: 1rem;
}

.btn {
  display: inline-block;
  background: var(--primary-color);
  color: white;
  font-size: 1.8rem;
  padding: 1.2rem 3rem;
  border-radius: 5px;
  cursor: pointer;
  transition: var(--transition);
  text-transform: capitalize;
  border: none;
  text-decoration: none;
}

.btn:hover {
  background: var(--secondary-color);
  transform: translateY(-3px);
  box-shadow: var(--shadow);
}

/* Header */
.header {
  background-color: var(--bg-color);
  box-shadow: 0 2px 10px rgba(0, 0, 0, 0.1);
  position: fixed;
  top: 0;
  left: 0;
  width: 100%;
}
```

```
    z-index: 1000;
    padding: 1.5rem 5%;
    display: flex;
    justify-content: space-between;
    align-items: center;
}

.header .logo {
    font-size: 2.5rem;
    font-weight: bold;
    color: var(--primary-color);
    text-decoration: none;
}

.header .navbar {
    display: flex;
}

.header .navbar a {
    font-size: 1.8rem;
    color: var(--text-color);
    margin-left: 3rem;
    transition: var(--transition);
    text-decoration: none;
}

.header .navbar a:hover {
    color: var(--primary-color);
}

#menu-btn {
    font-size: 2.5rem;
    cursor: pointer;
    color: var(--dark-color);
    display: none;
}

/* Home Section */
.home {
    margin-top: 80px;
    padding: 0;
}
```

```
.home-slider {
  width: 100%;
  height: 80vh;
}

.swiper-slide {
  display: flex;
  align-items: center;
  justify-content: center;
  background-size: cover !important;
  background-position: center !important;
  position: relative;
}

.swiper-slide::before {
  content: '';
  position: absolute;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
}

.swiper-slide .content {
  position: relative;
  z-index: 1;
  text-align: center;
  color: white;
  max-width: 800px;
  padding: 0 2rem;
}

.swiper-slide .content span {
  font-size: 2.5rem;
  display: block;
  margin-bottom: 1rem;
}

.swiper-slide .content h3 {
  font-size: 6rem;
  margin-bottom: 2rem;
  text-transform: uppercase;
}
```



```
}

/* About Section */
.about {
  display: flex;
  align-items: center;
  flex-wrap: wrap;
  gap: 5rem;
  background-color: var(--second-bg-color);
}

.about .image {
  flex: 1 1 40rem;
}

.about .image img {
  width: 100%;
  border-radius: 10px;
}

.about .content {
  flex: 1 1 40rem;
}

.about .content h3 {
  font-size: 3.5rem;
  color: var(--dark-color);
  margin-bottom: 2rem;
}

.about .content p {
  font-size: 1.8rem;
  color: var(--light-text);
  margin-bottom: 2rem;
  line-height: 1.8;
}

.about .content span {
  color: var(--primary-color);
  font-weight: bold;
}

.about .icons-container {
```

```

        display: flex;
        flex-wrap: wrap;
        gap: 2rem;
        margin-top: 3rem;
    }

    .about .icons-container .icons {
        flex: 1 1 15rem;
        text-align: center;
        background: var(--bg-color);
        padding: 3rem 2rem;
        border-radius: 10px;
        box-shadow: var(--shadow);
    }

    .about .icons-container .icons img {
        height: 8rem;
        margin-bottom: 1.5rem;
    }

    .about .icons-container .icons h3 {
        font-size: 2rem;
        color: var(--dark-color);
    }

    /* Top Menu Section */
    .Top-Menu {
        background-color: var(--bg-color);
    }

    .food-slider {
        padding: 3rem 0;
    }

    .food-slide {
        text-align: center;
        padding: 2rem;
        background: var(--second-bg-color);
        border-radius: 10px;
        box-shadow: var(--shadow);
    }

    .food-slide img {

```

```

        width: 100%;
        max-width: 250px;
        height: 250px;
        object-fit: cover;
        border-radius: 10px;
        margin-bottom: 2rem;
    }

    .food-slide h3 {
        font-size: 2.2rem;
        margin-bottom: 1rem;
        color: var(--dark-color);
    }

    .food-slide .fa-star {
        color: var(--accent-color);
        font-size: 1.8rem;
    }

    /* Gallery Section */
.gallery {
    background-color: var(--bg-color);
    padding: 8rem 5%;
}

.gallery-container {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(300px, 1fr));
    gap: 2rem;
    max-width: 1200px;
    margin: 0 auto;
}

.gallery-container .box {
    position: relative;
    border-radius: 15px;
    overflow: hidden;
    box-shadow: var(--shadow);
    transition: var(--transition);
    height: 300px;
    display: block;
    text-decoration: none;
}

```

```
.gallery-container .box:hover {  
  transform: translateY(-10px);  
  box-shadow: 0 20px 40px rgba(0, 0, 0, 0.2);  
}
```

```
.gallery-container .box img {  
  width: 100%;  
  height: 100%;  
  object-fit: cover;  
  transition: var(--transition);  
}
```

```
.gallery-container .box:hover img {  
  transform: scale(1.1);  
}
```

```
.gallery-container .box .icon {  
  position: absolute;  
  top: 50%;  
  left: 50%;  
  transform: translate(-50%, -50%);  
  width: 60px;  
  height: 60px;  
  background: var(--primary-color);  
  border-radius: 50%;  
  display: flex;  
  align-items: center;  
  justify-content: center;  
  opacity: 0;  
  transition: var(--transition);  
}
```

```
.gallery-container .box:hover .icon {  
  opacity: 1;  
}
```

```
.gallery-container .box .icon i {  
  font-size: 2rem;  
  color: white;  
}
```

```
/* Main Menu Section */
```

```
.Main-Menu {
  background-color: var(--second-bg-color);
}

#section {
  text-align: center;
  font-size: 4rem;
  color: var(--dark-color);
  margin-bottom: 4rem;
  position: relative;
}

#section::after {
  content: '';
  position: absolute;
  bottom: -10px;
  left: 50%;
  transform: translateX(-50%);
  width: 100px;
  height: 4px;
  background: var(--primary-color);
}

#menu_row {
  display: flex;
  flex-wrap: wrap;
  gap: 3rem;
  justify-content: center;
}

.menu_col {
  flex: 1 1 35rem;
  background: var(--bg-color);
  border-radius: 10px;
  padding: 2rem;
  box-shadow: var(--shadow);
}

.menu_col h2 {
  background-color: var(--primary-color);
  color: white;
  text-align: center;
  padding: 1.5rem;
}
```

```
        border-radius: 8px;
        margin-bottom: 2rem;
        font-size: 2.5rem;
    }

    .box {
        display: flex;
        align-items: center;
        gap: 2rem;
        margin-bottom: 2rem;
        padding: 1.5rem;
        border-radius: 8px;
        background: var(--second-bg-color);
        transition: var(--transition);
    }

    .box:hover {
        transform: translateY(-5px);
        box-shadow: var(--shadow);
    }

    .Item {
        width: 120px;
        height: 120px;
        border-radius: 50%;
        overflow: hidden;
        flex-shrink: 0;
    }

    .Item img {
        width: 100%;
        height: 100%;
        object-fit: cover;
    }

    .item-details {
        flex-grow: 1;
    }

    .item-details h3 {
        font-size: 1.8rem;
        margin-bottom: 0.5rem;
        color: var(--dark-color);
    }
```

```
}

.Price {
  font-size: 2rem;
  color: var(--primary-color);
  font-weight: bold;
  margin-bottom: 1rem;
}

.addCart {
  background-color: var(--primary-color);
  color: white;
  padding: 0.8rem 1.5rem;
  border-radius: 5px;
  cursor: pointer;
  border: none;
  transition: var(--transition);
  font-size: 1.6rem;
}

.addCart:hover {
  background-color: var(--secondary-color);
}

/* Staff Section */
.Staff {
  background-color: var(--bg-color);
}

.staff-container {
  max-width: 1200px;
  margin: 0 auto;
}

.grid {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(250px, 1fr));
  gap: 3rem;
}

.staff-card {
  background: var(--second-bg-color);
  border-radius: 10px;
```

```
        overflow: hidden;
        box-shadow: var(--shadow);
        transition: var(--transition);
    }

    .staff-card:hover {
        transform: translateY(-10px);
    }

    .card-img {
        height: 300px;
        overflow: hidden;
    }

    .card-img img {
        width: 100%;
        height: 100%;
        object-fit: cover;
        transition: var(--transition);
    }

    .staff-card:hover .card-img img {
        transform: scale(1.1);
    }

    .card-body {
        padding: 2rem;
        text-align: center;
    }

    .card-title {
        font-size: 2.2rem;
        margin-bottom: 0.5rem;
        color: var(--dark-color);
    }

    .designation {
        font-size: 1.6rem;
        color: var(--primary-color);
        margin-bottom: 1.5rem;
    }

    /* Order Section */
```



```
.Order {
  background-color: var(--second-bg-color);
}

.container_2 {
  max-width: 1200px;
  margin: 0 auto;
  background: var(--bg-color);
  padding: 3rem;
  border-radius: 10px;
  box-shadow: var(--shadow);
}

.container_2 form {
  width: 100%;
}

.row {
  display: flex;
  flex-wrap: wrap;
  gap: 2rem;
}

.column {
  flex: 1 1 45rem;
}

.column .title {
  font-size: 2.5rem;
  color: var(--dark-color);
  margin-bottom: 2rem;
  padding-bottom: 1rem;
  border-bottom: 2px solid var(--primary-color);
}

.input-box {
  margin-bottom: 2rem;
}

.input-box span {
  display: block;
  font-size: 1.8rem;
  margin-bottom: 1rem;
}
```

```
        color: var(--dark-color);
    }

    .input-box input {
        width: 100%;
        padding: 1.2rem;
        border: 1px solid var(--border-color);
        border-radius: 5px;
        font-size: 1.6rem;
    }

    .flex {
        display: flex;
        gap: 2rem;
    }

    .flex .input-box {
        flex: 1;
    }

    .input-box img {
        width: 100%;
        max-width: 300px;
        margin-top: 1rem;
    }

    /* Review Section */
    .Review {
        background-color: var(--bg-color);
    }

    .container {
        max-width: 1200px;
        margin: 0 auto;
        display: grid;
        grid-template-columns: 1fr 1fr;
        gap: 5rem;
        align-items: center;
    }

    .container_left h1 {
        font-size: 4rem;
        margin-bottom: 2rem;
    }
```

```
        color: var(--dark-color);
        line-height: 1.2;
    }

    .container_left p {
        font-size: 1.8rem;
        margin-bottom: 2rem;
        color: var(--light-text);
        line-height: 1.8;
    }

    .container_left button {
        padding: 1.5rem 3rem;
        background: var(--primary-color);
        color: white;
        border: none;
        border-radius: 5px;
        font-size: 1.8rem;
        cursor: pointer;
        transition: var(--transition);
    }

    .container_left button:hover {
        background: var(--secondary-color);
    }

    .container_right {
        display: flex;
        flex-direction: column;
        gap: 2rem;
    }

    .card {
        background: var(--second-bg-color);
        padding: 2.5rem;
        border-radius: 10px;
        box-shadow: var(--shadow);
    }

    .card_container {
        position: relative;
    }
```

```
.card_container span i {
    font-size: 3rem;
    color: var(--primary-color);
    margin-bottom: 1rem;
    display: block;
}

.card_details p {
    font-size: 1.6rem;
    margin-bottom: 2rem;
    color: var(--light-text);
    line-height: 1.6;
}

.card_details h4 {
    text-align: right;
    font-size: 1.8rem;
    color: var(--dark-color);
}

/* Contact Section */
.contact {
    background-color: var(--second-bg-color);
}

.contact h2 {
    margin-bottom: 3rem;
    text-align: center;
    font-size: 4rem;
    color: var(--dark-color);
}

.contact h2 span {
    color: var(--primary-color);
}

.contact form {
    max-width: 70rem;
    margin: 1rem auto;
    text-align: center;
    margin-bottom: 3rem;
}
```

```

.contact form .input-box {
  display: flex;
  justify-content: space-between;
  flex-wrap: wrap;
}

.contact form .input-box input,
.contact form textarea {
  width: 100%;
  padding: 1.5rem;
  font-size: 1.6rem;
  color: var(--text-color);
  background: var(--bg-color);
  border-radius: .8rem;
  margin: .7rem 0;
  border: 1px solid var(--border-color);
}

.contact form .input-box input{
  width: 49%;
}

.contact form textarea {
  resize: none;
}

.contact form .btn {
  margin-top: 2rem;
  cursor: pointer;
}

/* Countdown Section */
.count {
  background: linear-gradient(rgba(0,0,0,0.7), rgba(0,0,0,0.7)),
    url('https://images.unsplash.com/photo-1414235077428-338989a2e8c0?ixlib=rb-4.0.3&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D&auto=format&fit=crop&w=2070&q=80');
  background-size: cover;
  background-position: center;
  color: white;
  padding: 8rem 5%;
  text-align: center;
}

```

```
    margin: 5rem 0;
    border-radius: 15px;
    position: relative;
    overflow: hidden;
}

.count .logo {
    width: 150px;
    margin-bottom: 3rem;
}

.count .content2 {
    max-width: 800px;
    margin: 0 auto;
}

.count .content2 h3 {
    font-size: 2.5rem;
    margin-bottom: 1.5rem;
    color: var(--accent-color);
}

.count .content2 h1 {
    font-size: 4.5rem;
    margin-bottom: 3rem;
    line-height: 1.2;
}

.count .content2 h1 span {
    color: var(--accent-color);
}

.launch-time {
    display: flex;
    justify-content: center;
    gap: 3rem;
    margin: 4rem 0;
    flex-wrap: wrap;
}

.launch-time div {
    flex: 1;
    min-width: 120px;
```

```
    text-align: center;
    background: rgba(255, 255, 255, 0.1);
    padding: 2rem 1rem;
    border-radius: 10px;
    backdrop-filter: blur(10px);
    border: 1px solid rgba(255, 255, 255, 0.2);
}

.launch-time div p {
    font-size: 4rem;
    font-weight: bold;
    margin-bottom: 1rem;
    color: var(--accent-color);
    text-shadow: 2px 2px 4px rgba(0, 0, 0, 0.5);
}

.launch-time div span {
    font-size: 1.6rem;
    color: white;
    text-transform: uppercase;
    letter-spacing: 1px;
}

.count .service {
    width: 200px;
    margin-top: 3rem;
    opacity: 0.8;
}

/* Footer */
.site-footer {
    background-color: var(--dark-color);
    color: white;
    padding: 5rem 5% 2rem;
    margin-top: 4rem;
}

.footer-container {
    display: flex;
    flex-wrap: wrap;
    justify-content: space-between;
    gap: 4rem;
    max-width: 1200px;
```

```
        margin: 0 auto;
    }

    .footer-links, .footer-socials, .footer-info {
        flex: 1 1 30rem;
        min-width: 280px;
    }

    .site-footer h3 {
        font-size: 2.4rem;
        margin-bottom: 2.5rem;
        color: var(--accent-color);
        font-weight: 600;
        position: relative;
        padding-bottom: 1rem;
    }

    .site-footer h3::after {
        content: '';
        position: absolute;
        bottom: 0;
        left: 0;
        width: 50px;
        height: 3px;
        background: var(--primary-color);
        border-radius: 2px;
    }

    .footer-links {
        display: flex;
        flex-direction: column;
    }

    .footer-links a {
        display: block;
        font-size: 1.8rem;
        color: rgba(255, 255, 255, 0.8);
        margin-bottom: 1.2rem;
        text-decoration: none;
        transition: var(--transition);
        padding: 0.5rem 0;
        border-bottom: 1px solid rgba(255, 255, 255, 0.1);
    }
}
```



```
.footer-links a:hover {  
  color: var(--accent-color);  
  transform: translateX(10px);  
  border-bottom-color: var(--accent-color);  
}
```

```
.footer-socials {  
  display: flex;  
  flex-direction: column;  
  align-items: center;  
  text-align: center;  
}
```

```
.social-icons-container {  
  display: flex;  
  gap: 1.5rem;  
  margin-bottom: 2rem;  
  flex-wrap: wrap;  
  justify-content: center;  
}
```

```
.footer-socials a {  
  display: flex;  
  align-items: center;  
  justify-content: center;  
  width: 50px;  
  height: 50px;  
  font-size: 2.2rem;  
  color: white;  
  background: rgba(255, 255, 255, 0.1);  
  border-radius: 50%;  
  transition: var(--transition);  
  text-decoration: none;  
  border: 2px solid transparent;  
}
```

```
.footer-socials a:hover {  
  color: white;  
  background: var(--primary-color);  
  transform: translateY(-5px);  
  border-color: var(--accent-color);  
  box-shadow: 0 5px 15px rgba(0, 0, 0, 0.3);  
}
```

```
}

/* Specific social media colors on hover */
.footer-socials a.social-icon:hover { background: #1DA1F2; }
.footer-socials a.fb:hover { background: #1877F2; }
.footer-socials a.ig:hover {
    background: linear-gradient(45deg, #f09433, #e6683c, #dc2743,
#cc2366, #bc1888);
}
.footer-socials a.li:hover { background: #0077B5; }

.footer-info p {
    font-size: 1.7rem;
    margin-bottom: 1.5rem;
    color: rgba(255, 255, 255, 0.8);
    display: flex;
    align-items: center;
    gap: 1rem;
}

.footer-info p i {
    color: var(--accent-color);
    width: 20px;
    font-size: 1.8rem;
}

.footer-info .contact-info {
    margin-top: 2rem;
    padding-top: 2rem;
    border-top: 1px solid rgba(255, 255, 255, 0.1);
}

.footer-copyright {
    text-align: center;
    margin-top: 5rem;
    padding-top: 2.5rem;
    border-top: 1px solid rgba(255, 255, 255, 0.2);
    font-size: 1.6rem;
    color: rgba(255, 255, 255, 0.7);
}

/* Cart */
.cartTab {
```

```
    position: fixed;
    top: 0;
    right: -400px;
    width: 400px;
    height: 100vh;
    background-color: var(--dark-color);
    color: white;
    transition: right 0.5s ease;
    z-index: 1001;
    display: flex;
    flex-direction: column;
}

body.showCart .cartTab {
    right: 0;
}

.cartTab h1 {
    padding: 2rem;
    font-size: 2.5rem;
    border-bottom: 1px solid rgba(255, 255, 255, 0.1);
    text-align: center;
}

.listCart {
    flex: 1;
    overflow-y: auto;
    padding: 2rem;
}

.cart-item {
    display: grid;
    grid-template-columns: 70px 1fr auto auto;
    gap: 1rem;
    align-items: center;
    padding: 1.5rem 0;
    border-bottom: 1px solid rgba(255, 255, 255, 0.1);
}

.cart-item img {
    width: 60px;
    height: 60px;
    border-radius: 50%;
}
```

```
        object-fit: cover;
    }

    .cart-item .name {
        font-size: 1.6rem;
    }

    .cart-item .totalPrice {
        font-size: 1.6rem;
        color: var(--accent-color);
    }

    .quantity {
        display: flex;
        align-items: center;
        gap: 1rem;
    }

    .quantity span {
        cursor: pointer;
        user-select: none;
    }

    .quantity .minus, .quantity .plus {
        width: 25px;
        height: 25px;
        background-color: white;
        color: var(--dark-color);
        border-radius: 50%;
        display: flex;
        align-items: center;
        justify-content: center;
        font-weight: bold;
    }

    .quantity .number {
        min-width: 20px;
        text-align: center;
    }

    .cart-total {
        padding: 2rem;
        border-top: 1px solid rgba(255, 255, 255, 0.1);
    }
}
```

```
        text-align: center;
    }

    .cart-total h3 {
        font-size: 2rem;
        color: var(--accent-color);
    }

    .cartTab .btn {
        display: grid;
        grid-template-columns: 1fr 1fr;
        gap: 1rem;
        padding: 2rem;
    }

    .cartTab .btn button {
        padding: 1.2rem;
        border: none;
        border-radius: 5px;
        font-size: 1.6rem;
        cursor: pointer;
        transition: var(--transition);
    }

    .cartTab .btn .close {
        background-color: white;
        color: var(--dark-color);
    }

    .cartTab .btn .checkout {
        background-color: var(--accent-color);
        color: var(--dark-color);
    }

    .cartTab .btn button:hover {
        transform: translateY(-3px);
    }

    .empty-cart {
        text-align: center;
        padding: 4rem 2rem;
        font-size: 1.8rem;
        color: rgba(255, 255, 255, 0.7);
    }
}
```

```

}

/* Responsive Design */
@media (max-width: 991px) {
    html {
        font-size: 55%;
    }

    .header .navbar {
        display: none;
    }

    #menu-btn {
        display: inline-block;
    }

    .container {
        grid-template-columns: 1fr;
        gap: 4rem;
    }

    .grid {
        grid-template-columns: repeat(auto-fit, minmax(200px, 1fr));
    }

    .cartTab {
        width: 100%;
        right: -100%;
    }

    body.showCart .cartTab {
        right: 0;
    }
}

@media (max-width: 768px) {
    section {
        padding: 6rem 5%;
    }

    .heading h3 {
        font-size: 3rem;
    }
}

```

```
}

.swiper-slide .content h3 {
  font-size: 4rem;
}

.about {
  flex-direction: column;
}

.footer-container {
  flex-direction: column;
  text-align: center;
}

.site-footer h3::after {
  left: 50%;
  transform: translateX(-50%);
}

.footer-links a:hover {
  transform: none;
}

.row {
  flex-direction: column;
}

.count .content2 h1 {
  font-size: 3.5rem;
}

.launch-time {
  gap: 1.5rem;
}

.launch-time div {
  min-width: 100px;
  padding: 1.5rem 0.5rem;
}

.launch-time div p {
```

```
        font-size: 3rem;
    }
}

@media (max-width: 480px) {
    html {
        font-size: 50%;
    }

    .box {
        flex-direction: column;
        text-align: center;
    }

    .Item {
        width: 150px;
        height: 150px;
    }

    .count .content2 h1 {
        font-size: 2.8rem;
    }

    .launch-time {
        gap: 1rem;
    }

    .launch-time div {
        min-width: 80px;
        padding: 1rem 0.5rem;
    }

    .launch-time div p {
        font-size: 2.5rem;
    }

    .launch-time div span {
        font-size: 1.4rem;
    }

    .site-footer {
        padding: 4rem 5% 2rem;
```



```

    }

    .footer-links, .footer-socials, .footer-info {
        min-width: 100%;
    }

    .site-footer h3 {
        font-size: 2rem;
    }

    .footer-links a {
        font-size: 1.6rem;
    }

    .footer-socials a {
        width: 45px;
        height: 45px;
        font-size: 2rem;
    }
}

/* Count Up Section */
.count-up {
    background: linear-gradient(135deg, #ffffff 0%, #f8f9fa 100%);
    color: var(--dark-color);
    padding: 8rem 5%;
    text-align: center;
    margin: 5rem 0;
    border-radius: 15px;
    position: relative;
    overflow: hidden;
    border: 1px solid var(--border-color);
    box-shadow: var(--shadow);
}

.count-up::before {
    content: '';
    position: absolute;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    background:

```

```
        radial-gradient(circle at 20% 80%, rgba(211, 84, 0, 0.05) 0%, transparent
50%),
        radial-gradient(circle at 80% 20%, rgba(230, 126, 34, 0.05) 0%,
transparent 50%),
        radial-gradient(circle at 40% 40%, rgba(243, 156, 18, 0.03) 0%,
transparent 50%);
    z-index: 1;
}

.count-up > * {
    position: relative;
    z-index: 2;
}

.count-up-container {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(200px, 1fr));
    gap: 4rem;
    max-width: 1200px;
    margin: 0 auto;
    padding: 2rem 0;
}

.count-item {
    background: rgba(255, 255, 255, 0.9);
    padding: 3rem 2rem;
    border-radius: 15px;
    border: 2px solid var(--primary-color);
    transition: var(--transition);
    position: relative;
    overflow: hidden;
    box-shadow: 0 5px 15px rgba(0, 0, 0, 0.1);
}

.count-item::before {
    content: '';
    position: absolute;
    top: 0;
    left: -100%;
    width: 100%;
    height: 100%;
    background: linear-gradient(90deg, transparent, rgba(211, 84, 0, 0.1),
transparent);
```

```
    transition: left 0.5s;
}

.count-item:hover::before {
    left: 100%;
}

.count-item:hover {
    transform: translateY(-10px);
    box-shadow: 0 20px 40px rgba(0, 0, 0, 0.15);
    background: white;
    border-color: var(--secondary-color);
}

.count-icon {
    font-size: 4rem;
    color: var(--primary-color);
    margin-bottom: 1.5rem;
    transition: var(--transition);
}

.count-item:hover .count-icon {
    transform: scale(1.2);
    color: var(--secondary-color);
}

.count-number {
    font-size: 4.5rem;
    font-weight: bold;
    margin-bottom: 1rem;
    color: var(--primary-color);
    transition: var(--transition);
}

.count-item:hover .count-number {
    color: var(--secondary-color);
}

.count-label {
    font-size: 1.8rem;
    color: var(--text-color);
    text-transform: uppercase;
    letter-spacing: 1px;
}
```

```

    font-weight: 600;
}

/* Responsive Design for Count Up */
@media (max-width: 768px) {
    .count-up-container {
        grid-template-columns: repeat(2, 1fr);
        gap: 2rem;
    }

    .count-number {
        font-size: 3.5rem;
    }

    .count-icon {
        font-size: 3rem;
    }
}

@media (max-width: 480px) {
    .count-up-container {
        grid-template-columns: 1fr;
        gap: 2rem;
    }

    .count-number {
        font-size: 3rem;
    }
}

```

DELIVERY

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Delivery Information - Gusto Grove & Dine</title>
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-awesome/6.5.2/css/all.min.css">
    <link rel="stylesheet" href="css/Aura2.css">
</head>
<body>

```

```

<!-- Header Section -->
<header class="header">
  <a href="Bentler.html" class="logo">Gusto Grove & Dine</a>
  <nav class="navbar">
    <a href="Bentler.html" class="nav-link">Home</a>
    <a href="payment.html" class="nav-link">Payment</a>
  </nav>
</header>

<!-- Delivery Section -->
<section class="Order" id="Order" style="margin-top: 80px;">
  <div class="heading">
    <span>Delivery Information</span>
    <h3>Where should we deliver your order?</h3>
  </div>
  <div class="container_2">
    <!-- Order Summary -->
    <div class="order-summary" style="background: var(--second-bg-color);
padding: 2rem; border-radius: 10px; margin-bottom: 3rem;">
      <h3 style="color: var(--primary-color); margin-bottom:
1.5rem;">Your Order</h3>
      <div id="deliveryOrderItems"></div>
      <div class="order-total" style="border-top: 2px solid var(--
primary-color); padding-top: 1rem; margin-top: 1rem;">
        <h3 style="font-size: 2.2rem; color: var(--dark-
color);">Total: R<span id="deliveryTotal">0</span></h3>
      </div>
    </div>

    <form id="deliveryForm">
      <div class="row">
        <div class="column">
          <h3 class="title">Delivery Address</h3>
          <div class="input-box">
            <span>Full Name :</span>
            <input type="text" placeholder="Jacob Aiden"
id="deliveryName" required>
          </div>
          <div class="input-box">
            <span>Phone Number :</span>
            <input type="tel" placeholder="071 234 5678"
id="phone" required>
          </div>
          <div class="input-box">

```

```

        <span>Email :</span>
        <input type="email" placeholder="example@example.com"
id="deliveryEmail" required>
    </div>
    <div class="input-box">
        <span>Street Address :</span>
        <input type="text" placeholder="123 Main Street"
id="streetAddress" required>
    </div>
    <div class="input-box">
        <span>Apartment/Unit :</span>
        <input type="text" placeholder="Apartment 4B"
id="apartment">
    </div>
    <div class="flex">
        <div class="input-box">
            <span>City :</span>
            <input type="text" placeholder="Johannesburg"
id="deliveryCity" required>
        </div>
        <div class="input-box">
            <span>Province :</span>
            <select id="deliveryProvince" required
style="width: 100%; padding: 1.2rem; border: 1px solid var(--border-color);
border-radius: 5px; font-size: 1.6rem;">
                <option value="">Select Province</option>
                <option value="Gauteng">Gauteng</option>
                <option value="Western Cape">Western
Cape</option>
                <option value="KwaZulu-Natal">KwaZulu-
Natal</option>
                <option value="Eastern Cape">Eastern
Cape</option>
                <option value="Free State">Free
State</option>
                <option value="Limpopo">Limpopo</option>
                <option
value="Mpumalanga">Mpumalanga</option>
                <option value="North West">North
West</option>
                <option value="Northern Cape">Northern
Cape</option>
            </select>
        </div>
    </div>

```

```

        </div>
        <div class="flex">
            <div class="input-box">
                <span>Postal Code :</span>
                <input type="number" placeholder="1865"
id="postalCode" required>
            </div>
            <div class="input-box">
                <span>Delivery Time :</span>
                <select id="deliveryTime" required style="width:
100%; padding: 1.2rem; border: 1px solid var(--border-color); border-radius: 5px;
font-size: 1.6rem;">
                    <option value="">Select Time</option>
                    <option value="asap">As soon as
possible</option>
                    <option value="30min">Within 30
minutes</option>
                    <option value="1hour">Within 1 hour</option>
                    <option value="2hours">Within 2
hours</option>
                </select>
            </div>
        </div>
        <div class="input-box">
            <span>Delivery Instructions (Optional) :</span>
            <textarea placeholder="e.g., Leave at front door,
call when arriving, etc."
style="width: 100%; padding: 1.2rem; border:
1px solid var(--border-color); border-radius: 5px; font-size: 1.6rem; resize:
vertical; min-height: 100px;"></textarea>
        </div>
    </div>

    <div class="column">
        <h3 class="title">Delivery Information</h3>
        <div class="delivery-info" style="background: var(--
second-bg-color); padding: 2rem; border-radius: 10px;">
            <div style="text-align: center; margin-bottom:
2rem;">
                <i class="fas fa-truck" style="font-size: 4rem;
color: var(--primary-color); margin-bottom: 1rem;"></i>
                <h3 style="color: var(--primary-color);">Delivery
Service</h3>
            </div>

```



```

        <label style="display: flex; align-items: center; gap:
1rem; font-size: 1.6rem; cursor: pointer;">
            <input type="radio" name="deliveryMethod"
value="delivery" checked>
            <i class="fas fa-truck" style="color: var(--primary-
color);"></i>
            Home Delivery
        </label>
        <label style="display: flex; align-items: center; gap:
1rem; font-size: 1.6rem; cursor: pointer;">
            <input type="radio" name="deliveryMethod"
value="pickup">
            <i class="fas fa-store" style="color: var(--primary-
color);"></i>
            Pickup at Restaurant
        </label>
    </div>
</div>

    <button type="submit" class="btn" style="width: 100%; padding:
1.5rem; font-size: 2rem;">Proceed to Payment</button>
</form>
</div>
</section>

<script>
    // Load cart data from localStorage
    document.addEventListener('DOMContentLoaded', function() {
        const cart = JSON.parse(localStorage.getItem('cart')) || [];
        const orderItems = document.getElementById('deliveryOrderItems');
        const orderTotal = document.getElementById('deliveryTotal');

        let total = 0;

        if (cart.length === 0) {
            orderItems.innerHTML = '<p style="font-size: 1.6rem; color: var(--
-light-text);">No items in cart. <a href="index.html" style="color: var(--
primary-color);">Go back to menu</a></p>';
            orderTotal.textContent = '0';
            return;
        }

        cart.forEach(item => {

```

```

        const itemTotal = item.price * item.quantity;
        total += itemTotal;

        const itemElement = document.createElement('div');
        itemElement.style.cssText = 'display: flex; justify-content:
space-between; align-items: center; padding: 1rem 0; border-bottom: 1px solid
var(--border-color)';
        itemElement.innerHTML = `
            <div>
                <h4 style="font-size: 1.6rem; margin-bottom:
0.5rem;">${item.name}</h4>
                <p style="font-size: 1.4rem; color: var(--light-
text);">Qty: ${item.quantity} × R${item.price}</p>
            </div>
            <div style="font-size: 1.6rem; font-weight: bold; color:
var(--primary-color);">
                R${itemTotal}
            </div>
        `;
        orderItems.appendChild(itemElement);
    });

    orderTotal.textContent = total;

    // Form submission
    document.getElementById('deliveryForm').addEventListener('submit',
function(e) {
        e.preventDefault();

        const deliveryData = {
            name: document.getElementById('deliveryName').value,
            phone: document.getElementById('phone').value,
            email: document.getElementById('deliveryEmail').value,
            street: document.getElementById('streetAddress').value,
            apartment: document.getElementById('apartment').value,
            city: document.getElementById('deliveryCity').value,
            province: document.getElementById('deliveryProvince').value,
            postalCode: document.getElementById('postalCode').value,
            deliveryTime: document.getElementById('deliveryTime').value,
            deliveryMethod:
document.querySelector('input[name="deliveryMethod"]:checked').value
        };

```

```

        localStorage.setItem('deliveryInfo',
JSON.stringify(deliveryData));
        window.location.href = 'payment.html';
    });
});
</script>
</body>
</html>

```

LOGIN

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Gusto Grove & Dine - Login</title>
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.5.2/css/all.min.css">
    <link rel="stylesheet" href="css/Vero.css">
</head>
<body background="/images/background.jpeg">
    <div class="login-container">
        <span class="logo">Gusto Grove & Dine</span>
        <h2>Welcome Back</h2>
        <form id="loginForm">
            <div class="form-group">
                <label for="UserID">Email</label>
                <input type="text" id="UserID" name="UserID" placeholder="Enter
your Email" required>
            </div>

            <div class="form-group">
                <label for="password">Password</label>
                <div class="password-container">
                    <input type="password" id="password" name="password"
placeholder="Enter your password" required>
                    <button type="button" class="toggle-password"
id="togglePassword">
                        <i class="far fa-eye"></i>
                    </button>
                </div>
            </div>
        </form>
    </div>

```

```

        <div class="login-options">
            <div class="remember-me">
                <input type="checkbox" id="rememberMe">
                <label for="rememberMe">Remember me</label>
            </div>
            <a href="#" class="forgot-password">Forgot Password?</a>
        </div>

        <button type="submit" class="login-btn">Login</button>
    </form>

    <div class="social-login">
        <p>Or login with</p>
        <div class="social-icons">
            <a href="#" class="facebook"><i class="fab fa-facebook-
f"></i></a>
            <a href="#" class="google"><i class="fab fa-google"></i></a>
            <a href="#" class="twitter"><i class="fab fa-twitter"></i></a>
        </div>
    </div>

    <div class="register-link">
        Don't have an account? <a href="SignUp.html">Register here</a>
    </div>

    <div id="message"></div>
</div>

<script src="js/app.js"></script>
</body>
</html>

```

PAYMENT

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Payment - Gusto Grove & Dine</title>

```

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-awesome/6.5.2/css/all.min.css">
<link rel="stylesheet" href="css/Aura.css">
</head>
<body>
  <!-- Header Section -->
  <header class="header">
    <a href="Bentler.html" class="logo">Gusto Grove & Dine</a>
    <nav class="navbar">
      <a href="Bentler.html" class="nav-link">Home</a>
      <a href="delivery.html" class="nav-link">Delivery</a>
    </nav>
  </header>

  <!-- Order Section -->
  <section class="Order" id="Order" style="margin-top: 80px;">
    <div class="heading">
      <span>Payment Details</span>
      <h3>Complete Your Order</h3>
    </div>
    <div class="container_2">
      <!-- Order Summary -->
      <div class="order-summary" style="background: var(--second-bg-color); padding: 2rem; border-radius: 10px; margin-bottom: 3rem;">
        <h3 style="color: var(--primary-color); margin-bottom: 1.5rem;">Order Summary</h3>
        <div id="orderItems"></div>
        <div class="order-total" style="border-top: 2px solid var(--primary-color); padding-top: 1rem; margin-top: 1rem;">
          <h3 style="font-size: 2.2rem; color: var(--dark-color);">Total: R<span id="orderTotal">0</span></h3>
        </div>
      </div>

      <form id="paymentForm" action="receipt.html" method="GET">
        <div class="row">
          <div class="column">
            <h3 class="title">Billing Address</h3>
            <div class="input-box">
              <span>Full Name :</span>
              <input type="text" placeholder="Jacob Aiden" id="fullName" required>
            </div>
            <div class="input-box">

```

```

        <span>Email :</span>
        <input type="email" placeholder="example@example.com"
id="email" required>
    </div>
    <div class="input-box">
        <span>Address :</span>
        <input type="text" placeholder="Room - Street -
Location" id="address" required>
    </div>
    <div class="input-box">
        <span>City :</span>
        <input type="text" placeholder="Johannesburg"
id="city" required>
    </div>
    <div class="flex">
        <div class="input-box">
            <span>Province :</span>
            <input type="text" placeholder="Gauteng"
id="province" required>
        </div>
        <div class="input-box">
            <span>Zip Code :</span>
            <input type="number" placeholder="1865"
id="zipCode" required>
        </div>
    </div>
</div>
<div class="column">
    <h3 class="title">Payment</h3>
    <div class="input-box">
        <span>Cards Accepted :</span>
        
    </div>
    <div class="input-box">
        <span>Name on Card :</span>
        <input type="text" placeholder="Mr Jacob Aiden"
id="cardName" required>
    </div>
    <div class="input-box">
        <span>Card Number :</span>
        <input type="text" placeholder="1111 2222 3333 4444"
id="cardNumber" required maxlength="19">
    </div>

```

```

        <div class="input-box">
            <span>Exp. Month :</span>
            <select id="expMonth" required style="width: 100%;
padding: 1.2rem; border: 1px solid var(--border-color); border-radius: 5px; font-
size: 1.6rem;">

                <option value="">Select Month</option>
                <option value="01">January</option>
                <option value="02">February</option>
                <option value="03">March</option>
                <option value="04">April</option>
                <option value="05">May</option>
                <option value="06">June</option>
                <option value="07">July</option>
                <option value="08">August</option>
                <option value="09">September</option>
                <option value="10">October</option>
                <option value="11">November</option>
                <option value="12">December</option>
            </select>
        </div>
        <div class="flex">
            <div class="input-box">
                <span>Exp. Year :</span>
                <input type="number" placeholder="2025"
id="expYear" required min="2024" max="2030">
            </div>
            <div class="input-box">
                <span>CVV :</span>
                <input type="number" placeholder="186" id="cvv"
required maxLength="3">
            </div>
        </div>
        </div>
        </div>
        <button type="submit" class="btn" style="width: 100%; padding:
1.5rem; font-size: 2rem;">Complete Payment</button>
    </form>
</div>
</section>

<script>
    // Load cart data from localStorage
    document.addEventListener('DOMContentLoaded', function() {
        const cart = JSON.parse(localStorage.getItem('cart')) || [];

```

```

const orderItems = document.getElementById('orderItems');
const orderTotal = document.getElementById('orderTotal');

let total = 0;

if (cart.length === 0) {
  orderItems.innerHTML = '<p style="font-size: 1.6rem; color: var(--light-text);">No items in cart</p>';
  orderTotal.textContent = '0';
  return;
}

cart.forEach(item => {
  const itemTotal = item.price * item.quantity;
  total += itemTotal;

  const itemElement = document.createElement('div');
  itemElement.style.cssText = 'display: flex; justify-content: space-between; align-items: center; padding: 1rem 0; border-bottom: 1px solid var(--border-color);';
  itemElement.innerHTML = `
    <div>
      <h4 style="font-size: 1.6rem; margin-bottom: 0.5rem;">${item.name}</h4>
      <p style="font-size: 1.4rem; color: var(--light-text);">Qty: ${item.quantity} × R${item.price}</p>
    </div>
    <div style="font-size: 1.6rem; font-weight: bold; color: var(--primary-color);">
      R${itemTotal}
    </div>
  `;
  orderItems.appendChild(itemElement);
});

orderTotal.textContent = total;

// Format card number input
document.getElementById('cardNumber').addEventListener('input', function(e) {
  let value = e.target.value.replace(/\s+/g, '').replace(/[^0-9]/gi, '');
  let formattedValue = value.match(/.{1,4}/g)?.join(' ');

```



```

        if (formattedValue) {
            e.target.value = formattedValue;
        }
    });

    // Store order data for receipt
    document.getElementById('paymentForm').addEventListener('submit',
function(e) {
    e.preventDefault();

    const orderData = {
        items: cart,
        total: total,
        customer: {
            name: document.getElementById('fullName').value,
            email: document.getElementById('email').value,
            address: document.getElementById('address').value,
            city: document.getElementById('city').value,
            province: document.getElementById('province').value,
            zipCode: document.getElementById('zipCode').value
        },
        payment: {
            cardName: document.getElementById('cardName').value,
            cardLastFour:
document.getElementById('cardNumber').value.slice(-4)
        },
        orderNumber: 'GG' + Date.now().toString().slice(-6),
        orderDate: new Date().toLocaleDateString('en-US', {
            year: 'numeric',
            month: 'long',
            day: 'numeric',
            hour: '2-digit',
            minute: '2-digit'
        })
    });

    localStorage.setItem('currentOrder', JSON.stringify(orderData));
    localStorage.removeItem('cart'); // Clear cart after order
    window.location.href = 'receipt.html';
});
});
</script>
</body>

```

```
</html>
```

RECEIPT

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Order Confirmation - Gusto Grove & Dine</title>
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.5.2/css/all.min.css">
  <link rel="stylesheet" href="css/Aura.css">
  <style>
    .confirmation-container {
      max-width: 800px;
      margin: 100px auto 50px;
      background: white;
      padding: 3rem;
      border-radius: 15px;
      box-shadow: var(--shadow);
      text-align: center;
    }

    .success-icon {
      font-size: 8rem;
      color: #28a745;
      margin-bottom: 2rem;
    }

    .confirmation-title {
      font-size: 3.5rem;
      color: var(--dark-color);
      margin-bottom: 1rem;
    }

    .confirmation-subtitle {
      font-size: 2rem;
      color: var(--light-text);
      margin-bottom: 3rem;
    }

    .order-details {
```

```
        background: var(--second-bg-color);
        padding: 2rem;
        border-radius: 10px;
        margin: 2rem 0;
        text-align: left;
    }

    .detail-section {
        margin-bottom: 2rem;
    }

    .detail-section h3 {
        color: var(--primary-color);
        font-size: 2.2rem;
        margin-bottom: 1rem;
        border-bottom: 2px solid var(--primary-color);
        padding-bottom: 0.5rem;
    }

    .detail-item {
        display: flex;
        justify-content: space-between;
        padding: 1rem 0;
        border-bottom: 1px solid var(--border-color);
    }

    .detail-item:last-child {
        border-bottom: none;
    }

    .item-name {
        font-size: 1.6rem;
        color: var(--dark-color);
    }

    .item-price {
        font-size: 1.6rem;
        color: var(--primary-color);
        font-weight: bold;
    }

    .total-section {
        background: var(--primary-color);
```

```
        color: white;
        padding: 1.5rem;
        border-radius: 8px;
        margin-top: 2rem;
    }

    .total-amount {
        font-size: 2.5rem;
        font-weight: bold;
    }

    .delivery-info {
        background: white;
        padding: 1.5rem;
        border-radius: 8px;
        border-left: 4px solid var(--accent-color);
        margin: 1rem 0;
    }

    .action-buttons {
        display: flex;
        gap: 2rem;
        justify-content: center;
        margin-top: 3rem;
        flex-wrap: wrap;
    }

    .btn-print {
        background: var(--secondary-color);
    }

    .btn-home {
        background: var(--dark-color);
    }

    @media print {
        .action-buttons {
            display: none;
        }

        .confirmation-container {
            margin: 0;
            box-shadow: none;
        }
    }
}
```

```

    }
  }
</style>
</head>
<body>
  <!-- Header Section -->
  <header class="header">
    <a href="index.html" class="logo">Gusto Grove & Dine</a>
    <nav class="navbar">
      <a href="index.html" class="nav-link">Home</a>
      <a href="#contact" class="nav-link">Contact</a>
    </nav>
  </header>

  <!-- Confirmation Section -->
  <section class="confirmation-section">
    <div class="confirmation-container">
      <div class="success-icon">
        <i class="fas fa-check-circle"></i>
      </div>

      <h1 class="confirmation-title">Order Confirmed!</h1>
      <p class="confirmation-subtitle">Thank you for your order at Gusto
Grove & Dine</p>

      <!-- Order Details -->
      <div class="order-details">
        <div class="detail-section">
          <h3>Order Information</h3>
          <div class="detail-item">
            <span class="item-name">Order Number</span>
            <span class="item-price" id="orderNumber">-</span>
          </div>
          <div class="detail-item">
            <span class="item-name">Order Date & Time</span>
            <span class="item-price" id="orderDate">-</span>
          </div>
          <div class="detail-item">
            <span class="item-name">Estimated Delivery</span>
            <span class="item-price" id="deliveryTime">30-45
minutes</span>
          </div>
        </div>
      </div>
    </div>
  </section>

```

```

    <div class="detail-section">
      <h3>Order Items</h3>
      <div id="receiptItems"></div>
    </div>

    <div class="total-section">
      <div class="detail-item">
        <span class="item-name" style="color: white;">Total
Amount</span>
        <span class="total-amount" id="receiptTotal">R0</span>
      </div>
    </div>

    <div class="detail-section">
      <h3>Delivery Information</h3>
      <div class="delivery-info">
        <div id="deliveryAddress"></div>
      </div>
    </div>

    <div class="detail-section">
      <h3>Payment Information</h3>
      <div class="detail-item">
        <span class="item-name">Payment Method</span>
        <span class="item-price">Credit Card ending in <span
id="cardLastFour">----</span></span>
      </div>
      <div class="detail-item">
        <span class="item-name">Payment Status</span>
        <span class="item-price" style="color:
#28a745;">Paid</span>
      </div>
    </div>

    <div class="thank-you-message" style="margin: 2rem 0;">
      <h3 style="color: var(--primary-color); font-size: 2.2rem;
margin-bottom: 1rem;">Thank You for Choosing Gusto Grove & Dine!</h3>
      <p style="font-size: 1.6rem; color: var(--light-text); line-
height: 1.6;">
        Your order is being prepared with care. You will receive a
confirmation email shortly.

```

```

        For any questions about your order, please call us at
<strong>011 123 4567</strong>.
    </p>
</div>

    <div class="action-buttons">
        <button class="btn btn-print" onclick="window.print()">
            <i class="fas fa-print"></i> Print Receipt
        </button>
        <a href="index.html" class="btn btn-home">
            <i class="fas fa-home"></i> Back to Home
        </a>
    </div>
</div>
</section>

<script>
    document.addEventListener('DOMContentLoaded', function() {
        const orderData = JSON.parse(localStorage.getItem('currentOrder'));
        const deliveryInfo =
JSON.parse(localStorage.getItem('deliveryInfo'));

        if (!orderData) {
            window.location.href = 'index.html';
            return;
        }

        // Populate order information
        document.getElementById('orderNumber').textContent =
orderData.orderNumber;
        document.getElementById('orderDate').textContent =
orderData.orderDate;
        document.getElementById('receiptTotal').textContent = 'R' +
orderData.total;
        document.getElementById('cardLastFour').textContent =
orderData.payment.cardLastFour;

        // Populate order items
        const receiptItems = document.getElementById('receiptItems');
        orderData.items.forEach(item => {
            const itemTotal = item.price * item.quantity;
            const itemElement = document.createElement('div');
            itemElement.className = 'detail-item';

```

```

        itemElement.innerHTML = `
            <div>
                <span class="item-name">${item.name} ×
${item.quantity}</span>
            </div>
            <span class="item-price">R${itemTotal}</span>
        `;
        receiptItems.appendChild(itemElement);
    });

    // Populate delivery information
    if (deliveryInfo) {
        const deliveryAddress =
document.getElementById('deliveryAddress');
        deliveryAddress.innerHTML = `
            <p style="font-size: 1.6rem; margin-bottom:
0.5rem;"><strong>${deliveryInfo.name}</strong></p>
            <p style="font-size: 1.4rem; color: var(--light-text);
margin-bottom: 0.5rem;">
                ${deliveryInfo.street}${deliveryInfo.apartment ? ', ' +
deliveryInfo.apartment : ''}<br>
                ${deliveryInfo.city}, ${deliveryInfo.province}
                ${deliveryInfo.postalCode}
            </p>
            <p style="font-size: 1.4rem; color: var(--light-text);">
                <i class="fas fa-phone" style="color: var(--primary-
color);"></i> ${deliveryInfo.phone}<br>
                <i class="fas fa-envelope" style="color: var(--primary-
color);"></i> ${deliveryInfo.email}
            </p>
        `;

        // Update delivery time based on selection
        if (deliveryInfo.deliveryTime === 'asap') {
            document.getElementById('deliveryTime').textContent = '25-40
minutes';
        } else if (deliveryInfo.deliveryTime === '30min') {
            document.getElementById('deliveryTime').textContent = '30-45
minutes';
        } else if (deliveryInfo.deliveryTime === '1hour') {
            document.getElementById('deliveryTime').textContent = '55-70
minutes';
        } else if (deliveryInfo.deliveryTime === '2hours') {

```



```

        document.getElementById('deliveryTime').textContent = '1 hour
50 minutes - 2 hours 10 minutes';
    }
}

    // Clear order data after displaying (optional)
    // localStorage.removeItem('currentOrder');
    // localStorage.removeItem('deliveryInfo');
});
</script>
</body>
</html>

```

SIGN-UP

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Gusto Grove & Dine - Sign Up</title>
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.5.2/css/all.min.css">
    <link rel="stylesheet" href="css/Vero.css">
</head>
<body background="/images/background.jpeg">
    <div class="login-container">
        <span class="logo">Gusto Grove & Dine</span>
        <h2>Welcome</h2>
        <form id="loginForm">
            <div class="form-group">
                <label for="name">Name</label>
                <input type="text" id="name" name="name" placeholder="Enter your
Name" required>
            </div>

            <div class="form-group">
                <label for="surname">Surname</label>
                <input type="text" id="surname" name="surname" placeholder="Enter
your Surname" required>
            </div>

            <div class="form-group">

```

```

        <label for="phone">Phone Number</label>
        <input type="number" id="phone" name="phone" placeholder="Enter
your Phone Number" required>
    </div>

    <div class="form-group">
        <label for="UserID">Email</label>
        <input type="text" id="UserID" name="UserID" placeholder="Enter
your Email" required>
    </div>

    <div class="form-group">
        <label for="password">Password</label>
        <div class="password-container">
            <input type="password" id="password" name="password"
placeholder="Enter your password" required>
            <button type="button" class="toggle-password"
id="togglePassword">
                <i class="far fa-eye"></i>
            </button>
        </div>
    </div>

    <button type="submit" class="login-btn">Sign Up</button>
</form>

<div class="social-login">
    <p>Or Sign Up with</p>
    <div class="social-icons">
        <a href="#" class="facebook"><i class="fab fa-facebook-
f"></i></a>
        <a href="#" class="google"><i class="fab fa-google"></i></a>
        <a href="#" class="twitter"><i class="fab fa-twitter"></i></a>
    </div>
</div>

<div class="register-link">
    Already have an account? <a href="Login.html">Login</a>
</div>

<div id="message"></div>
</div>

```

```
<script src="js/app.js"></script>
</body>
</html>
```

CASCADING STYLE SHEET

```
:root {
    --primary-color: #d35400;
    --secondary-color: #e67e22;
    --accent-color: #f39c12;
    --dark-color: #2d2013;
    --light-color: #fefae0;
    --bg-color: #ffffff;
    --second-bg-color: #f9f5f0;
    --text-color: #302a22;
    --light-text: #666;
    --border-color: #ddd;
    --shadow: 0 5px 15px rgba(0, 0, 0, 0.1);
    --transition: all 0.3s ease;
}

* {
    margin: 0;
    padding: 0;
    box-sizing: border-box;
    font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
}

html {
    font-size: 62.5%;
    scroll-behavior: smooth;
}

body {
    background-color: var(--bg-color);
    color: var(--text-color);
    line-height: 1.6;
}

section {
    padding: 8rem 5%;
}
```

```
.heading {
  text-align: center;
  margin-bottom: 5rem;
}

.heading span {
  font-size: 2rem;
  color: var(--primary-color);
  text-transform: uppercase;
  letter-spacing: 1px;
}

.heading h3 {
  font-size: 4rem;
  color: var(--dark-color);
  margin-top: 1rem;
}

.btn {
  display: inline-block;
  background: var(--primary-color);
  color: white;
  font-size: 1.8rem;
  padding: 1.2rem 3rem;
  border-radius: 5px;
  cursor: pointer;
  transition: var(--transition);
  text-transform: capitalize;
  border: none;
  text-decoration: none;
}

.btn:hover {
  background: var(--secondary-color);
  transform: translateY(-3px);
  box-shadow: var(--shadow);
}

/* Header */
.header {
  background-color: var(--bg-color);
  box-shadow: 0 2px 10px rgba(0, 0, 0, 0.1);
}
```

```
    position: fixed;
    top: 0;
    left: 0;
    width: 100%;
    z-index: 1000;
    padding: 1.5rem 5%;
    display: flex;
    justify-content: space-between;
    align-items: center;
}

.header .logo {
    font-size: 2.5rem;
    font-weight: bold;
    color: var(--primary-color);
    text-decoration: none;
}

.header .navbar {
    display: flex;
}

.header .navbar a {
    font-size: 1.8rem;
    color: var(--text-color);
    margin-left: 3rem;
    transition: var(--transition);
    text-decoration: none;
}

.header .navbar a:hover {
    color: var(--primary-color);
}

#menu-btn {
    font-size: 2.5rem;
    cursor: pointer;
    color: var(--dark-color);
    display: none;
}

/* Home Section */
.home {
```

```
        margin-top: 80px;
        padding: 0;
    }

    .home-slider {
        width: 100%;
        height: 80vh;
    }

    .swiper-slide {
        display: flex;
        align-items: center;
        justify-content: center;
        background-size: cover !important;
        background-position: center !important;
        position: relative;
    }

    .swiper-slide::before {
        content: '';
        position: absolute;
        top: 0;
        left: 0;
        width: 100%;
        height: 100%;
    }

    .swiper-slide .content {
        position: relative;
        z-index: 1;
        text-align: center;
        color: white;
        max-width: 800px;
        padding: 0 2rem;
    }

    .swiper-slide .content span {
        font-size: 2.5rem;
        display: block;
        margin-bottom: 1rem;
    }
```

```
.swiper-slide .content h3 {
    font-size: 6rem;
    margin-bottom: 2rem;
    text-transform: uppercase;
}

/* About Section */
.about {
    display: flex;
    align-items: center;
    flex-wrap: wrap;
    gap: 5rem;
    background-color: var(--second-bg-color);
}

.about .image {
    flex: 1 1 40rem;
}

.about .image img {
    width: 100%;
    border-radius: 10px;
}

.about .content {
    flex: 1 1 40rem;
}

.about .content h3 {
    font-size: 3.5rem;
    color: var(--dark-color);
    margin-bottom: 2rem;
}

.about .content p {
    font-size: 1.8rem;
    color: var(--light-text);
    margin-bottom: 2rem;
    line-height: 1.8;
}

.about .content span {
    color: var(--primary-color);
}
```

```
        font-weight: bold;
    }

    .about .icons-container {
        display: flex;
        flex-wrap: wrap;
        gap: 2rem;
        margin-top: 3rem;
    }

    .about .icons-container .icons {
        flex: 1 1 15rem;
        text-align: center;
        background: var(--bg-color);
        padding: 3rem 2rem;
        border-radius: 10px;
        box-shadow: var(--shadow);
    }

    .about .icons-container .icons img {
        height: 8rem;
        margin-bottom: 1.5rem;
    }

    .about .icons-container .icons h3 {
        font-size: 2rem;
        color: var(--dark-color);
    }

    /* Top Menu Section */
    .Top-Menu {
        background-color: var(--bg-color);
    }

    .food-slider {
        padding: 3rem 0;
    }

    .food-slide {
        text-align: center;
        padding: 2rem;
        background: var(--second-bg-color);
        border-radius: 10px;
    }
```



```

        box-shadow: var(--shadow);
    }

    .food-slide img {
        width: 100%;
        max-width: 250px;
        height: 250px;
        object-fit: cover;
        border-radius: 10px;
        margin-bottom: 2rem;
    }

    .food-slide h3 {
        font-size: 2.2rem;
        margin-bottom: 1rem;
        color: var(--dark-color);
    }

    .food-slide .fa-star {
        color: var(--accent-color);
        font-size: 1.8rem;
    }

    /* Gallery Section */
    .gallery {
        background-color: var(--bg-color);
        padding: 8rem 5%;
    }

    .gallery-container {
        display: grid;
        grid-template-columns: repeat(auto-fit, minmax(300px, 1fr));
        gap: 2rem;
        max-width: 1200px;
        margin: 0 auto;
    }

    .gallery-container .box {
        position: relative;
        border-radius: 15px;
        overflow: hidden;
        box-shadow: var(--shadow);
        transition: var(--transition);
    }

```

```
height: 300px;
display: block;
text-decoration: none;
}

.gallery-container .box:hover {
  transform: translateY(-10px);
  box-shadow: 0 20px 40px rgba(0, 0, 0, 0.2);
}

.gallery-container .box img {
  width: 100%;
  height: 100%;
  object-fit: cover;
  transition: var(--transition);
}

.gallery-container .box:hover img {
  transform: scale(1.1);
}

.gallery-container .box .icon {
  position: absolute;
  top: 50%;
  left: 50%;
  transform: translate(-50%, -50%);
  width: 60px;
  height: 60px;
  background: var(--primary-color);
  border-radius: 50%;
  display: flex;
  align-items: center;
  justify-content: center;
  opacity: 0;
  transition: var(--transition);
}

.gallery-container .box:hover .icon {
  opacity: 1;
}

.gallery-container .box .icon i {
  font-size: 2rem;
```

```
color: white;
}

/* Main Menu Section */
.Main-Menu {
    background-color: var(--second-bg-color);
}

#section {
    text-align: center;
    font-size: 4rem;
    color: var(--dark-color);
    margin-bottom: 4rem;
    position: relative;
}

#section::after {
    content: '';
    position: absolute;
    bottom: -10px;
    left: 50%;
    transform: translateX(-50%);
    width: 100px;
    height: 4px;
    background: var(--primary-color);
}

#menu_row {
    display: flex;
    flex-wrap: wrap;
    gap: 3rem;
    justify-content: center;
}

.menu_col {
    flex: 1 1 35rem;
    background: var(--bg-color);
    border-radius: 10px;
    padding: 2rem;
    box-shadow: var(--shadow);
}

.menu_col h2 {
```

```
        background-color: var(--primary-color);
        color: white;
        text-align: center;
        padding: 1.5rem;
        border-radius: 8px;
        margin-bottom: 2rem;
        font-size: 2.5rem;
    }

    .box {
        display: flex;
        align-items: center;
        gap: 2rem;
        margin-bottom: 2rem;
        padding: 1.5rem;
        border-radius: 8px;
        background: var(--second-bg-color);
        transition: var(--transition);
    }

    .box:hover {
        transform: translateY(-5px);
        box-shadow: var(--shadow);
    }

    .Item {
        width: 120px;
        height: 120px;
        border-radius: 50%;
        overflow: hidden;
        flex-shrink: 0;
    }

    .Item img {
        width: 100%;
        height: 100%;
        object-fit: cover;
    }

    .item-details {
        flex-grow: 1;
    }
```

```
.item-details h3 {
    font-size: 1.8rem;
    margin-bottom: 0.5rem;
    color: var(--dark-color);
}

.Price {
    font-size: 2rem;
    color: var(--primary-color);
    font-weight: bold;
    margin-bottom: 1rem;
}

.addCart {
    background-color: var(--primary-color);
    color: white;
    padding: 0.8rem 1.5rem;
    border-radius: 5px;
    cursor: pointer;
    border: none;
    transition: var(--transition);
    font-size: 1.6rem;
}

.addCart:hover {
    background-color: var(--secondary-color);
}

/* Staff Section */
.Staff {
    background-color: var(--bg-color);
}

.staff-container {
    max-width: 1200px;
    margin: 0 auto;
}

.grid {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(250px, 1fr));
    gap: 3rem;
}
```

```
.staff-card {
  background: var(--second-bg-color);
  border-radius: 10px;
  overflow: hidden;
  box-shadow: var(--shadow);
  transition: var(--transition);
}

.staff-card:hover {
  transform: translateY(-10px);
}

.card-img {
  height: 300px;
  overflow: hidden;
}

.card-img img {
  width: 100%;
  height: 100%;
  object-fit: cover;
  transition: var(--transition);
}

.staff-card:hover .card-img img {
  transform: scale(1.1);
}

.card-body {
  padding: 2rem;
  text-align: center;
}

.card-title {
  font-size: 2.2rem;
  margin-bottom: 0.5rem;
  color: var(--dark-color);
}

.designation {
  font-size: 1.6rem;
  color: var(--primary-color);
}
```

```
        margin-bottom: 1.5rem;
    }

    /* Order Section */
    .Order {
        background-color: var(--second-bg-color);
    }

    .container_2 {
        max-width: 1200px;
        margin: 0 auto;
        background: var(--bg-color);
        padding: 3rem;
        border-radius: 10px;
        box-shadow: var(--shadow);
    }

    .container_2 form {
        width: 100%;
    }

    .row {
        display: flex;
        flex-wrap: wrap;
        gap: 2rem;
    }

    .column {
        flex: 1 1 45rem;
    }

    .column .title {
        font-size: 2.5rem;
        color: var(--dark-color);
        margin-bottom: 2rem;
        padding-bottom: 1rem;
        border-bottom: 2px solid var(--primary-color);
    }

    .input-box {
        margin-bottom: 2rem;
    }
```

```
.input-box span {
  display: block;
  font-size: 1.8rem;
  margin-bottom: 1rem;
  color: var(--dark-color);
}

.input-box input {
  width: 100%;
  padding: 1.2rem;
  border: 1px solid var(--border-color);
  border-radius: 5px;
  font-size: 1.6rem;
}

.flex {
  display: flex;
  gap: 2rem;
}

.flex .input-box {
  flex: 1;
}

.input-box img {
  width: 100%;
  max-width: 300px;
  margin-top: 1rem;
}

/* Review Section */
.Review {
  background-color: var(--bg-color);
}

.container {
  max-width: 1200px;
  margin: 0 auto;
  display: grid;
  grid-template-columns: 1fr 1fr;
  gap: 5rem;
  align-items: center;
}
```



```
.container_left h1 {
  font-size: 4rem;
  margin-bottom: 2rem;
  color: var(--dark-color);
  line-height: 1.2;
}

.container_left p {
  font-size: 1.8rem;
  margin-bottom: 2rem;
  color: var(--light-text);
  line-height: 1.8;
}

.container_left button {
  padding: 1.5rem 3rem;
  background: var(--primary-color);
  color: white;
  border: none;
  border-radius: 5px;
  font-size: 1.8rem;
  cursor: pointer;
  transition: var(--transition);
}

.container_left button:hover {
  background: var(--secondary-color);
}

.container_right {
  display: flex;
  flex-direction: column;
  gap: 2rem;
}

.card {
  background: var(--second-bg-color);
  padding: 2.5rem;
  border-radius: 10px;
  box-shadow: var(--shadow);
}
```

```
.card_container {
  position: relative;
}

.card_container span i {
  font-size: 3rem;
  color: var(--primary-color);
  margin-bottom: 1rem;
  display: block;
}

.card_details p {
  font-size: 1.6rem;
  margin-bottom: 2rem;
  color: var(--light-text);
  line-height: 1.6;
}

.card_details h4 {
  text-align: right;
  font-size: 1.8rem;
  color: var(--dark-color);
}

/* Contact Section */
.contact {
  background-color: var(--second-bg-color);
}

.contact h2 {
  margin-bottom: 3rem;
  text-align: center;
  font-size: 4rem;
  color: var(--dark-color);
}

.contact h2 span {
  color: var(--primary-color);
}

.contact form {
  max-width: 70rem;
  margin: 1rem auto;
```

```

        text-align: center;
        margin-bottom: 3rem;
    }

    .contact form .input-box {
        display: flex;
        justify-content: space-between;
        flex-wrap: wrap;
    }

    .contact form .input-box input,
    .contact form textarea {
        width: 100%;
        padding: 1.5rem;
        font-size: 1.6rem;
        color: var(--text-color);
        background: var(--bg-color);
        border-radius: .8rem;
        margin: .7rem 0;
        border: 1px solid var(--border-color);
    }

    .contact form .input-box input{
        width: 49%;
    }

    .contact form textarea {
        resize: none;
    }

    .contact form .btn {
        margin-top: 2rem;
        cursor: pointer;
    }

    /* Countdown Section */
    .count {
        background: linear-gradient(rgba(0,0,0,0.7), rgba(0,0,0,0.7)),
            url('https://images.unsplash.com/photo-1414235077428-338989a2e8c0?ixlib=rb-4.0.3&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D&auto=format&fit=crop&w=2070&q=80');
        background-size: cover;
    }

```

```
        background-position: center;
        color: white;
        padding: 8rem 5%;
        text-align: center;
        margin: 5rem 0;
        border-radius: 15px;
        position: relative;
        overflow: hidden;
    }

    .count .logo {
        width: 150px;
        margin-bottom: 3rem;
    }

    .count .content2 {
        max-width: 800px;
        margin: 0 auto;
    }

    .count .content2 h3 {
        font-size: 2.5rem;
        margin-bottom: 1.5rem;
        color: var(--accent-color);
    }

    .count .content2 h1 {
        font-size: 4.5rem;
        margin-bottom: 3rem;
        line-height: 1.2;
    }

    .count .content2 h1 span {
        color: var(--accent-color);
    }

    .launch-time {
        display: flex;
        justify-content: center;
        gap: 3rem;
        margin: 4rem 0;
        flex-wrap: wrap;
    }
```

```
.launch-time div {
  flex: 1;
  min-width: 120px;
  text-align: center;
  background: rgba(255, 255, 255, 0.1);
  padding: 2rem 1rem;
  border-radius: 10px;
  backdrop-filter: blur(10px);
  border: 1px solid rgba(255, 255, 255, 0.2);
}

.launch-time div p {
  font-size: 4rem;
  font-weight: bold;
  margin-bottom: 1rem;
  color: var(--accent-color);
  text-shadow: 2px 2px 4px rgba(0, 0, 0, 0.5);
}

.launch-time div span {
  font-size: 1.6rem;
  color: white;
  text-transform: uppercase;
  letter-spacing: 1px;
}

.count .service {
  width: 200px;
  margin-top: 3rem;
  opacity: 0.8;
}

/* Footer */
.site-footer {
  background-color: var(--dark-color);
  color: white;
  padding: 5rem 5% 2rem;
  margin-top: 4rem;
}

.footer-container {
  display: flex;
```

```
    flex-wrap: wrap;
    justify-content: space-between;
    gap: 4rem;
    max-width: 1200px;
    margin: 0 auto;
}

.footer-links, .footer-socials, .footer-info {
    flex: 1 1 30rem;
    min-width: 280px;
}

.site-footer h3 {
    font-size: 2.4rem;
    margin-bottom: 2.5rem;
    color: var(--accent-color);
    font-weight: 600;
    position: relative;
    padding-bottom: 1rem;
}

.site-footer h3::after {
    content: '';
    position: absolute;
    bottom: 0;
    left: 0;
    width: 50px;
    height: 3px;
    background: var(--primary-color);
    border-radius: 2px;
}

.footer-links {
    display: flex;
    flex-direction: column;
}

.footer-links a {
    display: block;
    font-size: 1.8rem;
    color: rgba(255, 255, 255, 0.8);
    margin-bottom: 1.2rem;
    text-decoration: none;
}
```

```
    transition: var(--transition);
    padding: 0.5rem 0;
    border-bottom: 1px solid rgba(255, 255, 255, 0.1);
}

.footer-links a:hover {
    color: var(--accent-color);
    transform: translateX(10px);
    border-bottom-color: var(--accent-color);
}

.footer-socials {
    display: flex;
    flex-direction: column;
    align-items: center;
    text-align: center;
}

.social-icons-container {
    display: flex;
    gap: 1.5rem;
    margin-bottom: 2rem;
    flex-wrap: wrap;
    justify-content: center;
}

.footer-socials a {
    display: flex;
    align-items: center;
    justify-content: center;
    width: 50px;
    height: 50px;
    font-size: 2.2rem;
    color: white;
    background: rgba(255, 255, 255, 0.1);
    border-radius: 50%;
    transition: var(--transition);
    text-decoration: none;
    border: 2px solid transparent;
}

.footer-socials a:hover {
    color: white;
```

```

        background: var(--primary-color);
        transform: translateY(-5px);
        border-color: var(--accent-color);
        box-shadow: 0 5px 15px rgba(0, 0, 0, 0.3);
    }

    /* Specific social media colors on hover */
    .footer-socials a.social-icon:hover { background: #1DA1F2; }
    .footer-socials a.fb:hover { background: #1877F2; }
    .footer-socials a.ig:hover {
        background: linear-gradient(45deg, #f09433, #e6683c, #dc2743,
#cc2366, #bc1888);
    }
    .footer-socials a.li:hover { background: #0077B5; }

    .footer-info p {
        font-size: 1.7rem;
        margin-bottom: 1.5rem;
        color: rgba(255, 255, 255, 0.8);
        display: flex;
        align-items: center;
        gap: 1rem;
    }

    .footer-info p i {
        color: var(--accent-color);
        width: 20px;
        font-size: 1.8rem;
    }

    .footer-info .contact-info {
        margin-top: 2rem;
        padding-top: 2rem;
        border-top: 1px solid rgba(255, 255, 255, 0.1);
    }

    .footer-copyright {
        text-align: center;
        margin-top: 5rem;
        padding-top: 2.5rem;
        border-top: 1px solid rgba(255, 255, 255, 0.2);
        font-size: 1.6rem;
        color: rgba(255, 255, 255, 0.7);
    }

```



```
}

/* Cart */
.cartTab {
  position: fixed;
  top: 0;
  right: -400px;
  width: 400px;
  height: 100vh;
  background-color: var(--dark-color);
  color: white;
  transition: right 0.5s ease;
  z-index: 1001;
  display: flex;
  flex-direction: column;
}

body.showCart .cartTab {
  right: 0;
}

.cartTab h1 {
  padding: 2rem;
  font-size: 2.5rem;
  border-bottom: 1px solid rgba(255, 255, 255, 0.1);
  text-align: center;
}

.listCart {
  flex: 1;
  overflow-y: auto;
  padding: 2rem;
}

.cart-item {
  display: grid;
  grid-template-columns: 70px 1fr auto auto;
  gap: 1rem;
  align-items: center;
  padding: 1.5rem 0;
  border-bottom: 1px solid rgba(255, 255, 255, 0.1);
}
```

```
.cart-item img {
  width: 60px;
  height: 60px;
  border-radius: 50%;
  object-fit: cover;
}

.cart-item .name {
  font-size: 1.6rem;
}

.cart-item .totalPrice {
  font-size: 1.6rem;
  color: var(--accent-color);
}

.quantity {
  display: flex;
  align-items: center;
  gap: 1rem;
}

.quantity span {
  cursor: pointer;
  user-select: none;
}

.quantity .minus, .quantity .plus {
  width: 25px;
  height: 25px;
  background-color: white;
  color: var(--dark-color);
  border-radius: 50%;
  display: flex;
  align-items: center;
  justify-content: center;
  font-weight: bold;
}

.quantity .number {
  min-width: 20px;
  text-align: center;
}
```

```
.cart-total {  
  padding: 2rem;  
  border-top: 1px solid rgba(255, 255, 255, 0.1);  
  text-align: center;  
}
```

```
.cart-total h3 {  
  font-size: 2rem;  
  color: var(--accent-color);  
}
```

```
.cartTab .btn {  
  display: grid;  
  grid-template-columns: 1fr 1fr;  
  gap: 1rem;  
  padding: 2rem;  
}
```

```
.cartTab .btn button {  
  padding: 1.2rem;  
  border: none;  
  border-radius: 5px;  
  font-size: 1.6rem;  
  cursor: pointer;  
  transition: var(--transition);  
}
```

```
.cartTab .btn .close {  
  background-color: white;  
  color: var(--dark-color);  
}
```

```
.cartTab .btn .checkout {  
  background-color: var(--accent-color);  
  color: var(--dark-color);  
}
```

```
.cartTab .btn button:hover {  
  transform: translateY(-3px);  
}
```

```
.empty-cart {
```

```
    text-align: center;
    padding: 4rem 2rem;
    font-size: 1.8rem;
    color: rgba(255, 255, 255, 0.7);
}

/* Responsive Design */
@media (max-width: 991px) {
    html {
        font-size: 55%;
    }

    .header .navbar {
        display: none;
    }

    #menu-btn {
        display: inline-block;
    }

    .container {
        grid-template-columns: 1fr;
        gap: 4rem;
    }

    .grid {
        grid-template-columns: repeat(auto-fit, minmax(200px, 1fr));
    }

    .cartTab {
        width: 100%;
        right: -100%;
    }

    body.showCart .cartTab {
        right: 0;
    }
}

@media (max-width: 768px) {
    section {
        padding: 6rem 5%;
    }
}
```

```
.heading h3 {
  font-size: 3rem;
}

.swiper-slide .content h3 {
  font-size: 4rem;
}

.about {
  flex-direction: column;
}

.footer-container {
  flex-direction: column;
  text-align: center;
}

.site-footer h3::after {
  left: 50%;
  transform: translateX(-50%);
}

.footer-links a:hover {
  transform: none;
}

.row {
  flex-direction: column;
}

.count .content2 h1 {
  font-size: 3.5rem;
}

.launch-time {
  gap: 1.5rem;
}

.launch-time div {
  min-width: 100px;
  padding: 1.5rem 0.5rem;
}
```

```
}

.launch-time div p {
    font-size: 3rem;
}

}

@media (max-width: 480px) {
    html {
        font-size: 50%;
    }

    .box {
        flex-direction: column;
        text-align: center;
    }

    .Item {
        width: 150px;
        height: 150px;
    }

    .count .content2 h1 {
        font-size: 2.8rem;
    }

    .launch-time {
        gap: 1rem;
    }

    .launch-time div {
        min-width: 80px;
        padding: 1rem 0.5rem;
    }

    .launch-time div p {
        font-size: 2.5rem;
    }

    .launch-time div span {
        font-size: 1.4rem;
    }
}
```

```

        .site-footer {
            padding: 4rem 5% 2rem;
        }

        .footer-links, .footer-socials, .footer-info {
            min-width: 100%;
        }

        .site-footer h3 {
            font-size: 2rem;
        }

        .footer-links a {
            font-size: 1.6rem;
        }

        .footer-socials a {
            width: 45px;
            height: 45px;
            font-size: 2rem;
        }
    }
}

/* Count Up Section */
.count-up {
    background: linear-gradient(135deg, #ffffff 0%, #f8f9fa 100%);
    color: var(--dark-color);
    padding: 8rem 5%;
    text-align: center;
    margin: 5rem 0;
    border-radius: 15px;
    position: relative;
    overflow: hidden;
    border: 1px solid var(--border-color);
    box-shadow: var(--shadow);
}

.count-up::before {
    content: '';
    position: absolute;
    top: 0;
    left: 0;
    width: 100%;

```

```

    height: 100%;
    background:
      radial-gradient(circle at 20% 80%, rgba(211, 84, 0, 0.05) 0%, transparent
50%),
      radial-gradient(circle at 80% 20%, rgba(230, 126, 34, 0.05) 0%,
transparent 50%),
      radial-gradient(circle at 40% 40%, rgba(243, 156, 18, 0.03) 0%,
transparent 50%);
    z-index: 1;
  }

.count-up > * {
  position: relative;
  z-index: 2;
}

.count-up-container {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(200px, 1fr));
  gap: 4rem;
  max-width: 1200px;
  margin: 0 auto;
  padding: 2rem 0;
}

.count-item {
  background: rgba(255, 255, 255, 0.9);
  padding: 3rem 2rem;
  border-radius: 15px;
  border: 2px solid var(--primary-color);
  transition: var(--transition);
  position: relative;
  overflow: hidden;
  box-shadow: 0 5px 15px rgba(0, 0, 0, 0.1);
}

.count-item::before {
  content: '';
  position: absolute;
  top: 0;
  left: -100%;
  width: 100%;
  height: 100%;

```



```
    background: linear-gradient(90deg, transparent, rgba(211, 84, 0, 0.1),
transparent);
    transition: left 0.5s;
}

.count-item:hover::before {
    left: 100%;
}

.count-item:hover {
    transform: translateY(-10px);
    box-shadow: 0 20px 40px rgba(0, 0, 0, 0.15);
    background: white;
    border-color: var(--secondary-color);
}

.count-icon {
    font-size: 4rem;
    color: var(--primary-color);
    margin-bottom: 1.5rem;
    transition: var(--transition);
}

.count-item:hover .count-icon {
    transform: scale(1.2);
    color: var(--secondary-color);
}

.count-number {
    font-size: 4.5rem;
    font-weight: bold;
    margin-bottom: 1rem;
    color: var(--primary-color);
    transition: var(--transition);
}

.count-item:hover .count-number {
    color: var(--secondary-color);
}

.count-label {
    font-size: 1.8rem;
    color: var(--text-color);
}
```

```

    text-transform: uppercase;
    letter-spacing: 1px;
    font-weight: 600;
}

/* Responsive Design for Count Up */
@media (max-width: 768px) {
    .count-up-container {
        grid-template-columns: repeat(2, 1fr);
        gap: 2rem;
    }

    .count-number {
        font-size: 3.5rem;
    }

    .count-icon {
        font-size: 3rem;
    }
}

@media (max-width: 480px) {
    .count-up-container {
        grid-template-columns: 1fr;
        gap: 2rem;
    }

    .count-number {
        font-size: 3rem;
    }
}

:root {
    --primary-color: #d35400;
    --secondary-color: #e67e22;
    --accent-color: #f39c12;
    --dark-color: #2d2013;
    --light-color: #fefae0;
    --bg-color: #ffffff;
    --second-bg-color: #f9f5f0;
    --text-color: #302a22;
    --light-text: #666;
    --border-color: #ddd;
    --shadow: 0 5px 15px rgba(0, 0, 0, 0.1);
}

```

```
--transition: all 0.3s ease;
}

* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
}

body {
  background-color: var(--shadow);
  background-size: cover;
  background-position: center;
  min-height: 100vh;
  display: flex;
  justify-content: center;
  align-items: center;
  color: var(--text-color);
}

.login-container {
  background: var(--bg-color);
  padding: 4rem 3rem;
  border-radius: 15px;
  box-shadow: var(--shadow);
  width: 100%;
  max-width: 800px;
  text-align: center;
  position: relative;
  overflow: hidden;
}

.login-container::before {
  content: '';
  position: absolute;
  top: 0;
  left: 0;
  width: 100%;
  height: 5px;
  background: linear-gradient(to right, var(--primary-color), var(--
accent-color));
}
```

```
.login-container h2 {
  font-size: 3rem;
  margin-bottom: 2.5rem;
  color: var(--dark-color);
  position: relative;
  padding-bottom: 1rem;
}

.login-container h2::after {
  content: '';
  position: absolute;
  bottom: 0;
  left: 50%;
  transform: translateX(-50%);
  width: 80px;
  height: 3px;
  background: var(--primary-color);
  border-radius: 2px;
}

.login-container .logo {
  font-size: 2.8rem;
  color: var(--primary-color);
  margin-bottom: 1.5rem;
  font-weight: bold;
  display: block;
}

.login-container form {
  display: flex;
  flex-direction: column;
  gap: 2rem;
}

.form-group {
  position: relative;
  text-align: left;
}

.form-group label {
  display: block;
  font-size: 1.6rem;
```

```
margin-bottom: 0.8rem;
color: var(--dark-color);
font-weight: 500;
}

.form-group input {
width: 100%;
padding: 1.5rem;
border: 2px solid var(--border-color);
border-radius: 8px;
font-size: 1.6rem;
transition: var(--transition);
background: var(--second-bg-color);
}

.form-group input:focus {
outline: none;
border-color: var(--primary-color);
box-shadow: 0 0 0 3px rgba(211, 84, 0, 0.1);
background: var(--bg-color);
}

.form-group input::placeholder {
color: var(--light-text);
opacity: 0.7;
}

.password-container {
position: relative;
}

.toggle-password {
position: absolute;
right: 15px;
top: 50%;
transform: translateY(-50%);
background: none;
border: none;
color: var(--light-text);
cursor: pointer;
font-size: 1.6rem;
transition: var(--transition);
}
```

```
.toggle-password:hover {
  color: var(--primary-color);
}

.login-btn {
  background: var(--primary-color);
  color: white;
  border: none;
  padding: 1.5rem;
  border-radius: 8px;
  font-size: 1.8rem;
  font-weight: 600;
  cursor: pointer;
  transition: var(--transition);
  margin-top: 1rem;
}

.login-btn:hover {
  background: var(--secondary-color);
  transform: translateY(-3px);
  box-shadow: var(--shadow);
}

.login-btn:active {
  transform: translateY(-1px);
}

.login-options {
  display: flex;
  justify-content: space-between;
  align-items: center;
  margin-top: 2rem;
  font-size: 1.4rem;
}

.remember-me {
  display: flex;
  align-items: center;
  gap: 0.5rem;
}

.remember-me input {
```

```
    width: 18px;
    height: 18px;
}

.forgot-password {
    color: var(--primary-color);
    text-decoration: none;
    transition: var(--transition);
}

.forgot-password:hover {
    color: var(--secondary-color);
    text-decoration: underline;
}

.register-link {
    margin-top: 2.5rem;
    font-size: 1.5rem;
    color: var(--light-text);
}

.register-link a {
    color: var(--primary-color);
    text-decoration: none;
    font-weight: 600;
    transition: var(--transition);
}

.register-link a:hover {
    color: var(--secondary-color);
    text-decoration: underline;
}

#message {
    margin-top: 1.5rem;
    padding: 1rem;
    border-radius: 5px;
    font-size: 1.5rem;
    display: none;
}

.success {
    background: #d4edda;
```

```
        color: #155724;
        border: 1px solid #c3e6cb;
    }

    .error {
        background: #f8d7da;
        color: #721c24;
        border: 1px solid #f5c6cb;
    }

    .social-login {
        margin-top: 2.5rem;
        padding-top: 2rem;
        border-top: 1px solid var(--border-color);
    }

    .social-login p {
        font-size: 1.5rem;
        margin-bottom: 1.5rem;
        color: var(--light-text);
    }

    .social-icons {
        display: flex;
        justify-content: center;
        gap: 1.5rem;
    }

    .social-icons a {
        display: flex;
        align-items: center;
        justify-content: center;
        width: 45px;
        height: 45px;
        border-radius: 50%;
        background: var(--second-bg-color);
        color: var(--text-color);
        font-size: 1.8rem;
        transition: var(--transition);
        text-decoration: none;
    }

    .social-icons a:hover {
```



```

        transform: translateY(-3px);
        box-shadow: var(--shadow);
    }

    .social-icons .facebook:hover {
        background: #1877F2;
        color: white;
    }

    .social-icons .google:hover {
        background: #DB4437;
        color: white;
    }

    .social-icons .twitter:hover {
        background: #1DA1F2;
        color: white;
    }

    /* Responsive Design */
    @media (max-width: 768px) {
        .login-container {
            margin: 2rem;
            padding: 3rem 2rem;
        }

        .login-container h2 {
            font-size: 2.5rem;
        }

        .login-options {
            flex-direction: column;
            gap: 1rem;
            align-items: flex-start;
        }
    }

    @media (max-width: 480px) {
        .login-container {
            padding: 2.5rem 1.5rem;
        }

        .login-container h2 {

```

```

        font-size: 2.2rem;
    }

    .form-group input {
        padding: 1.2rem;
    }

    .login-btn {
        padding: 1.2rem;
    }
}

:root {
    --primary-color: #d35400;
    --secondary-color: #e67e22;
    --accent-color: #f39c12;
    --dark-color: #2d2013;
    --light-color: #fefae0;
    --bg-color: #ffffff;
    --second-bg-color: #f9f5f0;
    --text-color: #302a22;
    --light-text: #666;
    --border-color: #ddd;
    --shadow: 0 5px 15px rgba(0, 0, 0, 0.1);
    --transition: all 0.3s ease;
}

* {
    margin: 0;
    padding: 0;
    box-sizing: border-box;
    font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
}

body {
    background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);
    background-size: cover;
    background-position: center;
    min-height: 100vh;
    display: flex;
    justify-content: center;
    align-items: center;
    color: var(--text-color);
    padding: 20px;

```

```
}

.login-container {
  background: var(--bg-color);
  padding: 4rem 3rem;
  border-radius: 15px;
  box-shadow: var(--shadow);
  width: 100%;
  max-width: 500px;
  text-align: center;
  position: relative;
  overflow: hidden;
}

.login-container::before {
  content: '';
  position: absolute;
  top: 0;
  left: 0;
  width: 100%;
  height: 5px;
  background: linear-gradient(to right, var(--primary-color), var(--accent-color));
}

.login-container h2 {
  font-size: 2.5rem;
  margin-bottom: 2rem;
  color: var(--dark-color);
  position: relative;
  padding-bottom: 1rem;
}

.login-container h2::after {
  content: '';
  position: absolute;
  bottom: 0;
  left: 50%;
  transform: translateX(-50%);
  width: 80px;
  height: 3px;
  background: var(--primary-color);
  border-radius: 2px;
}
```

```
}

.login-container .logo {
  font-size: 2.2rem;
  color: var(--primary-color);
  margin-bottom: 1rem;
  font-weight: bold;
  display: block;
}

.login-container form {
  display: flex;
  flex-direction: column;
  gap: 1.5rem;
}

.form-group {
  position: relative;
  text-align: left;
}

.form-group label {
  display: block;
  font-size: 1rem;
  margin-bottom: 0.5rem;
  color: var(--dark-color);
  font-weight: 500;
}

.form-group input {
  width: 100%;
  padding: 1rem;
  border: 2px solid var(--border-color);
  border-radius: 8px;
  font-size: 1rem;
  transition: var(--transition);
  background: var(--second-bg-color);
}

.form-group input:focus {
  outline: none;
  border-color: var(--primary-color);
  box-shadow: 0 0 0 3px rgba(211, 84, 0, 0.1);
}
```

```
    background: var(--bg-color);
}

.form-group input::placeholder {
    color: var(--light-text);
    opacity: 0.7;
}

.password-container {
    position: relative;
}

.toggle-password {
    position: absolute;
    right: 15px;
    top: 50%;
    transform: translateY(-50%);
    background: none;
    border: none;
    color: var(--light-text);
    cursor: pointer;
    font-size: 1rem;
    transition: var(--transition);
    padding: 5px;
}

.toggle-password:hover {
    color: var(--primary-color);
}

.login-btn {
    background: var(--primary-color);
    color: white;
    border: none;
    padding: 1.2rem;
    border-radius: 8px;
    font-size: 1.1rem;
    font-weight: 600;
    cursor: pointer;
    transition: var(--transition);
    margin-top: 1rem;
    width: 100%;
}
```

```
.login-btn:hover {
  background: var(--secondary-color);
  transform: translateY(-2px);
  box-shadow: var(--shadow);
}

.login-btn:active {
  transform: translateY(-1px);
}

.register-link {
  margin-top: 2rem;
  font-size: 1rem;
  color: var(--light-text);
}

.register-link a {
  color: var(--primary-color);
  text-decoration: none;
  font-weight: 600;
  transition: var(--transition);
}

.register-link a:hover {
  color: var(--secondary-color);
  text-decoration: underline;
}

#message {
  margin-top: 1.5rem;
  padding: 1rem;
  border-radius: 5px;
  font-size: 1rem;
  display: none;
}

.success {
  background: #d4edda;
  color: #155724;
  border: 1px solid #c3e6cb;
}
```

```
.error {
  background: #f8d7da;
  color: #721c24;
  border: 1px solid #f5c6cb;
}

.social-login {
  margin-top: 2rem;
  padding-top: 2rem;
  border-top: 1px solid var(--border-color);
}

.social-login p {
  font-size: 1rem;
  margin-bottom: 1rem;
  color: var(--light-text);
}

.social-icons {
  display: flex;
  justify-content: center;
  gap: 1rem;
}

.social-icons a {
  display: flex;
  align-items: center;
  justify-content: center;
  width: 40px;
  height: 40px;
  border-radius: 50%;
  background: var(--second-bg-color);
  color: var(--text-color);
  font-size: 1.2rem;
  transition: var(--transition);
  text-decoration: none;
}

.social-icons a:hover {
  transform: translateY(-2px);
  box-shadow: var(--shadow);
}
```

```
.social-icons .facebook:hover {
  background: #1877F2;
  color: white;
}

.social-icons .google:hover {
  background: #DB4437;
  color: white;
}

.social-icons .twitter:hover {
  background: #1DA1F2;
  color: white;
}

/* Responsive Design */
@media (max-width: 768px) {
  .login-container {
    margin: 1rem;
    padding: 2.5rem 2rem;
  }

  .login-container h2 {
    font-size: 2rem;
  }

  .login-container .logo {
    font-size: 1.8rem;
  }
}

@media (max-width: 480px) {
  .login-container {
    padding: 2rem 1.5rem;
  }

  .login-container h2 {
    font-size: 1.8rem;
  }

  .form-group input {
    padding: 0.8rem;
  }
}
```



```
.login-btn {  
  padding: 1rem;  
}
```

APPLICATIONS USED



XAMPP





Apache NetBeans



DECLARATION OF ALL GROUP

MEMEBERS

CONTRACT

This contract was drafted on 23 November 2025. I as the group member namely

1.Chantell Malepe

2.Jose Katie

3.Lucky Sithole

4.Kutloano Khau

5.Nonjabulo Ndlovu

6.Katlego Meletse

7.Lesego Moathlodi

8.Rocky Langa

9.Brandon Peterson

I sincerely declare that I acknowledge the hard work, effort and role within this group that I put in. I promise under any circumstance I will not commit any individual plagiarism, theft and crime. The income made from this project will benefit me and my members. Hence it will be split equally amongst us all in a fair manner. There will not be any dishonesty or side hustle under the project. This also secures a space for external work assistance, meaning if you receive help from any of the group member they must receive a form of payment ranging at R500.00 -R800.00 individually.

Every Chance I get a client for my team's work I will discuss it with my group members for a way forward. All guidelines will be followed with honesty and Sinecurism. The client has to meet with a maximum of four to six members of the group in one area to discuss further success. The meet ups must be recorded at all costs. All phone calls must be recorded to maintain a wider space of honesty.

Under any circumstance that I commit any plagiarism individually and vile mannered I gain a customer and produce the work as mine. I should be fined R4000,00 for my dishonesty. This will guarantee a new contract where the group leader decides to exclude you from the further altercations with any client under this project. The perpetrator will not get their work back from this project once excluded.

There is no group bank account but each one of the members here have an individual account. This shows that we do not have to meet physically to distribute an equal income, showcasing it can be done electronically so everyone has their individual proof of payment. If I am found violating these separate acts Copyright Act 98 of 1978, Stock theft Act of 1959, Game Theft Act of 1991, Cybercrimes Act 2020 and Protection of personal information Act of 2020. I will discuss that will the law and face my fine fairly. This fine is compulsory and applies to all of us.

NOTE: I WILL ATTEND THE COURT CASE. IF I DARE TO MISS THE COURT CASE I WILL REWARD MY OPPOSER WITH R500.00.

I solemnly agree with conditions of the group:

1._____

2._____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

FINGER PRINTS FOR JUST INCASE I LOOSE MY ID AND STILL WANT TO GAIN THE BENEFITS OF THE GROUP WORK.

CHANTELL MALEPE	
KUTLOANO KHAU	
LESEGO MOATLODI	

NONJABULO NDLOVU	
BRANDON PETERSON	
KATLEGO MELETSE	
LUCKY SITHOLE	
ROCKY LANGA	
JOSE KATIE	