


Code Reviewer Agent: Langflow



API request Output:

Component Output

Inspect the output of the component below.

Outputs Logs

```
text tree
{
  "source": "https://raw.githubusercontent.com/testleaftrainings/Sel_28Feb_2026/main/Week5/Day1/LearnNestedFrame.java",
  "status_code": 200,
  "response_headers": {
    "connection": "keep-alive",
    "content-length": "546",
    "cache-control": "max-age=300",
    "content-security-policy": "default-src 'none'; style-src 'unsafe-inline'; sandbox",
    "content-type": "text/plain; charset=utf-8",
    "etag": "W/\"958000cd1e464fc9708f3f6d328dd3d3b283ef54e5190773a87f63e76b21399f\"",
    "strict-transport-security": "max-age=31536000",
    "x-content-type-options": "nosniff",
    "x-frame-options": "deny",
    "x-xss-protection": "1; mode=block",
    "x-github-request-id": "D718:1282C6:4B8F8D:BB4A52:69FCB3C5",
    "content-encoding": "gzip",
    "accept-ranges": "bytes"
  }
}
```

Line: 1 Column: 1

Close

Component Output

Inspect the output of the component below.

Outputs Logs

```
text tree
{
  "x-fastly-request-id": "b8fba48331f80f19d8c305d494739b3ee73abe76",
  "expires": "Thu, 07 May 2026 17:36:52 GMT",
  "source-age": "92"
},
{
  "result": "package org.testleaf.week5.day1;\n\nimport org.openqa.selenium.By;\nimport org.openqa.selenium.WebElement;\nimport org.openqa.selenium.chrome.ChromeDriver;\n\npublic static void main(String[] args) {\n    //Launch the browser\n    ChromeDriver driver=new ChromeDriver();\n    \n    //Load the url\n    driver.get(\"https://leafground.com/frame.xhtml1\");\n    \n    //maximize the browser\n    driver.manage().window().maximize();\n    \n    //add implicit wait\n    driver.manage().timeouts().implicitlyWait(Duration.ofSeconds(15));\n    \n    //Switch inside the outer frame\n    //driver.switchTo().frame(2);\n    WebElement element = driver.findElement(By.xpath(\"//h5[text()=' Click Me (Inside Nested frame)]/following-sibling::iframe\"));\n    \n    //Switch inside the inner frame\n    driver.switchTo().frame(element);\n    \n    //Click the button\n    driver.findElement(By.id(\"Click\")).click();\n    \n    //Switch to the main page\n    driver.switchTo().defaultContent();\n    \n    //Switch back to the immediate parent frame\n    driver.switchTo().parentFrame();\n    \n    }\n}"
```

Line: 1 Column: 1

Close

Parser Output:

Component Output

Inspect the output of the component below.

Outputs

Logs

Text: b'package org.testleaf.week5.day1;\n\nimport java.time.Duration;\n\nimport org.openqa.selenium.By;\n\nimport org.openqa.selenium.WebElement;\n\nimport org.openqa.selenium.chrome.ChromeDriver;\n\n\npublic class LearnNestedFrame {\n\n public static void main(String[] args) {\n\n //Launch the browser\n\n ChromeDriver driver=new ChromeDriver();\n\n \n\n //Load the url\n\n driver.get("https://leafground.com/frame.xhtml");\n\n \n\n //maximize the browser\n\n driver.manage().window().maximize();\n\n \n\n //add implicit wait\n\n driver.manage().timeouts().implicitlyWait(Duration.ofSeconds(15));\n\n \n\n //Switch inside the outer frame\n\n \n\n //driver.switchTo().frame(2);\n\n WebElement element = driver.findElement(By.xpath("//h5[text()=' Click Me (Inside Nested frame)]/following-sibling::iframe")); \n\n driver.switchTo().frame(element);\n\n \n\n //Switch inside the inner frame\n\n driver.switchTo().frame(0);\n\n \n\n //Click the button\n\n driver.findElement(By.id("Click")).click();\n\n \n\n //Switch to the main page\n\n driver.switchTo().defaultContent();\n\n \n\n //Switch back to the immediate parent frame\n\n driver.switchTo().parentFrame();\n\n \n\n }\n\n }\n\n}

Close

Prompt Template:

Component Output

Inspect the output of the component below.

Outputs

Logs

For this given Input java code :Text: b'package org.testleaf.week5.day1;\n\nimport java.time.Duration;\n\nimport org.openqa.selenium.By;\n\nimport org.openqa.selenium.WebElement;\n\nimport org.openqa.selenium.chrome.ChromeDriver;\n\n\npublic class LearnNestedFrame {\n\n public static void main(String[] args) {\n\n //Launch the browser\n\n ChromeDriver driver=new ChromeDriver();\n\n \n\n //Load the url\n\n driver.get("https://leafground.com/frame.xhtml");\n\n \n\n //maximize the browser\n\n driver.manage().window().maximize();\n\n \n\n //add implicit wait\n\n driver.manage().timeouts().implicitlyWait(Duration.ofSeconds(15));\n\n \n\n //Switch inside the outer frame\n\n \n\n //driver.switchTo().frame(2);\n\n WebElement element = driver.findElement(By.xpath("//h5[text()=' Click Me (Inside Nested frame)]/following-sibling::iframe")); \n\n driver.switchTo().frame(element);\n\n \n\n //Switch inside the inner frame\n\n driver.switchTo().frame(0);\n\n \n\n //Click the button\n\n driver.findElement(By.id("Click")).click();\n\n \n\n //Switch to the main page\n\n driver.switchTo().defaultContent();\n\n \n\n //Switch back to the immediate parent frame\n\n driver.switchTo().parentFrame();\n\n \n\n }\n\n }\n\n}\n\nfollow these:

Instnctions:

You are an expert Software Code Reviewer specialized in Java enterprise development and test automation frameworks.

Your task is to analyze and review the uploaded Java code based on specific quality parameters and provide:

Individual parameter scores (each out of 20)

Overall code quality score (out of 100)

Actionable feedback and recommendations for improvement

Close

Code Review Output:

****Code Review Summary****

****Parameter** | **Description** | **Score (out of 20)****

-----|-----|-----

****Code Readability**** | Naming conventions are clear, but the code lacks comments or documentation. The structure is straightforward, but some methods could be extracted into separate classes for better organization. | 16

****Code Efficiency**** | The code is simple and does not contain any obvious inefficiencies. However, it could benefit from some minor optimizations, such as using a more efficient way to switch between frames. | 18

****Error Handling**** | The code does not handle exceptions properly. It does not include try-catch blocks or logging mechanisms to handle potential errors. | 10

****Maintainability**** | The class is minimal and not modularized for future extensions. It would be beneficial to break down the code into separate classes or methods to improve maintainability. | 14

****Best Practices & Standards**** | The code follows some best practices, such as using Selenium WebDriver and ChromeDriver. However, it lacks input validation and unit tests to ensure the code's correctness and robustness. | 13

****Overall Score:** 71 / 100**

****Improvement Areas:****

1. ****Add input validation****: Implement try-catch blocks and logging mechanisms to handle potential errors, such as division-by-zero errors.
2. ****Include JavaDoc comments****: Add comments to explain the purpose and behavior of each method to improve code readability and maintainability.
3. ****Implement basic unit tests****: Write unit tests to validate the functionality of the code and ensure its correctness.
4. ****Modularize the code****: Break down the code into separate classes or methods to improve maintainability and reusability.
5. ****Optimize frame switching****: Use a more efficient way to switch between frames, such as using the `driver.switchTo().frame()` method with the frame's ID or name.

****Summary:****

The code functions correctly but lacks robustness and documentation. Minor improvements can enhance production readiness. By addressing the improvement areas, the code can become more maintainable, efficient, and reliable.

****Recommendations:****

- * Use a more efficient way to switch between frames, such as using the `driver.switchTo().frame()` method with the frame's ID or name.
- * Implement try-catch blocks and logging mechanisms to handle potential errors.
- * Add JavaDoc comments to explain the purpose and behavior of each method.
- * Write unit tests to validate the functionality of the code and ensure its correctness.
- * Break down the code into separate classes or methods to improve maintainability and reusability.

****Code Quality Metrics:****

- * ****Cyclomatic Complexity****: The code has a low cyclomatic complexity, indicating that it is relatively simple and easy to understand.
- * ****Halstead Complexity****: The code has a moderate Halstead complexity, indicating that it is moderately complex and requires some effort to understand.
- * ****Maintainability Index****: The code has a low maintainability index, indicating that it is relatively difficult to maintain and requires significant effort to modify.

****Best Practices:****

- * The code follows some best practices, such as using Selenium WebDriver and ChromeDriver.
- * The code uses a consistent naming convention and indentation style.
- * The code is relatively simple and easy to understand.

****Security:****

- * The code does not contain any obvious security vulnerabilities.
- * The code uses a secure way to switch between frames, such as using the ``driver.switchTo().frame()`` method with the frame's ID or name.
- * The code does not store any sensitive data, such as passwords or credit card numbers.