



Langflow API using POSTMAN:


1) Getting the url and payload from API Access



2) Creating the postman collection using the above details



3) Copying the langflow API Key




Langflow API > LangflowAPI

POST http://localhost:7860/api/v1/run/2876765d-c57e-41aa-9242-3e8967847241

Docs Params Authorization Headers 9 Body Scripts Settings Cookies

Key	Value	Description
Content-Type	application/json	
Content-Length	<calculated when request is sent>	
Host	<calculated when request is sent>	
User-Agent	PostmanRuntime/7.53.0	
Accept	/*/*	
Accept-Encoding	gzip, deflate, br	
Connection	keep-alive	
x-api-key	sk-dPDsO9DJydYnwsFDamreUOfmQi...	

4) Running the POST API and response generated



Langflow API > LangflowAPI

POST http://localhost:7860/api/v1/run/2876765d-c57e-41aa-9242-3e8967847241

Docs Params Authorization Headers 9 Body Scripts Settings Cookies

raw JSON Schema Beautify

```
1 {
2   "output_type": "chat",
3   "input_type": "chat",
4   "input_value": "generate the testcases for fund transfer"
5 }
```

Body 200 OK 2.26 s 17.3 KB Save Response

{ } JSON Preview Visualize

```
1 {
2   "session_id": "2876765d-c57e-41aa-9242-3e8967847241",
3   "outputs": [
4     {
5       "inputs": {
6         "input_value": "generate the testcases for fund transfer"
7       },
8       "outputs": [
9         {
10          "results": {
11            "message": {
12              "text_key": "text",
13              "data": {
14                "timestamp": "2026-05-07 18:10:18 UTC",
15                "sender": "Machine",
16                "sender_name": "AI",
17                "session_id": "2876765d-c57e-41aa-9242-3e8967847241",
18                "..."
19              }
18            }
19          }
20        }
21      ]
22    }
23  ]
24 }
```

Generated Response:

```
{
  "session_id": "2876765d-c57e-41aa-9242-3e8967847241",
  "outputs": [
    {
      "inputs": {
        "input_value": "generate the testcases for fund transfer"
      },
      "outputs": [
        {
          "results": {
            "message": {
              "text_key": "text",
              "data": {
                "timestamp": "2026-05-07 18:10:18 UTC",
                "sender": "Machine",
                "sender_name": "AI",
                "session_id": "2876765d-c57e-41aa-9242-3e8967847241",
                "context_id": "",
                "text": "Test Case ID: TC_FT_001 \nTitle: Successful fund transfer
within daily limit \nPreconditions: User is logged in; account is active with sufficient
balance; daily transfer limit not reached. \nSteps: \n1. Navigate to the Fund
Transfer page. \n2. Select a saved beneficiary. \n3. Enter an amount that is below
the daily transfer limit. \n4. Click “Proceed”. \n5. Enter the correct OTP received on
the registered mobile number. \n6. Confirm the transaction. \nExpected Result:
Transaction is processed successfully, a confirmation screen with transaction
reference is displayed, and the account balance is debited accordingly. \n\nTest
Case ID: TC_FT_002 \nTitle: Fund transfer exceeding daily limit \nPreconditions:
User is logged in; account is active with sufficient balance; daily transfer limit already
partially utilized. \nSteps: \n1. Navigate to the Fund Transfer page. \n2. Select a
saved beneficiary. \n3. Enter an amount that would cause the total daily transferred
amount to exceed the configured daily limit. \n4. Click “Proceed”. \n5. Observe the
system response. \nExpected Result: System blocks the transaction and displays an
error message indicating that the daily transfer limit has been exceeded. No OTP is
requested and no funds are debited. \n\nTest Case ID: TC_FT_003 \nTitle: Fund
transfer with insufficient account balance \nPreconditions: User is logged in;
account balance is lower than the intended transfer amount. \nSteps: \n1. Navigate
to the Fund Transfer page. \n2. Select a saved beneficiary. \n3. Enter an amount
greater than the current account balance. \n4. Click “Proceed”. \n5. Observe the
system response. \nExpected Result: System displays an “Insufficient funds” error
message, prevents OTP generation, and does not debit any amount. \n\nTest Case
ID: TC_FT_004 \nTitle: Fund transfer to an invalid beneficiary account number
\nPreconditions: User is logged in; account is active with sufficient balance. \nSteps:
\n1. Navigate to the Fund Transfer page. \n2. Manually enter a beneficiary account
```

number that does not exist or fails checksum validation. \n3. Enter a valid transfer amount within limits. \n4. Click “Proceed”. \n5. Observe the system validation. \nExpected Result: System validates the beneficiary details, shows an error message such as “Invalid beneficiary account number,” and halts the transaction before OTP generation. \n\nTest Case ID: TC_FT_005 \nTitle: OTP validation failure during fund transfer \nPreconditions: User is logged in; account is active with sufficient balance; valid beneficiary selected. \nSteps: \n1. Navigate to the Fund Transfer page. \n2. Select a saved beneficiary. \n3. Enter a valid transfer amount within limits. \n4. Click “Proceed”. \n5. When prompted, enter an incorrect OTP or let the OTP expire. \n6. Attempt to confirm the transaction. \nExpected Result: System rejects the transaction, displays an “Invalid or expired OTP” error, and does not debit the account. The user may retry the transfer."

```
"files": [],
"error": false,
"edit": false,
"properties": {
  "text_color": null,
  "background_color": null,
  "edited": false,
  "source": {
    "id": "GroqModel-2UpoH",
    "display_name": "Groq",
    "source": "openai/gpt-oss-120b"
  },
  "icon": null,
  "allow_markdown": false,
  "positive_feedback": null,
  "state": "complete",
  "targets": [],
  "usage": {
    "input_tokens": 572,
    "output_tokens": 802,
    "total_tokens": 1374
  },
  "build_duration": null
},
"category": "message",
"content_blocks": [],
"id": "6f4fb3ac-e0be-4df9-b7f2-d2d2d6495f61",
"flow_id": "2876765d-c57e-41aa-9242-3e8967847241",
"duration": null
},
"default_value": "",
```

"text": "Test Case ID: TC_FT_001 \nTitle: Successful fund transfer within daily limit \nPreconditions: User is logged in; account is active with sufficient balance; daily transfer limit not reached. \nSteps: \n1. Navigate to the Fund Transfer page. \n2. Select a saved beneficiary. \n3. Enter an amount that is below the daily transfer limit. \n4. Click “Proceed”. \n5. Enter the correct OTP received on the registered mobile number. \n6. Confirm the transaction. \nExpected Result: Transaction is processed successfully, a confirmation screen with transaction reference is displayed, and the account balance is debited accordingly. \n\nTest Case ID: TC_FT_002 \nTitle: Fund transfer exceeding daily limit \nPreconditions: User is logged in; account is active with sufficient balance; daily transfer limit already partially utilized. \nSteps: \n1. Navigate to the Fund Transfer page. \n2. Select a saved beneficiary. \n3. Enter an amount that would cause the total daily transferred amount to exceed the configured daily limit. \n4. Click “Proceed”. \n5. Observe the system response. \nExpected Result: System blocks the transaction and displays an error message indicating that the daily transfer limit has been exceeded. No OTP is requested and no funds are debited. \n\nTest Case ID: TC_FT_003 \nTitle: Fund transfer with insufficient account balance \nPreconditions: User is logged in; account balance is lower than the intended transfer amount. \nSteps: \n1. Navigate to the Fund Transfer page. \n2. Select a saved beneficiary. \n3. Enter an amount greater than the current account balance. \n4. Click “Proceed”. \n5. Observe the system response. \nExpected Result: System displays an “Insufficient funds” error message, prevents OTP generation, and does not debit any amount. \n\nTest Case ID: TC_FT_004 \nTitle: Fund transfer to an invalid beneficiary account number \nPreconditions: User is logged in; account is active with sufficient balance. \nSteps: \n1. Navigate to the Fund Transfer page. \n2. Manually enter a beneficiary account number that does not exist or fails checksum validation. \n3. Enter a valid transfer amount within limits. \n4. Click “Proceed”. \n5. Observe the system validation. \nExpected Result: System validates the beneficiary details, shows an error message such as “Invalid beneficiary account number,” and halts the transaction before OTP generation. \n\nTest Case ID: TC_FT_005 \nTitle: OTP validation failure during fund transfer \nPreconditions: User is logged in; account is active with sufficient balance; valid beneficiary selected. \nSteps: \n1. Navigate to the Fund Transfer page. \n2. Select a saved beneficiary. \n3. Enter a valid transfer amount within limits. \n4. Click “Proceed”. \n5. When prompted, enter an incorrect OTP or let the OTP expire. \n6. Attempt to confirm the transaction. \nExpected Result: System rejects the transaction, displays an “Invalid or expired OTP” error, and does not debit the account. The user may retry the transfer.",

"sender": "Machine",

"sender_name": "AI",

"files": [],

"session_id": "2876765d-c57e-41aa-9242-3e8967847241",

"context_id": "",

"timestamp": "2026-05-07T18:10:18+00:00",

"flow_id": "2876765d-c57e-41aa-9242-3e8967847241",

```

"error": false,
"edit": false,
"properties": {
  "text_color": null,
  "background_color": null,
  "edited": false,
  "source": {
    "id": "GroqModel-2UpoH",
    "display_name": "Groq",
    "source": "openai/gpt-oss-120b"
  },
  "icon": null,
  "allow_markdown": false,
  "positive_feedback": null,
  "state": "complete",
  "targets": [],
  "usage": {
    "input_tokens": 572,
    "output_tokens": 802,
    "total_tokens": 1374
  },
  "build_duration": null
},
"category": "message",
"content_blocks": [],
"duration": null
}
},
"artifacts": {

```

```

  "message": "Test Case ID: TC_FT_001 \n\nTitle: Successful fund
transfer within daily limit \n\nPreconditions: User is logged in; account is active with
sufficient balance; daily transfer limit not reached. \n\nSteps: \n\n1. Navigate to
the Fund Transfer page. \n\n2. Select a saved beneficiary. \n\n3. Enter an amount
that is below the daily transfer limit. \n\n4. Click “Proceed”. \n\n5. Enter the
correct OTP received on the registered mobile number. \n\n6. Confirm the
transaction. \n\nExpected Result: Transaction is processed successfully, a
confirmation screen with transaction reference is displayed, and the account balance
is debited accordingly. \n\nTest Case ID: TC_FT_002 \n\nTitle: Fund transfer
exceeding daily limit \n\nPreconditions: User is logged in; account is active with
sufficient balance; daily transfer limit already partially utilized. \n\nSteps: \n\n1.
Navigate to the Fund Transfer page. \n\n2. Select a saved beneficiary. \n\n3. Enter
an amount that would cause the total daily transferred amount to exceed the
configured daily limit. \n\n4. Click “Proceed”. \n\n5. Observe the system response.
\n\nExpected Result: System blocks the transaction and displays an error message

```

indicating that the daily transfer limit has been exceeded. No OTP is requested and no funds are debited. \n\nTest Case ID: TC_FT_003 \n\nTitle: Fund transfer with insufficient account balance \n\nPreconditions: User is logged in; account balance is lower than the intended transfer amount. \n\nSteps: \n\n1. Navigate to the Fund Transfer page. \n\n2. Select a saved beneficiary. \n\n3. Enter an amount greater than the current account balance. \n\n4. Click "Proceed". \n\n5. Observe the system response. \n\nExpected Result: System displays an "Insufficient funds" error message, prevents OTP generation, and does not debit any amount. \n\nTest Case ID: TC_FT_004 \n\nTitle: Fund transfer to an invalid beneficiary account number \n\nPreconditions: User is logged in; account is active with sufficient balance. \n\nSteps: \n\n1. Navigate to the Fund Transfer page. \n\n2. Manually enter a beneficiary account number that does not exist or fails checksum validation. \n\n3. Enter a valid transfer amount within limits. \n\n4. Click "Proceed". \n\n5. Observe the system validation. \n\nExpected Result: System validates the beneficiary details, shows an error message such as "Invalid beneficiary account number," and halts the transaction before OTP generation. \n\nTest Case ID: TC_FT_005 \n\nTitle: OTP validation failure during fund transfer \n\nPreconditions: User is logged in; account is active with sufficient balance; valid beneficiary selected. \n\nSteps: \n\n1. Navigate to the Fund Transfer page. \n\n2. Select a saved beneficiary. \n\n3. Enter a valid transfer amount within limits. \n\n4. Click "Proceed". \n\n5. When prompted, enter an incorrect OTP or let the OTP expire. \n\n6. Attempt to confirm the transaction. \n\nExpected Result: System rejects the transaction, displays an "Invalid or expired OTP" error, and does not debit the account. The user may retry the transfer.",

```

        "sender": "Machine",
        "sender_name": "AI",
        "files": [],
        "type": "object"
    },

```

```

    "outputs": {
        "message": {

```

```

            "message": "Test Case ID: TC_FT_001 \nTitle: Successful fund
transfer within daily limit \nPreconditions: User is logged in; account is active with
sufficient balance; daily transfer limit not reached. \nSteps: \n1. Navigate to the
Fund Transfer page. \n2. Select a saved beneficiary. \n3. Enter an amount that is
below the daily transfer limit. \n4. Click "Proceed". \n5. Enter the correct OTP
received on the registered mobile number. \n6. Confirm the transaction.
\nExpected Result: Transaction is processed successfully, a confirmation screen with
transaction reference is displayed, and the account balance is debited accordingly.
\n\nTest Case ID: TC_FT_002 \nTitle: Fund transfer exceeding daily limit
\nPreconditions: User is logged in; account is active with sufficient balance; daily
transfer limit already partially utilized. \nSteps: \n1. Navigate to the Fund Transfer
page. \n2. Select a saved beneficiary. \n3. Enter an amount that would cause the
total daily transferred amount to exceed the configured daily limit. \n4. Click

```

“Proceed”. \n5. Observe the system response. \nExpected Result: System blocks the transaction and displays an error message indicating that the daily transfer limit has been exceeded. No OTP is requested and no funds are debited. \n\nTest Case ID: TC_FT_003 \nTitle: Fund transfer with insufficient account balance \nPreconditions: User is logged in; account balance is lower than the intended transfer amount. \nSteps: \n1. Navigate to the Fund Transfer page. \n2. Select a saved beneficiary. \n3. Enter an amount greater than the current account balance. \n4. Click “Proceed”. \n5. Observe the system response. \nExpected Result: System displays an “Insufficient funds” error message, prevents OTP generation, and does not debit any amount. \n\nTest Case ID: TC_FT_004 \nTitle: Fund transfer to an invalid beneficiary account number \nPreconditions: User is logged in; account is active with sufficient balance. \nSteps: \n1. Navigate to the Fund Transfer page. \n2. Manually enter a beneficiary account number that does not exist or fails checksum validation. \n3. Enter a valid transfer amount within limits. \n4. Click “Proceed”. \n5. Observe the system validation. \nExpected Result: System validates the beneficiary details, shows an error message such as “Invalid beneficiary account number,” and halts the transaction before OTP generation. \n\nTest Case ID: TC_FT_005 \nTitle: OTP validation failure during fund transfer \nPreconditions: User is logged in; account is active with sufficient balance; valid beneficiary selected. \nSteps: \n1. Navigate to the Fund Transfer page. \n2. Select a saved beneficiary. \n3. Enter a valid transfer amount within limits. \n4. Click “Proceed”. \n5. When prompted, enter an incorrect OTP or let the OTP expire. \n6. Attempt to confirm the transaction. \nExpected Result: System rejects the transaction, displays an “Invalid or expired OTP” error, and does not debit the account. The user may retry the transfer.”,

```

        "type": "text"
      }
    },
    "logs": {
      "message": []
    },
    "messages": [
      {

```

```

        "message": "Test Case ID: TC_FT_001 \n\nTitle: Successful fund
transfer within daily limit \n\nPreconditions: User is logged in; account is active with
sufficient balance; daily transfer limit not reached. \n\nSteps: \n\n1. Navigate to
the Fund Transfer page. \n\n2. Select a saved beneficiary. \n\n3. Enter an amount
that is below the daily transfer limit. \n\n4. Click “Proceed”. \n\n5. Enter the
correct OTP received on the registered mobile number. \n\n6. Confirm the
transaction. \n\nExpected Result: Transaction is processed successfully, a
confirmation screen with transaction reference is displayed, and the account balance
is debited accordingly. \n\nTest Case ID: TC_FT_002 \n\nTitle: Fund transfer
exceeding daily limit \n\nPreconditions: User is logged in; account is active with
sufficient balance; daily transfer limit already partially utilized. \n\nSteps: \n\n1.
```


Navigate to the Fund Transfer page. \n\n2. Select a saved beneficiary. \n\n3. Enter an amount that would cause the total daily transferred amount to exceed the configured daily limit. \n\n4. Click "Proceed". \n\n5. Observe the system response. \n\nExpected Result: System blocks the transaction and displays an error message indicating that the daily transfer limit has been exceeded. No OTP is requested and no funds are debited. \n\nTest Case ID: TC_FT_003 \n\nTitle: Fund transfer with insufficient account balance \n\nPreconditions: User is logged in; account balance is lower than the intended transfer amount. \n\nSteps: \n\n1. Navigate to the Fund Transfer page. \n\n2. Select a saved beneficiary. \n\n3. Enter an amount greater than the current account balance. \n\n4. Click "Proceed". \n\n5. Observe the system response. \n\nExpected Result: System displays an "Insufficient funds" error message, prevents OTP generation, and does not debit any amount. \n\nTest Case ID: TC_FT_004 \n\nTitle: Fund transfer to an invalid beneficiary account number \n\nPreconditions: User is logged in; account is active with sufficient balance. \n\nSteps: \n\n1. Navigate to the Fund Transfer page. \n\n2. Manually enter a beneficiary account number that does not exist or fails checksum validation. \n\n3. Enter a valid transfer amount within limits. \n\n4. Click "Proceed". \n\n5. Observe the system validation. \n\nExpected Result: System validates the beneficiary details, shows an error message such as "Invalid beneficiary account number," and halts the transaction before OTP generation. \n\nTest Case ID: TC_FT_005 \n\nTitle: OTP validation failure during fund transfer \n\nPreconditions: User is logged in; account is active with sufficient balance; valid beneficiary selected. \n\nSteps: \n\n1. Navigate to the Fund Transfer page. \n\n2. Select a saved beneficiary. \n\n3. Enter a valid transfer amount within limits. \n\n4. Click "Proceed". \n\n5. When prompted, enter an incorrect OTP or let the OTP expire. \n\n6. Attempt to confirm the transaction. \n\nExpected Result: System rejects the transaction, displays an "Invalid or expired OTP" error, and does not debit the account. The user may retry the transfer."

```

        "sender": "Machine",
        "sender_name": "AI",
        "session_id": "2876765d-c57e-41aa-9242-3e8967847241",
        "stream_url": null,
        "component_id": "ChatOutput-RmG3I",
        "files": [],
        "type": "text"
    }
],
"timedelta": null,
"duration": null,
"component_display_name": "Chat Output",
"component_id": "ChatOutput-RmG3I",
"used_frozen_result": false
}
]
```

}
]
}