					WALL	PAN	EL WI	INDOW (& DOOF	SCHEDU	ILE							
	WINDOW OR DECORPTION MANUE			COLOR/MA	TERIAL		EXTENDED				WINDOW AND/OR DOOR			INSTALL OR SHIP LOOSE				\top
PANEL	DOOR	DESCRIPTION	MANUFACTURER & STYLE INFORMATION	EXTERIOR	INTERIOR	KEYED	JAMBS	PANEL		NOTES	LOW-E TYPE	ARGON	WINDOWS	FOAM TYPA	SIDING	WALL PANEL NOTES	PANEL	
Α															INSTA	L INSTALL		A
A1																	KNEEWALL 7'-7 1/2" WIDE) 16 5/8" TALL	X A1
В	D	3/0X6/8 - BY OTHERS W/ SIDELITE						9.5 L	_	54.625 X 82.5					INSTA	L SHIP LOOSE		В
С															INSTA	L INSTALL		С
D															INSTA			D
E															INSTA	L INSTALL		E
F	w	ICAP7339T-IZ3 - 6/0X3/4	M.I. IMPACT RESISTANT C. PICTURE	BRONZE/ULTREX	BARE/WOOD		NO	С	82.5	72.5 X 39.625	TEMPERED, NO GRILLES	LOW-E 366	YES	INSTALL	INSTA	L INSTALL		F
G	W	MULLED UNIT	M.I. IMPACT RESISTANT CPIC OVER 2LT AWN 19					С	96	72.5 X 74.75				INSTALL	INSTA	L INSTALL		G
G	w	ICAP7355-IZ3 - 6/0X4/8	M.I. IMPACT-RESISTANT V. MULLED C. PICTURE	BRONZE/ULTREX	BARE/WOOD		NO				TEMPERED, MULLED, NO GRILLES	LOW-E 366	YES				TOP	G
G	w	IAWN3719-IZ3 2W - 6/0X1/7	M.I. IMPACT-RESISTANT V. MULLED 2 LT AWN	BRONZE/ULTREX	BARE/WOOD		NO				COSTAL ALMOND FROST HARDWARE, TEMPERED, MULLED, NO GRILLES	LOW-E 366	YES				воттом	G
н	D	IOFD6068T-IZ3 - 6/0X6/10	MARVIN INTEGRITY-IZ3 OUTSWING FDD	BRONZE/ULTREX	BARE/WOOD	YES	NO	С	82.5	72 X 82.5	PVD (OIL-RUBBED BRONZE) HARDWARE, XXL, NO GRILLES	LOW-E 366	YES	SHIP LOOSE	INSTA	L SHIP LOOSE		н
- 1	W	MULLED UNIT	M.I. IMPACT RESISTANT CPIC OVER 2LT AWN 19					С	96	72.5 X 74.75				INSTALL	INSTA	L INSTALL		1
-1	w	ICAP7355-IZ3 - 6/0X4/8	M.I. IMPACT-RESISTANT V. MULLED C. PICTURE	BRONZE/ULTREX	BARE/WOOD		NO				TEMPERED, MULLED, NO GRILLES	LOW-E 366	YES				TOP	
ı	w	IAWN3719-IZ3 2W - 6/0X1/7	M.I. IMPACT-RESISTANT V. MULLED 2 LT AWN	BRONZE/ULTREX	BARE/WOOD		NO				COSTAL ALMOND FROST HARDWARE, TEMPERED, MULLED, NO GRILLES	LOW-E 366	YES				воттом	ı
J															INSTA	L INSTALL		J
К	w	IAWN2923-IZ3 - 2/5X2/0	M.I. IMPACT RESISTANT AWNING	BRONZE/ULTREX	BARE/WOOD		NO	16 R	82.5	28.5 X 23.625	COSTAL ALMOND FROST HARDWARE, TEMPERED, NO GRILLES	LOW-E 366	YES	INSTALL	INSTA	L INSTALL		К
L	W	ICA3755-IZ3 - 3/0X4/8	M.I. IMPACT RESISTANT CASEMENT	BRONZE/ULTREX	BARE/WOOD		NO	С	82.5	36.5 X 55.625	COSTAL ALMOND FROST HARDWARE, TEMPERED, EGRESS, R HINGED, NO GRILLES	LOW-E 366	YES	INSTALL	INSTA			L
М															INSTA			М
N															INSTA	L INSTALL		N
0	w	ICATR3716-IZ3 - 3/0X1/4	M.I. IMPACT RESISTANT TRANSOM	BRONZE/ULTREX	BARE/WOOD		NO	С	82.5	36.5 X 16.25	TEMPERED, NO GRILLES	LOW-E 366	YES	INSTALL	INSTA	L INSTALL		0

STRUCTURAL SPECIFICATIONS - MAIN							
MODEL:	1200						
FOUNDATION TYPE:	BASEMENT						
ROOF OVERHANG:	3'-9"						
ADDITIONAL STRUC. REQUIREMENTS:	HIGHWIND /SEISMIC						
ENGINEERING REQUIRED (Y/N):	YES						
FLOOR SYSTEM DEPTH:	16" WEB-TEC						
COLUMN HEIGHT:	8'-10-3/8"						
WALL PANEL HEIGHT:	8'-11"						
WALL PANEL THICKNESS (NOM.):	2X6						
EXTRA WALL OPTIONS:	NONE						
SILL PLATE MATERIAL:	S.P.F.						
SKIRT LENGTH:	19 INCHES						
FOAM (Y/N):	NO						
ORDER OF WALL MATERIAL:	STUD-CDX-TYPAR DW-SIDING						
·	·						

EXTERIOR FINISHES									
WOOD TREATMENT: FRAMEGUARD									
COLOR MANUFACTURER: SHERWIN-WILLIAMS									
# OF COATS: 2									
COMPONENT	MATERIAL	STYLE	COLOR						
SIDING	FIBER CEMENT	LAP	SEA SALT (SW 6204)						
CORNER TRIM	MIRATEC	N/A	SEA SALT (SW 6204)						
WINDOW TRIM	MIRATEC	N/A	STORM CLOUD (SW 6249)						
SOFFIT	LP SMARTSIDE	N/A	STORM CLOUD (SW 6249)						
FASCIA	MIRATEC	N/A	STORM CLOUD (SW 6249)						
UNDERSKIN	N/A	N/A	N/A						