| | WALL PANEL WINDOW & DOOR SCHEDULE | | | | | | | | | | | | | | | | | | |
|---|-----------------------------------|---------------------------|--|---------------|-----------|-------|-------|-------------------|--------------------|---------------|--|------------|---------|------------|------|---------|-------------------|---|-------|
| COLOR/MATERIAL EXTENDED LOCATION IN MOUNTING WINDOW AND OR DO | | | | | | | | | | | INST | ALL OF | SHIP LO | OOSE | | T | | | |
| PANEL | WINDOW OR DOOR | DESCRIPTION | MANUFACTURER & STYLE INFORMATION | EXTERIOR | INTERIOR | KEYED | JAMBS | LOCATION IN PANEL | MOUNTING HEIGHT | ROUGH OPENING | WINDOW AND/OR DOOR NOTES | LOW-E TYPE | ARGON | WINDOWS | FOAM | TYPAR | SIDING WALL PANEL | WALL PANEL NOTES | PANEL |
| AA | w | ICA3755-IZ3 - 3/0X4/8 | M.I. IMPACT RESISTANT CASEMENT | BRONZE/ULTREX | BARE/WOOD | | NO | С | 82.5 | 36.5 X 55.625 | COASTAL ALMOND FROST HARDWARE, TEMPERED, R HINGED, NO GRILLES | LOW-E 366 | YES | INSTALL | | INSTALL | INSTALL | | AA |
| AA1 | | | | | | | | | | | | | | | | | | KNEEWALL 7'-8 7/8" WIDE X 16 5/8" TALL | C AA1 |
| ВВ | w | ICA3755-IZ3 - 3/0X4/8 | M.I. IMPACT RESISTANT CASEMENT | BRONZE/ULTREX | BARE/WOOD | | NO | С | 82.5 | 36.5 X 55.625 | COASTAL ALMOND FROST HARDWARE, TEMPERED, L HINGED, NO GRILLES | LOW-E 366 | YES | INSTALL | | INSTALL | INSTALL | | ВВ |
| CC | | | | | | | | | | | | | | | | INSTALL | INSTALL | | CC |
| DD | w | ICA3755-IZ3 - 3/0X4/8 | M.I. IMPACT RESISTANT CASEMENT | BRONZE/ULTREX | BARE/WOOD | | NO | 16 L | 82.5 | 36.5 X 55.625 | COASTAL ALMOND FROST HARDWARE, TEMPERED, L HINGED, NO GRILLES | LOW-E 366 | YES | INSTALL | | INSTALL | INSTALL | | DD |
| EE | | | | | | | | | | | | | | | | INSTALL | INSTALL | | EE |
| FF | w | ICA3755-IZ3 - 3/0X4/8 | M.I. IMPACT RESISTANT CASEMENT | BRONZE/ULTREX | BARE/WOOD | | NO | 12 L | 82.5 | 36.5 X 55.625 | COASTAL ALMOND FROST HARDWARE, TEMPERED, R HINGED, NO GRILLES | LOW-E 366 | YES | INSTALL | | INSTALL | INSTALL | | FF |
| GG | W | MULLED UNIT | M.I. IMPACT RESISTANT CPIC OVER 2LT AWN 19 | | | | | С | 96 | 72.5 X 74.75 | | | | INSTALL | | INSTALL | INSTALL | | GG |
| GG | w | ICAP7355-IZ3 - 6/0X4/8 | M.I. IMPACT-RESISTANT V. MULLED C. PICTURE | BRONZE/ULTREX | BARE/WOOD | | NO | | | | TEMPERED, MULLED, NO GRILLES | LOW-E 366 | YES | | | | | TOP | GG |
| GG | w | IAWN3719-IZ3 2W - 6/0X1/7 | M.I. IMPACT-RESISTANT V. MULLED 2 LT AWN | BRONZE/ULTREX | BARE/WOOD | | NO | | | | COASTAL ALMOND FROST HARDWARE, TEMPERED, MULLED, NO GRILLES | LOW-E 366 | YES | | | | | воттом | GG |
| нн | D | ISFD6068T-IZ3 - 6/0X6/10 | MARVIN INTEGRITY—IZ3 SFD | BRONZE/ULTREX | BARE/WOOD | YES | NO | С | 82.5 | 72 X 82.5 | PVD (OIL—RUBBED BRONZE) HARDWARE, OX, NO GRILLES | LOW-E 366 | YES | SHIP LOOSE | | INSTALL | SHIP LOOSE | | нн |
| Ш | W | MULLED UNIT | M.I. IMPACT RESISTANT CPIC OVER 2LT AWN 19 | | | | | С | 96 | 72.5 X 74.75 | | | | INSTALL | | INSTALL | INSTALL | | II |
| II | w | ICAP7355-IZ3 - 6/0X4/8 | M.I. IMPACT-RESISTANT V. MULLED C. PICTURE | BRONZE/ULTREX | BARE/WOOD | | NO | | | | TEMPERED, MULLED, NO GRILLES | LOW-E 366 | YES | | | | | TOP | II |
| II | w | IAWN3719-IZ3 2W - 6/0X1/7 | M.I. IMPACT-RESISTANT V. MULLED 2 LT AWN | BRONZE/ULTREX | BARE/WOOD | | NO | | | | COASTAL ALMOND FROST HARDWARE, TEMPERED, MULLED, NO GRILLES | LOW-E 366 | YES | | | | | воттом | II |
| JJ | w | ICA3755-IZ3 - 3/0X4/8 | M.I. IMPACT RESISTANT CASEMENT | BRONZE/ULTREX | BARE/WOOD | | NO | 12 R | 82.5 | 36.5 X 55.625 | COASTAL ALMOND FROST HARDWARE, TEMPERED, L HINGED, NO GRILLES | LOW-E 366 | YES | INSTALL | | INSTALL | INSTALL | | 11 |
| KK | | | | | | | | | | | | | | | | INSTALL | INSTALL | | KK |
| ш | w | ICA3755-IZ3 - 3/0X4/8 | M.I. IMPACT RESISTANT CASEMENT | BRONZE/ULTREX | BARE/WOOD | | NO | С | 82.5 | 36.5 X 55.625 | COASTAL ALMOND FROST HARDWARE, TEMPERED, R HINGED, NO GRILLES | LOW-E 366 | YES | INSTALL | | INSTALL | INSTALL | | LL |
| ММ | | | | | | | | | | | | | | | | INSTALL | INSTALL | | MM |
| NN | w | IAWN2923-IZ3 - 2/5X2/0 | M.I. IMPACT RESISTANT AWNING | BRONZE/ULTREX | BARE/WOOD | | NO | 9.5 R | 82.5 | 28.5 X 23.625 | COASTAL ALMOND FROST HARDWARE, TEMPERED, NO GRILLES | LOW-E 366 | YES | INSTALL | | INSTALL | INSTALL | | NN |
| 00 | | | | | | | | | | | | | | | | INSTALL | INSTALL | | 00 |

| STRUCTURAL SPECIFICATIONS – UPPER | | | | | | | |
|-----------------------------------|--------------------------|--|--|--|--|--|--|
| MODEL: | 1200 | | | | | | |
| FOUNDATION TYPE: | BASEMENT | | | | | | |
| ROOF OVERHANG: | 3'-9" | | | | | | |
| ADDITIONAL STRUC. REQUIREMENTS: | HIGHWIND /SEISMIC | | | | | | |
| ENGINEERING REQUIRED (Y/N): | YES | | | | | | |
| FLOOR SYSTEM DEPTH: | 16" WEB-TEC | | | | | | |
| COLUMN HEIGHT: | N/A | | | | | | |
| WALL PANEL HEIGHT: | 7'-11" | | | | | | |
| WALL PANEL THICKNESS (NOM.): | 2X6 | | | | | | |
| EXTRA WALL OPTIONS: | NONE | | | | | | |
| SILL PLATE MATERIAL: | S.P.F. | | | | | | |
| SKIRT LENGTH: | 19 INCHES | | | | | | |
| FOAM (Y/N): | NO | | | | | | |
| ORDER OF WALL MATERIAL: | STUD-CDX-TYPAR DW-SIDING | | | | | | |

| EXTERIOR FINISHES | | | | | | | | | | |
|--------------------------------------|--------------|-------|-----------------------|--|--|--|--|--|--|--|
| WOOD TREATMENT: FRAMEGUARD | | | | | | | | | | |
| COLOR MANUFACTURER: SHERWIN-WILLIAMS | | | | | | | | | | |
| # OF COATS: 2 | | | | | | | | | | |
| COMPONENT | MATERIAL | STYLE | COLOR | | | | | | | |
| SIDING | FIBER CEMENT | LAP | SEA SALT (SW 6204) | | | | | | | |
| CORNER TRIM | MIRATEC | N/A | SEA SALT (SW 6204) | | | | | | | |
| WINDOW TRIM | MIRATEC | N/A | STORM CLOUD (SW 6249) | | | | | | | |
| SOFFIT | LP SMARTSIDE | N/A | STORM CLOUD (SW 6249) | | | | | | | |
| FASCIA | MIRATEC | N/A | STORM CLOUD (SW 6249) | | | | | | | |
| UNDERSKIN | N/A | N/A | N/A | | | | | | | |