

## Standards

### Standards MT November 2026

# Message Reference Guide

## MT 103 Single Customer Credit Transfer

This document describes a MT message exported from the [MyStandards](#) web platform. You can also consult [this information online](#).

Published by SWIFT and generated by [MyStandards](#).

# Table of Contents

|                                                                           |    |
|---------------------------------------------------------------------------|----|
| <b>Message Types</b>                                                      | 3  |
| <b>MT 103 Single Customer Credit Transfer</b>                             | 4  |
| MT 103 Scope                                                              | 4  |
| MT 103 Format Specifications                                              | 5  |
| MT 103 Network Validated Rules                                            | 6  |
| MT 103 Usage Rules                                                        | 8  |
| Usage Rules for Amount Related Fields                                     | 9  |
| Examples: Transaction A                                                   | 9  |
| Examples: Transaction B                                                   | 11 |
| MT 103 Market Practice Rules                                              | 13 |
| MT 103 Guidelines                                                         | 13 |
| MT 103 Field Specifications                                               | 14 |
| 1. Field 20: Sender's Reference                                           | 14 |
| 2. Field 13C: Time Indication                                             | 14 |
| 3. Field 23B: Bank Operation Code                                         | 15 |
| 4. Field 23E: Instruction Code                                            | 16 |
| 5. Field 26T: Transaction Type Code                                       | 18 |
| 6. Field 32A: Value Date/Currency/Interbank Settled Amount                | 18 |
| 7. Field 33B: Currency/Instructed Amount                                  | 19 |
| 8. Field 36: Exchange Rate                                                | 20 |
| 9. Field 50a: Ordering Customer                                           | 20 |
| 10. Field 51A: Sending Institution                                        | 24 |
| 11. Field 52a: Ordering Institution                                       | 24 |
| 12. Field 53a: Sender's Correspondent                                     | 26 |
| 13. Field 54a: Receiver's Correspondent                                   | 27 |
| 14. Field 55a: Third Reimbursement Institution                            | 28 |
| 15. Field 56a: Intermediary Institution                                   | 29 |
| 16. Field 57a: Account With Institution                                   | 31 |
| 17. Field 59a: Beneficiary Customer                                       | 34 |
| 18. Field 70: Remittance Information                                      | 36 |
| 19. Field 71A: Details of Charges                                         | 37 |
| 20. Field 71F: Sender's Charges                                           | 37 |
| 21. Field 71G: Receiver's Charges                                         | 38 |
| 22. Field 72: Sender to Receiver Information                              | 38 |
| 23. Field 77B: Regulatory Reporting                                       | 40 |
| MT 103 Examples                                                           | 40 |
| MT 103 Examples for the MT 103, used outside any Service Level Agreements | 40 |
| MT 103 Example for the MT 103, used in a Service Level Agreement          | 74 |
| <b>Legal Notices</b>                                                      | 80 |

# Message Types

The following table lists all message types defined in this book.

For each message type, there is a short description, an indicator whether the message type requires authentication (Y/N), the maximum message length on input (2,000 or 10,000 characters), whether the use of the message requires registration with SWIFT for use in a message user group (Y) or not (N) and whether value date ordering (VDO) can be requested for the message (Y/N). Value date ordering criteria are described in the *Standards MT General Information*.

| MT  | MT Name                            | Purpose                    | Authen. | Max.<br>Length | MUG | VDO |
|-----|------------------------------------|----------------------------|---------|----------------|-----|-----|
| 103 | Single Customer<br>Credit Transfer | Instructs a funds transfer | Y       | 10000          | N   | Y   |

# MT 103 Single Customer Credit Transfer

The MT 103 is a General Use message, that is, no registration in a Message User Group (MUG) is necessary to send and receive this message. It allows the exchange of single customer credit transfers using all MT 103 fields. The MT 103 can be straight through processable if the message is properly formatted according to pre-agreed bilateral/multilateral rules.

Two variants of the MT 103 exist and these are documented separately:

1. The MT 103 STP is a general use message, that is, no registration in a MUG is necessary to send and receive this message. It allows for the exchange of single customer credit transfers using a network-validated, restricted set of fields and format options of the MT 103 to make it straight through processable.
2. The MT 103 REMIT requires registration in the Extended Remittance Information MUG. This MUG allows its subscribers to exchange MT 103 REMIT messages with an extended amount of remittance information in the additional field 77T Envelope Contents. This remittance information may optionally be exchanged in a non-SWIFT format, such as EDIFACT or ANSI-X12.

**Important** From Standards release 2025, additional network validated rules have been introduced for this message as part of Swift's contingency processing. Contingency processing will apply when this message is sent over FIN Financial Institution-to-Financial Institution (FI-to-FI), including those sent in FI-to-FI Member Administered Closed User Groups (MA-CUGs). Where the message passes all network validation, it will be converted to its ISO 20022 equivalent and delivered to the receiver in ISO 20022 format via the InterAct FINplus service.

These additional network validated rules can be found in the *Contingency Processing for Category 1 and 2 Payment Instruction Messages - Additional Network Validated Rules* document published in the Standards MT section of the Knowledge Centre.

Contingency processing does not apply to SCORE, Market Infrastructure Closed User Groups (MI-CUGs), and Corporate-to-Financial Institution Member Administered Closed User Groups (MA-CUGs).

**Important** User header block (block 3) must be present and must contain field 121 Unique End-to-end Transaction Reference (UETR). In cases where the sender is acting as intermediary and a UETR was present in the received message, the UETR must be passed, unchanged, to the next message in the transaction chain. In all other cases a new UETR must be used. Details of the format of the user header block and field 121, and also the required order of fields in the user header block, can be found in the *FIN Operations Guide*.

## MT 103 Scope

This message type is sent by or on behalf of the financial institution of the ordering customer, directly or through (a) correspondent(s), to the financial institution of the beneficiary customer.

It is used to convey a funds transfer instruction in which the ordering customer or the beneficiary customer, or both, are non-financial institutions from the perspective of the Sender.

This message may only be used for clean payment instructions. It must not be used to advise the remitting bank of a payment for a clean, for example, cheque, collection, nor to provide the cover for a transaction whose completion was advised separately, for example, via an MT 400.

# MT 103 Format Specifications

## MT 103 Single Customer Credit Transfer

| Status                      | Tag | Field Name                                   | Content/Options                | No. |
|-----------------------------|-----|----------------------------------------------|--------------------------------|-----|
| M                           | 20  | Sender's Reference                           | 16x                            | 1   |
| ---->                       |     |                                              |                                |     |
| O                           | 13C | Time Indication                              | /8c/4!n1!x4!n                  | 2   |
| ----                        |     |                                              |                                |     |
| M                           | 23B | Bank Operation Code                          | 4!c                            | 3   |
| ---->                       |     |                                              |                                |     |
| O                           | 23E | Instruction Code                             | 4!c[/30x]                      | 4   |
| ----                        |     |                                              |                                |     |
| O                           | 26T | Transaction Type Code                        | 3!c                            | 5   |
| M                           | 32A | Value Date/Currency/Interbank Settled Amount | 6!n3!a15d                      | 6   |
| O                           | 33B | Currency/Instructed Amount                   | 3!a15d                         | 7   |
| O                           | 36  | Exchange Rate                                | 12d                            | 8   |
| M                           | 50a | Ordering Customer                            | A, F, K                        | 9   |
| O                           | 51A | Sending Institution                          | [/1!a]/[34x]<br>4!a2!a2!c[3!c] | 10  |
| O                           | 52a | Ordering Institution                         | A, D                           | 11  |
| O                           | 53a | Sender's Correspondent                       | A, B, D                        | 12  |
| O                           | 54a | Receiver's Correspondent                     | A, B, D                        | 13  |
| O                           | 55a | Third Reimbursement Institution              | A, B, D                        | 14  |
| O                           | 56a | Intermediary Institution                     | A, C, D                        | 15  |
| O                           | 57a | Account With Institution                     | A, B, C, D                     | 16  |
| M                           | 59a | Beneficiary Customer                         | No letter option, A, F         | 17  |
| O                           | 70  | Remittance Information                       | 4*35x                          | 18  |
| M                           | 71A | Details of Charges                           | 3!a                            | 19  |
| ---->                       |     |                                              |                                |     |
| O                           | 71F | Sender's Charges                             | 3!a15d                         | 20  |
| ----                        |     |                                              |                                |     |
| O                           | 71G | Receiver's Charges                           | 3!a15d                         | 21  |
| O                           | 72  | Sender to Receiver Information               | 6*35x                          | 22  |
| O                           | 77B | Regulatory Reporting                         | 3*35x                          | 23  |
| M = Mandatory, O = Optional |     |                                              |                                |     |

## MT 103 Network Validated Rules

- C1** If field 33B is present and the currency code is different from the currency code in field 32A, field 36 must be present, otherwise field 36 is not allowed (Error code(s): D75).

| If field 33B is ... | And currency code in field 33B is ...   | Then field 36 is ... |
|---------------------|-----------------------------------------|----------------------|
| Present             | Not equal to currency code in field 32A | Mandatory            |
|                     | Equal to currency code in field 32A     | Not allowed          |
| Not present         | Not applicable                          | Not allowed          |

- C2** If the country codes of the Sender's and the Receiver's BICs are within the following list: AD, AT, BE, BG, BV, CH, CY, CZ, DE, DK, ES, EE, FI, FR, GB, GF, GI, GP, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, MQ, MT, NL, NO, PL, PM, PT, RE, RO, SE, SI, SJ, SK, SM, TF and VA, then field 33B is mandatory, otherwise field 33B is optional (Error code(s): D49).

| If country code of Sender's BIC equals one of the listed country codes | And country code of Receiver's BIC equals one of the listed country codes | Then field 33B is ... |
|------------------------------------------------------------------------|---------------------------------------------------------------------------|-----------------------|
| Yes                                                                    | Yes                                                                       | Mandatory             |
| Yes                                                                    | No                                                                        | Optional              |
| No                                                                     | Yes                                                                       | Optional              |
| No                                                                     | No                                                                        | Optional              |

**Note** See also Network Validated Rule C15 (Error code(s): D51).

- C3** If field 23B contains the code SPRI, field 23E may contain only the codes SDVA, TELB, PHOB, INTC (Error code(s): E01).

If field 23B contains one of the codes SSTD or SPAY, field 23E must not be used (Error code(s): E02).

| If field 23B is ...              | Then field 23E is ...                                  |
|----------------------------------|--------------------------------------------------------|
| SPRI                             | Optional. It can contain only SDVA, TELB, PHOB or INTC |
| SSTD                             | Not allowed                                            |
| SPAY                             | Not allowed                                            |
| Not equal to SPRI, SSTD and SPAY | Optional                                               |

- C4** If field 23B contains one of the codes SPRI, SSTD or SPAY, field 53a must not be used with option D (Error code(s): E03).

| If field 23B is ... | Then field 53a ...             |
|---------------------|--------------------------------|
| SPRI, SSTD or SPAY  | Must not be used with option D |

- C5** If field 23B contains one of the codes SPRI, SSTD or SPAY and field 53a is present with option B, Party Identifier must be present in field 53B (Error code(s): E04).

- C6** If field 23B contains one of the codes SPRI, SSTD or SPAY, field 54a may be used with option A only (Error code(s): E05).

| If field 23B is ... | Then field 54a ...             |
|---------------------|--------------------------------|
| SPRI, SSTD or SPAY  | May be used with option A only |

- C7** If field 55a is present, then both fields 53a and 54a must also be present (Error code(s): E06).

| If field 55a is ... | Then field 53a is ... | And field 54a is ... |
|---------------------|-----------------------|----------------------|
| Present             | Mandatory             | Mandatory            |
| Not present         | Optional              | Optional             |

- C8** If field 23B contains one of the codes SPRI, SSTD or SPAY, field 55a may be used with option A only (Error code(s): E07).

| If field 23B is ... | Then field 55a ...             |
|---------------------|--------------------------------|
| SPRI, SSTD or SPAY  | May be used with option A only |

- C9** If field 56a is present, field 57a must also be present (Error code(s): C81).

| If field 56a is ... | Then field 57a is ... |
|---------------------|-----------------------|
| Present             | Mandatory             |
| Not present         | Optional              |

- C10** If field 23B contains the code SPRI, field 56a must not be present (Error code(s): E16).  
If field 23B contains one of the codes SSTD or SPAY, field 56a may be used with either option A or option C. If option C is used, it must contain a clearing code (Error code(s): E17).

| If field 23B is ... | Then field 56a is ...                                                     |
|---------------------|---------------------------------------------------------------------------|
| SPRI                | Not allowed                                                               |
| SSTD or SPAY        | Allowed with option A or C only (if option C: clearing code must be used) |

- C11** If field 23B contains one of the codes SPRI, SSTD or SPAY, field 57a may be used with option A, option C or option D. Subfield 1 (Party Identifier) in option D must be present (Error code(s): E09).

| If field 23B is ... | Then field 57a is ...                                                            |
|---------------------|----------------------------------------------------------------------------------|
| SPRI, SSTD or SPAY  | Allowed only with options A, C or D (In option D: Party Identifier is mandatory) |

- C12** If field 23B contains one of the codes SPRI, SSTD or SPAY, subfield 1 (Account) in field 59a Beneficiary Customer is mandatory (Error code(s): E10).

- C13** If any field 23E contains the code CHQB, subfield 1 (Account) in field 59a Beneficiary Customer is not allowed (Error code(s): E18).

- C14** If field 71A contains OUR, then field 71F is not allowed and field 71G is optional (Error code(s): E13).

| If field 71A is ... | Then field 71F is ... | And field 71G is ... |
|---------------------|-----------------------|----------------------|
| OUR                 | Not allowed           | Optional             |

If field 71A contains SHA, then field(s) 71F is(are) optional and field 71G is not allowed (Error code(s): D50).

| If field 71A is ... | Then field(s) 71F is(are) ... | And field 71G is ... |
|---------------------|-------------------------------|----------------------|
| SHA                 | Optional                      | Not allowed          |

If field 71A contains BEN, then at least one occurrence of field 71F is mandatory and field 71G is not allowed (Error code(s): E15).

| If field 71A is ... | Then field 71F is ...               | And field 71G is ... |
|---------------------|-------------------------------------|----------------------|
| BEN                 | Mandatory (at least one occurrence) | Not allowed          |

- C15** If either field 71F (at least one occurrence) or field 71G is present, then field 33B is mandatory, otherwise field 33B is optional (Error code(s): D51).

Note 1: The presence of both fields 71F and 71G is also regulated by the network validated rule C14 (Error code(s): E13, D50, E15).

Note 2: The presence of field 33B is also regulated by the Network Validated Rule C2 (Error code(s): D49).

- C16** If field 56a is not present, no field 23E may contain TELI or PHOI (Error code(s): E44).

| If field 56a is ... | Then no occurrence of field 23E subfield 1 may contain ... |
|---------------------|------------------------------------------------------------|
| Not present         | TELI or PHOI                                               |

- C17** If field 57a is not present, no field 23E may contain TELE or PHON (Error code(s): E45).

| If field 57a is ... | Then no occurrence of field 23E subfield 1 may contain ... |
|---------------------|------------------------------------------------------------|
| Not present         | TELE or PHON                                               |

- C18** The currency code in the fields 71G and 32A must be the same (Error code(s): C02).

## MT 103 Usage Rules

- When the cover method is used for a customer credit transfer, the originating bank must:
  - copy the content of field 20 of the MT 103 unchanged into field 21 of the related MT 202 COV;
  - copy the content of field 121, in the user header block, of the MT 103 unchanged into field 121, in the user header block, of the related MT 202 COV.



- When the receiver of an MT 103 either credits the account of the beneficiary customer or rejects the payment, a confirmation to Tracker (TRCKCHZZ) is mandatory. Business rules and technical specifications of the confirmation are available on the Knowledge Centre > Products A-Z > FIN > *Universal Confirmations for MT 103 Rulebook*.
- Field 72 may only be present when it is structured, that is, only contains coded information.
- When sending the message via FileAct, institutions should bilaterally agree on the maximum size of the message.

## Usage Rules for Amount Related Fields

There is a relationship between the amount related fields 33B, 36, 71G, 71F and 32A which may be logically expressed in the following formula:

- The instructed amount in field 33B, adjusted with the exchange rate in field 36, plus the Receiver's charges in field 71G, minus the Sender's charges in field(s) 71F, equals the interbank settled amount in field 32A.

Presence of the fields mentioned above is subject to the conditional field rules C1, C2, C14 and C15. If a field is not present, that field must not be taken into account in the formula. If field 71F is present more than once, all occurrences of that field must be taken into account in the formula.

## Examples: Transaction A

- Pay the equivalent of EUR 1000,00 in GBP to a beneficiary in the United Kingdom
- Exchange rate is 1 EUR for 0,61999 GBP
- Transaction charges on the Sender's side are EUR 5,00 (=GBP 3,1)
- Transaction charges on the Receiver's side are GBP 4 (=EUR 6,45)

### Example A1: Charging option is OUR

A. Amount debited from the ordering customer's account:

|                      |     |         |
|----------------------|-----|---------|
| Instructed Amount    | EUR | 1000,00 |
| + Sender's charges   | EUR | 5,00    |
| + Receiver's charges | EUR | 6,45    |
| = Debit Amount       | EUR | 1011,45 |

B. MT 103 extract:

| Field Tag |     | Content |
|-----------|-----|---------|
| 33B       | EUR | 1000,00 |
| 71A       |     | OUR     |
| 71G       | GBP | 4,00    |
| 36        |     | 0,61999 |
| 32A       | GBP | 623,99  |

C. The subsequent MT 950 shows one debit entry for GBP 623,99, that is, field 32A.

## D. Amount credited to the beneficiary:

|                             |     |        |
|-----------------------------|-----|--------|
| Interbank settlement amount | GBP | 623,99 |
| - Receiver's charges        | GBP | 4,00   |
| = Credit amount             | GBP | 619,99 |

**Example A2: Charging option is SHA**

## A. Amount debited from the ordering customer's account:

|                    |     |         |
|--------------------|-----|---------|
| Instructed amount  | EUR | 1000,00 |
| + Sender's charges | EUR | 5,00    |
| = Debit amount     | EUR | 1005,00 |

## B. MT 103 extract:

| Field Tag |     | Content |
|-----------|-----|---------|
| 33B       | EUR | 1000,00 |
| 71A       |     | SHA     |
| 36        |     | 0,61999 |
| 32A       | GBP | 619,99  |

## C. The subsequent MT 950 shows one debit entry for GBP 619,99, that is, field 32A.

## D. Amount credited to the beneficiary:

|                             |     |        |
|-----------------------------|-----|--------|
| Interbank settlement amount | GBP | 619,99 |
| - Receiver's charges        | GBP | 4,00   |
| = Credit amount             | GBP | 615,99 |

**Example A3: Charging option is BEN**

## A. Amount debited from the ordering customer's account:

|                                  |     |         |
|----------------------------------|-----|---------|
| Instructed amount = Debit amount | EUR | 1000,00 |
|----------------------------------|-----|---------|

## B. MT 103 extract:

| Field Tag |     | Content |
|-----------|-----|---------|
| 33B       | EUR | 1000,00 |
| 71A       |     | BEN     |
| 71F       | GBP | 3,1     |
| 36        |     | 0,61999 |
| 32A       | GBP | 616,89  |

C. The subsequent MT 950 shows one debit entry for GBP 616,89, that is, field 32A.

D. Amount credited to the beneficiary:

|                                 |     |        |
|---------------------------------|-----|--------|
| Equivalent of Instructed amount | GBP | 619,99 |
| - Sender's charges              | GBP | 3,1    |
| - Receiver's charges            | GBP | 4,00   |
| = Credit amount                 | GBP | 612,89 |

**Note**      *The beneficiary is also advised of the Sender's charges of GBP 3,1.*

## Examples: Transaction B

- Pay GBP 1000,00 to a beneficiary in the United Kingdom
- Exchange rate is 1 EUR for 0,61999 GBP
- Transaction charges on the Sender's side are EUR 5,00 (=GBP 3,1)
- Transaction charges on the Receiver's side are GBP 4,00 (=EUR 6,45)
- The ordering customer has an account in euro
- Sender and Receiver's BIC are within the EU-country list

### Example B1: Charging option is OUR

A. Amount debited from the ordering customer's account:

|                                 |                      |         |
|---------------------------------|----------------------|---------|
|                                 | Debit on EUR-account |         |
| Equivalent of Instructed amount | EUR                  | 1612,93 |
| + Sender's charges              | EUR                  | 5,00    |
| + Receiver's charges            | EUR                  | 6,45    |
| = Debit amount                  | EUR                  | 1624,38 |

B. MT 103 extract

| Field Tag |     | Content |
|-----------|-----|---------|
| 33B       | GBP | 1000,00 |
| 71A       |     | OUR     |
| 71G       | GBP | 4,00    |
| 32A       | GBP | 1004,00 |

**Note**      *Field 36 does not have to be used since currency in fields 32A and 33B is the same.*

C. The subsequent MT 950 shows one debit entry for GBP 1004, that is, field 32A.

D. Amount credited to the beneficiary:

|                                   |     |         |
|-----------------------------------|-----|---------|
| Instructed amount = Credit amount | GBP | 1000,00 |
|-----------------------------------|-----|---------|

**Example B2: Charging option is SHA**

A. Amount debited from the ordering customer's account:

|                                 |                      |         |
|---------------------------------|----------------------|---------|
|                                 | Debit on EUR-account |         |
| Equivalent of Instructed amount | EUR                  | 1612,93 |
| + Sender's charges              | EUR                  | 5,00    |
| = Debit amount                  | EUR                  | 1617,93 |

B. MT 103 extract:

| Field Tag |     | Content |
|-----------|-----|---------|
| 33B       | GBP | 1000,00 |
| 71A       |     | SHA     |
| 32A       | GBP | 1000,00 |

C. The subsequent MT 950 shows one debit entry for GBP 1000, that is, field 32A.

D. Amount credited to the beneficiary:

|                      |     |         |
|----------------------|-----|---------|
| Amount in 32A        | GBP | 1000,00 |
| - Receiver's charges | GBP | 4,00    |
| = Credit amount      | GBP | 996,00  |

**Note**      *Field 36 does not have to be used since currency in fields 32A and 33B is the same.*

**Example B3: Charging option is BEN**

A. Amount debited from the ordering customer's account:

|                                 |                      |         |
|---------------------------------|----------------------|---------|
|                                 | Debit on EUR-account |         |
| Equivalent of Instructed amount | EUR                  | 1612,93 |
| = Debit amount                  |                      |         |

B. MT 103 extract:

| Field Tag |     | Content |
|-----------|-----|---------|
| 33B       | GBP | 1000,00 |
| 71A       |     | BEN     |
| 71F       | GBP | 3,10    |
| 32A       | GBP | 996,90  |

C. The subsequent MT 950 shows one debit entry for GBP 996,9 that is, field 32A.

D. Amount credited to the beneficiary:

|                      |     |         |
|----------------------|-----|---------|
| Instructed amount    | GBP | 1000,00 |
| - Sender's charges   | GBP | 3,10    |
| - Receiver's charges | GBP | 4,00    |
| = Credit amount      | GBP | 992,90  |

**Note**      *The beneficiary is also advised of the Sender's charges of GBP 3,1.*

## MT 103 Market Practice Rules

As indicated in the MT 103 Guidelines, when an MT 103 is sent using the cover method, an MT 202 COV message must be sent to cover the transfer. A credit to a beneficiary's account that is based on the receipt of an MT 103, without receipt of the related cover payment, is a policy decision. Institutions have deployed processes that are approved by their internal risk committees; the risk lies clearly with the beneficiary institution. Guidelines for the processing of an MT 103 sent with the cover method have been published by the Payments Market Practice Group (PMPG).

For more details, see the market practice document *Guidelines for use of the MT 202 COV* on [www.pmpg.info](http://www.pmpg.info).

## MT 103 Guidelines

- If the Sender and the Receiver wish to use their direct account relationship in the currency of the transfer, then the MT 103 message will contain the cover for the customer transfer as well as the payment details.
- If the Sender and the Receiver have no direct account relationship in the currency of the transfer or do not wish to use their account relationship, then third banks will be involved to cover the transaction. The MT 103 contains only the payment details and the Sender must cover the customer transfer by sending an MT 202 COV General Financial Institution Transfer to a third bank. This payment method is called 'cover'.
- Where more than two financial institutions are involved in the payment chain, and if the MT 103 is sent from one financial institution to the next financial institution in this chain, then the payment method is called 'serial'.
- If the Receiver does not service an account for the beneficiary customer, and no account servicing institution is indicated, nor any alternative instructions given, then the Receiver will act upon the customer credit transfer instruction in an appropriate manner of its choice.
- In order to allow better reconciliation by the beneficiary customer, the MT 103 supports full charges transparency and structured remittance information.
- In order to allow better reconciliation by the Receiver, the MT 103 gives an unambiguous indication of the interbank amount booked by the Sender/to be booked by the Receiver.
- The MT 103 gives the Sender the ability to identify in the message the level of service requested, that is, what service is expected from the Receiver for a particular payment, for example, SWIFTPay, Standard or Priority or any other bilaterally agreed service.

- The message also allows for the inclusion of regulatory information in countries where regulatory reporting is requested.

## MT 103 Field Specifications

### 1. Field 20: Sender's Reference

#### FORMAT

16x

#### PRESENCE

Mandatory

#### DEFINITION

This field specifies the reference assigned by the Sender to unambiguously identify the message.

#### NETWORK VALIDATED RULES

This field must not start or end with a slash '/' and must not contain two consecutive slashes '/' (Error code(s): T26).

#### USAGE RULES

- This reference must be quoted in any related confirmation or statement, for example, MT 900, 910 and/or 950.
- When the cover method is used for a customer credit transfer, this reference must be quoted unchanged in field 21 of the related MT 202 COV.

#### EXAMPLES

:20:Ref254

### 2. Field 13C: Time Indication

#### FORMAT

Option C                      /8c/4!n1!x4!n                      (Code)(Time indication)(Sign)(Time offset)

#### PRESENCE

Optional

#### DEFINITION

This repetitive field specifies one or several time indication(s) related to the processing of the payment instruction.

#### CODES

One of the following codes may be used in Code, placed between slashes ('/')

|         |              |                                                                                                                                                                     |
|---------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CLSTIME | CLS Time     | The time by which the funding payment must be credited, with confirmation, to the CLS Bank's account at the central bank, expressed in Central European Time (CET). |
| RNCTIME | Receive Time | The time at which a TARGET2 payment was credited at the receiving central bank, expressed in Central European Time (CET).                                           |
| SNDTIME | Send Time    | The time at which a TARGET2 payment was debited at the sending central bank, expressed in Central European Time (CET).                                              |

## CODES

One of the following codes must be used in Sign (Error code(s): T15):

|   |       |             |
|---|-------|-------------|
| + | Plus  | The + sign. |
| - | Minus | The - sign. |

## NETWORK VALIDATED RULES

Time indication must be a valid time expressed as HHMM (Error code(s): T38).

Time offset is expressed as 'HHMM', where the hour component, that is, 'HH', must be in the range of 00 through 13, and the minute component, that is, 'MM' must be in the range of 00 through 59. Any 'HH' or 'MM' component outside of these range checks will be disallowed (Error code(s): T16).

## USAGE RULES

The time zone in which Time is expressed is to be identified by means of the offset against the UTC (Coordinated Universal Time - ISO 8601).

## EXAMPLES

Assume a financial institution in London is sending a payment instruction on 5 January related to CLS in which it indicates that money has to be funded to CLS bank by 09.15 CET.

Time indication field will be completed as follows: :13C:/CLSTIME/0915+0100

Explanation:

- 0915 is the time by which the money has to be funded to CLS bank. It has been agreed that CLSTIME is to be indicated in CET (see codes above).
- +0100 is the offset of CET against UTC in January (that is during winter time).

If the same instruction had been sent on 10 June (that is during summer time), time indication field would have been completed as follows: :13C:/CLSTIME/0915+0200

Offsets of local time zones against UTC are published in the BIC Directory download file (TZ\*\*\*.txt file), which is available on [www.swiftrefdata.com](http://www.swiftrefdata.com).

## 3. Field 23B: Bank Operation Code

### FORMAT

|          |     |        |
|----------|-----|--------|
| Option B | 4!c | (Type) |
|----------|-----|--------|

### PRESENCE

Mandatory

**DEFINITION**

This field identifies the type of operation.

**CODES**

One of the following codes must be used (Error code(s): T36):

|      |                        |                                                                                                  |
|------|------------------------|--------------------------------------------------------------------------------------------------|
| CRED | Normal credit transfer | This message contains a credit transfer where there is no SWIFT Service Level involved.          |
| CRTS | Test message           | This message contains a credit transfer for test purposes.                                       |
| SPAY | SWIFTPay               | This message contains a credit transfer to be processed according to the SWIFTPay Service Level. |
| SPRI | Priority               | This message contains a credit transfer to be processed according to the Priority Service Level. |
| SSTD | Standard               | This message contains a credit transfer to be processed according to the Standard Service Level. |

**USAGE RULES**

The code CRTS should not be used on the FIN network.

**EXAMPLES**

:23B:SPAY

## 4. Field 23E: Instruction Code

**FORMAT**

Option E                      4!c[/30x]                      (Instruction Code)(Additional Information)

**PRESENCE**

Conditional (see rule C3)

**DEFINITION**

This field specifies an instruction.

**CODES**

Instruction Code must contain one of the following codes (Error code(s): T47):

|      |                       |                                                                                                          |
|------|-----------------------|----------------------------------------------------------------------------------------------------------|
| CHQB | Cheque                | Pay beneficiary customer by cheque only. The optional account number line in field 59a must not be used. |
| CORT | Corporate Trade       | Payment is made in settlement of a trade, for example, foreign exchange deal, securities transaction.    |
| HOLD | Hold                  | Beneficiary customer/claimant will call; pay upon identification.                                        |
| INTC | Intra-Company Payment | A payment between two companies belonging to the same group.                                             |
| PHOB | Phone Beneficiary     | Please advise/contact beneficiary/claimant by phone.                                                     |



|      |                    |                                                                                              |
|------|--------------------|----------------------------------------------------------------------------------------------|
| PHOI | Phone Intermediary | Please advise the intermediary institution by phone.                                         |
| PHON | Telephone          | Please advise account with institution by phone.                                             |
| REPA | Related Payment    | Payment has a related e-Payments reference.                                                  |
| SDVA | Same Day Value     | Payment must be executed with same day value to the beneficiary.                             |
| TELB | Telecommunication  | Please advise/contact beneficiary/claimant by the most efficient means of telecommunication. |
| TELE | Telecommunication  | Please advise the account with institution by the most efficient means of telecommunication. |
| TELI | Telecommunication  | Please advise the intermediary institution by the most efficient means of telecommunication. |

### NETWORK VALIDATED RULES

Additional Information is only allowed when Instruction Code consists of one of the following codes: PHON, PHOB, PHOI, TELE, TELB, TELI, HOLD or REPA (Error code(s): D97).

If this field is repeated, the codes must appear in the following order (Error code(s): D98):

SDVA  
INTC  
REPA  
CORT  
HOLD  
CHQB  
PHOB  
TELB  
PHON  
TELE  
PHOI  
TELI

When this field is used more than once, the following combinations are not allowed (Error code(s): D67):

|      |      |      |
|------|------|------|
| SDVA | with | HOLD |
| SDVA | with | CHQB |
| INTC | with | HOLD |
| INTC | with | CHQB |
| REPA | with | HOLD |
| REPA | with | CHQB |
| REPA | with | CORT |
| CORT | with | HOLD |
| CORT | with | CHQB |

|      |      |      |
|------|------|------|
| HOLD | with | CHQB |
| PHOB | with | TELB |
| PHON | with | TELE |
| PHOI | with | TELI |

If this field is repeated, the same code must not be present more than once (Error code(s): E46).

#### USAGE RULES

This field may be repeated to give several coded instructions to one or more parties.

Code REPA indicates that the payment is the result of an initiation performed via an e-payments product between the customers. This code is intended for the beneficiary's bank who should act according to the specifications of the e-payments product.

#### EXAMPLES

:23E:CHQB  
:23E:TELI/3226553478

## 5. Field 26T: Transaction Type Code

#### FORMAT

Option T                      3!c                      (Type)

#### PRESENCE

Optional

#### DEFINITION

This field identifies the nature of, purpose of, and/or reason for the individual transaction, for example, salaries, pensions, dividends.

#### USAGE RULES

The information given is intended both for regulatory and statutory requirements and/or to provide information to the beneficiary customer on the nature of the transaction.

Codes from the EUROSTAT list "Code List for Balance of Payments Collection Systems" may be used in this field.

#### EXAMPLES

:26T:K90

## 6. Field 32A: Value Date/Currency/Interbank Settled Amount

#### FORMAT

Option A                      6!n3!a15d                      (Date)(Currency)(Amount)

#### PRESENCE

Mandatory

**DEFINITION**

This field specifies the value date, the currency and the settlement amount. The settlement amount is the amount to be booked/reconciled at interbank level.

**NETWORK VALIDATED RULES**

Date must be a valid date expressed as YYMMDD (Error code(s): T50).

Currency must be a valid ISO 4217 currency code (Error code(s): T52).

The integer part of Amount must contain at least one digit. A decimal comma is mandatory and is included in the maximum length. The number of digits following the comma must not exceed the maximum number allowed for the specified currency (Error code(s): C03, T40, T43).

The codes XAU, XAG, XPD and XPT are not allowed, as these are codes for commodities for which the category 6 commodities messages must be used (Error code(s): C08).

**EXAMPLES**

:32A:981209USD1000,00

**7. Field 33B: Currency/Instructed Amount****FORMAT**

Option B                      3!a15d                      (Currency)(Amount)

**PRESENCE**

Conditional (see rules C2, C15)

**DEFINITION**

This field specifies the currency and amount of the instruction. This amount is provided for information purposes and has to be transported unchanged through the transaction chain.

**NETWORK VALIDATED RULES**

Currency must be a valid ISO 4217 currency code (Error code(s): T52).

The integer part of Amount must contain at least one digit. A decimal comma is mandatory and is included in the maximum length. The number of digits following the comma must not exceed the maximum number allowed for the specified currency (Error code(s): C03, T40, T43).

**USAGE RULES**

If field 33B is present in the message received, it has to be forwarded unchanged to the next party.

This field must be present when a currency conversion or an exchange has been performed on the Sender's side.

If the transaction is within the scope of the EC Directive on cross border credit transfers, this amount is the original ordered amount as instructed by the ordering customer. Otherwise, it is the amount that the sending bank was instructed to pay.

As a consequence, if there are no Sender's or Receiver's charges and no currency conversion or exchange took place, field 32A equals 33B, if present.

**EXAMPLES**

:33B:USD1000,00

## 8. Field 36: Exchange Rate

**FORMAT**

12d (Rate)

**PRESENCE**

Conditional (see rule C1)

**DEFINITION**

This field specifies the exchange rate used to convert the instructed amount specified in field 33B.

**NETWORK VALIDATED RULES**

The integer part of Rate must contain at least one digit. A decimal comma is mandatory and is included in the maximum length (Error code(s): T40, T43).

**USAGE RULES**

This field must be present when a currency conversion or an exchange has been performed on the Sender's side.

**EXAMPLES**

:36:0,9236

## 9. Field 50a: Ordering Customer

**FORMAT**

|          |                |                           |
|----------|----------------|---------------------------|
| Option A | [/34x]         | (Account)                 |
|          | 4!a2!a2!c[3!c] | (Identifier Code)         |
| Option F | 35x            | (Party Identifier)        |
|          | 4*(1!n/33x)    | (Number/Name and Address) |
| Option K | [/34x]         | (Account)                 |
|          | 4*35x          | (Name and Address)        |

In option F, the following line formats must be used (Error code(s): T54):

|                                       |             |                                  |
|---------------------------------------|-------------|----------------------------------|
| Line 1 (subfield<br>Party Identifier) | /34x        | (Account)                        |
|                                       | 1!n/33x     | (Number)(Details)                |
| Or                                    |             |                                  |
| Line 1 (subfield<br>Party Identifier) | 4!a/2!a/27x | (Code)(Country Code)(Identifier) |
|                                       | 1!n/33x     | (Number)(Details)                |

**PRESENCE**

Mandatory

**DEFINITION**

This field specifies the customer ordering the transaction.

**CODES**

In option E, when Party Identifier is used with the (Code)(Country Code)(Identifier) format, one of the following codes must be used in Code (Error code(s): T55):

|      |                                |                                                                                                                                                                                                      |
|------|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ARNU | Alien Registration Number      | The code followed by a slash, '/' must be followed by the ISO country code, a slash, '/' and the Alien Registration Number.                                                                          |
| CCPT | Passport Number                | The code followed by a slash, '/' must be followed by the ISO country code, a slash, '/' and the Passport Number.                                                                                    |
| CUST | Customer Identification Number | The code followed by a slash, '/' must be followed by the ISO country code of the issuer of the number, a slash, '/', the issuer of the number, a slash, '/' and the Customer Identification Number. |
| DRLC | Driver's Licence Number        | The code followed by a slash, '/' must be followed by the ISO country code of the issuing authority, a slash, '/', the issuing authority, a slash, '/' and the Driver's Licence Number.              |
| EMPL | Employer Number                | The code followed by a slash, '/' must be followed by the ISO country code of the registration authority, a slash, '/', the registration authority, a slash, '/' and the Employer Number.            |
| NIDN | National Identity Number       | The code followed by a slash, '/' must be followed by the ISO country code, a slash, '/' and the National Identity Number.                                                                           |
| SOSE | Social Security Number         | The code followed by a slash, '/' must be followed by the ISO country code, a slash, '/' and the Social Security Number.                                                                             |
| TXID | Tax Identification Number      | The code followed by a slash, '/' must be followed by the ISO country code, a slash, '/' and the Tax Identification Number.                                                                          |

**CODES**

In option E, Number must contain one of the following values (Error code(s): T56):

|   |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|---|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Name of Ordering Customer | The number followed by a slash, '/' must be followed by the name of the ordering customer.                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 2 | Address Line              | The number followed by a slash, '/' must be followed by an address line (Address Line can be used to provide, for example, street name and number, or building name).                                                                                                                                                                                                                                                                                                                                                                                        |
| 3 | Country and Town          | <p>The first occurrence of number 3 must be followed by a slash, '/', the ISO country code and, optionally, additional details that are preceded by a slash '/'.<br/><br/>Other occurrences of number 3 must be followed by a slash '/' and the continuation of additional details.<br/><br/>Additional details can contain town, which can be complemented by postal code (for example zip) and country subdivision (for example state, province, or county). The country code and town should, preferably, indicate the country and town of residence.</p> |
| 4 | Date of Birth             | The number followed by a slash, '/' must be followed by the date of birth in the YYYYMMDD format.                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

|   |                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|---|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5 | Place of Birth                 | The number followed by a slash, '/' must be followed by the ISO country code, a slash '/' and the place of birth.                                                                                                                                                                                                                                                                                                                                                                  |
| 6 | Customer Identification Number | The number followed by a slash, '/' must be followed by the ISO country code of the issuer of the number, a slash '/', the issuer of the number, a slash '/' and the customer identification number.                                                                                                                                                                                                                                                                               |
| 7 | National Identity Number       | The number followed by a slash, '/' must be followed by the ISO country code, a slash '/' and the national identity number.                                                                                                                                                                                                                                                                                                                                                        |
| 8 | Additional Information         | <p>The number followed by a slash, '/' is followed by information that completes one of the following:</p> <ul style="list-style-type: none"><li>• the identifier provided in subfield 1 (Party Identifier) used with the (Code)(Country Code)(Identifier) format.</li><li>• the customer identification number provided in subfield 2 (Name and Address) with number 6.</li><li>• the national identity number provided in subfield 2 (Name and Address) with number 7.</li></ul> |

## NETWORK VALIDATED RULES

Identifier Code must be a registered BIC (Error code(s): T27, T28, T29, T45).

In option F, subfield 1 (Party Identifier) used with the (Code)(Country Code)(Identifier) format: Country Code must be a valid ISO country code (Error code(s): T73).

In option F, subfield 2 (Name and Address):

- The first line must start with number 1 (Error code(s): T56).
- Numbers must appear in numerical order (Error code(s): T56).
- A line starting with number 3 must be present (Error code(s): T56).
- The first occurrence of number 3 must be followed by a valid ISO country code (Error code(s): T73).
- Numbers 1, 2, and 3 may be repeated. The same number must not occur more than 2 times (Error code(s): T56).
- Number 4 must not be used without number 5 and vice versa (Error code(s): T56).
- Number 4 must be followed by a valid date in the format YYYYMMDD and this date, local to the sender, must not be later than the date on which the message is successfully sent to SWIFT (Error code(s): T50).
- Numbers 5, 6 and 7 must be followed by a valid ISO country code (Error code(s): T73), a slash '/' and additional Details (Error code(s): T56).
- Numbers 4, 5, 6, 7 and 8 must not be repeated (Error code(s): T56).
- The use of number 8 is only allowed in the following instances (Error code(s): T56):
  - to continue information on the identifier of the ordering customer provided in subfield 1 (Party Identifier) used with the (Code)(Country Code)(Identifier) format.
  - to continue information on the customer identification number provided in subfield 2 (Name and Address) following number 6.

- to continue information on the national identity number provided in subfield 2 (Name and Address) following number 7.

## USAGE RULES

If the account number of the ordering customer is known, it must be stated in Account.

In option F, subfield 2 (Name and Address): Numbers 1, 2 and 3 may be repeated.

In option F, subfield 2 (Name and Address): if number 2 is present, the first occurrence of number 3 must include the town in additional details.

In option F, subfield 1 (Party Identifier) used with the (Code)(Country Code)(Identifier) format: if additional space is required for providing the Identifier of the ordering customer, one of the following options must be used:

1. First option (preferred): Identify the ordering customer with a different identifier where the length is not an issue.
2. Second option: Continue the information in subfield 2 (Name and Address) using number 8.

In option F, subfield 2 (Name and Address): if additional space is required for providing the Customer Identification Number (number 6) or the National Identity Number (number 7) of the ordering customer, one of the following options must be used:

1. First option (preferred): Identify the ordering customer with a different identifier where the length is not an issue.
2. Second option: Continue the information in subfield 2 (Name and Address) using number 8.

When Chinese characters are necessary and when use is bilaterally agreed, the Chinese Commercial Code e-table and guidelines must be followed as published in [www.swift.com](http://www.swift.com) > Standards > Document centre > Market Practice > Chinese Commercial Code eTable Information.

## EXAMPLES

### Option A

:50A:/293456-1254349-82  
VISTUS31

### Option F - Example 1

:50F:/12345678  
1/SMITH JOHN  
2/299, PARK AVENUE  
3/US/NEW YORK, NY 10017

### Option F - Example 2

:50F:/BE30001216371411  
1/PHILIPS MARK  
3/BE/ANTWERPEN  
4/19720830  
5/BE/BRUSSELS

### Option F - Example 3

:50F:DRLC/BE/BRUSSELS/NB0949042  
1/DUPONT JACQUES  
2/HIGH STREET 6, APT 6C  
3/BE/BRUSSELS

### Option F - Example 4

:50F:NIDN/DE/121231234342  
1/MANN GEORG  
3/DE/DUSSELDORF  
6/DE/ABC BANK/1234578293

Option F - Example 5

:50F:CUST/DE/ABC BANK/123456789/8-123456  
1/MANN GEORG  
2/LOW STREET 7  
3/DE/FRANKFURT  
8/7890

*This means that the customer identification number of Mann Georg assigned by ABC Bank is 123456789/8-1234567890.*

## 10. Field 51A: Sending Institution

### FORMAT

|          |                |                    |
|----------|----------------|--------------------|
| Option A | [/1!a]/[34x]   | (Party Identifier) |
|          | 4!a2!a2!c[3!c] | (Identifier Code)  |

### PRESENCE

Optional

### DEFINITION

This field identifies the Sender of the message.

### NETWORK VALIDATED RULES

Field 51A is only valid in FileAct (Error code(s): D63).

### USAGE RULES

At least the first 8 characters of the BIC in this field must be identical to the originator of this FileAct message.

The content of field 20, Sender's reference together with the content of this field provides the message identification which is to be used in case of queries, cancellations etc.

### EXAMPLES

:51A:ABNANL2A

## 11. Field 52a: Ordering Institution

### FORMAT

|          |                |                    |
|----------|----------------|--------------------|
| Option A | [/1!a]/[34x]   | (Party Identifier) |
|          | 4!a2!a2!c[3!c] | (Identifier Code)  |
| Option D | [/1!a]/[34x]   | (Party Identifier) |
|          | 4*35x          | (Name and Address) |



**PRESENCE**

Optional

**DEFINITION**

This field specifies the financial institution of the ordering customer, when different from the Sender, even if field 50a contains an IBAN.

**CODES**

In option A, Party Identifier may be used to indicate a national clearing system code.

The following codes may be used, preceded by a double slash '//':

|    |                      |                                                      |
|----|----------------------|------------------------------------------------------|
| AT | 5!n                  | Austrian Bankleitzahl                                |
| AU | 6!n                  | Australian Bank State Branch (BSB) Code              |
| BL | 8!n                  | German Bankleitzahl                                  |
| CC | 9!n                  | Canadian Payments Association Payment Routing Number |
| CN | 12..14n              | China National Advanced Payment System (CNAPS) Code  |
| ES | 8..9n                | Spanish Domestic Interbanking Code                   |
| FW | without 9 digit code | Pay by Fedwire                                       |
| GR | 7!n                  | HEBIC (Hellenic Bank Identification Code)            |
| HK | 3!n                  | Bank Code of Hong Kong                               |
| IE | 6!n                  | Irish National Clearing Code (NSC)                   |
| IN | 11!c                 | Indian Financial System Code (IFSC)                  |
| IT | 10!n                 | Italian Domestic Identification Code                 |
| PL | 8!n                  | Polish National Clearing Code (KNR)                  |
| PT | 8!n                  | Portuguese National Clearing Code                    |
| SC | 6!n                  | UK Domestic Sort Code                                |

**CODES**

In option D, Party Identifier may be used to indicate a national clearing system code.

The following codes may be used, preceded by a double slash '//':

|    |         |                                                      |
|----|---------|------------------------------------------------------|
| AT | 5!n     | Austrian Bankleitzahl                                |
| AU | 6!n     | Australian Bank State Branch (BSB) Code              |
| BL | 8!n     | German Bankleitzahl                                  |
| CC | 9!n     | Canadian Payments Association Payment Routing Number |
| CH | 6!n     | CHIPS Universal Identifier                           |
| CN | 12..14n | China National Advanced Payment System (CNAPS) Code  |
| CP | 4!n     | CHIPS Participant Identifier                         |
| ES | 8..9n   | Spanish Domestic Interbanking Code                   |
| FW | 9!n     | Fedwire Routing Number                               |
| GR | 7!n     | HEBIC (Hellenic Bank Identification Code)            |

|    |       |                                          |
|----|-------|------------------------------------------|
| HK | 3!n   | Bank Code of Hong Kong                   |
| IE | 6!n   | Irish National Clearing Code (NSC)       |
| IN | 11!c  | Indian Financial System Code (IFSC)      |
| IT | 10!n  | Italian Domestic Identification Code     |
| PL | 8!n   | Polish National Clearing Code (KNR)      |
| PT | 8!n   | Portuguese National Clearing Code        |
| RU | 9!n   | Russian Central Bank Identification Code |
| SC | 6!n   | UK Domestic Sort Code                    |
| SW | 3..5n | Swiss Clearing Code (BC code)            |
| SW | 6!n   | Swiss Clearing Code (SIC code)           |

### NETWORK VALIDATED RULES

Identifier Code must be a registered financial institution BIC (Error code(s): T27, T28, T29, T45).

Identifier Code must be a financial institution BIC. This error code applies to all types of BICs referenced in a FIN message including connected BICs, non-connected BICs, Masters, Synonyms, Live destinations and Test & Training destinations (Error code(s): C05).

### USAGE RULES

The coded information contained in field 52a must be meaningful to the Receiver of the message.

Option A is the preferred option.

Option D should only be used when the ordering financial institution has no BIC.

### EXAMPLES

:52A:ABNANL2A

## 12. Field 53a: Sender's Correspondent

### FORMAT

|          |                |                    |
|----------|----------------|--------------------|
| Option A | [/1!a]/[34x]   | (Party Identifier) |
|          | 4!a2!a2!c[3!c] | (Identifier Code)  |
| Option B | [/1!a]/[34x]   | (Party Identifier) |
|          | [35x]          | (Location)         |
| Option D | [/1!a]/[34x]   | (Party Identifier) |
|          | 4*35x          | (Name and Address) |

### PRESENCE

Conditional (see rules C4, C5, C7)

### DEFINITION

Where required, this field specifies the account or branch of the Sender or another financial institution through which the Sender will reimburse the Receiver.

**NETWORK VALIDATED RULES**

Identifier Code must be a registered financial institution BIC (Error code(s): T27, T28, T29, T45).

Identifier Code must be a financial institution BIC. This error code applies to all types of BICs referenced in a FIN message including connected BICs, non-connected BICs, Masters, Synonyms, Live destinations and Test & Training destinations (Error code(s): C05).

**USAGE RULES**

Absence of this field implies that there is a unique account relationship between the Sender and the Receiver or that the bilaterally agreed account is to be used for settlement.

Option A is the preferred option.

In those cases where there are multiple direct account relationships, in the currency of the transaction, between the Sender and the Receiver, and one of these accounts is to be used for reimbursement, the account to be credited or debited must be indicated in field 53a, using option B with the party identifier only.

If there is no direct account relationship, in the currency of the transaction, between the Sender and the Receiver (or branch of the Receiver when specified in field 54a), then field 53a must be present.

When field 53a is present and contains a branch of the Sender, the need for a cover message is dependent on the currency of the transaction, the relationship between the Sender and the Receiver and the contents of field 54a, if present.

A branch of the Receiver may appear in field 53a if the financial institution providing reimbursement is both the Sender's correspondent and a branch of the Receiver, and the Sender intends to send a cover message to the branch of the Receiver. In this case, the Receiver will be paid by its branch in field 53a.

In all other cases, when field 53a is present, a cover message, that is, MT 202 COV or equivalent non-SWIFT must be sent to the financial institution identified in field 53a.

When field 53B is used to specify a branch city name, it must always be a branch of the Sender.

The use and interpretation of fields 53a and 54a is, in all cases, dictated by the currency of the transaction and the correspondent relationship between the Sender and Receiver relative to that currency.

**EXAMPLES**

:53A:ABNANL2A

**13. Field 54a: Receiver's Correspondent****FORMAT**

|          |                |                    |
|----------|----------------|--------------------|
| Option A | [/1!a]/[34x]   | (Party Identifier) |
|          | 4!a2!a2!c[3!c] | (Identifier Code)  |
| Option B | [/1!a]/[34x]   | (Party Identifier) |
|          | [35x]          | (Location)         |
| Option D | [/1!a]/[34x]   | (Party Identifier) |
|          | 4*35x          | (Name and Address) |

**PRESENCE**

Conditional (see rules C6, C7)

DEFINITION

This field specifies the branch of the Receiver or another financial institution at which the funds will be made available to the Receiver.

NETWORK VALIDATED RULES

Identifier Code must be a registered financial institution BIC (Error code(s): T27, T28, T29, T45).

Identifier Code must be a financial institution BIC. This error code applies to all types of BICs referenced in a FIN message including connected BICs, non-connected BICs, Masters, Synonyms, Live destinations and Test & Training destinations (Error code(s): C05).

USAGE RULES

When the funds are made available to the Receiver's branch through a financial institution other than that indicated in field 53a, this financial institution, that is, intermediary reimbursement institution shall be specified in field 54a and field 55a shall contain the Receiver's branch.

Option A is the preferred option.

Option B must only be used with a location.

In those cases where field 54a contains a branch of the Receiver, and is not preceded by field 53a, or field 53a contains an account of the Sender serviced by the Receiver's branch, the Receiver will claim reimbursement from its branch.

If field 54a contains a branch of the Receiver and field 53a contains a branch of the Sender, the Receiver will claim reimbursement from its branch or will be paid by its branch, depending on the currency of the transfer and the relationship between the Sender and the Receiver.

In all other cases where field 54a contains a branch of the Receiver, the Receiver will be paid by its branch in field 54a.

A branch of the Sender must not appear in field 54a.

If the branch of the Sender or other financial institution specified in field 53a is also the account servicer for the Receiver, field 54a must not be present.

Field 54a containing the name of a financial institution other than the Receiver's branch must be preceded by field 53a; the Receiver will be paid by the financial institution in field 54a.

The use and interpretation of fields 53a and 54a is in all cases dictated by the currency of the transaction and the correspondent relationship between the Sender and Receiver relative to that currency.

EXAMPLES

:54A:IRVTUS3N

14. Field 55a: Third Reimbursement Institution

FORMAT

|          |                |                    |
|----------|----------------|--------------------|
| Option A | [/1!a]/[34x]   | (Party Identifier) |
|          | 4!a2!a2!c[3!c] | (Identifier Code)  |
| Option B | [/1!a]/[34x]   | (Party Identifier) |
|          | [35x]          | (Location)         |

|          |              |                    |
|----------|--------------|--------------------|
| Option D | [/1!a]/[34x] | (Party Identifier) |
|          | 4*35x        | (Name and Address) |

**PRESENCE**

Conditional (see rule C8)

**DEFINITION**

This field specifies the Receiver's branch, when the funds are made available to this branch through a financial institution other than that indicated in field 53a.

**NETWORK VALIDATED RULES**

Identifier Code must be a registered financial institution BIC (Error code(s): T27, T28, T29, T45).

Identifier Code must be a financial institution BIC. This error code applies to all types of BICs referenced in a FIN message including connected BICs, non-connected BICs, Masters, Synonyms, Live destinations and Test & Training destinations (Error code(s): C05).

**USAGE RULES**

Option A is the preferred option.

**EXAMPLES**

:55A:IRVTUS3N

## 15. Field 56a: Intermediary Institution

**FORMAT**

|          |                |                    |
|----------|----------------|--------------------|
| Option A | [/1!a]/[34x]   | (Party Identifier) |
|          | 4!a2!a2!c[3!c] | (Identifier Code)  |
| Option C | /34x           | (Party Identifier) |
| Option D | [/1!a]/[34x]   | (Party Identifier) |
|          | 4*35x          | (Name and Address) |

**PRESENCE**

Conditional (see rule C10)

**DEFINITION**

This field specifies the financial institution through which the transaction must pass to reach the account with institution.

**CODES**

In option A, Party Identifier may be used to indicate a national clearing system code.

The following codes may be used, preceded by a double slash '//':

|    |     |                                         |
|----|-----|-----------------------------------------|
| AT | 5!n | Austrian Bankleitzahl                   |
| AU | 6!n | Australian Bank State Branch (BSB) Code |

|    |                      |                                                      |
|----|----------------------|------------------------------------------------------|
| BL | 8!n                  | German Bankleitzahl                                  |
| CC | 9!n                  | Canadian Payments Association Payment Routing Number |
| CN | 12..14n              | China National Advanced Payment System (CNAPS) Code  |
| ES | 8..9n                | Spanish Domestic Interbanking Code                   |
| FW | without 9 digit code | Pay by Fedwire                                       |
| GR | 7!n                  | HEBIC (Hellenic Bank Identification Code)            |
| HK | 3!n                  | Bank Code of Hong Kong                               |
| IE | 6!n                  | Irish National Clearing Code (NSC)                   |
| IN | 11!c                 | Indian Financial System Code (IFSC)                  |
| IT | 10!n                 | Italian Domestic Identification Code                 |
| NZ | 6!n                  | New Zealand National Clearing Code                   |
| PL | 8!n                  | Polish National Clearing Code (KNR)                  |
| PT | 8!n                  | Portuguese National Clearing Code                    |
| RT |                      | Pay by Real Time Gross Settlement                    |
| SC | 6!n                  | UK Domestic Sort Code                                |

## CODES

In option C, or D, Party Identifier may be used to indicate a national clearing system code.

The following codes may be used, preceded by a double slash '//':

|    |         |                                                      |
|----|---------|------------------------------------------------------|
| AT | 5!n     | Austrian Bankleitzahl                                |
| AU | 6!n     | Australian Bank State Branch (BSB) Code              |
| BL | 8!n     | German Bankleitzahl                                  |
| CC | 9!n     | Canadian Payments Association Payment Routing Number |
| CH | 6!n     | CHIPS Universal Identifier                           |
| CN | 12..14n | China National Advanced Payment System (CNAPS) Code  |
| CP | 4!n     | CHIPS Participant Identifier                         |
| ES | 8..9n   | Spanish Domestic Interbanking Code                   |
| FW | 9!n     | Fedwire Routing Number                               |
| GR | 7!n     | HEBIC (Hellenic Bank Identification Code)            |
| HK | 3!n     | Bank Code of Hong Kong                               |
| IE | 6!n     | Irish National Clearing Code (NSC)                   |
| IN | 11!c    | Indian Financial System Code (IFSC)                  |
| IT | 10!n    | Italian Domestic Identification Code                 |
| NZ | 6!n     | New Zealand National Clearing Code                   |
| PL | 8!n     | Polish National Clearing Code (KNR)                  |
| PT | 8!n     | Portuguese National Clearing Code                    |
| RT |         | Pay by Real Time Gross Settlement                    |

|    |       |                                          |
|----|-------|------------------------------------------|
| RU | 9!n   | Russian Central Bank Identification Code |
| SC | 6!n   | UK Domestic Sort Code                    |
| SW | 3..5n | Swiss Clearing Code (BC code)            |
| SW | 6!n   | Swiss Clearing Code (SIC code)           |

## NETWORK VALIDATED RULES

Identifier Code must be a registered financial institution BIC (Error code(s): T27, T28, T29, T45).

Identifier Code must be a financial institution BIC. This error code applies to all types of BICs referenced in a FIN message including connected BICs, non-connected BICs, Masters, Synonyms, Live destinations and Test & Training destinations (Error code(s): C05).

## USAGE RULES

When one of the codes //FW (with or without the 9-digit number), //AU, //CP, //IN or //RT is used, it should appear only once and in the first of the fields 56a and 57a of the payment instruction.

When it is necessary that an incoming SWIFT payment be made to the party in this field via Fedwire, US banks require that the code //FW appears in the optional Party Identifier of field 56a or 57a.

When it is necessary that an incoming SWIFT payment be made to the intermediary or the account with institution via real-time gross settlement (RTGS), the code //RT should appear in the optional Party Identifier of field 56a or 57a.

The code //RT is binding for the Receiver. If it is used with option A, it must not be followed by any other information. If it is used with option C or D, it may be followed by another domestic clearing code.

Option A is always the preferred option.

Option C must be used containing a 2!a clearing system code preceded by a double slash '//'.

Option D must only be used in exceptional circumstances: when the party cannot be identified by a financial institution BIC, when there is a need to be able to specify a name and address, for example, due to regulatory considerations or when there is a bilateral agreement between the Sender and the Receiver permitting its use.

When qualified by a clearing system code or an account number, the use of option D may enable the automated processing of the instruction(s) by the Receiver.

## EXAMPLES

:56A:IRVTUS3N

# 16. Field 57a: Account With Institution

## FORMAT

|          |                |                    |
|----------|----------------|--------------------|
| Option A | [/1!a]/[34x]   | (Party Identifier) |
|          | 4!a2!a2!c[3!c] | (Identifier Code)  |
| Option B | [/1!a]/[34x]   | (Party Identifier) |
|          | [35x]          | (Location)         |
| Option C | /34x           | (Party Identifier) |

|          |              |                    |
|----------|--------------|--------------------|
| Option D | [/1!a]/[34x] | (Party Identifier) |
|          | 4*35x        | (Name and Address) |

**PRESENCE**

Conditional (see rules C9, C11)

**DEFINITION**

This field specifies the financial institution which services the account for the beneficiary customer. This is applicable even if field 59a contains an IBAN.

**CODES**

In option A, Party Identifier may be used to indicate a national clearing system code.

The following codes may be used, preceded by a double slash '//':

|    |                      |                                                      |
|----|----------------------|------------------------------------------------------|
| AT | 5!n                  | Austrian Bankleitzahl                                |
| AU | 6!n                  | Australian Bank State Branch (BSB) Code              |
| BL | 8!n                  | German Bankleitzahl                                  |
| CC | 9!n                  | Canadian Payments Association Payment Routing Number |
| CN | 12..14n              | China National Advanced Payment System (CNAPS) Code  |
| ES | 8..9n                | Spanish Domestic Interbanking Code                   |
| FW | without 9 digit code | Pay by Fedwire                                       |
| GR | 7!n                  | HEBIC (Hellenic Bank Identification Code)            |
| HK | 3!n                  | Bank Code of Hong Kong                               |
| IE | 6!n                  | Irish National Clearing Code (NSC)                   |
| IN | 11!c                 | Indian Financial System Code (IFSC)                  |
| IT | 10!n                 | Italian Domestic Identification Code                 |
| NZ | 6!n                  | New Zealand National Clearing Code                   |
| PL | 8!n                  | Polish National Clearing Code (KNR)                  |
| PT | 8!n                  | Portuguese National Clearing Code                    |
| RT |                      | Pay by Real Time Gross Settlement                    |
| SC | 6!n                  | UK Domestic Sort Code                                |
| ZA | 6!n                  | South African National Clearing Code                 |

**CODES**

In option C, or D, Party Identifier may be used to indicate a national clearing system code.

The following codes may be used, preceded by a double slash '//':

|    |     |                                                      |
|----|-----|------------------------------------------------------|
| AT | 5!n | Austrian Bankleitzahl                                |
| AU | 6!n | Australian Bank State Branch (BSB) Code              |
| BL | 8!n | German Bankleitzahl                                  |
| CC | 9!n | Canadian Payments Association Payment Routing Number |



|    |         |                                                     |
|----|---------|-----------------------------------------------------|
| CH | 6!n     | CHIPS Universal Identifier                          |
| CN | 12..14n | China National Advanced Payment System (CNAPS) Code |
| CP | 4!n     | CHIPS Participant Identifier                        |
| ES | 8..9n   | Spanish Domestic Interbanking Code                  |
| FW | 9!n     | Fedwire Routing Number                              |
| GR | 7!n     | HEBIC (Hellenic Bank Identification Code)           |
| HK | 3!n     | Bank Code of Hong Kong                              |
| IE | 6!n     | Irish National Clearing Code (NSC)                  |
| IN | 11!c    | Indian Financial System Code (IFSC)                 |
| IT | 10!n    | Italian Domestic Identification Code                |
| NZ | 6!n     | New Zealand National Clearing Code                  |
| PL | 8!n     | Polish National Clearing Code (KNR)                 |
| PT | 8!n     | Portuguese National Clearing Code                   |
| RT |         | Pay by Real Time Gross Settlement                   |
| RU | 9!n     | Russian Central Bank Identification Code            |
| SC | 6!n     | UK Domestic Sort Code                               |
| SW | 3..5n   | Swiss Clearing Code (BC code)                       |
| SW | 6!n     | Swiss Clearing Code (SIC code)                      |
| ZA | 6!n     | South African National Clearing Code                |

## NETWORK VALIDATED RULES

Identifier Code must be a registered financial institution BIC (Error code(s): T27, T28, T29, T45).

Identifier Code must be a financial institution BIC. This error code applies to all types of BICs referenced in a FIN message including connected BICs, non-connected BICs, Masters, Synonyms, Live destinations and Test & Training destinations (Error code(s): C05).

## USAGE RULES

When field 57a is not present, it means that the Receiver is also the account with institution.

When one of the codes //FW (with or without the 9-digit number), //AU, //CP, //IN or //RT is used, it should appear only once and in the first of the fields 56a and 57a of the payment instruction.

When it is necessary that an incoming SWIFT payment be made to the party in this field via Fedwire, US banks require that the code //FW appears in the optional Party Identifier of field 56a or 57a.

When it is necessary that an incoming SWIFT payment be made to the intermediary or the account with institution via real-time gross settlement (RTGS), the code //RT should appear in the optional Party Identifier of field 56a or 57a.

The code //RT is binding for the Receiver. If it is used with option A, it must not be followed by any other information. If it is used with option C or D, it may be followed by another domestic clearing code.

Option A is the preferred option.

Option C must be used containing a 2!a clearing system code preceded by a double slash '//'.

Option D must only be used in exceptional circumstances: when the party cannot be identified by a financial institution BIC, when there is a need to be able to specify a name and address, for example, due to regulatory considerations or when there is a bilateral agreement between the Sender and the Receiver permitting its use.

When qualified by a clearing system code or an account number, the use of option D may enable the automated processing of the instruction(s) by the Receiver.

**EXAMPLES**

:57A:ABNANL2A

**17. Field 59a: Beneficiary Customer**

**FORMAT**

|          |                |                           |
|----------|----------------|---------------------------|
|          | [/34x]         | (Account)                 |
|          | 4*35x          | (Name and Address)        |
| Option A | [/34x]         | (Account)                 |
|          | 4!a2!a2!c[3!c] | (Identifier Code)         |
| Option F | [/34x]         | (Account)                 |
|          | 1!n/33x        | (Number/Name and Address) |

**PRESENCE**

Mandatory

**DEFINITION**

This field specifies the customer which will be paid.

**CODES**

In option E, Number/Name and Address must contain one of the following codes (Error code(s) : T56)

|   |                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|---|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Name of Beneficiary Customer | The number followed by a slash, '/' must be followed by the name of the beneficiary customer.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 2 | Address Line                 | The number followed by a slash, '/' must be followed by an address line (Address Line can be used to provide for example, street name and number, building name or post office box number).                                                                                                                                                                                                                                                                                                                                                                                                    |
| 3 | Country and Town             | <p>The first occurrence of number 3 must be followed by a slash, '/', the ISO country code and, optionally, additional details that are preceded by a slash '/'.</p> <p>Other occurrences of number 3 must be followed by a slash '/' and the continuation of additional details.</p> <p>Additional details can contain town, which can be complemented by postal code (for example zip) and country subdivision (for example state, province, or county). The country code and town should, preferably, indicate the country and town of residence, as provided by the ordering customer.</p> |

## CODES

Account may contain one of the following codes, preceded by a double slash '//':

CH                      6!n                      CHIPS Universal Identifier

## NETWORK VALIDATED RULES

Identifier Code must be a registered BIC (Error code(s): T27, T28, T29, T45).

In option F, for subfields (Number)(Name and Address):

- The first line must start with number 1 (Error code(s): T56).
- Numbers must appear in numerical order (Error code(s): T56).
- A line starting with number 3 must be present (Error code(s): T56).
- Numbers 1, 2, and 3 may be repeated. The same number must not occur more than 2 times (Error code(s): T56).
- The first occurrence of number 3 must be followed by a valid ISO country code (Error code(s): T73).

## USAGE RULES

At least the name or the BIC of the beneficiary customer is mandatory.

If a non-financial institution BIC is specified, it must be meaningful for the financial institution that services the account for the beneficiary customer.

If the account number of the beneficiary customer is known, it must be stated in Account.

In option F:

- line numbers may be repeated
- if number 2 is present, the first occurrence of number 3 must include the town in the additional details

When Chinese characters are necessary and when use is bilaterally agreed, the Chinese Commercial Code e-table and guidelines must be followed as published in [www.swift.com](http://www.swift.com) > Standards > Document centre > Market Practice > Chinese Commercial Code eTable Information.

## EXAMPLES

No letter option

```
:59:/BE62510007547061
JOHANN WILLEMS
RUE JOSEPH II, 19
1040 BRUSSELS
```

Option F - Example 1

```
:59F:/BE30001216371411
1/MARK PHILIPS
2/HOOGSTRAAT 6, APT 6C
3/BE/BRUSSELS
```

Option F - Example 2

```
:59F:/12345678
1/DEPT OF PROMOTION OF SPICY FISH
1/CENTER FOR INTERNATIONALISATION
3/CN/BEIJING
```

Option F - Example 3

:59F:1/JOHN SIMONS  
2/3658 WITMER ROAD  
3/US/POUGHKEEPSIE, NEW YORK 12602  
3/DUTCHESS

## 18. Field 70: Remittance Information

### FORMAT

4\*35x

(Narrative)

### PRESENCE

Optional

### DEFINITION

This field specifies either the details of the individual transaction or a reference to another message containing the details which are to be transmitted to the beneficiary customer.

### CODES

One of the following codes may be used, placed between slashes ('/').

|     |                                    |                                                                                                                                                                 |
|-----|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| INV | Invoice                            | Invoice (followed by the date, reference and details of the invoice).                                                                                           |
| IPI | International Payment Instruction  | Unique reference identifying a related International Payment Instruction (followed by up to 20 characters).                                                     |
| RFB | Reference for Beneficiary          | Reference for the beneficiary customer (followed by up to 16 characters).                                                                                       |
| ROC | Reference of Customer              | Ordering customer's reference.                                                                                                                                  |
| TSU | Trade Services Utility transaction | The code placed between slashes ('/') must be followed by the TSU transaction identifier, a slash ('/'), the invoice number, a slash ('/') and the amount paid. |

### USAGE RULES

For clearing purposes, the Sender must check with the Receiver regarding length restrictions of field 70.

The information specified in this field is intended only for the beneficiary customer, that is, this information only needs to be conveyed by the Receiver.

Multiple references can be used, if separated with a double slash, '//'. Code must not be repeated between two references of the same kind.

For STP purposes, when an ISO 11649 Creditor Reference is present in this field it must be on the first line, without any characters preceding it, and it must be the only information on that line.

### EXAMPLES

:70:/RFB/BET072  
:70:/INV/abc/SDF-96//1234-234///ROC/98I  
U87  
:70:/TSU/00000089963-0820-01/ABC-15/256  
214,

## 19. Field 71A: Details of Charges

### FORMAT

Option A                      3!a                                      (Code)

### PRESENCE

Mandatory

### DEFINITION

This field specifies which party will bear the charges for the transaction.

### CODES

One of the following codes must be used (Error code(s): T08):

|     |                      |                                                                                                                                                            |
|-----|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BEN | Beneficiary          | All transaction charges are to be borne by the beneficiary customer.                                                                                       |
| OUR | Our customer charged | All transaction charges are to be borne by the ordering customer.                                                                                          |
| SHA | Shared charges       | All transaction charges other than the charges of the financial institution servicing the ordering customer account are borne by the beneficiary customer. |

### EXAMPLES

: 71A: BEN

## 20. Field 71F: Sender's Charges

### FORMAT

Option F                      3!a15d                                      (Currency)(Amount)

### PRESENCE

Conditional (see rule C14)

### DEFINITION

This repetitive field specifies the currency and amount of the transaction charges deducted by the Sender and by previous banks in the transaction chain.

### NETWORK VALIDATED RULES

Currency must be a valid ISO 4217 currency code (Error code(s): T52).

The integer part of Amount must contain at least one digit. A decimal comma is mandatory and is included in the maximum length. The number of digits following the comma must not exceed the maximum number allowed for the specified currency (Error code(s): C03, T40, T43).

### USAGE RULES

These fields are conveyed for transparency reasons.

The net amount after deduction of the Sender's charges will be quoted as the inter-bank settled amount in field 32A.

This field may be repeated to specify to the Receiver the currency and amount of charges taken by preceding banks in the transaction chain. Charges should be indicated in the order in which they have been deducted from the transaction amount, that is, the first occurrence of this field specifies the charges of the first bank in the transaction chain that deducted charges; the last occurrence always gives the Sender's charges.

**EXAMPLES**

: 71F:EUR8,00

## 21. Field 71G: Receiver's Charges

**FORMAT**

Option G                      3!a15d                      (Currency)(Amount)

**PRESENCE**

Conditional (see rule C14)

**DEFINITION**

This field specifies the currency and amount of the transaction charges due to the Receiver.

**NETWORK VALIDATED RULES**

Currency must be a valid ISO 4217 currency code (Error code(s): T52).

The integer part of Amount must contain at least one digit. A decimal comma is mandatory and is included in the maximum length. The number of digits following the comma must not exceed the maximum number allowed for the specified currency (Error code(s): C03, T40, T43).

Amount must not equal zero (Error code(s): D57).

**USAGE RULES**

This field is conveyed for accounting reasons, that is, to facilitate bookkeeping.

Where field 71A indicates OUR payments, this field identifies the charges due, which have been pre-paid and included in the interbank settlement amount.

**EXAMPLES**

: 71G:EUR5,50

## 22. Field 72: Sender to Receiver Information

**FORMAT**

6\*35x                      (Narrative Structured Format)

The following line formats must be used:

|        |                                |                   |
|--------|--------------------------------|-------------------|
| Line 1 | /8c/[additional information]   | (Code)(Narrative) |
|        | [//additional information]     | (Narrative)       |
|        | or                             | or                |
|        | [/8c/[additional information]] | (Code)(Narrative) |

**PRESENCE**

Optional

**DEFINITION**

This field specifies additional information for the Receiver or other party specified.

**CODES**

Unless bilaterally agreed otherwise between the Sender and the Receiver, one of the following codes must be used in Code, placed between slashes ('/'):

|     |                          |                                                                                                                                       |
|-----|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| ACC | Account with institution | Instructions following are for the account with institution.                                                                          |
| INS | Instructing institution  | The instructing institution which instructed the Sender or previous institution in the transaction chain, to execute the transaction. |
| INT | Intermediary institution | Instructions following are for the intermediary institution.                                                                          |

**NETWORK VALIDATED RULES**

If the first six characters in line 1 contain the character string /REJT/ or /RETN/, then it is mandatory to follow the *Payments Reject/Return Guidelines* described in the *Standards MT Usage Guidelines* (Error code(s): T80).

**USAGE RULES**

Field 72 must never be used for information for which another field is intended.

Each item for which a code exists must start with that code and may be completed with additional information.

Each code used must be between slashes and appear at the beginning of a line. It may be followed by additional narrative text.

Narrative text relating to a preceding code, which is continued on the next line(s), must start with a double slash '//', and, if used, must begin on a new line. Narrative text should preferably be the last information in this field.

Use of field 72, particularly with uncoded instructions, may cause delay, because, in automated systems, the presence of this field will normally require manual intervention.

It is strongly recommended to use the standard codes proposed above. In any case, where bilateral agreements covering the use of codes in this field are in effect, the code must conform to the structured format of this field.

The code INS may be repeated to specify all previously involved financial institutions in the transaction chain.

Instructing institutions should be indicated in the order in which they were involved in the transaction chain, that is, the first occurrence specifies the financial institution that received the instruction from the ordering institution and passed it on to the next institution in the transaction chain; the last occurrence always indicates the institution that instructed the sender of this message to execute the transaction.

If codes INS or ACC are present in field 72 of a received message, then these codes and the related details must be passed, unchanged, in field 72 of the subsequent message in the payment chain. Additional codes and details may be added to field 72 of the subsequent message but the original INS and ACC and related details must not be altered or removed.

**EXAMPLES**

:72:/INS/ABNANL2A

## 23. Field 77B: Regulatory Reporting

**FORMAT**

Option B                      3\*35x                      (Narrative)

In addition to narrative text, the following line formats may be used:

|        |                                  |                                 |
|--------|----------------------------------|---------------------------------|
| Line 1 | /8a/2!a[/additional information] | (Code)(Country Code)(Narrative) |
|        | [/additional information]        | (Narrative)                     |

**PRESENCE**

Optional

**DEFINITION**

This field specifies the codes for the statutory and/or regulatory information required by the authorities in the country of Receiver or Sender.

**CODES**

Where the residence of either the ordering customer or the beneficiary customer is to be identified, one of the following codes may be used in Code, placed between slashes ('/').

|          |                                        |
|----------|----------------------------------------|
| BENEFRES | Residence of the beneficiary customer. |
| ORDERRES | Residence of the ordering customer.    |

**USAGE RULES**

Country Code consists of the ISO country code of the country of residence of the ordering customer or beneficiary customer.

The information specified must not have been explicitly conveyed in another field.

**EXAMPLES**

:77B:/ORDERRES/BE//MEILAN 1, 9000 GENT

## MT 103 Examples

### MT 103 Examples for the MT 103, used outside any Service Level Agreements


#### Example 1: Single Customer Credit Transfer with Direct Account Relationship

**Narrative**

Biodata G.m.b.H. orders UBS, Zürich, to pay euro 1,958.47 to ABN Amro Bank, Amsterdam, for the account of H.F. Janssen.



## Information Flow



## SWIFT Message

| Explanation                                    | Format                                                                  |
|------------------------------------------------|-------------------------------------------------------------------------|
| Sender                                         | UBSWCHZH80A                                                             |
| Message Type                                   | 103                                                                     |
| Receiver                                       | ABNANL2A                                                                |
| Unique End-to-end Transaction Reference        | 121:360f1e65-90e0-44d5-a49a-92b55eb3025f                                |
| Message text                                   |                                                                         |
| Sender's Reference                             | :20:494931/DEV                                                          |
| Bank Operation Code                            | :23B:CRED                                                               |
| Value Date, Currency, Interbank Settled Amount | :32A:090828EUR1958,47                                                   |
| Currency, Instructed Amount                    | :33B:EUR1958,47                                                         |
| Ordering Customer                              | :50K:/122267890BIODATA GMBHHOCHSTRASSE,<br>278022-ZURICH<br>SWITZERLAND |
| Beneficiary Customer                           | :59:/502664959<br>H.F. JANSSEN LEDEBOERSTRAAT 27<br>AMSTERDAM           |
| Details of Charges                             | :71A:SHA                                                                |
| End of message text/trailer                    |                                                                         |

**Note** No reimbursement party has been indicated in the above message. The direct account relationship, in the currency of the transfer, between the Sender and the Receiver will be used.

**Example 2: Single Customer Credit Transfer Specifying Account for Reimbursement**


**Narrative**

Biodata G.m.b.H. orders UBS, Zürich, to pay euro 1,958.47 to ABN Amro Bank, Amsterdam, for the account of H.F. Janssen, in payment of invoice number 18042 dated 15 July 2009.

As there is more than one account relationship in the currency of the transfer between the Sender and Receiver, UBS, Zürich specifies that account number 21 94 29 055 should be used for reimbursement.

UBS, Zürich, knows that ABN Amro Bank, Amsterdam, will charge euro 2.50 to execute this transaction.

**Information Flow**



**SWIFT Message**

| Explanation                             | Format                                   |
|-----------------------------------------|------------------------------------------|
| Sender                                  | UBSWCHZH80A                              |
| Message Type                            | 103                                      |
| Receiver                                | ABNANL2A                                 |
| Unique End-to-end Transaction Reference | 121:174c245f-2682-4291-ad67-2a41e530cd27 |

| Explanation                                    | Format                                                                  |
|------------------------------------------------|-------------------------------------------------------------------------|
| Message text                                   |                                                                         |
| Sender's Reference                             | :20:494932/DEV                                                          |
| Bank Operation Code                            | :23B:CRED                                                               |
| Value Date, Currency, Interbank Settled Amount | :32A:090828EUR1960,97                                                   |
| Currency, Instructed Amount                    | :33B:EUR1958,47                                                         |
| Ordering Customer                              | :50K:/122267890BIODATA GMBHHOCHSTRASSE,<br>278022-ZURICH<br>SWITZERLAND |
| Sender's Correspondent <sup>(1)</sup>          | :53B:/219429055                                                         |
| Beneficiary Customer                           | :59:/502664959<br>H.F. JANSSEN LEDEBOERSTRAAT 27<br>AMSTERDAM           |
| Remittance Information <sup>(2)</sup>          | :70:/INV/18042-090715                                                   |
| Details of Charges                             | :71A:OUR                                                                |
| Receiver's Charges                             | :71G:EUR2,50                                                            |
| End of message text/trailer                    |                                                                         |

(1) Field 53B indicates the account number of the Sender's account, serviced by the Receiver, which is to be used for reimbursement in the transfer.

(2) As the Reference for the beneficiary is an invoice number, the code /INV/ is used, followed by the invoice number.

### Example 3: Single Customer Credit Transfer with Ordering and Account With Institutions


#### Narrative

Franz Holzapfel G.m.b.H. orders Finanzbank AG, Eisenstadt, to pay, value 28 August 2009, US Dollars 850 into C. Won's account number 729615-941 with Oversea-Chinese Banking Cooperation, Singapore. The payment is for July 2009 expenses.

Finanzbank AG, Eisenstadt, asks Bank Austria, Vienna, to make the payment. Both Bank Austria, Vienna, and Oversea-Chinese Banking Cooperation, Singapore, have their US dollars account at Citibank's New York office.

Both customers agree to share the charges. Citibank charges US Dollars 10.

Information Flow




First SWIFT Message, MT 103

| Explanation                             | Format                                   |
|-----------------------------------------|------------------------------------------|
| Sender                                  | BKAUATWW                                 |
| Message Type                            | 103                                      |
| Receiver                                | CITIUS33                                 |
| Unique End-to-end Transaction Reference | 121:e03c6901-bbed-4aa9-afce-a4bc26d19246 |
| Message text                            |                                          |
| Sender's Reference                      | :20:494938/DEV                           |
| Bank Operation Code                     | :23B:CRED                                |

| Explanation                                    | Format                                                                      |
|------------------------------------------------|-----------------------------------------------------------------------------|
| Value Date, Currency, Interbank Settled Amount | :32A:090828USD850,                                                          |
| Ordering Customer                              | :50F:/9422678901/FRANZ HOLZAPFEL GMBH2/GEL -<br>BSTRASSE, 13<br>3/AT/VIENNA |
| Ordering Institution                           | :52D:FINANZBANK AG<br>EISENSTADT                                            |
| Account With Institution                       | :57A:0CBCSGSG                                                               |
| Beneficiary Customer                           | :59F:/729615-941<br>1/C.WON<br>2/PARK AVENUE 1<br>3/SG                      |
| Remittance Information                         | :70:JULY 2009 EXPENSES                                                      |
| Details of Charges                             | :71A:SHA                                                                    |
| End of message text/trailer                    |                                                                             |

## Mapping

The following illustrates the mapping of the first MT 103 onto the next MT 103:



## Second SWIFT Message, MT 103

| Explanation                             | Format                                   |
|-----------------------------------------|------------------------------------------|
| Sender                                  | CITIUS33                                 |
| Message Type                            | 103                                      |
| Receiver                                | 0CBCSGSG                                 |
| Unique End-to-end Transaction Reference | 121:e03c6901-bbed-4aa9-afce-a4bc26d19246 |
| Message text                            |                                          |
| Sender's Reference                      | :20:MSPSDRS/123                          |
| Bank Operation Code                     | :23B:CRED                                |

| Explanation                                    | Format                                                                      |
|------------------------------------------------|-----------------------------------------------------------------------------|
| Value Date, Currency, Interbank Settled Amount | :32A:090828USD840,                                                          |
| Currency, Instructed Amount                    | :33B:USD850,                                                                |
| Ordering Customer                              | :50F:/9422678901/FRANZ HOLZAPFEL GMBH2/GEL -<br>BSTRASSE, 13<br>3/AT/VIENNA |
| Ordering Institution                           | :52D:FINANZBANK AG<br>EISENSTADT                                            |
| Beneficiary Customer                           | :59F:/729615-941<br>1/C.WON<br>2/PARK AVENUE 1<br>3/SG                      |
| Remittance Information                         | :70:JULY 2009 EXPENSES                                                      |
| Details of Charges                             | :71A:SHA                                                                    |
| Sender's Charges                               | :71F:USD10,                                                                 |
| Sender to Receiver Information                 | :72:/INS/BKAUATWW                                                           |
| End of message text/trailer                    |                                                                             |

#### Example 4: Single Customer Credit Transfer with Reimbursement Through Two Institutions

##### Narrative

Value August 28, 2009, Franz Holzapfel G.m.b.H. orders Bank Austria, Vienna, to pay US Dollars 1,121.50 to C. Klein, Bloemengracht 15, Amsterdam, whose account number 72 34 91 524 is with ABN Amro Bank, Amsterdam. The beneficiary is to be notified by phone at 20.527.19.60.

Bank Austria uses reference 394882.

This transfer may be sent via SWIFT using one of the following methods:

1. Sent to the party closest to the beneficiary, through several reimbursement institutions
2. Sent to the next party in the transfer.

**Note** *The alternative selected is dependent on correspondent relationships and financial practice in the countries involved.*


#### Method 1 SWIFT MT 103 to the Party Closest to the Beneficiary

Bank Austria sends the following messages:

- A. A customer transfer to ABN Amro Bank, Amsterdam.
- B. A cover message for the US dollar payment, which is provided through Chase Manhattan Bank, New York, to ABN Amro Bank, New York.

## Message A SWIFT MT 103 Single Customer Credit Transfer

### Information Flow



### SWIFT Message, MT 103


| Explanation                                    | Format                                   |
|------------------------------------------------|------------------------------------------|
| Sender                                         | BKAUATWW                                 |
| Message Type                                   | 103                                      |
| Receiver                                       | ABNANL2A                                 |
| Unique End-to-end Transaction Reference        | 121:d85a7574-863a-494d-bfbe-4084bf7704e1 |
| Message text                                   |                                          |
| Sender's Reference                             | :20:394882                               |
| Bank Operation Code                            | :23B:CRED                                |
| Instruction Code                               | :23E:PHOB/20.527.19.60                   |
| Value Date, Currency, Interbank Settled Amount | :32A:090828USD1121,50                    |

| Explanation                             | Format                                                                      |
|-----------------------------------------|-----------------------------------------------------------------------------|
| Currency, Instructed Amount             | :33B:USD1121, 50                                                            |
| Ordering Customer                       | :50F:/9422678901/FRANZ HOLZAPFEL GMBH2/GEL -<br>BSTRASSE, 13<br>3/AT/VIENNA |
| Sender's Correspondent <sup>(1)</sup>   | :53A:CHASUS33                                                               |
| Receiver's Correspondent <sup>(2)</sup> | :54A:ABNAUS33                                                               |
| Beneficiary Customer                    | :59F:/723491524<br>1/C. KLEIN<br>2/BLOEMENGRACHT 15<br>3/NL/AMSTERDAM       |
| Details of Charges                      | :71A:SHA                                                                    |
| End of message text/trailer             |                                                                             |

(1) Field 53A indicates the institution which is to provide the funds to the Receiver on behalf of the Sender.

(2) Field 54A is the receiver's correspondent - the institution which will receive the funds on behalf of the Receiver.


## Mapping





## Message B SWIFT MT 202 COV (Cover message)

### Information Flow



### SWIFT Message, MT 202 COV

| Explanation                                            | Format                                                                   |
|--------------------------------------------------------|--------------------------------------------------------------------------|
| Sender                                                 | BKAUATWW                                                                 |
| Message Type                                           | 202                                                                      |
| Receiver                                               | CHASUS33                                                                 |
| Validation Flag                                        | 119:COV                                                                  |
| Unique End-to-end Transaction Reference <sup>(1)</sup> | 121:d85a7574-863a-494d-bfbc-4084bf7704e1                                 |
| <i>Message Text: General Information</i>               |                                                                          |
| Transaction Reference Number                           | :20:203998988                                                            |
| Related Reference <sup>(2)</sup>                       | :21:394882                                                               |
| Value Date, Currency Code, Amount                      | :32A:090828USD1121,50                                                    |
| Account With Institution                               | :57A:ABNAUS33                                                            |
| Beneficiary Institution                                | :58A:ABNANL2A                                                            |
| <i>Underlying Customer Credit Transfer Details</i>     |                                                                          |
| Ordering Customer                                      | :50F:/9422678901/Franz HOLZAPFEL GMBH2/GEL - BSTRASSE, 13<br>3/AT/VIENNA |


| Explanation                 | Format                                                                |
|-----------------------------|-----------------------------------------------------------------------|
| Beneficiary Customer        | :59F:/723491524<br>1/C. KLEIN<br>2/BLOEMENGRACHT 15<br>3/NL/AMSTERDAM |
| Currency, Instructed Amount | :33B:USD1121, 50                                                      |
| End of message text/trailer |                                                                       |

- (1) The Unique End-to-end Transaction Reference (UETR) of the Single Customer Credit Transfer is copied unchanged to field 121 of the cover message.
- (2) The related reference is the Sender's reference of the Single Customer Credit Transfer.

## Method 2 SWIFT MT 103 to the Next Party in the Transaction

### Message A SWIFT MT 103 Single Customer Credit Transfer

#### Information Flow



#### SWIFT Message, MT 103


| Explanation  | Format   |
|--------------|----------|
| Sender       | BKAUATWW |
| Message Type | 103      |
| Receiver     | CHASUS33 |

| Explanation                                    | Format                                                                      |
|------------------------------------------------|-----------------------------------------------------------------------------|
| Unique End-to-end Transaction Reference        | 121:6a0d2b00-31bd-4f03-8eea-72ae5642e6df                                    |
| Message text                                   |                                                                             |
| Sender's Reference                             | :20:394882                                                                  |
| Bank Operation Code                            | :23B:CRED                                                                   |
| Instruction Code                               | :23E:PHOB/20.527.19.60                                                      |
| Value Date, Currency, Interbank Settled Amount | :32A:090828USD1121,50                                                       |
| Ordering Customer                              | :50F:/9422678901/Franz HOLZAPFEL GMBH2/GEL -<br>BSTRASSE, 13<br>3/AT/VIENNA |
| Intermediary Institution <sup>(1)</sup>        | :56A:ABNAUS33                                                               |
| Account With Institution <sup>(2)</sup>        | :57A:ABNANL2A                                                               |
| Beneficiary Customer                           | :59F:/723491524<br>1/C. KLEIN<br>2/BLOEMENGRACHT 15<br>3/NL/AMSTERDAM       |
| Details of Charges                             | :71A:SHA                                                                    |
| End of message text/trailer                    |                                                                             |

(1) The intermediary institution, ABN Amro Bank, New York, will receive the funds from the Receiver of this message, Chase Manhattan Bank, New York.


(2) ABN Amro Bank, Amsterdam, will receive the funds from the intermediary institution, its New York office, for credit to the beneficiary's account.

## Mapping



Message B 2nd SWIFT MT 103 (or its equivalent domestic clearing message)

Information Flow



SWIFT Message, MT 103

| Explanation                             | Format                                   |
|-----------------------------------------|------------------------------------------|
| Sender                                  | CHASUS33                                 |
| Message Type                            | 103                                      |
| Receiver                                | ABNAUS33                                 |
| Unique End-to-end Transaction Reference | 121:6a0d2b00-31bd-4f03-8eea-72ae5642e6df |
| Message text                            |                                          |


| Explanation                                    | Format                                                                      |
|------------------------------------------------|-----------------------------------------------------------------------------|
| Sender's Reference                             | :20:52285724                                                                |
| Bank Operation Code                            | :23B:CRED                                                                   |
| Instruction Code                               | :23E:PHOB/20.527.19.60                                                      |
| Value Date, Currency, Interbank Settled Amount | :32A:090828USD1111,50                                                       |
| Currency, Instructed Amount                    | :33B:USD1121,50                                                             |
| Ordering Customer                              | :50F:/9422678901/FRANZ HOLZAPFEL GMBH2/GEL -<br>BSTRASSE, 13<br>3/AT/VIENNA |
| Ordering Institution <sup>(1)</sup>            | :52A:BKAUATWW                                                               |
| Account With Institution <sup>(2)</sup>        | :57A:ABNANL2A                                                               |
| Beneficiary Customer                           | :59F:/723491524<br>1/C. KLEIN<br>2/BLOEMENGRACHT 15<br>3/NL/AMSTERDAM       |
| Details of Charges                             | :71A:SHA                                                                    |
| Sender's Charges                               | :71F:USD10,                                                                 |
| End of message text/trailer                    |                                                                             |

(1) The Sender of the initial MT 103 is Bank Austria, Vienna, which is the ordering institution in all subsequent messages.

(2) ABN Amro Bank, Amsterdam, will receive the funds from the Receiver of this message, its New York office, for credit to the beneficiary's account.

Message C 3rd SWIFT MT 103

Information Flow



SWIFT Message, MT 103

| Explanation  | Format   |
|--------------|----------|
| Sender       | ABNAUS33 |
| Message Type | 103      |
| Receiver     | ABNANL2A |

| Explanation                                            | Format                                                                        |
|--------------------------------------------------------|-------------------------------------------------------------------------------|
| Unique End-to-end Transaction Reference <sup>(1)</sup> | 121:6a0d2b00-31bd-4f03-8eea-72ae5642e6df                                      |
| Message text                                           |                                                                               |
| Sender's Reference                                     | :20:5387354                                                                   |
| Bank Operation Code                                    | :23B:CRED                                                                     |
| Instruction Code                                       | :23E:PHOB/20.527.19.60                                                        |
| Value Date, Currency, Interbank Settled Amount         | :32A:090828USD1101,50                                                         |
| Currency, Instructed Amount                            | :33B:USD1121,50                                                               |
| Ordering Customer                                      | :50F:/942267890<br>1/Franz HOLZAPFEL GMBH<br>2/GELBSTRASSE, 13<br>3/AT/VIENNA |
| Ordering Institution <sup>(2)</sup>                    | :52A:BKAUATWW                                                                 |
| Beneficiary Customer                                   | :59F:/723491524<br>1/C. KLEIN<br>2/BLOEMENGRACHT 15<br>3/NL/AMSTERDAM         |
| Details of Charges                                     | :71A:SHA                                                                      |
| Sender's Charges                                       | :71F:USD10,                                                                   |
| Sender's Charges                                       | :71F:USD10,                                                                   |
| Sender to Receiver Information                         | :72:/INS/CHASUS33                                                             |
| End of message text/trailer                            |                                                                               |

(1) The Unique End-to-end Transaction Reference (UETR) in the received messages must be passed on, unchanged, in field 121 of the next message in the transaction chain.

(2) The Sender of the initial MT 103 is Bank Austria, Vienna, which is the ordering institution in all subsequent messages.

## Example 5: Single Customer Credit Transfer with Three Reimbursement Institutions

### Narrative

Gian Angelo Imports, Naples, orders Banca Commerciale Italiana, Naples, to pay, value 12 June 2009, US Dollars 5,443.99 to Banque Nationale de Paris, Grenoble, for account number 20041 01005 0500001M026 06 of Killy S.A., Grenoble, in payment of invoice 559661.

Banca Commerciale Italiana, Milan, makes the US Dollar payment through its US correspondent, Banca Commerciale Italiana, New York, under reference 8861198-0706.

Payment is to be made to Banque Nationale de Paris, Paris, in favour of Banque Nationale de Paris, Grenoble, through its US correspondent, Bank of New York, New York.

This transfer may be sent via SWIFT using one of the following methods:

1. Message sent to party closest to the beneficiary, using a third reimbursement institution.
2. Message sent through several reimbursement institutions, using an account with institution.
3. Message sent to the next party in the transaction.




**Note** Although this transfer may also be sent to the next party in the transaction, this method is not illustrated here.

The alternative selected is dependent on correspondent relationships and financial practice of the countries involved.

## Method 1 Message Sent to Party Closest to the Beneficiary, Using a Third Reimbursement Institution

### Message A SWIFT MT 103 Single Customer Credit Transfer

#### Information Flow



**SWIFT Message, MT 103**

| Explanation                                    | Format                                                                      |
|------------------------------------------------|-----------------------------------------------------------------------------|
| Sender                                         | BCITITMM                                                                    |
| Message Type                                   | 103                                                                         |
| Receiver <sup>(1)</sup>                        | BNPAFRPPGRE                                                                 |
| Unique End-to-end Transaction Reference        | 121:b7c47e36-cb9c-4c3e-ae54-ec7f39ba9a12                                    |
| Message text                                   |                                                                             |
| Sender's Reference                             | :20:8861198-0706                                                            |
| Bank Operation Code                            | :23B:CRED                                                                   |
| Value Date, Currency, Interbank Settled Amount | :32A:090612USD5443,99                                                       |
| Currency, Instructed Amount                    | :33B:USD5443,99                                                             |
| Ordering Customer                              | :50F:/14578267890<br>1/GIAN ANGELO IMPORTS<br>2/LUNGO MORE 5<br>3/IT/NAPLES |
| Ordering Institution                           | :52A:BCITITMM500                                                            |
| Sender's Correspondent <sup>(2)</sup>          | :53A:BCITUS33                                                               |
| Receiver's Correspondent <sup>(3)</sup>        | :54A:IRVTUS3N                                                               |
| Third Reimbursement Institution                | :55A:BNPAFRPP                                                               |
| Beneficiary Customer                           | :59F:/20041010050500001M02606<br>1/KILLY S.A.<br>3/FR/GRENOBLE              |
| Remittance Information <sup>(4)</sup>          | :70:/INV/559661                                                             |
| Details of Charges                             | :71A:SHA                                                                    |
| End of message text/trailer                    |                                                                             |


(1) The message is sent to Banque Nationale de Paris, Grenoble, the financial institution which is located closest to the beneficiary customer.

(2) Banca Commerciale Italiana, New York, the sender's correspondent, will provide the funds to the intermediary reimbursement institution, Bank of New York, N.Y.

(3) Bank of New York, New York, will receive the funds on behalf of Banque Nationale de Paris, Paris.


(4) As the reference for the beneficiary is an invoice number, the code /INV/ is used, followed by the invoice number.

Mapping



Message B SWIFT MT 202 COV (Cover Message)

Information Flow



SWIFT Message, MT 202 COV


| Explanation                                            | Format                                   |
|--------------------------------------------------------|------------------------------------------|
| Sender                                                 | BCITITMM                                 |
| Message Type                                           | 202                                      |
| Receiver <sup>(1)</sup>                                | BCITUS33                                 |
| Validation Flag                                        | 119:COV                                  |
| Unique End-to-end Transaction Reference <sup>(2)</sup> | 121:b7c47e36-cb9c-4c3e-ae54-ec7f39ba9a12 |
| Message Text: <i>General Information</i>               |                                          |
| Transaction Reference Number                           | :20:597240                               |

| Explanation                                        | Format                                                                      |
|----------------------------------------------------|-----------------------------------------------------------------------------|
| Related Reference <sup>(3)</sup>                   | :21:8861198-0706                                                            |
| Value Date, Currency Code, Amount                  | :32A:090612USD5443,99                                                       |
| Intermediary <sup>(4)</sup>                        | :56A:IRVTUS3N                                                               |
| Account With Institution <sup>(5)</sup>            | :57A:BNPAFRPP                                                               |
| Beneficiary Institution                            | :58A:BNPAFRPPGRE                                                            |
| <i>Underlying Customer Credit Transfer Details</i> |                                                                             |
| Ordering Customer                                  | :50F:/14578267890<br>1/GIAN ANGELO IMPORTS<br>2/LUNGO MORE 5<br>3/IT/NAPLES |
| Ordering Institution                               | :52A:BCITITMM500                                                            |
| Beneficiary Customer                               | :59F:/20041010050500001M02606<br>1/KILLY S.A.<br>3/FR/GRENOBLE              |
| Remittance Information                             | :70:/INV/559661                                                             |
| Currency, Instructed Amount                        | :33B:USD5443,99                                                             |
| End of message text/trailer                        |                                                                             |

- (1) The message is sent to Banca Commerciale Italiana, New York, ordering transfer of the funds to Bank of New York, New York.
- (2) The Unique End-to-end Transaction Reference from the underlying Single Customer Credit Transfer is copied to field 121 of the cover message.
- (3) The related reference is the Sender's reference of the MT 103.
- (4) Bank of New York, New York, will pay the funds to Banque Nationale de Paris, Paris, in favour of Grenoble.
- (5) Banque Nationale de Paris, Paris, will pay the funds to its Grenoble office, in cover of the transaction to Killy, S.A.

Message C SWIFT MT 205 COV (or its equivalent domestic clearing message)

Information Flow



SWIFT Message, MT 205 COV

| Explanation                                            | Format                                   |
|--------------------------------------------------------|------------------------------------------|
| Sender                                                 | BCITUS33                                 |
| Message Type                                           | 205                                      |
| Receiver <sup>(1)</sup>                                | IRVTUS3N                                 |
| Validation Flag                                        | 119:COV                                  |
| Unique End-to-end Transaction Reference <sup>(2)</sup> | 121:b7c47e36-cb9c-4c3e-ae54-ec7f39ba9a12 |
| Message Text: <i>General Information</i>               |                                          |

| Explanation                                        | Format                                                                      |
|----------------------------------------------------|-----------------------------------------------------------------------------|
| Transaction Reference Number                       | :20:4958302594757                                                           |
| Related Reference <sup>(3)</sup>                   | :21:8861198-0706                                                            |
| Value Date, Currency Code, Amount                  | :32A:090612USD5443,99                                                       |
| Ordering Institution                               | :52A:BCITITMM                                                               |
| Account With Institution <sup>(4)</sup>            | :57A:BNPAFRPP                                                               |
| Beneficiary Institution                            | :58A:BNPAFRPPGRE                                                            |
| <i>Underlying Customer Credit Transfer Details</i> |                                                                             |
| Ordering Customer                                  | :50F:/14578267890<br>1/GIAN ANGELO IMPORTS<br>2/LUNGO MORE 5<br>3/IT/NAPLES |
| Ordering Institution                               | :52A:BCITITMM500                                                            |
| Beneficiary Customer                               | :59F:/20041010050500001M02606<br>1/KILLY S.A.<br>3/FR/GRENOBLE              |
| Remittance Information                             | :70:/INV/559661                                                             |
| Currency, Instructed Amount                        | :33B:USD5443,99                                                             |
| End of message text/trailer                        |                                                                             |

(1) The message is sent to Bank of New York, New York.


(2) Where an inward MT 202 COV results in an onward MT 205 COV, the Unique End-to-end Transaction Reference (UETR) must be passed, unchanged, in field 121 in the user header block of the onward message.

(3) The related reference is the Sender's reference of the initial MT 103.

(4) Bank of New York, New York, will pay the funds to Banque Nationale de Paris, Paris, in favour of Grenoble.

Message D SWIFT MT 202 COV General Financial Institution Transfer

Information Flow



SWIFT Message, MT 202 COV

| Explanation                                            | Format                                   |
|--------------------------------------------------------|------------------------------------------|
| Sender                                                 | IRVTUS3N                                 |
| Message Type                                           | 202                                      |
| Receiver                                               | BNPAFRPP                                 |
| Validation Flag                                        | 119:COV                                  |
| Unique End-to-end Transaction Reference <sup>(1)</sup> | 121:b7c47e36-cb9c-4c3e-ae54-ec7f39ba9a12 |
| Message Text: General Information                      |                                          |



| Explanation                                        | Format                                                                      |
|----------------------------------------------------|-----------------------------------------------------------------------------|
| Transaction Reference Number                       | :20:GH45952-4587                                                            |
| Related Reference <sup>(2)</sup>                   | :21:8861198-0706                                                            |
| Value Date, Currency Code, Amount                  | :32A:090612USD5443,99                                                       |
| Ordering Institution                               | :52A:BCITITMM                                                               |
| Beneficiary Institution                            | :58A:BNPAFRPPGRE                                                            |
| Sender to Receiver Information <sup>(3)</sup>      | :72:/INS/BCITUS33                                                           |
| <i>Underlying Customer Credit Transfer Details</i> |                                                                             |
| Ordering Customer                                  | :50F:/14578267890<br>1/GIAN ANGELO IMPORTS<br>2/LUNGO MORE 5<br>3/IT/NAPLES |
| Ordering Institution                               | :52A:BCITITMM500                                                            |
| Beneficiary Customer                               | :59F:/20041010050500001M02606<br>1/KILLY S.A.<br>3/FR/GRENOBLE              |
| Remittance Information                             | :70:/INV/559661                                                             |
| Currency, Instructed Amount                        | :33B:USD5443,99                                                             |
| End of message text/trailer                        |                                                                             |

(1) The received Unique End-to-end Transaction Reference must be passed on, unchanged, to the next messages in the transaction chain.


(2) The related reference is the Sender's reference of the initial MT 103.

(3) The instructing institution is Banca Commerciale Italiana, New York.

Method 2 Customer Transfer Sent Through Several Reimbursement Institutions Using an Account With Institution

Message A SWIFT MT 103 Customer Transfer

Information Flow



SWIFT Message, MT 103

| Explanation             | Format   |
|-------------------------|----------|
| Sender                  | BCITITMM |
| Message Type            | 103      |
| Receiver <sup>(1)</sup> | BNPAFRPP |

| Explanation                                    | Format                                                                      |
|------------------------------------------------|-----------------------------------------------------------------------------|
| Unique End-to-end Transaction Reference        | 121:8ecc9b3f-4e10-4518-82d8-b4e91487670d                                    |
| Message text                                   |                                                                             |
| Sender's Reference                             | :20:8861198-0706                                                            |
| Bank Operation Code                            | :23B:CRED                                                                   |
| Value Date, Currency, Interbank Settled Amount | :32A:090612USD5443,99                                                       |
| Currency, Instructed Amount                    | :33B:USD5443,99                                                             |
| Ordering Customer                              | :50F:/14578267890<br>1/GIAN ANGELO IMPORTS<br>2/LUNGO MORE 5<br>3/IT/NAPLES |
| Ordering Institution                           | :52A:BCITITMM500                                                            |
| Sender's Correspondent <sup>(3)</sup>          | :53A:BCITUS33                                                               |
| Receiver's Correspondent <sup>(4)</sup>        | :54A:IRVTUS3N                                                               |
| Account With Institution                       | :57A:BNPAFRPPGRE                                                            |
| Beneficiary Customer                           | :59F:/20041010050500001M02606<br>1/KILLY S.A.<br>3/FR/GRENOBLE              |
| Remittance Information <sup>(2)</sup>          | :70:/RFB/INVOICE 559661                                                     |
| Details of Charges                             | :71A:SHA                                                                    |
| End of message text/trailer                    |                                                                             |


(1) The message is sent to Banque Nationale de Paris, Paris, the financial institution which will provide the funds to the account with institution.

(2) As the reference for the beneficiary can be contained in 16 characters, the code /RFB/ is used, followed by the reference.

(3) Banca Commerciale Italiana, New York, will provide the funds to the receiver's correspondent, Bank of New York, New York.


(4) Bank of New York, New York, the receiver's correspondent, will receive the funds on behalf of Banque Nationale de Paris, Paris.

Mapping



## Message B SWIFT MT 202 COV (Cover Message)

### Information Flow



### SWIFT Message, MT 202 COV


| Explanation                                            | Format                                   |
|--------------------------------------------------------|------------------------------------------|
| Sender                                                 | BCITITMM                                 |
| Message Type                                           | 202                                      |
| Receiver <sup>(1)</sup>                                | BCITUS33                                 |
| Validation Flag                                        | 119:COV                                  |
| Unique End-to-end Transaction Reference <sup>(2)</sup> | 121:8ecc9b3f-4e10-4518-82d8-b4e91487670d |
| Message Text: <i>General Information</i>               |                                          |
| Transaction Reference Number                           | :20:597240                               |
| Related Reference <sup>(3)</sup>                       | :21:8861198-0706                         |
| Value Date, Currency Code, Amount                      | :32A:090612USD5443,99                    |
| Account With Institution <sup>(4)</sup>                | :57A:IRVTUS3N                            |

| Explanation                                        | Format                                                                      |
|----------------------------------------------------|-----------------------------------------------------------------------------|
| Beneficiary Institution                            | :58A:BNPAFRPP                                                               |
| <i>Underlying Customer Credit Transfer Details</i> |                                                                             |
| Ordering Customer                                  | :50F:/14578267890<br>1/GIAN ANGELO IMPORTS<br>2/LUNGO MORE 5<br>3/IT/NAPLES |
| Ordering Institution                               | :52A:BCITITMM500                                                            |
| Account With Institution                           | :57A:BNPAFRPPGRE                                                            |
| Beneficiary Customer                               | :59F:/20041010050500001M02606<br>1/KILLY S.A.<br>3/FR/GRENOBLE              |
| Remittance Information                             | :70:/RFB/INVOICE 559661                                                     |
| Currency, Instructed Amount                        | :33B:USD5443,99                                                             |
| End of message text/trailer                        |                                                                             |

- (1) The message is sent to Banca Commerciale Italiana, New York, ordering transfer of the funds to Bank of New York, New York.
- (2) The Unique end-to-end Transaction Reference of the underlying Single Customer Credit Transfer must be copied to field 121 of the cover message.
- (3) The related reference is the Sender's reference of the initial MT 103.
- (4) Bank of New York, New York, will pay the funds to Banque Nationale de Paris, Paris.

## Message C SWIFT MT 205 COV (or its equivalent domestic clearing message)

### Information Flow



### SWIFT Message, MT 205 COV

| Explanation                                            | Format                                   |
|--------------------------------------------------------|------------------------------------------|
| Sender                                                 | BCITUS33                                 |
| Message Type                                           | 205                                      |
| Receiver <sup>(1)</sup>                                | IRVTUS3N                                 |
| Validation Flag                                        | 119:COV                                  |
| Unique End-to-end Transaction Reference <sup>(2)</sup> | 121:8ecc9b3f-4e10-4518-82d8-b4e91487670d |
| Message Text: <i>General Information</i>               |                                          |
| Transaction Reference Number                           | :20:4958302594757                        |
| Related Reference <sup>(3)</sup>                       | :21:8861198-0706                         |
| Value Date, Currency Code, Amount                      | :32A:090612USD5443,99                    |
| Ordering Institution                                   | :52A:BCITITMM                            |

| Explanation                                        | Format                                                                      |
|----------------------------------------------------|-----------------------------------------------------------------------------|
| Beneficiary Institution <sup>(4)</sup>             | :58A:BNPAFRPP                                                               |
| <i>Underlying Customer Credit Transfer Details</i> |                                                                             |
| Ordering Customer                                  | :50F:/14578267890<br>1/GIAN ANGELO IMPORTS<br>2/LUNGO MORE 5<br>3/IT/NAPLES |
| Ordering Institution                               | :52A:BCITITMM500                                                            |
| Account With Institution                           | :57A:BNPAFRPPGRE                                                            |
| Beneficiary Customer                               | :59F:/20041010050500001M02606<br>1/KILLY S.A.<br>3/FR/GRENOBLE              |
| Remittance Information                             | :70:/RFB/INVOICE 559661                                                     |
| Currency, Instructed Amount                        | :33B:USD5443, 99                                                            |
| End of message text/trailer                        |                                                                             |

(1) The message is sent to Bank of New York, New York.

(2) Where an inward MT 202 COV results in an onward MT 205 COV, the Unique End-to-end Transaction Reference (UETR) of the inward message must be passed, unchanged, in field 121 in the user header block of the onward message.

(3) The related reference is the Sender's reference of the initial MT 103.

(4) Bank of New York, New York, will pay the funds to Banque Nationale de Paris, Paris.

### Message D SWIFT Statement/Confirmation of Credit

Bank of New York, New York, will credit Banque Nationale de Paris with the funds.

The statement line for this credit on the customer statement (MT 950) will appear as:

:61:090612C5443, 99S9108861198-0706//GH45952-4587

In addition, Bank of New York may send, prior to the statement, a Confirmation of Credit:

### SWIFT Message, MT910

| Explanation                       | Format                 |
|-----------------------------------|------------------------|
| Sender                            | IRVTUS3N               |
| Message Type                      | 910                    |
| Receiver                          | BNPAFRPP               |
| Message text                      |                        |
| Transaction Reference Number      | :20:GH45952-4587       |
| Related Reference <sup>(1)</sup>  | :21:8861198-0706       |
| Account Identification            | :25:3373733            |
| Value Date, Currency Code, Amount | :32A:090612USD5443, 99 |
| Ordering Institution              | :52A:BCITITMM          |
| Intermediary <sup>(2)</sup>       | :56A:BCITUS33          |



| Explanation                 | Format |
|-----------------------------|--------|
| End of message text/trailer |        |


- (1) The related reference is the Sender's reference of the initial MT 103.  
 (2) Banca Commerciale Italiana, New York, is the instructing institution.

## Example 6: Customer Transfer with Currency Conversion

### Narrative

Consortia Pension Scheme, a corporate in Zürich requests its bank (BNKACHZZ) to execute a pension payment in Swiss Francs. The beneficiary has his account, 429-5470572-63, with the Belgian correspondent of BNKACHZZ.

### Information Flow



### SWIFT Message, MT 103

| Explanation                             | Format                                   |
|-----------------------------------------|------------------------------------------|
| Sender                                  | BNKACHZZ                                 |
| Message Type                            | 103                                      |
| Receiver                                | BNKBEBB                                  |
| Unique End-to-end Transaction Reference | 121:31df8b48-8845-4fc6-86cd-5586df980e97 |
| Message text                            |                                          |

| Explanation                                    | Format                                                                               |
|------------------------------------------------|--------------------------------------------------------------------------------------|
| Sender's Reference                             | :20:5362/MPB                                                                         |
| Bank Operation Code                            | :23B:CRED                                                                            |
| Value Date, Currency, Interbank Settled Amount | :32A:090828EUR1244,47                                                                |
| Currency, Instructed Amount                    | :33B:CHF2000,                                                                        |
| Exchange Rate                                  | :36:0,619735                                                                         |
| Ordering Customer                              | :50K:/12345789549<br>CONSORTIA PENSION SCHEME<br>FRIEDRICHSTRASSE, 27<br>8022-ZURICH |
| Beneficiary Customer                           | :59:/429547057263<br>JOHANN WILLEMS<br>RUE JOSEPH II, 19<br>1040 BRUSSELS            |
| Remittance Information                         | :70:PENSION PAYMENT SEPTEMBER 2009                                                   |
| Details of Charges                             | :71A:OUR                                                                             |
| Receiver's Charges                             | :71G:EUR5,                                                                           |
| End of message text/trailer                    |                                                                                      |

In the statement message sent by BNKBBEBB to its Swiss correspondent, the settlement amount as specified in field 32A and the Sender's reference specified in field 20 will be quoted in the appropriate statement line. For the example given this would result in the following MT 950:

#### SWIFT Message, MT 950

| Explanation                  | Format                                |
|------------------------------|---------------------------------------|
| Sender                       | BNKBBEBB                              |
| Message Type                 | 950                                   |
| Receiver                     | BNKACHZZ                              |
| Message text                 |                                       |
| Transaction Reference Number | :20:112734                            |
| Account Identification       | :25:415370412218                      |
| Statement Number             | :28C:102/1                            |
| Opening Balance              | :60F:C090827EUR100000,                |
| Statement Line               | :61:090828D1244,47S1035362/MPB//1234T |
| Closing Balance              | :62F:C090828EUR98755,53               |
| End of message text/trailer  |                                       |

## MT 103 Example for the MT 103, used in a Service Level Agreement

### Overview of Available Options for Party Fields

The available options for the party fields in the MT 103 message differ, depending on the SWIFT Service Level Agreement indicated in field 23B. The following matrix gives an overview of the options that

may be used in the different scenarios. You can find full details under the conditional rules and the field specifications of the respective fields.

| Payments Service Levels: Field 23B contains SPAY, SSTD or SPRI |                               | Other Usage: Field 23B contains CRED or CRTS |
|----------------------------------------------------------------|-------------------------------|----------------------------------------------|
| 52a                                                            | A                             | A                                            |
|                                                                | D                             | D                                            |
| 53a                                                            | A                             | A                                            |
|                                                                | B (Account number only)       | B                                            |
|                                                                |                               | D                                            |
| 54a                                                            | A                             | A                                            |
|                                                                |                               | B (Branch only)                              |
|                                                                |                               | D                                            |
| 55a                                                            | A                             | A                                            |
|                                                                |                               | B (Branch only)                              |
|                                                                |                               | D                                            |
| 56a                                                            | Priority                      | A                                            |
|                                                                | Forbidden                     | C (clearing code)                            |
|                                                                |                               | D                                            |
| 57a                                                            | A                             | A                                            |
|                                                                | C                             | B                                            |
|                                                                | D (with mandatory identifier) | C                                            |
|                                                                |                               | D                                            |

In the following examples both the Sender and the Receiver agreed to exchange payment messages under a SWIFT Service Level.

The message available for this group of users has the following layout for both the Standard and SWIFTPay Service Level:

#### MT 103 Single Customer Credit Transfer

| Status | Tag | Field Name                                     | Content/Options | No. |
|--------|-----|------------------------------------------------|-----------------|-----|
| M      | 20  | Sender's Reference                             | 16x             | 1   |
|        |     | ----->                                         |                 |     |
| O      | 13C | Time indication                                | /8c/4!n1!x4!n   | 2   |
|        |     | -----                                          |                 |     |
| M      | 23B | Bank Operation Code                            | SSTD or SPAY    | 3   |
|        |     | ----->                                         |                 |     |
| O      | 23E | Instruction Code                               | 4!c[/30x]       | 4   |
|        |     | -----                                          |                 |     |
| O      | 26T | Transaction Type Code                          | 3!a             | 5   |
| M      | 32A | Value Date, Currency, Interbank Settled Amount | 6!n3!a15d       | 6   |
| O      | 33B | Currency, Instructed Amount                    | 3!a15d          | 7   |

| Status | Tag | Field Name                      | Content/Options             | No. |
|--------|-----|---------------------------------|-----------------------------|-----|
| O      | 36  | Exchange Rate                   | 12d                         | 8   |
| M      | 50a | Ordering Customer               | A, F or K                   | 9   |
| O      | 51A | Sending Institution             | [/1!a][ /34x]4!a2!a2!c[3!c] | 10  |
| O      | 52a | Ordering Institution            | A or D                      | 11  |
| O      | 53a | Sender's Correspondent          | A, B or D                   | 12  |
| O      | 54a | Receiver's Correspondent        | A, B or D                   | 13  |
| O      | 55a | Third Reimbursement Institution | A, B or D                   | 14  |
| O      | 56a | Intermediary Institution        | A, C or D                   | 15  |
| O      | 57a | Account With Institution        | A, B, C or D                | 16  |
| M      | 59a | Beneficiary Customer            | No letter option, A, or F   | 17  |
| O      | 70  | Remittance Information          | 4*35x                       | 18  |
| M      | 71A | Details of Charges              | 3!a                         | 19  |
| -----> |     |                                 |                             |     |
| O      | 71F | Sender's Charges                | 3!a15d                      | 20  |
| -----  |     |                                 |                             |     |
| O      | 71G | Receiver's Charges              | 3!a15d                      | 21  |
| O      | 72  | Sender to Receiver Information  | 6*35x                       | 22  |
| O      | 77B | Regulatory Reporting            | 3*35x                       | 23  |

The message has the following layout for the SWIFT Priority Service Level:

#### MT 103 Single Customer Credit Transfer

| Status | Tag | Field Name                                     | Content/Options | No. |
|--------|-----|------------------------------------------------|-----------------|-----|
| M      | 20  | Sender's Reference                             | 16x             | 1   |
| -----> |     |                                                |                 |     |
| O      | 13C | Time indication                                | /8c/4!n1!x4!n   | 2   |
| -----  |     |                                                |                 |     |
| M      | 23B | Bank Operation Code                            | SPRI            | 3   |
| -----> |     |                                                |                 |     |
| O      | 23E | Instruction Code                               | 4!c[/30x]       | 4   |
| -----  |     |                                                |                 |     |
| O      | 26T | Transaction Type Code                          | 3!a             | 5   |
| M      | 32A | Value Date, Currency, Interbank Settled Amount | 6!n3!a15d       | 6   |
| O      | 33B | Currency, Instructed Amount                    | 3!a15d          | 7   |
| O      | 36  | Exchange Rate                                  | 12d             | 8   |
| M      | 50a | Ordering Customer                              | A, F or K       | 9   |

| Status | Tag | Field Name                      | Content/Options             | No. |
|--------|-----|---------------------------------|-----------------------------|-----|
| O      | 51A | Sending Institution             | [/1!a][ /34x]4!a2!a2!c[3!c] | 10  |
| O      | 52a | Ordering Institution            | A or D                      | 11  |
| O      | 53a | Sender's Correspondent          | A, B or D                   | 12  |
| O      | 54a | Receiver's Correspondent        | A, B or D                   | 13  |
| O      | 55a | Third Reimbursement Institution | A, B or D                   | 14  |
| O      | 57a | Account With Institution        | A, B, C or D                | 16  |
| M      | 59a | Beneficiary Customer            | No letter option, A, or F   | 17  |
| O      | 70  | Remittance Information          | 4*35x                       | 18  |
| M      | 71A | Details of Charges              | 3!a                         | 19  |
| -----> |     |                                 |                             |     |
| O      | 71F | Sender's Charges                | 3!a15d                      | 20  |
| -----  |     |                                 |                             |     |
| O      | 71G | Receiver's Charges              | 3!a15d                      | 21  |
| O      | 72  | Sender to Receiver Information  | 6*35x                       | 22  |
| O      | 77B | Regulatory Reporting            | 3*35x                       | 23  |

**Note** Field 56a Intermediary Institution is not allowed within the SWIFT Priority Service Level.

## Example 1: Single Customer Credit Transfer With Reimbursement Through Several Institutions

### Narrative

Value August 28, 2009, Franz Holzapfel G.m.b.H. orders Bank Austria, Vienna, to pay US Dollars 1,121.50 to C. Klein, Bloemengracht 15, Amsterdam, whose account number 72 34 91 524 is with ABN Amro Bank, Amsterdam. The beneficiary is to be notified by phone at 20.527.19.60.

Bank Austria uses reference 394882.

In this example, the MT 103 will be sent to the party closest to the beneficiary, through several reimbursement institutions. It would also be possible to send the MT 103 to the next party in the transfer.

**Note** *The alternative selected is dependent on correspondent relationships and financial practice in the countries involved.*


### SWIFT MT 103 to the Party Closest to the Beneficiary

Bank Austria sends the following messages:

- A. A customer transfer to ABN Amro Bank, Amsterdam.
- B. A cover message for the US dollar payment, which is provided through Chase Manhattan Bank, New York, to ABN Amro Bank, New York.

BKAUATWW agreed on the Standard Service Level, as did its Dutch correspondent ABNANL2A.

Information Flow



SWIFT Message, MT 103

| Explanation                                    | Format                                   |
|------------------------------------------------|------------------------------------------|
| Sender                                         | BKAUATWW                                 |
| Message Type                                   | 103                                      |
| Receiver                                       | ABNANL2A                                 |
| Unique End-to-end Transaction Reference        | 121:2d9e39d4-7bd4-4fe1-9d48-8f512defe9d0 |
| Message text                                   |                                          |
| Sender's Reference                             | :20:394882                               |
| Bank Operation Code                            | :23B:SSTD                                |
| Instruction Code                               | :23E:PHOB/20.527.19.60                   |
| Value Date, Currency, Interbank Settled Amount | :32A:090828USD1121,50                    |
| Currency, Instructed Amount                    | :33B:USD1121,50                          |

| Explanation                             | Format                                                                      |
|-----------------------------------------|-----------------------------------------------------------------------------|
| Ordering Customer                       | :50F:/9422678901/FRANZ HOLZAPFEL GMBH2/GEL -<br>BSTRASSE, 13<br>3/AT/VIENNA |
| Sender's Correspondent <sup>(1)</sup>   | :53A:CHASUS33                                                               |
| Receiver's Correspondent <sup>(2)</sup> | :54A:ABNAUS33                                                               |
| Beneficiary Customer                    | :59:/723491524<br>C. KLEIN<br>BLOEMENGRACHT 15<br>AMSTERDAM                 |
| Details of Charges                      | :71A:SHA                                                                    |
| End of message text/trailer             |                                                                             |

(1) Field 53A indicates the institution which is to provide the funds to the Receiver on behalf of the Sender.

(2) Field 54A is the receiver's correspondent - the institution which will receive the funds on behalf of the Receiver.

## Legal Notices

### Copyright

S.W.I.F.T. SC © 2026. All rights reserved.

This material is a component of MyStandards, the Swift collaborative Web application used to manage standards definitions and industry usage. It can only be used and distributed in accordance with MyStandards Terms of Use.

Unless otherwise agreed in writing with S.W.I.F.T. SC, you have no right to:

- authorise external end users to use this component for other purposes than their internal use.
- remove, alter, cover, obfuscate or cancel from view any copyright or other proprietary rights notices appearing in this physical medium.
- re-sell or authorise another party e.g. software and service providers, to re-sell this component.

### Confidentiality

This publication may contain Swift or third-party confidential information. Only disclose it outside your organisation in accordance with MyStandards Terms of Use and your related license rights.

This component is provided 'AS IS'. Swift does not give and excludes any express or implied warranties with respect to this component such as but not limited to any guarantee as to its quality, supply or availability.

Any and all rights, including title, ownership rights, copyright, trademark, patents, and any other intellectual property rights of whatever nature in this component will remain the exclusive property of Swift or its licensors.

### Trademarks and Patents

Swift is the trade name of S.W.I.F.T. SC. The following are registered trademarks of Swift: 3SKey, Innotribe, MyStandards, Sibos, Swift, SwiftNet, the Standards Forum logo, the Swift logo, Swift GPI with logo, the Swift GPI logo, and UETR. Other product, service, or company names in this publication are trade names, trademarks, or registered trademarks of their respective owners.