




Oracle Database 19c: Backup and Recovery

Student Guide
D106548GC10

Authors

Donna Keesling

Sean Kim

Technical Contributors and Reviewers

Mark Fuller

James Spiller

Jim Womack

Publisher

Pavithran Adka

1010302020

Copyright © 2019, 2020, Oracle and/or its affiliates.

Disclaimer

This document contains proprietary information and is protected by copyright and other intellectual property laws. You may copy and print this document solely for your own use in an Oracle training course. The document may not be modified or altered in any way. Except where your use constitutes "fair use" under copyright law, you may not use, share, download, upload, copy, print, display, perform, reproduce, publish, license, post, transmit, or distribute this document in whole or in part without the express authorization of Oracle.

The information contained in this document is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Restricted Rights Notice

If this documentation is delivered to the United States Government or anyone using the documentation on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

Trademark Notice

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

Third-Party Content, Products, and Services Disclaimer

This documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

1 Backup and Recovery: Overview

Objectives	1-2
DBA Responsibilities	1-3
Separation of DBA Duties	1-4
Assessing Your Recovery Requirements	1-5
Categories of Failure	1-7
Statement Failure	1-8
User Process Failure	1-9
Network Failure	1-10
User Error	1-11
Instance Failure	1-12
Media Failure	1-13
Data Failures	1-14
Instance Recovery	1-15
The Checkpoint (CKPT) Process	1-16
Redo Log Files and the Log Writer (LGWR) Process	1-17
Database Log Mode	1-18
Automatic Instance Recovery or Crash Recovery	1-19
Phases of Instance Recovery	1-20
Tuning Instance Recovery	1-21
Using the MTTR Advisor	1-22
Restoring and Recovering	1-23
Comparing Complete and Incomplete Recovery	1-24
The Complete Recovery Process	1-25
The Point-in-Time Recovery Process	1-26
Oracle Data Protection Solutions	1-28
Flashback Technology	1-29
Summary	1-30

2 Backup and Recovery Configuration

Objectives	2-2
Configuring for Recoverability	2-3
Configuring the Fast Recovery Area	2-4
Monitoring the Fast Recovery Area	2-5
Multiplexing Control Files	2-6

- Redo Log Files 2-8
- Multiplexing the Redo Log 2-9
- Creating Archived Redo Log Files 2-10
- Archiver (ARCn) Process 2-11
- Archived Redo Log Files: Naming and Destinations 2-12
- Configuring ARCHIVELOG Mode 2-13
- Summary 2-14
- Practice Overview 2-15

3 Using Recovery Manager (RMAN)

- Objectives 3-2
- Integrated Oracle Recovery Manager (RMAN) 3-3
- Connecting to RMAN and a Target Database 3-4
- Using SQL in RMAN 3-5
- Types of RMAN Commands 3-6
- Job Commands: Example 3-7
- Configuring Persistent Settings for RMAN 3-8
- Viewing Persistent Settings 3-9
- Managing Persistent Settings 3-10
- Specifying a Retention Policy 3-11
- Recovery Window Retention Policy: Example 3-13
- Summary 3-14
- Practice Overview 3-15

4 Backup Strategies

- Objectives 4-2
- Understanding Types of Backups 4-3
- Backup Terminology 4-4
- Understanding Types of Backups 4-5
- RMAN Backup Types 4-6
- Backup Solutions: Overview 4-8
- Balancing Backup and Restore Requirements 4-9
- Comparing Backup Strategies 4-11
- Option 1: Full and Incremental Backups 4-12
- Option 2: Incrementally Updated Disk Backups 4-13
- Option 3: Offloading Backups to Physical Standby Database in Data Guard Environment 4-14
- Backing Up Read-Only Tablespaces: Considerations 4-15
- Data Warehouse Backup and Recovery: Best Practices 4-16
- Summary 4-17

5 Creating Database Backups

- Objectives 5-2
- Using RMAN Commands to Create Backups 5-3
- Syntax and Clauses in RMAN 5-4
- Creating Backup Sets 5-5
- Creating Image Copies 5-6
- Creating a Whole Database Backup 5-7
- CDB Backup: Whole CDB Backup 5-8
- CDB Backup: Partial CDB Backup 5-9
- PDB Backup: Partial PDB Backup 5-10
- Review: RMAN Backup Types 5-11
- Incrementally Updated Backups 5-13
- Incrementally Updated Backups: Example 5-14
- Fast Incremental Backup 5-15
- Maintaining the Block Change Tracking File 5-16
- Monitoring Block Change Tracking 5-17
- Automatic Disk-to-Disk Backup and Recovery 5-18
- Oracle-Suggested Backup 5-19
- Backing Up the Control File to a Trace File 5-20
- Cataloging Additional Backup Files 5-22
- Reporting on Backups 5-23
- Using Dynamic Views 5-24
- Summary 5-25
- Practice Overview 5-26

6 Using Optional Backup Features

- Objectives 6-2
- Saving Backup Space with Unused Block Compression 6-3
- Compressing Backups 6-4
- Using RMAN Backup Compression 6-5
- Using a Media Manager 6-6
- Configuring Backup and Restore for Very Large Files 6-8
- Backing Up and Restoring Very Large Files 6-9
- Creating RMAN Multisection Backups 6-10
- Creating Proxy Copies 6-11
- Creating Duplexed Backup Sets by Using BACKUP COPIES 6-12
- Creating Backups of Backup Sets 6-13
- Archival Backups: Concepts 6-14
- Creating Archival Backups with RMAN 6-16
- Managing Archival Database Backups 6-17

Backing Up Recovery Files 6-18

Summary 6-19

Practice Overview 6-20

7 Tuning RMAN Backup Performance

Objectives 7-2

Is There a Problem? 7-3

Diagnosing Performance Bottlenecks 7-4

Diagnosing Performance Bottlenecks: Read Phase 7-5

Is There a “Write” Problem? 7-6

Diagnosing Performance Bottlenecks: Write or Copy Phase 7-7

Using Dynamic Views to Diagnose RMAN Performance 7-8

Monitoring RMAN Job Progress 7-9

Identifying Backup and Restore Bottlenecks 7-11

Asynchronous I/O Bottlenecks 7-12

Synchronous I/O Bottlenecks 7-13

Tuning RMAN Backup Performance 7-14

Parallelization of Backup Sets 7-15

RMAN Multiplexing 7-17

Summary 7-19

Practice Overview 7-20

8 Recovery Catalog Overview

Objectives 8-2

RMAN Repository Data Storage: Comparison of Options 8-3

Storing Information in the Recovery Catalog 8-4

Reasons to Use a Recovery Catalog 8-5

Summary 8-6

9 Creating a Recovery Catalog

Objectives 9-2

Creating the Recovery Catalog: Three Steps 9-3

1. Configuring the Recovery Catalog Database 9-4

2. Creating the Recovery Catalog Owner 9-5

3. Creating the Recovery Catalog 9-6

Summary 9-7

Practice Overview 9-8

10 Managing Target Database Records

Objectives 10-2

Managing Target Database Records in the Recovery Catalog 10-3

- Registering a Database in the Recovery Catalog 10-4
- Unregistering a Target Database from the Recovery Catalog 10-5
- Recovery Catalog Resynchronization: Concepts 10-6
- Manually Resynchronizing the Recovery Catalog 10-8
- Summary 10-9
- Practice Overview 10-10

11 Using Stored Scripts

- Objectives 11-2
- Using RMAN Stored Scripts 11-3
- Executing RMAN Stored Scripts 11-4
- Maintaining RMAN Stored Scripts 11-5
- Summary 11-6
- Practice Overview 11-7

12 Creating and Using Virtual Private Catalogs

- Objectives 12-2
- Creating and Using Virtual Private Catalogs 12-3
- Creating a Virtual Private Catalog 12-4
- Managing Virtual Private Catalogs 12-6
- Upgrading Virtual Private Catalogs 12-7
- Summary 12-8
- Practice Overview 12-9

13 Restore and Recovery Concepts

- Objectives 13-2
- File Loss 13-3
- Data Repair Techniques 13-4
- Restoring and Recovering 13-5
- Using RMAN RESTORE and RECOVER Commands 13-6
- Instance Failure 13-7
- Instance Recovery 13-8
- Phases of Instance Recovery 13-9
- Media Failure 13-10
- Comparing Complete and Incomplete Recovery 13-11
- Complete Recovery Process 13-12
- Point-in-Time Recovery Process 13-13
- Recovery with the RESETLOGS Option 13-15
- Restore and Recovery Performance: Best Practices 13-16
- Summary 13-17

14 Diagnosing Failures

- Objectives 14-2
- Reducing Problem Diagnosis Time 14-3
- Automatic Diagnostic Workflow 14-4
- Automatic Diagnostic Repository 14-5
- ADR Command-Line Tool (ADRCI) 14-6
- V\$DIAG_INFO View 14-7
- Data Recovery Advisor 14-8
- Data Failure: Examples 14-11
- Data Recovery Advisor RMAN Command-Line Interface 14-12
- Listing Data Failures 14-13
- Advising on Repair 14-15
- Executing Repairs 14-16
- Classifying (and Closing) Failures 14-17
- Data Recovery Advisor Views 14-18
- Summary 14-19
- Practice Overview 14-20

15 Performing Complete Recovery

- Objectives 15-2
- Ensuring Backups Are Available 15-3
- Restoring in NOARCHIVELOG Mode 15-4
- Recovery with Incremental Backups in NOARCHIVELOG Mode 15-5
- Performing Complete Recovery 15-6
- Review: Recovering Image Copies 15-8
- Recovering Image Copies: Example 15-9
- Performing a Fast Switch to Image Copies 15-10
- Using SET NEWNAME for Switching Files 15-11
- Using Restore Points 15-12
- PDB Tempfile Recovery 15-13
- PDB SYSTEM or UNDO Tablespace Recovery 15-14
- PDB Non-SYSTEM Tablespace Recovery 15-15
- Summary 15-16
- Practice Overview 15-17

16 Performing Point-in-Time Recovery

- Objectives 16-2
- Point-in-Time Recovery 16-3
- PITR Terminology 16-4
- Performing Point-in-Time Recovery 16-5

When to Use TSPITR	16-7
Tablespace Point-in-Time Recovery: Architecture	16-8
Preparing for TSPITR	16-10
Determining the Correct Target Time	16-11
Determining the Tablespaces for the Recovery Set	16-12
Identifying Objects That Will Be Lost	16-13
Performing RMAN TSPITR	16-14
Performing Fully Automated TSPITR	16-15
Improving TSPITR Performance	16-16
Performing RMAN TSPITR with an RMAN-Managed Auxiliary Instance	16-17
Performing RMAN TSPITR by Using Your Own Auxiliary Instance	16-18
Troubleshooting RMAN TSPITR	16-19
PITR of PDBs	16-20
Recovering Tables from Backups	16-21
Table Recovery: Graphical Overview	16-22
Prerequisites and Limitations	16-23
Specifying the Recovery Point in Time	16-24
Process Steps of Table Recovery	16-25
Summary	16-27
Practice Overview	16-28

17 Performing Block Media Recovery

Objectives	17-2
What Is Block Corruption?	17-3
Block Corruption Symptoms: ORA-01578	17-4
How to Handle Corruption	17-5
Setting Parameters to Detect Corruption	17-6
Block Media Recovery	17-7
Prerequisites for Block Media Recovery	17-8
Recovering Individual Blocks	17-9
Best Practice: Proactive Checks	17-10
Checking for Block Corruption	17-11
Summary	17-12
Practice Overview	17-13

18 Performing Additional Recovery Operations

Objectives	18-2
Recovery from Loss of Server Parameter File	18-3
Restoring the Server Parameter File from the Control File Autobackup	18-4
Loss of a Control File	18-5
Recovering from the Loss of All Control File Copies: Overview	18-6

- Restoring the Control File from Autobackup 18-7
- Restoring the SPFILE and the Control File 18-8
- Recovering NOLOGGING Database Objects 18-9
- Loss of a Redo Log File 18-10
- Log Group Status: Review 18-11
- Recovering from the Loss of a Redo Log Group 18-12
- Clearing a Log File 18-13
- Re-creating a Password Authentication File 18-14
- Summary 18-16
- Practice Overview 18-17

19 Oracle Flashback Technology: Overview

- Objectives 19-2
- Flashback Technologies Error Detection and Correction 19-3
- Review: Transactions and Undo 19-4
- Flashback Technology 19-5
- Summary 19-7

20 Using Logical Flashback Features

- Objectives 20-2
- Using Flashback Technology to Query Data 20-3
- Flashback Query 20-4
- Flashback Version Query 20-5
- Flashback Table: Overview 20-6
- Flashback Table 20-7
- Flashback Table: Considerations 20-8
- Flashback Transaction Query 20-9
- Flashback Transaction Query: Considerations 20-10
- Flashback Transaction Backout 20-11
- Flashing Back a Transaction 20-12
- Best Practices: Undo-Based Flashback Query, Flashback Table 20-13
- Flashback Drop and the Recycle Bin 20-14
- Recycle Bin 20-15
- Bypassing the Recycle Bin 20-16
- Using Flashback Data Archives 20-17
- Creating a Temporal History and Enabling Archiving 20-18
- How the Flashback Data Archive Works 20-19
- Collecting User Context in Temporal History 20-20
- Transparent Schema Evolution 20-21
- Full Schema Evolution 20-22
- Temporal Validity and History 20-23

- Using the PERIOD FOR Clause 20-24
- Filtering on Valid-Time Columns: Example 1 20-25
- Filtering on Valid-Time Columns: Example 2 20-26
- Using DBMS_FLASHBACK_ARCHIVE 20-27
- Summary 20-28
- Practice Overview 20-29

21 Using Flashback Database

- Objectives 21-2
- Preparing Your Database for Flashback 21-3
- Guaranteeing Undo Retention 21-4
- Flashback Database: Continuous Data Protection 21-5
- Flashback Database 21-6
- Flashback Database Architecture 21-7
- Configuring Flashback Database 21-8
- Flashback Database: Examples 21-9
- CDB and PDB Flashback 21-10
- Flashback Database Considerations 21-11
- Monitoring Flashback Database Information 21-12
- Guaranteed Restore Points 21-14
- Flashback Database and Guaranteed Restore Points 21-15
- PDB Flashback and Clean Restore Point 21-16
- Best Practices: Flashback Database 21-17
- Summary 21-19
- Practice Overview 21-20

22 Using PDB Snapshots

- Objectives 22-2
- PDB Snapshot Carousel 22-3
- Creating PDB Snapshots 22-4
- Creating PDBs by Using PDB Snapshots 22-5
- Dropping PDB Snapshots 22-6
- Flashing Back PDBs by Using PDB Snapshots 22-7
- Summary 22-8

23 Database Duplication Overview

- Objectives 23-2
- Using a Duplicate Database 23-3
- Choosing Database Duplication Techniques 23-4
- Duplicating an Active Database with “Push” 23-5
- Comparing the “Push” and “Pull” Methods of Duplication 23-6

Duplicating a Database with a Target Connection	23-7
Duplicating a Database with a Recovery Catalog	23-8
Duplicating a Database Without a Recovery Catalog or Target Connection	23-9
Summary	23-10

24 Creating a Backup-Based Duplicate Database

Objectives	24-2
Creating a Backup-Based Duplicate Database	24-3
Creating an Initialization Parameter File for the Auxiliary Instance	24-4
Specifying New Names for Your Destination	24-5
Using the SET NEWNAME Clauses	24-6
Substitution Variables for SET NEWNAME	24-7
Specifying Parameters for File Naming	24-8
Starting the Instance in NOMOUNT Mode	24-9
Ensuring That Backups and Archived Redo Log Files Are Available	24-10
Allocating Auxiliary Channels	24-11
Understanding the RMAN Duplication Operation	24-12
Specifying Options for the DUPLICATE Command	24-14
Using Additional DUPLICATE Command Options	24-15
Duplicating Selected PDBs in a CDB	24-16
Cloning an Active PDB into an Existing CDB	24-17
Example: Duplicating PDB1 from CDB1 to CDB2 as PDB1	24-18
Example: Duplicating PDB1 from CDB1 to CDB2 as PDB2	24-19
Summary	24-20
Practice Overview	24-21