Snippet Generator by Rodolphe 09-01-2015 02:10

bootstrap-col-offset offset col offset is-script col-md-offset-\${1:4} coljq Ig-offset-\$... \$(document).ready(func tion() { \${1:co.. bootstrap-row row row bootstrap bootstrap <!-- BEGIN ROW --> <div class="row ... bootstrap-clearfix clear clearfix <div class="clearfix"></div> black bootstrap-col divc colonne bootstrap < !-- BEGIN COL : colmd-\${1:8} col-l.. blue bootstrap-dropdown #196ca7 drop color-green dropdown hover green <!-- BEGIN DROPDOWN HOVER --> <div .. #009e4d bootstrap-dropdown-li color-grey dropli grey drondown li <i . bootstrap-glyph greylight gly <i class="glyphicon #c1cad0 glyphicon-\${1:gl... color-orange bootstrap orange glyfont #ff6735 font-family: "Glyphicons Halflings";.. red bootstrap-input-group inputg #dc3522 <div class="inputgroup"> <inp... color-white white bootstrap-inputgroup inputgroup #fff <!-- BEGIN INPUT GROUP --> < div cla.. bootstrap-modal-model modal model de contenu d'un modal bootstrap <!-- BEGIN MODAL Comment css CONTENT --> < div c...

// Comment css css-alpha alpha 'progid:DXImageTransf. css-background-image bgi background-image : url('../ima/\${0:i... css-background-ui baiui background-image : url('http://metro... css-background-nobanr background-repeat: norepeat: css-background-pos bgp background-position: \${1:posX} \${2:p... css-background-repeatbgrx background-repeat. repeat-x; css-background-repeatbgry background-repeat. repeat-y; imp !important. loop @\${1:mixelem}: \${2:mixelemlist}; .\$... onCur onCurrent onc onCheck

onf

attr-autocomplete autocomplete autocomplete="\${1:off attr-autocorrect autocorrect autocorrect="\${1:off}

onFocus

ons

onSelect

attr-autocapitalize autooff autocapitalize="\${1:off attr-placeholder

placeholder placeholder="\${1}' attr-required required required="required"

html

cdnjquery

leapis.com/a...

href="//ajax..

\${1:Legend} .

com/\${1:rodb..

field

fork

help

<a href="#"

class="help"

title="\${1:..

html-cdn-jquerymobile

link rel="stylesheet"

<fieldset> <leaend>

<a href="https://github

cdnjquerymobil

th*\${1:numCol}.

ztable

inputcheck

value="\${1}" ...

name="viewport

content="width...

html-div-rowfluid

<div class="row-

html-space

space

\ :

text

zen-table-tr

tr

<input type="text"

tr>td*\${1:numCol}

table.table>(thead>tr>

name="\${1:name}".

fluid">\${1:content}<...

ios

<meta

row

input type="checkbox"

\$\$ \\$("<\${1:balise}>",{"id ":"\${4:id}",".. is-dom-a

\\$("<a>",{"href":"\${1:h ref}"."id":"\$..

cb callback:function(\${1}) 1 \$121 1

is-codemirror cm code mirror integration <!-- Code mirror css -->

k rel=".

console console.log(\${1:this});

jquery-submit

fsub /\$('\${1:selector}').on("s bmit".func.

ifmobile

on

If mobile device $if(\s.appMobile()) \{ \$\{1\}$

metronic on event jquery netro-bt-fullscreen \\$(document).on("\${1:c

ick}"."\${2:se... btfull button fullscreen pour portlet <a class="btn btn-circle onetime btn-icon-on.. \\$(document).oneTime(

md

link

markdown-link

2:url} "\${3:..

[\${1:content}](http://\${

btntoggle

onsubmit \\$(document).on("submi t","#\${1}",fun...

\${1:time}.funct...

par var p = t.parents("\${1:s

var p =

random

36).substring..

eady(function..

js-return-false

return false

return false

 $var t = \slash (this)$:

js-toggle-checkbox

triggercheck

\\$("\${1:input selector}

trigger checkbox

checkbox =

aléatoire

ready

rf

this

t.parents("\${1}");

IS: return une chaine

Math.random().toString(

<script> \\$(document).r

electorParen..

is-this-parent parent Selector parent

fa

port metronic : portlet light <!-- BEGIN PORTLET \${3:title} -->..

netro-navtabs tabs

plupload navigation par onglet <!-- BEGIN NAVTABS title --> <ul . <?php /*

> post \\$ POST["\${1:key}"]

ar array("\${1:key}" => "\${2:value}")

php-ar-attr arat

ada

php-a

un tableau d'attribut. array("id" => "\${1:value}", "class".

base64 \\$unencodedData=base 64 decode(\\$ima)...

ohp-extract-get extget

<?php extract(\\$_GET);

php-extract-post extpost <?nhn extract(\\$_POST); ?>

get \\$ GET["\${1:key}"]

include <?php include('views/\${</pre> 1}.php');?>

php-json-decode-file ison

Button toggle json decode file to array <button id="" data-\\$json = json decode(fi toggle="button" c... e get conten..

metro-fa-icon php-app-json-load

isonload voir la list sur : THEME/t \\$ison dir = "\${1:tab}"; load_json(\$... heme/templates/admin/

ui icons.html <i class="fa php-mod-file-listDir fa-\${1:glyph}"></i> listd

> <?php \$d =file::listDir(\${1:dir-fo...

> > <?php \${1:tab} ?>

php-app-plupload

PHP: automatique plupload integration DOCUMENTATION http:/..

pre echo""

print r(\\$\${1}); echo"...

printr <?php echo "<pre> "; print r(\\$\${1:...

php-random-str random

PHP: return une chaine aléatoire de X

find

\\$\${1:varname} =

symfony-flag

flash

flush

\\$repository->find(...

\\$session->getFlashBag

()->add('\${1:i...

symfony-flush

\\$em->flush():

getparam

recupere un paramètre

 $\$${1} = \$this->contai$

de parameters.vml

ner->getParam...

charactères \slash srand = substr(md5(rand()), 0, \${1.

flag \$session->getFlashBag(result)->add('\${1:ty.. \\$error= array(); /* TEST POST DATA

rison $\sqrt{\$r} = arrav($ 'infotype'=>"\${1:succe.

scan function retroune la liste des dossiers

function rscandir(\\$dir) { \\$filter =

islog symfony-action IS AUTHENTICATED FUL action LY public function if (false === \${1:action}Action(\${... \\$this->get('security....

\${2} {...

dirroot

symfony: dir root

fig/parameters.vml

symfony-dirusers

symfony: dir user

fig/parameters.yml

depuis le fichier app/con

\\$this->container->get

symfony-getmanager

rine()->getMan..

1\$em = 1\$this -> aetDoct

tainer->getP..

dirusers

\\$dir users =

em

depuis le fichier app/con

\\$dir root = \\$this->con

apath path <a href="{{path('\${1:r} {{path('\${1:route}'\${2 oute}'\${2}) }} ..

symfony-block symfony-persist block persist \\$em->persist(\\$\${1:va \${1:blockname} %}

redirect \$this->redirect(\$this->q enerateUrl('...

remove \\$em->remove(\\$\${1:v} ar});

symfony-render

render \\$this->render(\\$this-> generateUrl('...

rendercontroller

renderc {{render(controller("\${ 1:bundlerout.

reposit \\$repository = \\$em ->aetRepositor..

symfony-yar-request

req Request \\$request

response $\scalebox{0.05}{$\mid}\scalebox{0$ ->render('\${1:...

rj \slash = array('infotype'=...

route render view sans nasser par le controller \${1:routeName}: path.

/\${2:r... symfony-session

session \\$session = \\$request->

getSession();...

symfony-useeventdispatcher

useevent

use Symfony\Componen t\EventDispatche..

symfony-use-form

useform use Symfony\Componen t\Form\FormBuild..

symfony-use-

useison

use Symfony\Componen t\HttpFoundation.

symfony-use-request

userequest use Symfony\Componen t\HttpFoundation..

symfony-use-response

useresponse use Symfony\Componen

t\HttpFoundation..

userid user ID denuis un controller \$id = \$this->aetUser().>getId();

symfony-use-security

1/2

http://rodbox.fr/snippet

Snippet Generator by Rodolphe 09-01-2015 02:10

usesecurity

use Symfony\Componen

useuser

use Symfony\Componen t\Security\Core\...

symfony-webroot

webroot

symfony : web root depuis le fichier app/con

 $\label{eq:fig-parameters.yml} $$ \sup_{root = \$this->co} ntainer->getP...$

symfony-webusers

webusers symfony : web user

symfony : web user depuis le fichier app/con fig/parameters.yml

fig/parameters.yml \\$web_users = \\$this->container->get..

twig

twig-var

\$

like {{\${1:var}}}

twig-apath

apath

<a href="{{path('\${1:r} oute}'\${2})}}...

twig-block

block

{% block \${1:blockname} %} \${2} {...

twig-css

CSS

css avec assetic {% stylesheets filter='\${1:css_url_...

twig-debug

debug
{{ dump(\${1:var})}}

twig-asset-file

file

ajouts d'un fichier dans une liste assetic '@\${1:RBCoreBundle}/ Resources/public...

twig-for

for

{% for \${1:value} in \${1:app.session...

twig-form-label

former

form_label
{{ form_label(\${1:form.\$}
{2}}) }}

twig-form-widget

formw

form_widget

{{ form_widget(\${1:for m.\${2}})}}

twig-js

js

javascript avec assetic {% javascripts '@\${1:RBCoreBun...

twig-page-structure

page

Structure d'une template page

symfonny

{% extends 'RBCoreBun dle::index.html...

twig-path

path

{{path('\${1:route}'\${2}})}}

twig-rendercontroller

renderc

{ {render(controller("\$ { 1:bundlerout...

twig-role

role

{% if is_granted('ROLE_ \${1:ADMIN}') ...

twig-form-content

tform

form_label + form_errors + form_widget

{{ form_label(\${1:form. \${2}})}} {{ ...

twig-url

url

{{url('\${1:route}')}}

twig-userimg

userimg

fais un echo img user (ATTENTION il faut bien

déclarer le service !!!) { {user.imgAction(\${1:user.ID},"\${2:sm...

http://rodbox.fr/snippet 2/2