all	Halflings"; bootstrap-input-	color-green green #009e4d	bgi background-image : url('/img/\${0:i	oncheck ONC onCheck	<script src="//ajax.
googleapis.com/a</th><th>text
<input type=" text"<br="">name="\${1:name} "</th><th>js-ifmobile ifmobile If mobile device if(\\$.appMobile()) {</th><th>js-this this <i>var t</i> = \\$(<i>this</i>);</th><th>port metronic : portlet light <! BEGIN PORTLET :</th><th>include <?php include('vie ws/\${1}.php');?></th><th>php-random-str random PHP : return une</th><th>root depuis le fichier app/confic arameters.yml \\$dir_root = \\$th >container->get</th></tr><tr><td>js-script jq \$(document).rea dy(function(){</td><td>group inputg <div class="inp ut-group"></td><td>color-grey grey</td><td>css-background- ui bgiui</td><td>class-css- onfocus onf</td><td>html-cdn- jquerymobile cdnjquery mobile</td><td>zen-table-tr tr</td><td>\${1} } js-on</td><td>js-toggle- checkbox triggerche</td><td>\${3:title}></td><td>php-json-decode- file json</td><td>chaine aléatoire de X charactères \\$rand = substr(md5(rand()), 0,</td><td>symfony- dirusers</td></tr><tr><td>\${1:co</td><td><inp bootstrap-</td><td>#242424</td><td>background- image : url('http://metro. </td><td>onFocus</td><td><link rel="stylesheet" href="//ajax</td><td>tr>td*\${1:numC ol}</td><td>on on event jquery \\$(document).on ("\${1:click}","\${</td><td>ck trigger checkbox checkbox = \\$("\${1:input</td><td>metro-navtabs tabs navigation par onglet</td><td>json decode file to array \\$json = json_de code(file_get_co nten</td><td>\${1 php-app-exec-</td><td>dirusers symfony : dir user depuis le fichier app/confi</td></tr><tr><td>pootstrap</td><td>inputgroup inputgrou p <! BEGIN</td><td>color-greylight greylight #c1cad0</td><td>css-background- no-repeat</td><td>class-css ONS onSelect</td><td>html-fieldset field <fieldset></td><td>zen-table ztable table.table>(the ad>tr>th*\${1:n}</td><td>2:se</td><td>selector}</td><td><! BEGIN NAVTABS : title > <ul</td><td>php-app-json-</td><td>result result \serror= array(); * TEST POST</td><td>g/parameters.y ml \\$dir_users = \\$ his->container-</td></tr><tr><td>bootstrap- clearfix clear</td><td>INPUT GROUP > <div cla</td><td>color-orange</td><td>bgnr background- repeat: no- repeat;</td><td>form</td><td><legend> \${1:Legend}</td><td>umCol}</td><td>js-onetime onetime \\$(document).on eTime(\${1:time} },funct</td><td>md</td><td>php</td><td>load jsonload \\$json_dir = "\${1:tab}"; load json(\$</td><td>DATA</td><td>>get symfony-</td></tr><tr><td>clearfix <div class="cle arfix"></div></td><td>bootstrap-modal- model modal model de</td><td>#ff6735</td><td>css-background- pos</td><td>attr- autocomplete</td><td>html-github-fork fork <a href="https:/ /github.com/\${1</td><td>javascript</td><td>jquery-onsubmit</td><td>md-link link markdown-link</td><td>php-ar ar</td><td>php-mod-file-</td><td>php-returnJson rjson \\$r = array('info type'=>"\${1:su cce</td><td>getmanager em \\$em = \\$this-> getDoctrine()-> getMan</td></tr><tr><td>bootstrap-col divc colonne</td><td>contenu d'un modal bootstrap <! BEGIN MODAL CONTENT></td><td>color-red red</td><td>bgp background- position: \${1:posX} \${2:p</td><td>autocompl ete autocomplete=" \${1:off}"</td><td>:rodb html-help</td><td>js-dom \$\$ \\$("<\${1:balise} >",{"id":"\${4:id</td><td><pre>onsubmit \\$(document).on ("submit","#\${1 }",fun</pre></td><td>[\${1:content}](http://\${2:url} "\${3:</td><td>array("\${1:key}" => "\${2:value}")</td><td>listDir listd <?php \$d = file: :listDir(\${1:dir- fo</td><td>php-dirlist</td><td>symfony-find</td></tr><tr><td>bootstrap <! BEGIN COL : col-md-\${1:8} col-l</td><td><div c bootstrap-col-</td><td>#dc3522</td><td>css-background- repeat-x</td><td>attr-autocorrect</td><td>help <a href="#" class="help" title="\${1:</td><td>}","</td><td>js-parent par</td><td>metronic</td><td>php-ar-attr arat un tableau</td><td>php-php</td><td>function retroune la liste des dossiers function</td><td>find \\$\${1:varname} = \\$repository- find(</td></tr><tr><td>bootstrap- dropdown-hover</td><td>offset offset col offset</td><td>white #fff</td><td>bgrx background- repeat: repeat- x;</td><td>autocorre ct autocorrect="\${ 1:off}"</td><td>html-checkbox</td><td>js-dom-a \$a \\$("<a>",{"href" :"\${1:href}","id" :"\$</td><td>var p = t.parent s("\${1:selectorP aren</td><td>metro-bt- fullscreen</td><td>d'attribut. array("id" => "\${1:value}", "class"</td><td>p <?php \${1:tab} ?></td><td>rscandir(\\$dir) { \\$filter =</td><td>symfony-flag flag</td></tr><tr><td>drop dropdown hover <! BEGIN DROPDOWN</td><td>col-md- offset-\${1:4} col- lg-offset-\$</td><td></td><td>css-background- repeat-y</td><td>attr- autocapitalize</td><td>inputchec k <input type="checkbox " value="\${1}"</td><td>js-callback</td><td>js-this-parent parent Selector parent</td><td>btfull button fullscreen pour</td><td>php-base64</td><td>php-app- plupload plupload</td><td>symfony</td><td>\$session->get ashBag()->add \${1:ty</td></tr><tr><td>HOVER> <div </td><td>bootstrap-row row row bootstrap</td><td>css-comment</td><td>bgry background- repeat: repeat- y;</td><td>autooff autocapitalize=" \${1:off}"</td><td></td><td>cb callback:functio n(\${1}){ \${2} }</td><td>var p = t.parents("\${1}");</td><td>portlet <a class="btn btn-circle btn- icon-on</td><td>base64 \\$unencodedDat a=base64_deco de(\\$img)</td><td>PHP : automatique plupload integration</td><td>symfony-action action</td><td>symfony-flash flash</td></tr><tr><td>bootstrap- dropdown-li dropli</td><td><! BEGIN ROW> <div class="row</td><td>/ Comment css /*</td><td>css-important</td><td>attr-placeholder placehold</td><td>html-ios-meta ios <meta name="viewport</td><td>js-codemirror cm</td><td>js-random-str random</td><td>metro-button- toggle</td><td>php-extract-get extget</td><td><?php /* DOCUMENTATIO N http:/</td><td>public function \$ {1:action}Action (\${</td><td>\\$session->ge\ ashBag()->add \${1:i</td></tr><tr><td>dropdown li <i</td><td>color</td><td>css-comment</td><td>imp !important;</td><td>er placeholder="\${ 1}"</td><td>content="width. </td><td>code mirror integration file <! Code mirror css> <link rel="</td><td>JS : return une chaine aléatoire Math.random().t oString(36).subs tring</td><td>btntoggle Button toggle <button id="" d ata- toggle="button"</td><td><?php extract(\\$_GET); ?></td><td>php-post post \\$_<i>POST[</i>"\$<i>{1:ke</i></td><td>symfony-apath apath <a href="{{pat</td><td>symfony-flush flush \\$em->flush();</td></tr><tr><td>bootstrap-glyph gly</td><td>color-black</td><td>// Comment css /*</td><td>less-mixin-loop loop @\${1:mixelem} :</td><td>attr-required required required="requi</td><td>html-div- rowfluid row</td><td>js-console</td><td>js-ready</td><td>c</td><td>php-extract-post extpost <?php</td><td>y}"] php-debug</td><td>h('\${1:route}'\${ 2}) }}</td><td>symfony- getparam</td></tr><tr><td><pre></pre> <pre></pre> <pre>class="glyphico n glyphicon-\${1:gl</pre></td><td>#000</td><td>css-alpha</td><td>\${2:mixelemlist }; .\$</td><td>red"</td><td><div class="row -fluid">\${1:cont ent}<</td><td>console console.log(\${1: this});</td><td>ready <script> \\$(doc ument).ready(fu nction</td><td>metro-fa-icon fa voir la list sur : T HEME/theme/te</td><td>extract(\\$_POST) ; ?></td><td><pre>prp-debug pre echo"<pre>ere>"; print_r(\\$\${1}); echo"</pre></td><td>symfony-block block {% block</td><td>getparam recupere un paramètre de parameters.yn</td></tr><tr><td>bootstrap- glyphiconsfont</td><td>color-blue blue</td><td>alpha -ms-filter : 'progi d:DXImageTrans f</td><td>class-css- onCurrent onCur onCurrent</td><td>html</td><td>html-space space \ </td><td>jquery-submit fsub /\$('\${1:selector</td><td>js-return-false rf</td><td>mplates/admin/u i_icons.html <i class="fa fa-\$ {1:glyph}"></i</td><td>php-get get \\$_<i>GET[</i>"\${1:key }"]</td><td>php-printr</td><td>\${1:blockname} %} \${2} {</td><td>\\$\${1} = \\$thi >container->g Param</td></tr><tr><td>glyfont font-family: "Glyphicons</td><td>#196ca7</td><td>css-background- image</td><td>class-css-</td><td>html-cdn-jquery cdnjquery</td><td>html-text</td><td>}').on("submit",f unc</td><td>return false return false;</td><td>metro-portlet</td><td>php-include</td><td><pre>printr</td><td>symfony-dirroot dirroot symfony : dir</td><td>symfony-isautl islog</td></tr></tbody></table></script>
-----	------------------------------	---------------------------------	--	-----------------------	---

http://rodbox.fr/snippet 1/2

Snippet Generator by Rodolphe **09-01-2015** 02:19

IS AUTHENTICATED sEWHbhy-path if (false === **Rath** } get('securit {{path('\${1:rou te}'\${2})}} persist \\$em->persist(\ \$\${1:var}); symfonyredirect redirect \$this->redirect(\$this->generate Url('... symfony-remove remove \\$em->remove(\ \$\${1:var}); symfony-render render \\$this->render(\ \$this->generate Url('... symfonyrendercontroller renderc {{render(control ler("\${1:bundler out... repository reposit \\$repositorv = 1\$em ->getRepositor. symfony-varrequest req

\\$request

response response \\$content = \\$this ->render('\${1:...

symfony-return|son rj

'infotype'=...

route render view sans passer par le controller \${1:routeName }: path: /\${2:r...

symfony-session

session \$session = \$request->getSessi on();...

symfony-useeventdispatcher

useevent use Symfony\Co mponent\EventD ispatche...

symfony-useform

useform use Symfony\Co mponent\Form\F ormBuild...

symfony-useisonresponse

usejson use Symfony\Co mponent\HttpFo undation..

symfony-userequest

usereques

use Symfony\Co mponent\HttpFo undation...

symfony-use-

response userespon se use Symfony\Co

twig-apath mponent\HttpFo apath undation.. <a href="{{pat h('\${1:route}'\${ 2}) }} ...

symfony-userid userid

user ID depuis un controller \$id = \$this->getUs er()->getId();

symfony-usesecurity

usesecurit use Symfony\Co

mponent\Securit

v\Core\...

css avec assetic {% stylesheets f ilter='\${1:css_ur

twig-debug

dump(\${1:var})

twig-asset-file

fichier dans une

'@\${1:RBCoreB

undle}/Resource

ajouts d'un

liste assetic

s/public...

twig-for

for

file

debug

twig-css

CSS

twig-block

block

{% block

%} \${2} {...

\${1:blockname}

symfony-useuserinterface

useuser use Symfony\Co mponent\Securit y\Core\...

webroot

webroot symfony: web root depuis le fichier app/confi g/parameters.y

 $\$ \\$web root = \\$t his->container->getP...

symfonywebusers webusers

symfony : web

user depuis le

fichier app/confi

g/parameters.y

\\$web_users = \

\$this->container

->get...

twig-var

{{\${1:var}}}

\$

like

{% for \${1:value} in \${1:app.session.

twig-form-label former

form_label {{ form_label(\$ {1:form.\${2}})

twig-formwidget

formw form widget {{ form_widget(\${1:form.\${2}})

twig-js js javascript avec assetic {% javascripts @\${1:RBCoreBu twig-page-structure

page Structure d'une template page

symfonny {% extends 'RBCor eBundle::index.htm

twig-path

path {{path('\${1:rou te}'\${2})}}

twig-

rendercontroller

renderc { {render(control ler("\${1:bundler

twig-role

role {% if is_granted('ROLE \${1:ADMI N}') ...

twig-formcontent

tform form label + form_errors + form widget

{ { form_label(\$ {1:form.\${2}}) }} {{ ...

twig-url

url {{url('\${1:route }')}}

twig-userimg userimg

> fais un echo img user (ATTENTION iI faut bien déclarer le service !!!) {{user.imgActio n(\${1:userID}," \${2:sm...

2/2 http://rodbox.fr/snippet