

WIND TURBINE ROTOR BLADES MARKET SIZE & SHARE ANALYSIS - GROWTH TRENDS AND FORECAST (2026 - 2031)

The Wind Turbine Rotor Blades Market Report is Segmented by Location of Deployment (Onshore and Offshore), Blade Material (Glass Fiber, Carbon Fiber, Hybrid Composites, and Others), Blade Length (Below 45 M, 46 To 60 M, 61 To 75 M, and Above 75 M), Manufacturing Process (Hand Lay-Up, Vacuum Infusion, Pre-Preg, and Others), and Geography (North America, Europe, Asia-Pacific, South America, and Middle East and Africa).


 [Buy Now](#)

[Home](#) > [Market Analysis](#) > [Energy & Power Research](#) > [Power Equipment Research](#) > 

Wind Turbine Rotor Blades Market Size and Share

Select Another Geography 

 Share




Source: Mordor Intelligence



Market Overview

Study Period	2021 - 2031
Market Size (2026)	USD 55.49 Billion
Market Size (2031)	USD 87.86 Billion
Growth Rate (2026 - 2031)	9.62% CAGR
Fastest Growing Market	Middle East and Africa
Largest Market	Asia Pacific
Market Concentration	Medium

Major Players



*Disclaimer: Major Players sorted in no particular order



USD 50.62 billion with 2031 projections showing USD 87.86 billion, growing at 9.62% CAGR over 2026-2031.

Capacity additions in offshore wind, the pivot toward 15 MW-plus turbines, and rapid advances in hybrid composites are shaping demand. Blade manufacturers are embracing segmented, 70 m+ formats to overcome road-haul limits, while policy incentives in the United States and Europe are stimulating localized production. Asia-Pacific retains a manufacturing cost edge, yet regional supply chains face pressure from chronic carbon-fiber shortages that inflate input costs. Opportunities are emerging for firms combining vertical integration with recyclable materials, advanced lightning protection, and remote monitoring solutions that reduce lifetime maintenance expenditure.

Key Report Takeaways

- By location of deployment, onshore retained 82.35% wind turbine rotor blade market share in 2025, whereas offshore blades are projected to expand at a 29.9% CAGR through 2031.
- By blade material, carbon fiber dominated with 47.50% share in 2025; hybrid composites are forecast to post 10.39% growth, the fastest among material types.
- By blade length, the 61-75 m category led with 44.30% share of the wind turbine rotor blade market size in 2025, while blades above 75 m are advancing at 12.85% CAGR to 2031.
- By manufacturing process, vacuum infusion accounted for 59.10% of production in 2025; pre-preg lines are accelerating at a 10.24% CAGR amid tighter tolerances for offshore blades.
- By geography, Asia-Pacific commanded 52.40% of global revenue in 2025, whereas the Middle East and Africa wind turbine rotor blade market is projected to grow at a 28.15% CAGR to 2031.
- LM Wind Power, TPI Composites, and Siemens Gamesa jointly held more than 35% wind turbine rotor blade market share in 2025, underlining moderate consolidation within the sector.

Note: Market size and forecast figures in this report are generated using Mordor Intelligence's proprietary estimation framework, updated with the latest available data and insights as of 2026.

Global Wind Turbine Rotor Blades Market Trends and Insights

Drivers Impact Analysis*



Rapid scale-up of >5 MW turbines in Chinese coastal provinces	+1.5%	Asia-Pacific core, spill-over to global supply chains	Medium term (2-4 years)
US Inflation Reduction Act production tax credits catalyzing domestic blade output	+1.2%	North America & EU, indirect global impact	Short term (≤ 2 years)
EU REPowerEU plan accelerating repowering of post-2010 onshore fleets	+0.8%	Europe core, technology transfer to emerging markets	Medium term (2-4 years)
OEM demand for 70 m+ modular blades to cut transport bottlenecks	+0.6%	Global, with early gains in land-locked regions	Long term (≥ 4 years)
Brazil's FINAME green-financing unlocking local blade capacity	+0.5%	South America, potential replication in MEA	Medium term (2-4 years)
Floating-offshore demonstrators transitioning to serial 100 m blade orders	+0.4%	North America & EU, expansion to APAC	Long term (≥ 4 years)

Source: Mordor Intelligence



Understand The Key Trends Shaping This Market

Download Sample Report

Rapid scale-up of Above 5 MW turbines in Chinese coastal provinces

China installed 31.4 GW of offshore capacity by 2024, and most new projects now specify 15 MW machines that need 100 m-plus blades.^[1] Manufacturers such as Goldwind are expanding Jiangsu and Guangdong factories to build ultra-large composite structures. High domestic volumes shorten learning curves, lower per-unit costs, and accelerate technology diffusion to export markets. This dynamic allows Chinese suppliers to bid aggressively in global tenders, compelling European and US rivals to invest in cost-cutting automation. The resulting competition heightens the strategic importance of secure carbon-fiber supply



US Inflation Reduction Act production tax credits catalyzing domestic blade output

Section 45X grants USD 0.02 per blade produced in the United States, making local manufacturing viable despite higher labor costs.^[2] TPI Composites has already reached its 100,000-blade milestone and is adding new US lines. The 10-year credit horizon reduces investment risk, attracting European and Asian partners that seek compliant supply chains. Rising domestic content thresholds encourage material suppliers to co-locate, reshaping logistics flows inside North America. Resultant spending boosts overall installations, reinforcing a virtuous circle for the wind turbine rotor blade market.

EU REPowerEU plan accelerating repowering of post-2010 onshore fleets

REPowerEU aims for 50% wind power by 2050, driving a wave of blade-only upgrades on turbines commissioned after 2010. Streamlined permits cut project timelines, with German and Danish farms swapping in longer, lighter blades that lift energy capture by up to 30%. The strategy maximizes output without new foundations, making retrofit economics attractive even in high-cost markets. Blade suppliers are designing “plug-and-play” formats that fit existing hub interfaces while embedding new aerofoil and lightning protection features. These niche products extend the revenue mix beyond greenfield installations, diversifying earnings across the wind turbine rotor blade market.

OEM demand for 70 m+ modular blades to cut transport bottlenecks

Segmented blade designs led by Nabrawind’s Nabrajoint let 100 m blades navigate standard roads, trimming USD 100 000–150 000 per load in logistics expense. The concept is gaining traction in landlocked Europe, India, and Latin America, where road curvature and bridge clearance limit conventional hauls. Modular assembly near the site reduces breakage risk and accelerates installation. Parallel innovations such as Radia’s WindRunner aircraft could move 300-foot blades directly to remote hubs, further opening high-yield wind corridors. Together, these breakthroughs expand geographical reach and sustain growth momentum for the wind turbine rotor blade market.

Restraints Impact Analysis*

RESTRAINT	(~) % IMPACT ON CAGR FORECAST	GEOGRAPHIC RELEVANCE	IMPACT TIMELINE
Chronic carbon-fiber supply tightness	-0.90%	Global, most acute in offshore segments	Short term ($\leq$ 2 years)
Higher LCOE penalty for sub-2 MW turbine classes	-0.70%	Europe and North America legacy fleets	Medium term (2-4 years)

Source: Mordor Intelligence



Logistics restrictions on >80 m blades in land-locked European regions	-0.5%	Europe core, emerging in mountainous regions globally	Long term ($\geq$ 4 years)
Offshore de-commissioning liability tightening project bankability	-0.3%	North America & EU offshore markets	Long term ($\geq$ 4 years)

Source: Mordor Intelligence

Chronic carbon-fiber supply tightness inflating input costs

Aerospace recovery and electric-vehicle growth have lifted carbon-fiber prices by 15-20% since 2024. Offshore blades now use carbon in spar caps and root sections that account for 40% of total weight, making supply bottlenecks critical. Chinese producers, who hold 60% of global capacity, prioritize higher-margin sectors, squeezing wind allocations. Blade makers respond with hybrid lay-ups that spare the scarcest grades, yet each redesign triggers new certification cycles and adds cost. Firms are eyeing backward integration into fiber production to control availability and stabilize margins across the wind turbine rotor blade market.

Higher LCOE penalty for sub-2 MW turbine classes suppressing blade retrofit

Lazard's levelized cost models show a 20-30% penalty for maintaining turbines below 2 MW relative to modern 3-5 MW units.^[4] Owners of early-2000s fleets face poor economics for blade-only upgrades and instead favor site redevelopment. This cuts the addressable refurbishment volume and redirects demand to full-scale replacements or greenfield builds. Blade suppliers concentrate R&D on larger formats and specialized offshore products, reshaping capacity planning throughout the wind turbine rotor blade market.

*Our forecasts treat driver/restraint impacts as directional, not additive. The impact forecasts reflect baseline growth, mix effects, and variable interactions.

Segment Analysis

By Location of Deployment: Offshore surge reshaping dynamics

Offshore blades posted a 29.9% CAGR between 2025 and 2031, even as onshore commanded 82.35% revenue in 2025. Floating prototypes are shifting into serial 100 m orders that require corrosion-resistant coatings and advanced lightning arrestors, adding 15-20% to build cost. Europe's pipeline and China's coastal megaprojects sustain large-scale demand. Conversely, onshore growth hinges on modular solutions that overcome road limits while tapping high-quality inland wind corridors. Cost-efficient series production




Longer term, the offshore pipeline's depth ensures continued share gains. North Sea leases, US Atlantic approvals, and Japanese floating tenders underpin multi-gigawatt orders for the next decade. Onshore will remain essential for market balance; yet its role increasingly revolves around retrofitting mature sites and serving emerging economies where quick-turn installations match policy timelines. Suppliers that align product roadmaps with these divergent needs can defend or expand their presence across the wind turbine rotor blade market.

By Blade Material: Hybrid composites challenging carbon fiber

Carbon fiber dominated 47.50% of the market share in 2025 owing to unmatched stiffness-to-weight ratios, but its supply issues and price volatility are steering OEMs to hybrid lay-ups. Hybrid composite blades grow 10.39% annually by strategically placing carbon only in load-critical webs while substituting cost-effective glass elsewhere. This design cuts weight by up to 12% over all-glass equivalents and maintains structural margins needed for 15 MW turbines.

Glass fiber remains relevant for onshore blades below 70 m, where transport and tower strength rather than weight drive economics. Meanwhile, research into thermoplastic matrices offers end-of-life recyclability and faster production cycles. Vestas's recyclable carbon fiber thermoplastics trials in 100 m blades illustrate progress. As regulation tightens around circularity, material breakthroughs will influence competitive positioning in the wind turbine rotor blade market.

Wind Turbine Rotor Blades Market: Market Share by Blade Material, 2025



Source: Mordor Intelligence



Note: Segment shares of all individual segments available upon report purchase



By Blade Length: Mega-blades driving growth above 75 m


The 61-75 m category retained 44.30% wind turbine rotor blade market share in 2025 because it fits today's mainstream land-based turbines. However, blades exceeding 75 m are growing at 12.85% CAGR as manufacturers chase 15+ MW ratings. Building blades over 100 m reshapes factory layouts, tooling, and quality regimes. Automated fiber placement and digital twins reduce defect risk while speeding production.

Logistics frames the next hurdle. Road limits and turning radii cap blade length for inland sites; hence, modular tech and novel carriers like the WindRunner aircraft become critical enablers. Under 45 m blades now serve only niche repowering jobs or community-scale turbines. The ongoing length race underscores the strategic weight of R&D capital in the wind turbine rotor blade market.

By Manufacturing Process: Pre-preg innovation accelerating

Vacuum infusion safeguarded a 59.10% share in 2025 by pairing cost efficiency with large-part capability. Yet pre-preg lines are rising 10.24% annually because they deliver tight resin control vital for offshore blades that face salt spray, dynamic loads, and ice accretion. Pre-preg sheets cut void content, so fatigue life improves, and surface finish smoothness lifts aerodynamic efficiency. The trade-off remains higher material and freezer storage costs.

Hand lay-up declines as automation advances. New infusion variants add robotic fabric placement to retain low cost but raise consistency. Thermoplastic tape winding and in-situ consolidation enter pilot scale, promising faster cycle times and recyclability. Selecting the optimal process now hinges on blade length, order volume, and target region, sharpening competitive edges within the wind turbine rotor blade market.



Source: Mordor Intelligence



Note: Segment shares of all individual segments available upon report purchase



Get Detailed Market Forecasts at the Most Granular Levels

Download Sample Report

Geography Analysis


Asia-Pacific captured 52.40% of global demand in 2025, anchored by China's 31.4 GW offshore base and its push toward 15 MW turbines that need 100 m-plus blades. Investments in automated sanding, resin infusion, and modular molds support rapid scaling. Japan and South Korea cultivate floating offshore pilots, while India's onshore build-out benefits from hybrid composite cost savings. Rising wages and stricter environmental rules are nudging suppliers toward greater automation, yet the region's scale keeps unit costs low, sustaining leadership in the wind turbine rotor blade market.

Europe's mature fleet now pivots to repowering and deep-water projects. The REPowerEU drive accelerates blade upgrades on post-2010 turbines, and the UK alone targets 115 GW offshore by 2050 with 35% floating share. Landlocked Alpine and Balkan zones force the adoption of segmented blades that can move through tight passes. Regulation favors recyclability, spurring materials R&D partnerships between blade makers and chemical companies. European OEMs leverage advanced design and sustainability credentials to maintain a premium segment edge.

The Middle East and Africa's 28.15% CAGR through 2031 reflects Saudi, Emirati, and Egyptian wind targets that could lift regional capacity to 131 GW. Harsh climates demand leading-edge coatings resistant to sand erosion. Domestic content clauses begin to surface, heralding new assembly plants near Red Sea and Gulf ports. North America's trajectory centers on IRA incentives that relocalize supply chains, while South

market.

Wind Turbine Rotor Blades Market CAGR (%), Growth Rate by Region, 2026 - 2031



Source: Mordor Intelligence



Get Analysis on Important Geographic Markets

Download Sample Report

Competitive Landscape

Competition is moderately concentrated. LM Wind Power, TPI Composites, and Siemens Gamesa accounted for over one-third of global deliveries in 2024, benefitting from scale economies and broad product portfolios. Consolidation continues as smaller firms struggle with rising certification costs and carbon-fiber shortages. Leaders pursue vertical integration into materials and structural testing to secure supply and cut lead times.

Strategically, localization shapes new investments. TPI's US expansion exploits IRA credits, while CS Wind's USD 200 million Vietnam plant underpins cost-competitive exports to Asia-Pacific and the Middle East. R&D pipelines focus on segmented blades, recyclable thermoplastics, and predictive maintenance sensors that flag lightning strikes or leading-edge erosion. Digital twin models track strain in real time, enabling condition-based maintenance and lowering lifetime cost per kWh.

White-space innovation attracts start-ups. Radia's WindRunner targets remote onshore sites, and Nabrawind's Nabrawind Nabrajoint modular interface gains OEM endorsements. Materials specialists scale bio-based resins that cure at lower temperatures, cutting energy usage. Success now hinges on balancing



Wind Turbine Rotor Blades Industry Leaders

- 1 LM Wind Power (GE Renewable Energy)
- 2 Siemens Gamesa Renewable Energy
- 3 TPI Composites Inc.
- 4 Vestas Wind Systems A/S
- 5 Nordex SE

*Disclaimer: Major Players sorted in no particular order

Market Concentration

Consolidated - Market dominated by 1-5 major players.



Wind Turbine Rotor Blades Market

Fragmented - Highly competitive market without dominant players.

Source : Mordor Intelligence



Need More Details on Market Players and Competitors?

Download Sample Report

Recent Industry Developments

- July 2025: Energiequelle commissioned two Enercon turbines in Germany, illustrating Europe's repowering focus. The project replaced older, less efficient turbines (E-58 models) with two new turbines, each with a capacity of 5.56 MW.



renewable energy initiative for the United States.

- September 2024: CS Wind is pouring USD 200 million into a new wind turbine blade manufacturing facility in Long An Province's Southeast Asia Industrial Zone, Vietnam. This move bolsters their capacity in Southeast Asia and emphasizes their commitment to producing both onshore and offshore wind turbine towers.
- June 2024: Vestas, a prominent wind turbine manufacturer, is set to establish a new blade factory at Leith Docks in Scotland. This move aims to bolster North Sea offshore wind projects. The upcoming facility will specifically manufacture blades for the V236-15.0 MW offshore wind turbine, a pivotal element in the swiftly expanding offshore wind sector.

Table of Contents for Wind Turbine Rotor Blades Industry Report

1. Introduction

1.1 Study Assumptions & Market Definition

1.2 Scope of the Study

2. Research Methodology

3. Executive Summary

4. Market Landscape

4.1 Market Overview

4.2 Market Drivers

4.2.1 Rapid scale-up of Above 5 MW turbines in Chinese coastal provinces

4.2.2 US Inflation Reduction Act production tax credits catalyzing domestic blade output

4.2.3 EU REPowerEU plan accelerating repowering of post-2010 onshore fleets

4.2.4 OEM demand for 70 m+ modular blades to cut transport bottlenecks

4.2.5 Brazil's FINAME green-financing unlocking local blade capacity

4.2.6 Floating-offshore demonstrators transitioning to serial 100 m blade orders

4.3 Market Restraints

4.3.1 Chronic carbon-fiber supply tightness inflating input costs

4.3.2 Higher LCOE penalty for sub-2 MW turbine classes suppressing blade retrofits



4.4 Supply-Chain Analysis

4.5 Regulatory Outlook (Government Policies, Regulations & Targets)

4.6 Technological Outlook (Composite recycling & additive manufacturing)

4.7 Porter's Five Forces

4.7.1 Bargaining Power of Suppliers

4.7.2 Bargaining Power of Buyers

4.7.3 Threat of New Entrants

4.7.4 Threat of Substitutes

4.7.5 Intensity of Competitive Rivalry

4.8 Pricing Analysis

5. Market Size & Growth Forecasts

5.1 By Location of Deployment

5.1.1 Onshore

5.1.2 Offshore

5.2 By Blade Material

5.2.1 Glass Fiber

5.2.2 Carbon Fiber

5.2.3 Hybrid Composites

5.2.4 Others

5.3 By Blade Length

5.3.1 Below 45 m

5.3.2 46 to 60 m

5.3.3 61 to 75 m

5.3.4 Above 75 m

5.4 By Manufacturing Process



5.4.3 Pre-Preg

5.4.4 Others

5.5 By Geography

5.5.1 North America

5.5.1.1 United States

5.5.1.2 Canada

5.5.1.3 Mexico

5.5.2 Europe

5.5.2.1 Germany

5.5.2.2 United Kingdom

5.5.2.3 France

5.5.2.4 Spain

5.5.2.5 Italy

5.5.2.6 Russia

5.5.2.7 Denmark

5.5.2.8 Sweden

5.5.2.9 Norway

5.5.2.10 Rest of Europe

5.5.3 Asia Pacific

5.5.3.1 China

5.5.3.2 India

5.5.3.3 Japan

5.5.3.4 Australia

5.5.3.5 South Korea

5.5.3.6 ASEAN Countries



5.5.4.1 Brazil

5.5.4.2 Argentina

5.5.4.3 Rest of South America

5.5.5 Middle East and Africa

5.5.5.1 United Arab Emirates

5.5.5.2 Saudi Arabia

5.5.5.3 South Africa

5.5.5.4 Egypt

5.5.5.5 Rest of Middle East and Africa

6. Competitive Landscape

6.1 Market Concentration

6.2 Strategic Moves (M&A, Partnerships, PPAs)

6.3 Market Share Analysis (Market Rank/Share for key companies)

6.4 Company Profiles (includes Global level Overview, Market level overview, Core Segments, Financials as available, Strategic Information, Products & Services, and Recent Developments)

6.4.1 LM Wind Power (GE Renewable Energy)

6.4.2 TPI Composites Inc.

6.4.3 Siemens Gamesa Renewable Energy S.A.

6.4.4 Vestas Wind Systems A/S

6.4.5 Nordex SE

6.4.6 Suzlon Energy Ltd.

6.4.7 Xinjiang Goldwind Science & Technology Co.

6.4.8 Lianyungang Zhongfu Lianzhong Composites Group Co. Ltd.

6.4.9 Sinoma Wind Power Blade Co. Ltd.

6.4.10 Ming Yang Smart Energy Group Ltd.



6.4.13 Dongfang Electric Wind Power Co.

6.4.14 MFG Wind

6.4.15 Envision Energy

6.4.16 Kanpur Plastipack Rotor Division

6.4.17 PowerBlades GmbH

6.4.18 Gurit Holding AG

6.4.19 TECSIS Tecnologia e Sistemas Avancados

6.4.20 CRRC Wind Power

7. Market Opportunities & Future Outlook

7.1 White-space & Unmet-Need Assessment



You Can Purchase Parts Of This Report. Check Out Prices For Specific Sections

Get Price Break-up Now

Global Wind Turbine Rotor Blades Market Report Scope

Wind turbine rotor blades are the key components of wind turbines, as they are in direct contact with high-speed winds. Rotor blades convert wind's kinetic energy into rotational energy, which is later converted into electrical energy. The global wind turbine rotor blade market is segmented by location of deployment, blade material, and geography. By location of deployment, the market is segmented into onshore and offshore. By blade material, the market is segmented by carbon fiber, glass fiber, and other blade materials. The report also covers the market size and forecasts for the wind turbine rotor blade market across major regions, namely North America, Europe, Asia-Pacific, South America, and Middle East and Africa. For each segment, the market sizing and forecasts have been done based on revenue (USD Billion).

By Location of Deployment	Onshore
	Offshore
By Blade Material	Glass Fiber
	Carbon Fiber
	Hybrid Composites
	Others



	61 to 75 m	
	Above 75 m	
By Manufacturing Process	Hand Lay-Up	
	Vacuum Infusion	
	Pre-Preg	
	Others	
By Geography	North America	United States
		Canada
		Mexico
	Europe	Germany
		United Kingdom
		France
		Spain
		Italy
		Russia
		Denmark
		Sweden
		Norway
		Rest of Europe
	Asia Pacific	China
		India
		Japan
		Australia
		South Korea
		ASEAN Countries
		Rest of Asia Pacific
	South America	Brazil
		Argentina
		Rest of South America
	Middle East and Africa	United Arab Emirates



Egypt

Rest of Middle East and Africa



Need A Different Region or Segment?

Customize Now

Key Questions Answered in the Report

How large is the wind turbine rotor blade market today and how fast is it growing?



Which region currently commands the greatest market share?



Why is the offshore segment expanding so quickly?



How do carbon-fiber supply constraints affect blade producers?



What policy incentives are reshaping blade manufacturing footprints?



What innovations are easing transport bottlenecks for ever-longer blades?



🕒 Page last updated on: January 16, 2026

Related Reports

Turbines Industry Overview

Wind Turbine Nacelle Market

Wind Turbine Shaft Industry Overview

LINKS

[Home](#)

[Reports](#)



Our Clients

Media

Awards & Recognition

Insights

Custom Research

Industries

Careers

Privacy Policy

XML

CONTACT



11th Floor, Rajapushpa Summit

Nanakramguda Rd, Financial District, Gachibowli

Hyderabad, Telangana - 500032

India



+1 617-765-2493



info@mordorintelligence.com

Media Inquiries:



media@mordorintelligence.com

JOIN US

We are always looking to hire talented individuals with equal and extraordinary proportions of industry expertise, problem solving ability and inclination.

Interested? Please email us.

careers@mordorintelligence.com

CONNECT WITH US RIGHT NOW

Our Partners

Social Responsibility

FAQs

Case Studies

Contact

Hubs

Terms & Conditions

Cookie Policy

Site Map



D&B D-U-N-S®
NUMBER : 85-427-9388



ESOMAR²⁵
Corporate



© 2026. All Rights Reserved to Mordor Intelligence.