E401 Human Vision and Optical Fibre Endoscopy

E4.1.1 Accommodation of the eye

The eye changes lens shape and focal length to focus different object distances onto the nearly fixed retina. Near objects require greater optical power and shorter focal length; distant objects require less. The cornea supplies most of the fixed refraction, while the lens mainly provides accommodation.




Fig a *Refractive indices n of different media.*

The cornea and lens refract light; accommodation changes the lens shape while the retina distance remains almost fixed.

Textbook sources: E401 · PDF 7

E4.1.2 Corneal refraction and accommodation

The air-cornea boundary provides most of the eye's refraction and is not adjustable. The crystalline lens changes shape and focal length to focus objects at different distances on the retina. Distinguish the main source of refraction from the component responsible for accommodation.





Fig a *Refractive indices n of different media.*

The cornea provides most refraction; the lens adjusts focal length for accommodation.

Textbook sources: E401 · PDF 7

E4.1.3 Rods and cones

Rods are more sensitive in dim light and mainly support low-light, non-colour vision. Cones provide colour and fine detail under brighter conditions. Poor colour discrimination in darkness does not mean an object's colour disappears. The receptor types differ in distribution and function rather than acting as identical detectors.



Retinal rods and cones differ in shape and visual function.

Textbook sources: E401 · PDF 11

E4.1.4 Visual angle

Visual angle is the angle subtended by an object's ends at the eye, depending on size and distance. For small angles, size divided by distance gives radians. Moving the same object farther away reduces visual angle. Compare angular separation with the eye's or instrument's resolution limit to decide whether two points are distinguishable.

$$\theta \approx \frac{x}{u}$$

Small visual angle θ in radians; x: object size; u: viewing distance, both in the same length unit.

Textbook sources: E401 · PDF 16

E4.1.5 Rayleigh's criterion and resolving power

A finite aperture forms a diffraction pattern for each point. Rayleigh's limit occurs when one central maximum coincides with the other's first minimum. For a circular aperture, shorter wavelength or greater diameter reduces the minimum resolvable angle, improving resolution. Resolving two nearby points differs from merely magnifying their image.

$$\theta_R \approx 1.22\frac{\lambda}{d}$$

Rayleigh criterion for a circular aperture. θ_R: minimum resolvable angular separation (rad); λ: wavelength (m); d: aperture diameter (m), or pupil diameter for the eye.




Fig 3.2d *According to Rayleigh criterion, two objects are (i) resolved clearly, (ii) just resolved, and (iii) not resolved.*

Compare clearly resolved, just resolved and unresolved pairs. At the Rayleigh limit, one central maximum falls on the first minimum of the other pattern.

Textbook sources: E401 · PDF 17

E4.1.6 · E4.1.7 Optical power and lens combinations

Optical power is the reciprocal of focal length in metres, measured in dioptres. It is positive for converging and negative for diverging lenses; shorter focal length means greater magnitude. Powers of thin lenses in contact add, but focal lengths do not. Appreciable separation requires a more complete combination calculation.

$$P = \frac{1}{f}$$

$$P_{\text{eff}} \approx P_1 + P_2 + \cdots$$

Optical power P in dioptres (D = m^{-1}); focal length f MUST be in metres. Converging lens: positive; diverging lens: negative.

Thin lenses in contact or with negligible separation; powers in dioptres. Significant separation requires an additional correction.

Textbook sources: E401 · PDF 22

E4.1.8 Near point and far point

The near point is the closest position seen clearly with full accommodation; the far point is the farthest seen clearly with the eye relaxed. A normal far point is infinity, and about 25 cm is a common textbook near-point reference. Near point varies with age and individual, so is not a universal constant.

Textbook sources: E401 · PDF 23

E4.1.9 · E4.1.10 · E4.1.11 · E4.1.12 Vision correction and spectacles

E4.1.9 Correcting myopia, hyperopia and presbyopia

A myopic eye focuses distant light too early and needs a concave lens to diverge it first. Hyperopia involves insufficient power or a shorter eyeball and can need a convex lens for near vision. Presbyopia is age-related loss of accommodation, often also corrected for near tasks with a convex lens, but has a different cause. Use the unaided near or far point to locate the needed virtual image.

E4.1.10 How spectacles form a useful virtual image

Spectacles form a virtual image at a position the unaided eye can see clearly, such as its near or far point. The eye then focuses it onto the retina. Use positive real-object and negative same-side virtual-image distances in metres. Simple reciprocal-distance differences assume negligible lens-eye separation.

$$P_{\text{spectacles}} = \frac{1}{u} + \frac{1}{v}$$

$$P_{\text{spectacles}} = \frac{1}{d_{\text{corrected}}} - \frac{1}{d_{\text{uncorrected}}}$$

All distances in metres; power in D. Real object u = $d_{\text{corrected}}$ > 0; virtual image at the unaided near/far point has v = $-d_{\text{uncorrected}}$. Use 1/∞ = 0. Lens–eye separation neglected.

E4.1.11 · E4.1.12 Combined power of eye and spectacles

Approximating the eye as a thin lens, object distance comes from the target and real-image distance is the optical-centre-to-retina distance. Clear focus requires the thin-lens relation between these and power. With spectacles close to the eye, powers approximately add. Wearing spectacles does not move the retina.

$$P_{\text{eye}} = \frac{1}{u} + \frac{1}{v}$$

$$P_{\text{eff}} = \frac{1}{u} + \frac{1}{v}$$

Unaided eye model: u: real-object distance at near/far point (m), positive; v: optical-centre-to-retina distance (m), positive; P: D.

Corrected eye plus spectacles treated as a combined thin lens: u: corrected near/far-point distance (m); v: retina distance (m); P_{eff}: D. Real object/image distances positive.




Fig 1.2h *Correcting old-sightedness with a converging lens.*

The converging spectacle lens produces a virtual image at the unaided near point. The eye then forms a real image on the retina; these are two different images.

Textbook sources: E401 · PDF 29, 31


E4.1.13 Total internal reflection in fibres

A fibre's core has a higher index than its cladding. Light striking the internal boundary above the critical angle, measured from the normal, is totally internally reflected and guided along the core. Critical angle depends on the cladding-to-core index ratio. Not every incoming direction is trapped.

$$n_1 \sin C = n_2 \sin 90°$$

$$\sin C = \frac{n_2}{n_1}$$

Core refractive index n_1 > cladding index n_2; C: critical angle from the normal. Total internal reflection requires incidence angle greater than C.



The core has a higher refractive index than the cladding, enabling total internal reflection at their boundary.

Textbook sources: E401 · PDF 39

E4.1.14 Coherent and incoherent fibre bundles

An image-transmitting bundle must preserve relative fibre positions between input and output so image points are not scrambled: this is a coherent bundle. Illumination bundles need not preserve the arrangement. Here coherence means spatial ordering, not the fixed phase relationship used in interference.




Fig 1.3j *An incoherent bundle fibre cannot be used to transmit images.*

An incoherent fibre bundle scrambles relative positions and carries illumination. Image transmission requires a coherent bundle with positions preserved.

Textbook sources: E401 · PDF 43

E4.1.15 Advantages and limitations of fibre-optic endoscopy

Endoscopy directly views accessible internal organ surfaces and can pass small sampling tools through a channel. Limitations include restricted view and reach, preparation such as fasting or anaesthesia for some procedures, and risks such as perforation or contamination. These are the textbook's fibre-optic-endoscopy considerations, not universal specifications for every instrument.

Textbook sources: E401 · PDF 45, 46