

Estrategias para optimizar escenarios

Organización y convenciones para la escalabilidad

💡 Uso de carpetas y nomenclatura clara

💡 Renombrar módulos y agregar notas

💡 Variables y constantes reutilizables


Si ciertos valores se utilizan en varios módulos (por ejemplo, un porcentaje de impuesto, un código de país), conviene centralizarlo

💡 Plantillas de escenarios

Make.com permite crear templates (plantillas) a partir de escenarios existentes, que pueden ser usados para crear nuevos escenarios con esa estructura base.

💡 Blueprints y versiones:

Descargar blueprint JSON de un escenario sirve como respaldo y también como forma de replicarlo en otra cuenta/equipo.



Estrategias clave de optimización:

⭐ Eliminar módulos innecesarios.

Por ejemplo, evitar múltiples módulos “Set variable” si se puede calcular directamente en un campo con fórmulas; o combinar transformaciones.

⭐ Usar filtros al principio.

Los filtros son condiciones que eviten ejecutar ramas enteras si no se cumplen criterios.

⭐ Limitar resultados en búsquedas.

Si un módulo “Search rows” en Google Sheets permite criterio, úsalo para traer solo lo necesario en vez de traer 1000 filas y luego filtrarlas en iterador.

Menos datos = menos operaciones procesando.

⭐ Reutilizar resultados.


Si un mismo dato se usa varias veces en el escenario, conviene almacenarlo una vez en lugar de recalcularlo o reconsultarlo múltiples veces.

Ejemplo

Escenario inicial

- Módulos innecesarios
- Poca modularización
- Falta de legibilidad
- Muchas operaciones

5 DE MAYO DE 2025 11:12
Run ID: 93ea7e8e230449aab33747bc0ed...
Duration: 14 seconds
Operations: 68
Data size: 67.6 KB



Estrategias clave de optimización:

⭐ Reducir frecuencia de *polling*.

Los *triggers* programados (p. ej. “Every 15 minutes”) consumen operaciones cada vez que corren aunque no haya nuevos datos.

Si es viable, preferir Webhooks o al menos reducir la frecuencia de ejecución.

⭐ Preferir agregación sobre iteración.

Los iteradores multiplican operaciones (cada *item* del *array* será nuevas operaciones).

Si la API o módulo lo permite, a veces es mejor traer datos agrupados y procesarlos juntos.

⭐ Medir, auditar y aplicar cultura de eficiencia.


Make proporciona información para auditar nuestros escenarios: duración de ejecución, operaciones usadas, tamaño de datos, etc. Es importante revisar el historial de ejecuciones para identificar pasos costosos.

Ver cantidad de operaciones y consumo de datos

The screenshot shows a left sidebar with a purple header "MY ORGANIZATION" and a list of items: Organization, Team, Scenarios (highlighted with a red box), AI Agents (BETA), Templates, Connections, and More. To the right is a list of scenarios with their details:

- http: 37 operations, 5.1 MB data transfer (date: 1 may 2025)
- Informe Diario de Ventas: 258 operations, 1.4 MB data transfer (date: 5 may 2025)
- Integration Browse AI, Google Sheets: 12 operations, 26.6 KB data transfer (date: 30 abr 2025)
- Integration Google Docs, JSON: 3 operations, 26.1 KB data transfer (date: 3 may 2025)
- Integration Google Docs, JSON, monday.com: 54 operations, 341.7 KB data transfer (date: 3 may 2025)
- Integration Google Sheets, HTTP: 41 operations, 29.7 KB data transfer (date: 5 may 2025)

Historial de ejecuciones en cada escenario



Ejemplo

Reducir frecuencia de polling

Google Drive [84]
Copy a File

Google Docs [64]
Get Content of a Document
Schedule setting

HTTP [56]

Google Docs [61]
Replace a Text in a Document

Google Sheets [55]
Get Range Values

Data store [86]
Add/replace a record

Run scenario: *
Days of the week

Days *
 Select All
 Monday
 Tuesday
 Wednesday
 Thursday
 Friday

Run once | Daily at 19:00

5 DE MAYO DE 2025 11:45

Run ID: 6bc2863712c548998f7c166c5ac7...
Duration: 8 seconds
Operations: 55
Data size: 47.0 KB



Caso de uso

Todos los meses recibimos una planilla con datos de las reservas. Necesitamos enviar un correo electrónico a cada huésped, según el estado de la reserva.

[Planilla Fuente](#)

us2.make.com/850258/scenarios?folder=all&tab=all

All scenarios

+ Create a new scenario

FOLDERS

- All scenarios
- Uncategorized


ACTIVE SCENARIOS 0

INACTIVE SCENARIOS 0

CONCEPTS 0

Sort by: A-Z

Icon	Name	Details	Last Modified	Action
	Datos de Clima	Ejercicios Iniciales 9 1.2 KB Florencia Rodriguez 14 jun 2025		OFF
	Integration Google Drive, Google Docs, HTTP, Make AI Tools	Informes automatizados 200 817.4 KB Florencia Rodriguez 17 jun 2025		OFF
	Obtener datos de facturación	21 273.9 KB Florencia Rodriguez 14 jun 2025		OFF
	Resumir informes	9 6.7 MB Florencia Rodriguez 14 jun 2025		OFF
	Integration HTTP	180 25.0 MB Florencia Rodriguez 17 jun 2025		OFF
	Integration Google Sheets	123 185.3 KB Florencia Rodriguez 17 jun 2025		OFF



de mensajes



Google Drive

Watch Files in a Folder

Google Drive

Connection *

My Google Restricted conn... ▾ Add

For more information on how to create a connection to Google Drive, see the [online Help](#).

Watch Files *

By Created Time ▾

Choose a Drive *

Shared With Me ▾

Select the Folder to be Watched *

/ Turismo / +

File Types to Watch *

Google Spreadsheets

Limit *

2

The maximum number of results to be worked with during one execution cycle.

Cancel Save

Google Sheets

Sheets, see the [online Help](#).

Search Method *

Enter manually

Spreadsheet ID *

1. File ID

A spreadsheet ID can be extracted from its URL. For example, the spreadsheet ID in the URL <https://docs.google.com/spreadsheets/d/abc1234567/edit#gid=0> is abc1234567

Sheet Name *

Hoja 1

Enter a sheet name.

Range *

A1:M100

Enter the range you want to get. E.g. A1:D25.

Table contains headers Map

Yes No

Row with headers

A1:M1

Enter the range of the table headers. E.g. A1:F1. If you leave the field empty, Make will suppose that the header is on the first row of the given range.

Show advanced settings Cancel Save

Set up a filter

Label
Filtrar por nombre de archivo

Condition

17. Name
Text operators: Contains (case insensitive)
cliente

Add AND rule Add OR rule

Cancel Save

Google Sheets

Connection *
My Google connection (rod... Add

For more information on how to create a connection to Google Sheets, see the [online Help](#).

Search Method *
Select from all

Spreadsheet ID *
1dTg8pdXPixRmvOXHxc598zetcA
T2qjR7I9W3omc2XE ID Finder

Find the Spreadsheet ID by clicking ID Finder .
e.g. 1a1ADVruoaYztkOpKM6BWXlY09GWA


Sheet Name *
Hoja 1 Map


Table contains headers *
Yes Refresh


Values

Payment Type (A)
2. Payment Type (A)

Start date (B)
2. Start date (B)







Blueprint

Histórico de ejecuciones. Disponibles en cada

Integration Browse AI, Google Sheets

Fulltext search ...

DIAGRAM	HISTORY	INCOMPLETE EXECUTIONS				
STARTED	STATUS	DURATION	OPERATIONS	DATA TRANSFER		
30 abr 2025, 21:29:33	⌚ Success	4 seconds	3	3,6 KB	<button>Details</button>	
30 abr 2025, 21:26:18	⌚ Success	4 seconds	3	5,5 KB	<button>Details</button>	
30 abr 2025, 21:16:36	⌚ Scenario was edited by Florencia Rodríguez.					
30 abr 2025, 21:12:33	⌚ Scenario was edited by Florencia Rodríguez.					
30 abr 2025, 21:03:03	⌚ Success	1 second	2	7,9 KB	<button>Details</button>	
30 abr 2025, 21:01:55	⌚ Scenario was edited by Florencia Rodríguez.					
30 abr 2025, 21:00:05	⌚ Success	1 second	2	7,9 KB	<button>Details</button>	
30 abr 2025, 20:58:08	▷ Success	Less than a second	2	1,7 KB	<button>Details</button>	
30 abr 2025, 20:57:07	⌚ Scenario was activated by Florencia Rodríguez.					
30 abr 2025, 20:57:05	⌚ Scenario was edited by Florencia Rodríguez.					

Log. Disponibles en cada ejecución

30 DE ABRIL DE 2025 21:29 INCOMPLETE EXECUTIONS Cycle 1/1

30 DE ABRIL DE 2025 21:29

Run ID: ead5be9b92854b7a8aa2e21dd1105...
Duration: 4 seconds
Operations: 3
Data size: 3.6 KB

Simple log Advanced log

30 DE ABRIL DE 2025 21:29

Run ID: ead5be9b92854b7a8aa2e21dd110...
Duration: 4 seconds
Operations: 3
Data size: 3.6 KB

Simple log Advanced log

30 DE ABRIL DE 2025 21:29

Run ID: ead5be9b92854b7a8aa2e21dd110...
Duration: 4 seconds
Operations: 3
Data size: 3.6 KB

Simple log Advanced log

Browse AI - Watch Task Execution Finished [1]
The operation was completed.

Google Gemini AI - Create a Completion [3] +3.8s
The operation was completed.

Google Sheets - Add a Row [2] +0.5s
The operation was completed.

Browse AI - Watch Task Execution Finished [1]
The module was initialized.

Google Gemini AI - Create a Completion [3]
The module was initialized.

Google Sheets - Add a Row [2]
The module was initialized.

The scenario was initialized.

Cycle #1 was started.

Browse AI - Watch Task Execution Finished [1]
The operation was started.

Browse AI - Watch Task Execution Finished [1]
The operation was completed.

Google Gemini AI - Create a Completion [3]
The operation was started.

Google Gemini AI - Create a Completion [3]
+3.8s

Historial de Ejecución

💡 Notas en módulos

Una práctica recomendada es documentar los escenarios con notas en los módulos. Facilitan entender la intención de cada paso al revisar *logs*.

💡 Detección proactiva de errores

Más allá de esperar a que algo falle, es útil usar el historial para patrones inusuales. Si se ve que cierto módulo está siempre marcado en amarillo (warning) o rojo, conviene investigarlo aunque el escenario siga.

💡 Extensión de desarrollo (DevTool)

Make dispone de una extensión de Chrome opcional (Make DevTool) que provee información de depuración más profunda.

Permite ver errores que la interfaz normal no muestra claramente, inspeccionar la ejecución en tiempo real y revisar variables internas.

[Messages](#) [Add canvas](#) [Deleted file](#) [Copy of Project tracker: All items](#) +

Copy of Project tracker

Manage and monitor tasks as a team

[All items](#) 

Task	Status	Priority	Description	Assignee
<input type="radio"/> Double check office supplies	In progress	★ ★	Move remaining supplies from ...	
<input type="radio"/> Finalize seating chart	In progress	★ ★ ★	Get approval from team managers	
<input type="radio"/> Print welcome banner -	Done	★ ★ ★	Design team is booked	

[+ Add item](#)

⋮

[Messages](#) [Add canvas](#) [Deleted file](#) [Copy of Project tracker: All items](#) +

Copy of Project tracker

Manage and monitor tasks as a team

[All items](#)  

Task	Status	Priority	Description
<input type="radio"/> Double check office supplies	In progress	★ ★	Move remaining supplies from ...
<input type="radio"/> Finalize seating chart	In progress	★ ★ ★	Get approval from team managers
<input type="radio"/> Print welcome banner -	Done	★ ★ ★	Design team is booked

[+ Add item](#)

Workflows

[Share list](#)[Add to starred](#)

Details

[Copy link to list](#)[Make a copy](#)[View version history](#)[Download CSV](#) >

 [Open in new window](#)

[Convert to a template](#)[View archived items](#)

Delete list

Workflows

X

forms, send due date reminders to assignees, and keep your team aligned with automatic summaries.

[Learn More](#)



Available workflows

You can choose from these available workflows.



Due date notifications for assignees

Alert assignees when a due date is upcoming

[Set Up](#)



Summaries of item due dates

Send a summary of due items in channel

[Set Up](#)



Channel alerts about updated items

Message a channel when items change

[Set Up](#)



Notifications about updated items

Get a notification in Activity when items change

[Set Up](#)



Form

Collect responses in a form

[Set Up](#)



Form with an alert

Alert a channel when a form response is collected

[Set Up](#)



Build your own in workflow builder

Automations +

- ⌚ Recently used
- 👤 Managed by yo...

▷ Workflows

grid Templates

⋮ Apps

Workflows

Search for workflows

+ New Workflow


- ⚡ Build Workflow
- grid Create from template

Automate your everyday tasks

Collect feedback, schedule messages, and so much more with Workflows.

Create a Workflow

Learn more



▼ Use a template to get started



Weekly check in

Automatically send a weekly message asking for updates from the team



Google Sheets feedback log

Request information in a form and add it to a Google Sheet from Slack



New hire onboarding

Let newcomers join team channels from a simple link



Untitled Workflow

A brand new workflow

Never published

Finish Up

...

Choose an event to start the workflow, and then add the steps that will follow.

Start the workflow...

Choose an event

Then, do these things

Add steps



Untitled Workflow

A brand new workflow

Never published

Finish Up

...

Search triggers...



Asana



Basecamp



Bitbucket



ClickUp



Github



Github Enterprise Se...



Linear



Monday



PagerDuty



Wrike

Events in Slack



From a link in Slack

Starts on a click

+



From a webhook

Starts from a third-party event

+



On a schedule

+



When a list item is updated

+



When a person joins a channel

+



When an emoji reaction is used

Starts after people react to messages

+



Untitled Workflow

A brand new workflow

Never published

Finish Up

...



When a list item is updated



Choose

Start t



Then,



Select a List

Copy of Project tracker List



Filter by field

The workflow will start when updates are made to specific fields.

Field

Task



Operator

has changed



Delete

Done

Cancel

Continue



Untitled Workflow

A brand new workflow

Never published

Finish Up

...

Start the workflow...



Starts when an item is updated in Copy of Project tracker



Then, do these things

+ Add steps



Untitled Workflow

A brand new workflow

Never published

Finish Up

...

Search steps...

X

Discover

Canvas

Channels

Forms

List

Messages

Users

Workflow controls

Adobe Acrobat Sign

Airtable

Asana

Basecamp

Bitbucket

Discover workflow steps

Collections

[See more](#)



Sales



Meetings



Customer support

Quick steps

Send a message to a channel +

Collect info in a form +

Uses a form to collect information

Send a message to a person +



Untitled Workflow

A brand new workflow

Never published

Finish Up

...

Send a message to a person

Start t



Select a member



florencia.rodriguez (you) ⚡ Florencia Rodriguez



Then,

+ A

Add a message



```
{"asignado a": " { } Item > Assignee < ",  
"prioridad": " { } Item > Priority ",  
"status": " { } Item > Status ",  
"tarea": " { } Item > Task "  
}
```



{ } Insert a variable

Cancel

Save



Untitled Workflow

A brand new workflow

Never published

Finish Up

...

Start the workflow...



Starts when an item is updated in Copy of Project tracker



Then, do these things



1. Send a message to @florencia.rodriguez



Untitled Workflow WORKFLOW

```
{"asignado a": "Item > Assignee",
"prioridad": "Item > Priority",
"status": "Item > Status",
"tarea": "Item > Task"
}
```

+ Add Step

"Send a message to a person" step added



Untitled Workflow

A brand new workflow

Never published



Start th

Then, d



Finish Up

Make sure the workflow details and permission are correct before publishing



Upload

Name

Tarea Workflow

Workflow names can't use punctuation marks and certain special characters, for example: ! ? @ # % + & \$ * : " , / []

Description

A brand new workflow

Permissions

Who can find this workflow?

Workflow managers only

Cancel

Publish



 florencia.rodriguez

Messages Add canvas Deleted file Copy of Project tracker: All items +

Copy of Project tracker

Manage and monitor tasks as a team

All items  

<input checked="" type="checkbox"/> Task	Status	Priority	Description	Assignee
<input type="radio"/> Double check office supplies	Not started	  	Move remaining supplies from ...	 Florencia Rodriguez (y...)
<input type="radio"/> Finalize seating chart	In progress	  	Get approval from team managers	
<input type="radio"/> Print welcome banner -	Done	  	Design team is booked	

+ Add item

us2.make.com/1049986/scenarios/add

Make is requesting permission to access the Ironhack Slack workspace | Ironhack Slack - Google Chrome

New scenario

slack

Ironhack

This app is not approved by Slack. Apps are reviewed to ensure a quality experience. [Learn more.](#)

Make is requesting permission to access the Ironhack Slack workspace

What will Make be able to view?

- Content and info about you
- Content and info about channels & conversations
 - View messages and other content in your direct messages
 - View basic information about your direct messages
- Content and info about your workspace
 - View people in your workspace

Run once

AI BETA

Waiting for authorization...
A connection to Slack, see

Imágenes

Opción: Hugging face

The screenshot shows the Hugging Face website interface. The URL 'huggingface.co' is highlighted with a red box in the browser's address bar. The main navigation menu includes 'Models', 'Datasets', 'Spaces', 'Community', 'Docs', and 'Pricing'. On the left sidebar, there are sections for 'florrodiguez' (Profile, Inbox, Settings, Billing, Get PRO), 'Organizations' (Create New), and 'Resources' (Hub guide, Transformers doc, Forum, Tasks, Learn). The central area displays the 'Following' section, which lists AI creators like stabilityai, huggingface, and meta-llama, each with a 'Follow' button. A 'Trending' section on the right shows popular repositories such as black-forest-labs/FLUX.1-Kontext-dev, tencent/Hunyuan-A13B-Instruct, google/gemma-3n-E4B-it, DeepSite v2, OmniGen2/OmniGen2, and OmniGen2. Each trending item includes details like description, updated time, and metrics (stars, forks).

huggingface.co

Hugging Face Search models, datasets, users...

Models Datasets Spaces Community Docs Pricing

+ New

florrodiguez

Profile

Inbox (0)

Settings

Billing

Get PRO

Organizations

Create New

Resources

Hub guide

Transformers doc

Forum

Tasks

Learn

Following 0

All Models Datasets Spaces Papers Collections Community Posts

Upvotes Likes Articles

NEW Follow your favorite AI creators

s. stabilityai · Sharing open-source image generation models

Follow

Follow

Follow

huggingface · Leading platform for sharing AI models

meta-llama · Creating powerful open-source language models

Trending last 7 days

All Models Datasets Spaces

black-forest-labs/FLUX.1-Kontext-dev

Image-to-Image · Updated... · 12.9k · 1.04k

tencent/Hunyuan-A13B-Instruct

Text Generation · Updated about 7 hours ago · 578

google/gemma-3n-E4B-it

Image-Text-to-Text · 8B · Upd... · 5.55k · 307

DeepSite v2

Generate any application with DeepSeek

8.93k

OmniGen2/OmniGen2

Any-to-Any · Updated 7 days ago · 20.1k · 270

OmniGen2

OmniGen2: Unified Image Understanding and Generation.

324



Search models, datasets, users...

Models

Datasets

Spaces

Community

Docs

Pricing



Flor

florrodriguez

Profile

Account

Authentication

Organizations

Billing

Access Tokens

SSH and GPG Keys

Inference Providers

Webhooks

Papers

Profile Settings

Full name

Flor

Avatar (optional)

Upload file



Homepage (optional)

Homepage

AI & ML interests (optional)

AI & ML interests

GitHub username (optional)

GitHub username



Flor

florrodriguez

Profile

Account

Authentication

Organizations

Billing

Access Tokens

SSH and GPG Keys

Inference Providers

Webhooks

Papers

Create new Access Token

Token type

Fine-grained

Read Write

This cannot be changed after token creation.

Token name

tst

User permissions (florrodriguez)

Repositories

- Read access to contents of all repos under your personal namespace
- Read access to contents of all public gated repos you can access
- Write access to contents/settings of all repos under your personal namespace

Webhooks

Inference

 Make calls to Inference Providers Make calls to your Inference Endpoints ⓘ Manage your Inference Endpoints ⓘ

Collections

 Search for orgs

Repositories

Inference

Save your Access Token



Save your token value somewhere safe. **You will not be able to see it again after you close this modal.** If you lose it, you'll have to create a new one.

hf_uctvhBV1FBUQRMMIUUVRAUURRe1vgPcb0wco

Copy

Name

Permissions

tst

FINEGRAINED

Done

Create token





Models

Datasets

Spaces

Community

Docs

Pricing



Flor

florrodriguez

Profile

Account

Authentication

Organizations

Billing

Access Tokens

SSH and GPG Keys

Inference Providers

Webhooks

Papers

Access Tokens

User Access Tokens

[+ Create new token](#)

Access tokens authenticate your identity to the Hugging Face Hub and allow applications to perform actions based on token permissions. **Do not share your Access Tokens with anyone;** we regularly check for leaked Access Tokens and remove them immediately.

Name	Value	Last Refreshed Date	Last Used Date	Permissions
tst	hf_....OWcO	1 minute ago	-	FINEGRAINED



 BACK

Hugging Face

TASKS



Creates a text classification.



Create a Translation

Creates a translation of the text.



Create a Chat Completion (Prompt)

Generates a response given a list of messages in a conversational context.



Generate an Image

Generates an image based on a given text prompt.

OTHER



Make an API Call

Performs an arbitrary authorized API call.



Search modules

us2.make.com/1054892/scenarios/add

New scenario

Create a connection

My Hugging Face connection

API Token *

.....

Close Save

Hugging Face

Generating...

Cancel Save

Run once Every 15 minutes

AI BETA

Hugging Face

Connection *

My Hugging Face connection Add

For more information on how to create a connection to Hugging Face, see the [online Help](#).

Model *

black-forest-labs/FLUX.1-dev

You can find the model ID [here](#). E.g., `stabilityai/stable-diffusion-3-medium-diffusers`.

Prompt *

Crear una imagen de una taza de café

The text prompt for generating an image.

Show advanced settings Cancel Save

huggingface.co/models?inference=warm&pipeline_tag=text-to-image&sort=trending

Hugging Face

Search models, datasets, users...

Models Datasets Spaces Community Docs Pricing Log In Sign Up

Main Tasks 1 Libraries Languages Licenses Other

Tasks

Text Generation Any-to-Any

Image-Text-to-Text Image-to-Text

Image-to-Image Text-to-Image

Text-to-Video Text-to-Speech + 43

Parameters

< 1B 6B 12B 32B 128B > 500B

Libraries

PyTorch TensorFlow JAX

Transformers Diffusers Safetensors

ONNX GGUF Transformers.js

Models 38,084 Filter by name Full-text search Sort: Trending

black-forest-labs/FLUX.1-dev

Text-to-Image Updated 3 days ago 1.65M ⚡ 10.7k

black-forest-labs/FLUX.1-schnell

Text-to-Image Updated Aug 16, 2024 761k ⚡ 4.04k

s. stabilityai/stable-diffusion-3.5-large

Text-to-Image Updated Oct 22, 2024 99.6k ⚡ 2.94k

s. stabilityai/stable-diffusion-xl-base-1.0

Text-to-Image Updated Oct 30, 2023 2.7M ⚡ 6.69k


ByteDance/Hyper-SD

Text-to-Image Updated Dec 5, 2024 93.2k ⚡ 1.24k

HiDream-ai/HiDream-II-Full

Text-to-Image Updated 14 days ago 155k ⚡ 907

Integration Hugging Face



Run once

Every 15 minutes



Google Drive

Connection *

Refresh



My Google Restricted conn...



Add

💡 For more information on how to create a connection to Google Drive, see the [online Help](#).

Enter a Folder ID *

Select from the list

New Drive Location *

My Drive

New Folder Location *

Map



File

- Hugging Face - Generate an Image
- Map

Show advanced settings

Cancel

Save

drive.google.com/drive/u/0/home

output.jpg

Buscar en Drive

Nuevo

Página principal

Actividad

Espacios de trabajo

Mi unidad

Unidades compartidas

Compartido conmigo

Reciente

Destacados

Spam

Papelera

Almacenamiento

Te damos la bienvenida

1 seleccionado

Reserva

En Mi unidad

Archivos sugeridos

output.jpg

Template

Lo has abierto • 25 jun 2025

Compartir

A photograph of a white ceramic cup filled with coffee, resting on a matching saucer. The coffee has a intricate latte art design resembling a heart or leaf pattern. A plume of white steam rises from the top of the coffee. The cup and saucer are placed on a light-colored wooden surface. In the background, there's a dark, out-of-focus wall.

Integration Hugging Face



Hugging Face [1]
Generate an Image



Slack [7]
Upload a File



Slack [9]
Create a Message

Slack

```
{  
  "blocks": [  
    {  
      "type": "section",  
      "text": {  
        "type": "mrkdwn",  
        "text": "Te adjunto una foto de  
Tandil"  
      },  
      "accessory": {  
        "type": "image",  
        "slack_file": {  
          "url": "7. Permalink"  
        },  
        "alt_text": "Tandil"  
      }  
    }  
  ]  
}
```

💡 Use **Blocks** to build an interactive message. To create blocks, use **Block Kit Builder**.



Run once



Every 15 minutes



Show advanced settings

Cancel

Save

← → ⌂ ⌄ app.slack.com/block-kit-builder/T6S7M6EA0#%7B"blocks":%5B%5D%7D

slack Block Kit Builder ?

Copy Payload Clear Blocks Ironhack Send to Slack

+ text fields

+ users select

+ static select

+ multi static select

+ multi conversations select

+ button

+ link button

+ image

+ slack image

+ overflow

+ datepicker

+ checkboxes

+ radio buttons

+ timepicker

- Actions

+ all selects

Message Preview Desktop Light Templates

Your App APP 2:37 PM

We can't fully display this message.

Payload Actions Preview

```
1 {  
2   "blocks": []  
3 }
```



Block Kit Builder ⓘ

[Copy Payload](#)[Clear Blocks](#)

Ironhack ⚙️

[Send to Slack](#)

Aa Section

[+ plain text](#)[+ mrkdwn](#)[+ text fields](#)[+ users select](#)[+ static select](#)[+ multi static select](#)[+ multi conversations select](#)[+ button](#)[+ link button](#)[+ image](#)[+ slack image](#)[+ overflow](#)[+ datepicker](#)[+ checkboxes](#)[+ radio buttons](#)[Message Preview](#) ▾[Desktop](#) ▾[Light](#) ▾[Templates](#)**Your App** APP 2:37 PM

We can't fully display this message.


Payload

```
1 {  
2   "blocks": [  
3     {  
4       "type": "section",  
5       "text": {  
6         "type": "mrkdwn",  
7         "text": "Te adjunto una foto de Tandil"  
8       },  
9       "accessory": {  
10         "type": "image",  
11         "slack_file": {  
12           "url": "<insert slack file url here>"  
13         },  
14         "alt_text": "Tandil"  
15       }  
16     }  
17   ]  
18 }
```

Actions Preview

The screenshot shows a workflow setup. At the top, a header reads "Integration Hugging Face". Below it, three circular nodes are connected by arrows: 1) An orange circle labeled "Hugging Face" with a small icon, followed by a yellow arrow pointing to 2) A purple circle labeled "Slack" with a small icon, followed by a purple arrow pointing to 3) Another purple circle labeled "Slack" with a small icon. Each node has associated text below it: "Generate an Image" under the first Hugging Face node, "Upload a File" under the first Slack node, and "Create a Message" under the second Slack node. At the bottom, there's a toolbar with icons for play/pause, a toggle switch set to "Every 15 minutes", a timer indicating "1", and other buttons for AI, BETA, and file operations.

Opción: Freepik



The screenshot shows the Blueprint interface with two options displayed:

- Freepik**: Represented by a blue circle with a white 'F' and a small clock icon. It has a count of 1 and a link to "Create an Image from Text".
- Google Drive**: Represented by a yellow circle with a white triangle icon. It has a count of 3 and a link to "Upload a File".

Blueprint

freepik.com

FREEP!K

Search assets or start creating

Pricing

How to start with AI

Home

Projects

AI Suite

Stock

+

What would you like to create today?

How to start with AI

Find stock

Generate image

Generate video

Generate audio

Chat with AI

More tools

All in one place



Upscale an image

Increase resolution and details



Create on-brand style images

Generate content with a consistent look.



Edit an image with AI

Edit photos online, no software needed



Use a custom AI character

Create a character and explore its possibilities

...

More

← → ⌂ ⌂ freepik.com/developers/dashboard/usage

FREEPIK Developers

API settings

Usage

Billing

Rate Limits

Documentation

Contact us

Free trial In use 0.52% Upgrade for full access →

Cost Activity July

Cost (0.03 EUR)

0.026
0.0195
0.013
0.0065
0

01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30

¿Necesitas ayuda? ¡Chatea con nosotros!

01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30

Blueprint

Opción: Leap



HTTP 1

Make an API Key Auth request



Tools 5

Sleep



HTTP 2

Make an API Key Auth request




HTTP 6

Get a file



Google Drive 7

Upload a File



Left sidebar:

- Platform
- Workflows
- Integrations
- History
- More
 - Tools
 - Plans
- Documentation
- API Reference
- Support
- Settings

Top header:

app.tryleap.ai/org/org_8xAuP4cn86Zijh/admin/workflows

Header bar:

Leap Admin Florencia Rodriguez... Free

Main content area:

Your Workflows

Search workflows

New Workflow


Last edited 25 minutes ago. Draft

Context button (highlighted)

Get help

Ejemplo

Con esta
herramienta
primero
debemos
crear un
workflow.



← Exit

New Workflow

wkf_RqTbCdhsWreOT




Editor

Versions

Settings

Preview ▶

Publish ➔



Input

Configure and test the input data your workflow will expect

Configure Test

Inputs (1)

Add Input +

I Prompt



Continue →

How Inputs Work ↗

Get help



Admin



Platform

Workflows

Integrations

History

More

Tools



\$ Plans



Admin

1 Active member

 Manage Members

SEO Blog Writer

Use Blog Writer to generate SEO content.

 You don't have an active plan. Explore Plans

Tool/Workflows

Use credits to access tools and run custom workflows.



83 of 300 credits used

 You don't have an active plan. Explore Plans Get help

Otras plataformas



Products Solutions Resources Enterprise Pricing

Explore apps

Contact sales

Log in

Sign up


New Zapier Enterprise is here →

Automate without limits

Turn chaos into smooth operations by automating workflows yourself—no developers, no IT tickets, no delays. The only limit is your imagination.

Start free with email

Start free with Google



Comparativa

Aspecto	Make.com	Zapier
Complejidad de automatizaciones	Permite automatizaciones más complejas y escenarios visuales ramificados con condiciones, iteradores, routers y múltiples conexiones.	Más orientado a automatizaciones simples de tipo "si pasa A, entonces B".
Interfaz	Editor visual tipo flujo de trabajo (drag & drop) que facilita entender procesos complejos.	Basado en una estructura más lineal de pasos uno tras otro.
Flexibilidad	Muy flexible: puedes usar Webhooks, módulos HTTP , manejar APIs sin conectores nativos.	Dependes más de las integraciones existentes; es más limitado si no hay app oficial.
Usuarios objetivo	Técnicos y semi-técnicos que quieren construir escenarios detallados y personalizables .	Usuarios que prefieren simplicidad y rapidez para tareas repetitivas comunes.
Casos de uso recomendados	Integraciones de múltiples fuentes , procesamiento de datos, generación de informes dinámicos.	Automatizaciones rápidas de tipo email → CRM, formulario → email, etc.



Platform

Plans

Connectors

Solutions

Resources

Login

Take interactive tour

The AI-ready iPaaS

A composable AI integration platform

Thrive in a dynamic environment with constantly evolving AI technologies. Drive all AI, integration, and automation initiatives from a single, composable platform. Build intelligent agents and deliver microservices. Scalability and governance guaranteed.



Privacy Terms

n8n.io

CIC-SIBIPA Ebookelo | Todos lo... cortazar: biblioteca...

Todos los favoritos

n8n Product Use cases Docs Community Enterprise Pricing GitHub ★ 86,212 Sign in Get Started

Flexible AI workflow automation for technical teams

Build with the precision of code or the speed of drag-n-drop. Host with on-prem control or in-the-cloud convenience. n8n gives you more freedom to implement multi-step AI agents and integrate apps than any other tool.

Get started for free Talk to sales



make.power automate.com/environments/Default-460b31d2-c6cf-46b5-9ef7-3b60b736aae0/home

CIC-SIBIPA Ebookelo | Todos lo... cortazar: biblioteca...

Todos los favoritos

Power Automate

Environments
pladema.exa.unicen.edu...

Home

Create

Templates

Learn

My flows

Approvals

Solutions

Process mining

AI hub

Automation center

Desktop flow activity

Ask a chatbot
Moi

Hello, María

Create a flow to automate a repetitive business task end to end.

+ Create



Learning for every level [See all](#)

< >

 Analyze process mining reports in Power Automate Beginner 45 min	 Analyze your business process with Microsoft... Beginner 43 min	 Register for free 1-day automation workshop Beginner 8 hr	 Automate processes Robotic Process... Intermediate 2
---	--	--	---

● ○ ○ ○ ○

IFTTT

Explore Plans Log in

Get started



Automation for business and home

Save time and get more done

Start today

DocuSign

31

W



X



WYZE

Comparativa

<i>Plataforma</i>	<i>Características principales</i>	<i>Ideal para</i>
n8n	Open-source. Permite automatizaciones muy avanzadas (condiciones, loops, llamadas a API) y puedes hospedarse en tu propio servidor .	Empresas o técnicos que quieren control total y flexibilidad máxima.
Workato	Muy potente en integraciones corporativas . Enfocado en flujos de negocio complejos y automatización de procesos empresariales (ERP, CRM).	Grandes empresas y sectores IT.
Tray.io	Plataforma low-code para automatizaciones muy técnicas y conexión profunda entre sistemas. Ideal para API-heavy.	Equipos de desarrollo o integradores profesionales.
Microsoft Power Automate	Parte del ecosistema Microsoft. Ideal para flujos entre Office 365, SharePoint, Dynamics , etc.	Empresas que ya usan Microsoft a nivel corporativo.
IFTTT (If This Then That)	Muy sencillo. Centrado en automatizar apps y dispositivos de uso diario (hogar inteligente, notificaciones personales).	Usuarios individuales o pequeñas automatizaciones caseras.