



Desenvolvendo RESTful APIs com Ruby on Rails



Jackson Pires



Autenticação baseada em token

Token?

Header

```
Authorization: Token 6afc7f5db9eaaf7eab
```

MINHA CONTA



Extrato de transações

Extrato financeiro

Transferências



Minha conta



Preferências



› Frete

› Personalização

› Parcelamento

› Recebimentos

› E-mails

› **Integrações**

Assinaturas



Botões de Pagamento

Utilização de API's



Para utilizar qualquer serviço de integração via API, é necessário que você utilize um token de segurança para garantir a integridade dos dados trocados entre seu site e o PagSeguro.

Seu token já foi gerado. Por questão de segurança ele não é exibido.
[\[Enviar por e-mail\]](#)

Gerar token

Notificação de transação

Seu sistema será avisado sempre que uma transação mudar de estado.

Habilitado



Definir notificação de transações

Notificações de mudança de estado serão enviadas via POST para a URL definida abaixo. É possível ainda utilizar a

Authentication tokens

Tokens are codes you can type into certain products to allow the products to access your Backpack data. Be careful with your tokens — anyone who has your tokens can access your data.

Token for the Backpack API

2325f56b865728d53dfa3f0f87d27c59512188d8 [Regenerate](#)

Token for feed readers

b7e301dd0aaf931bc78fc369e5159efc [Regenerate](#)

[Hide your tokens](#)

Stateless?