



PUENTE

Week 4 demo and reflection scripts

Guía de lectura para grabar la entrega de Brightspace Business Bending.

Entrega requerida: una demo de 3:30. Los últimos 0:30 deben responder *what changed my mind this week?* La reflexión de dos minutos es opcional y aparece al final solo si otra actividad la solicita.

Live URL: <https://puente-reingreso-rodrigo.j6x567qt8g.chatgpt.site>

Regla de grabación: lee el texto de LEE, realiza la acción de EN PANTALLA y usa únicamente los datos inventados de Luis. Las etiquetas de la app están en español.

Before recording

Abre la URL en vivo en Chrome con una ventana de 360-430 px de ancho. Deja visible la dirección al inicio, conserva los valores inventados y desplázate lentamente. No actualices durante la grabación.

Revisión crítica: después de pulsar el botón de reescritura, el panel debe mostrar **LLM OUTPUT - GROQ - GPT-OSS-20B**. Si aparece el fallback determinista, no uses esa toma como evidencia del LLM real.



Script 1 - Live demo

Walkthrough: 3:00 + reflection: 0:30 = 3:30 total

0:00-0:25	The vacuum
LEE <i>Luis is 20, lives in Ecatepec, and sells candy after leaving school to help at home. A formal job can pay MXN 9,500 monthly, but transport and transition costs start before the first paycheck. PUENTE checks whether he can cross that gap safely.</i>	EN PANTALLA Abre la URL en vivo. Muestra la dirección y la pantalla inicial durante dos segundos. Señala TU DINERO PRIMERO. No cambies los datos inventados.
0:25-1:00	Protect the base
LEE <i>PUENTE starts with cash, not a personality score. Luis records sales, restocking, transport, other costs, and hours for seven days. The app calculates net income, protects the 14-day household floor, and reserves his lowest net day.</i>	EN PANTALLA Pulsa CALCULAR MI BASE y confirma 14 DIAS. Muestra 7/7 días válidos, MXN 1,795 netos, 36 horas, MXN 205 de reserva y MXN 2,605 protegidos. No edites los datos.
1:00-1:50	Compare without ranking
LEE <i>Both simulated routes have equal weight; neither is called best. Each card shows evidence, schedule, first payment, transition costs, opportunity cost, and bridge margin. The formal route is verified for this test; the education route stays provisional because support is unconfirmed.</i>	EN PANTALLA Ve a RUTAS. Abre VER DESGLOSE DE COSTOS y señala evidencia, costos y margen. Pulsa EXPLORAR ESTA RUTA y después cambia a la otra. No llames mejor a ninguna.



1:50-2:20	One next action and a protected fallback
LEE <i>After a choice, PUENTE gives one sequence: confirm the schedule, confirm the option is free, preserve selling hours, and review on day 14. If terms change, the fallback restores seven days of candy sales.</i>	EN PANTALLA Ve a SIGUIENTE PASO. Pulsa RECHAZAR AMBAS RUTAS. Muestra PLAN B - EN MENOS DE 24 H y Volver a venta de dulces por 7 días.

Script 1 - Live demo (continued)

2:20-3:00	Explainability and the real LLM boundary
LEE <i>The arithmetic and decision are deterministic. REESCRIBIR CON LLM sends only structured numbers and route states to a real server-side Groq model for a plain-Spanish rewrite. It cannot verify, score, recommend, send, or change a status. The key stays server-side.</i>	EN PANTALLA Ve al panel de IA y pulsa REESCRIBIR CON LLM. Espera LLM OUTPUT - GROQ - GPT-0SS-20B. Señala la explicación, el aviso de límites y Borrar datos. Si aparece el fallback, repite la toma después.
3:00-3:30	What changed my mind this week
LEE <i>What changed my mind this week was testing as Luis. A verified-looking route could still leave the household short before payday, so I changed the rule, added the emergency reserve, removed automatic selection, and kept the fallback visible. I also learned the LLM must explain, not decide. The final build passes 16 tests.</i>	EN PANTALLA Muestra el antes y después de la prueba de persona. Señala NO DISPONIBLE y el fallback protegido. Termina mostrando la URL en vivo.

Recording checklist

Usa una ventana de 360-430 px; mueve el cursor lentamente; usa solo datos inventados; muestra la URL al inicio y al final; nunca expongas variables de entorno ni claves; exporta como DEMO_Rodrigo_Pena_de_Leon.mp4.



Script 2 - Optional two-minute Future Bending reflection

Para Business Bending, usa la reflexión de 30 segundos dentro de Script 1. Usa esta versión solo si otra actividad de Future Bending pide una reflexión individual.

0:00-0:20	Context
LEE <i>I am Rodrigo Pena de Leon, Team 6, working from the User role. I focused on unstable informal work: a 20-year-old in Ecatepec who sells candy and cannot move safely into formal work if the first paycheck arrives after the household's cash runs out.</i>	EN PANTALLA Opcional: muestra la pantalla inicial de PUEENTE.
0:20-0:55	What changed in my thinking
LEE <i>I first considered a proof-of-skill product, but the Blueprint clarified the immediate constraint: the scarce resource is the ability to cross a transition without losing today's income. That led to Puente, a re-entry navigator that starts with cash, not an employability score.</i>	EN PANTALLA Muestra el Blueprint o la promesa del producto solo si la consigna pide evidencia.
0:55-1:25	The failure and fix
LEE <i>Testing showed that a verified-looking route could still leave the household short before payday. That was a safety failure. I changed the rule, added the lowest-day reserve, removed automatic route selection, and preserved a seven-day fallback through candy sales.</i>	EN PANTALLA Muestra la evidencia de persona antes/después si está permitido.



1:25-1:50	The LLM boundary
LEE <i>The calculations, validation, evidence states, and route decision remain deterministic. The required LLM interaction is a constrained server-side Groq call that rewrites structured observations in plain Spanish. It cannot score, verify, recommend approval, or change the result.</i>	EN PANTALLA Muestra la etiqueta del resultado LLM; nunca la clave API.
1:50-2:00	Next responsible step
LEE <i>The next step is to test the language and cash assumptions with real participants using consent, then validate route evidence with an institution. If Puente stores personal information, authentication, retention controls, and Row Level Security come before expansion.</i>	EN PANTALLA Termina con la URL en vivo o una pantalla de cierre.