



PUEENTE - Business Bending Week 4 Product Packet

Owner: Rodrigo Pena de Leon **Team:** 6 **Declared slice:** Puente's 7/14-day cash-protection logic, route cards, evidence states, and protected fallback for one exact re-entry user. **Blueprint condition owned:** Condition 4 - every route protects immediate stability by accounting for income timing, transport, equipment, schedule, first-payment dates, and an emergency reserve.

Working prototype: <https://puente-reingreso-rodrigo.j6x567qt8g.chatgpt.site> **Build evidence:** eight deterministic engine tests pass; three Sites versions were published; the critical persona-test safety contradiction was corrected and retested.

1. Problem in my words

A person who earns money informally cannot judge a formal job only by its monthly salary. Moving into formal work can temporarily remove today's cash while adding transport, meals, documents, equipment, unpaid onboarding, and a wait until the first paycheck. Existing career tools usually recommend occupations or courses but do not answer the urgent question: **Can I take this route without leaving my household short of cash before it pays?**

Puente is a Spanish, mobile-first decision-and-safety layer. It converts seven days of informal-work cash flow and documented opportunity terms into an explainable route status, one next action, and a fallback. It does not predict potential, rank people, decide who deserves a job, or guarantee employment.

2. Exact user

The working persona is **Luis (invented for testing)**, age 20, from Ecatepec de Morelos, State of Mexico. He left high school before graduating to help his household and sells packaged candy on foot between his neighborhood and a nearby Mexibus station. He needs immediate income, uses a low-cost Android phone, and recently attempted to obtain an entry-level formal job after reading the employee guide and attending an interview.

The first hypothesis is that a fixed or rotating schedule and the two-week wait for the first paycheck may conflict with the candy-selling windows that currently fund his household. An incomplete high-school credential is recorded only as a route requirement when an employer or provider documents it; it is not treated as evidence of low ability or an "unstable" personality.

3. Success definition


Before the Week 4 module closes, a user can enter a validated seven-day candy-sales record, compare one formal-employment route and one advancement route, and receive an explainable verified, provisional, or unavailable status without any recommended route reducing projected cash below the protected 14-day floor plus one conservative selling-day reserve.

The working safety values for the synthetic scenario are:

- Weekly net-cash floor: MXN 1,200.
- Fourteen-day floor before a biweekly paycheck: MXN 2,400.
- Emergency reserve: the lowest net selling day in the seven-day record.
- Verification budget: conservative projected 14-day net cash minus the floor and reserve; if zero or negative, only no-cost verification is allowed.
- Transition costs: transport, phone/data, lost candy income, documents/photos, uniform or shoes, meals, onboarding, bank fees, and unpaid training.

4. Image-generated mockup

The final direction below was generated before the implementation. It combines Option B's transparent survival ledger with Option A's living-route navigation. The visual identity uses only matte black, neutral grays, warm ivory, and acid yellow; it gives verified and provisional routes equal visual weight while making cash protection and the next action immediately legible.



Final Puente hybrid design: gray and acid yellow

Brand decision: PUENTE is the user-facing module name and by TRAJECTORY is the quiet system endorsement. The original two-span mark reads as both a bridge and a continuing route. The interface implements the geometry in CSS and keeps calculations in testable controls rather than treating the generated board as a pixel-perfect contract.

5. Feature flow

flowchart TD

```

A[Start with invented or user-entered scenario] --> B[Record at least 5 selling days within 7 days]
B --> C[Calculate daily net cash and conservative selling-day reserve]
C --> D[Enter documented route terms and transition costs]
D --> E[Evidence current and required fields complete?]
E -- No --> F[Mark route PROVISIONAL]
E -- Yes --> G[Projected cash stays above 14-day floor plus reserve?]
G -- No --> H[Mark route UNAVAILABLE and show reason]
G -- Yes --> I[Mark route VERIFIED]
F --> J[Show one no-cost verification action]
H --> K[Activate protected candy-income fallback]
I --> L[Show one confirmed next action and handoff]
J --> M[User accepts, rejects, or changes route]
K --> M
L --> M

```



6. Actor swimlane

```
flowchart LR
    subgraph U[User]
        U1[Enters 7-day cash log]
        U2[Confirms priorities and costs]
        U3[Previews next action]
        U4[Accepts, rejects, exports, or erases]
    end

    subgraph A[Simulated AI assistance]
        A1[Produces plain-Spanish summary]
        A2[Drafts a verification question]
    end

    subgraph S[Deterministic Puente engine]
        S1[Validates inputs]
        S2[Calculates floor, reserve, and gap]
        S3[Assigns evidence and safety status]
        S4[Shows equal-weight route cards]
    end

    subgraph H[Advisor or institution]
        H1[Confirms schedule, pay date, requirements, and no fee]
        H2[Receives only the user-approved handoff]
    end

    U1 --> S1 --> S2
    U2 --> A1 --> U2
    H1 --> S3
    S2 --> S3 --> S4 --> U3
    U3 --> A2 --> U3
    U3 --> H2
    U3 --> U4
```

7. Benchmark line

Best existing reference: Singapore's MySkillsFuture Careers & Skills Passport organizes verified qualifications, skills, and employment information into visible pathways and recommendations. **Puente's localization:** it begins with irregular informal cash flow and Mexican re-entry constraints, uses user-entered evidence and manual institutional confirmation, protects the two-week income bridge, works in Spanish on a phone, and refuses to turn missing credentials into a destiny score.

8. Long view - three years

In three years, Puente could become a small, accountable network connecting state employment offices, trusted employers, education providers, and community organizations through maintained route data and confirmed handoffs. A person would carry a user-controlled re-entry record containing current constraints, evidence, route decisions, and completed steps without being assigned a permanent employability label. Expansion would occur state by state only when route accuracy, equal completion, staff-time reduction, safe cash outcomes, and value above full operating cost are demonstrated.

9. Scope cut - what this slice will not build

- No job marketplace, vacancy scraping, national opportunity database, or employer ranking.
- No real application submission, hiring decision, admission decision, payroll integration, or IMSS lookup.
- No destiny, employability, personality, poverty, or "best route" score.
- No real personal data, exact home address, CURP, NSS, ID scans, bank information, biometrics, or private employer messages.
- No database or authentication in this slice because the prototype does not persist personal information; reload clears the session.
- No production LLM call. The AI summary and draft are deterministic simulations labeled **SIMULATED AI OUTPUT** on screen.
- No claim that the formal job, credential, or institutional handoff is available until its required evidence is confirmed.

10. Product requirements

P0 - must ship

- **Seven-day cash log:** accept 5-7 daily records with gross sales, restocking, transport, other costs, hours, and computed net cash.
- **Fourteen-day bridge:** project two weeks of conservative net cash and display the MXN 2,400 floor plus the lowest-day reserve.
- **Transition-cost calculator:** include every cost category named in Blueprint Condition 4 and lost candy income.
- **Evidence states:** every route visibly displays source, evidence date, and VERIFIED, PROVISIONAL, or UNAVAILABLE.
- **Route cards:** show up to two equal-weight routes with requirements, schedule, first-payment date, costs, cash after transition, missing evidence, one next action, and responsible institution.
- **Protected fallback:** if a route fails the cash floor or required evidence, preserve/restart the candy route for seven days and show one free parallel search action.
- **Open-future controls:** allow the user to change priorities, reject every route, reset the session, and see why a route was excluded.
- **Simulated AI labels:** display the label beside every generated summary or message draft; unconfirmed AI text cannot change route status.
- **Input safety:** validate types, ranges, maximum lengths, dates, and required fields; render no raw HTML from input.
- **Responsive accessibility:** work at 360 px width, preserve readable contrast, use visible focus states, and support keyboard navigation.

P1 - useful if time remains

- Export a user-approved summary as a local JSON or printable page without server storage.
- Toggle between seven-day baseline and fourteen-day projection explanations.
- Show an advisor-time budget indicator using the 30-minute pilot assumption.

P2 - future consideration

- Real advisor workflow and institutional verification.
- Maintained partner-route database with evidence expiry and audit history.
- Optional authentication and Row Level Security when personal data persistence is introduced.
- Real LLM-assisted intake with confirmation before structured fields change.

11. Acceptance criteria

- Given at least five valid selling days, when the user calculates the baseline, then daily net cash, weekly net cash, the lowest-day reserve, and projected 14-day cash appear.
- Given fewer than five valid days, when the user requests a result, then the product explains what is missing and does not assign a verified route.
- Given a route with current required evidence and projected cash at or above MXN 2,400 plus reserve, when calculated, then its status can be VERIFIED and the math is shown.
- Given missing or expired employer terms, when calculated, then the route is PROVISIONAL and one no-cost verification action is shown.
- Given projected cash below the protected amount, when calculated, then the route is UNAVAILABLE, the gap is shown, and the candy-income fallback activates.
- Given two routes, when displayed, then neither is called "best" and both receive equal visual weight.
- Given an AI-style summary or draft, when displayed, then it is labeled SIMULATED AI OUTPUT and cannot alter the deterministic result.
- Given any text field longer than its limit or any negative/non-numeric money value, when submitted, then an inline validation message appears and no calculation runs.
- Given the user chooses reset, when confirmed, then all in-session entries disappear.



12. Architecture and free stack

Layer	Choice	Why it is enough for this slice	Security implication
Interface	Vinext + React + TypeScript + semantic HTML + CSS	Fast, mobile-first, and deployable through OpenAI Sites	Inputs remain in local component state only
Structured data	Local typed JSON fixtures for routes and evidence	Demonstrates maintained data fields without pretending live integrations	Invented records only; explicit evidence dates
Decision core	Pure TypeScript functions	Deterministic, testable cash and status logic	AI cannot override safety or evidence rules
AI floor	Labeled simulated summary and verification draft	Satisfies the allowed simulated-assessment path	No API key or prompt data leaves the browser
Testing	Vitest + Playwright or DOM smoke tests	Covers calculations and core interaction	Includes invalid input and reset tests
Hosting	OpenAI Sites / Cloudflare-compatible ESM	Public prototype URL and simple redeloys	No secrets, database, or server logs containing user inputs
Persistence	None in V1	Avoids storing personal data before auth/RLS exist	Refresh clears session; local export is user-triggered

13. Security floor check

- **Secrets:** none in code or repository; no external API call in V1.
- **Personal data:** invented persona and fixtures only; the UI warns users not to enter CURP, NSS, bank, ID, exact address, or real employer messages.
- **Authentication/RLS:** not applicable because no data is persisted or transmitted. They become P0 before any personal-data storage exists.
- **Validation:** all fields have type, range, date, and length validation; outputs use text rendering rather than raw HTML.
- **External messages:** the user previews and copies a draft; Puente never sends it.

14. Test plan - two documented passes

Mechanical pass

- Run unit tests for daily net cash, lowest-day reserve, 14-day projection, transition costs, verification budget, and all three route statuses.
- Run the synthetic safe scenario: current evidence, cash remains above floor plus reserve -> VERIFIED.
- Run the stale-evidence scenario -> PROVISIONAL plus no-cost verification action.
- Run the cash-breach scenario -> UNAVAILABLE plus protected fallback.
- Run invalid inputs: fewer than five days, negative values, impossible dates, excessive text.
- Test keyboard navigation and 360 px responsive layout.
- Document at least one bug, fix it, commit, and redeploy.



Persona pass

Open a fresh chat with the invented persona: "You are Luis, 20, from Ecatepec. You left high school to help at home, sell packaged candy near a Mexibus route, use a low-cost Android phone, read slowly, and distrust anything that looks like a debt or government scoring system. Attempt to decide whether you can accept a formal job without losing the cash your household needs. Narrate where you hesitate, what you do not understand, and where you would quit."

Walk the persona through screenshots in order. Log every confusion in docs/PERSONA_LOG.md, fix the worst confusion, and record before/after evidence.

15. Measurement and stop conditions

For this prototype, success is task completion and correct safety behavior, not employment placement. Record whether the synthetic user can identify the protected amount, understand each status, explain why a route failed, and identify the next action without assistance.

Stop or revise if the engine produces a preventable cash-floor breach, hides a missing requirement, labels an unconfirmed route verified, visually privileges one route, loses alternatives after changing priorities, or allows simulated AI output to change the decision core. At pilot scale, also stop for critical data errors, unequal completion, no handoff improvement, no staff-time reduction, or measured value below ten times full operating cost, as required by the Team 6 Blueprint.

16. Implementation prompt for the coding agent

Build a small mobile-first Vite + TypeScript web app named Puente from this packet. Implement the cash-protection engine as pure functions first, then the seven-day log, two equal-weight route cards, evidence statuses, simulated-AI summary, and protected fallback. Use only invented fixtures and no persistence or network calls. Each result must expose its math and missing evidence. Add automated tests for the three route states and invalid inputs, then document one bug-fix-redeploy cycle. Do not add a marketplace, scoring, authentication, a database, real LLM API, or personal-data fields.

17. Commit and deployment plan

- docs: add Week 4 packet and generated mockup
- feat: implement typed cash-protection engine and fixtures
- feat: add mobile cash log and protected amount summary
- feat: add route cards, evidence states, and fallback
- test: cover safety states and input validation
- fix: resolve worst mechanical or persona-test issue
- docs: add persona log, decisions, and submission links

Deploy 1 follows the first working route-card flow. Deploy 2 follows the documented bug fix and persona improvement.

18. Open questions

- **Non-blocking - data/partner:** which State of Mexico employment office and small partner set would maintain live route terms in a real pilot?
- **Non-blocking - operations:** can employer schedule and first-payment evidence be confirmed within the 30-minute advisor cap?
- **Blocking before real pilot - legal/security:** what consent, retention, accessibility, and public-sector procurement requirements apply once real participant data or institutional handoffs are introduced?