UMBRAL

Business Bending Packet / First-Proof / OPERATOR

Functional fictional demonstration with real Gemini drafting. Packet core preceded code; design/architecture additions are dated after implementation. Original human recordings and final team agreement remain outstanding.

Rodrigo Peña León - OPERATOR - 7 October 2026

1. Decision and evidence status

The supplied Team 2 Blueprint selects FIRST-PROOF as its primary vacuum. This individual build implements the OPERATOR declaration: intake-to-review workflow with scope, reviewer, deadlines and consent. The source remains a draft synthesis of four role briefs, with proposed bets and a pending TECHNOLOGIST declaration. Starting this build is Rodrigo's instruction; it does not establish a completed five-person vote, live Team session, employer commitment or real pilot result.

The personal Brain brief remains Rodrigo's final individual brief and preserves his preference for paid Micro-experience. This build follows the supplied Blueprint's First-Proof direction while retaining that dissent: a verified simulation may fail to create income, and employer task supply/reviewer capacity may make the model uneconomic.

This Packet was saved before product-source code. Any later scope change must be dated here.

2. Exact user and failed moment

Primary user: a coordinator at a Mexican university career office or small-business network. Failed moment: a candidate with informal bookkeeping experience cannot show a credible, bounded sample, while the employer has no named reviewer, rubric, agreed review deadline or permission to use/share the evidence. These are hypotheses derived from the Blueprint, not interview findings from this build.

Secondary actors: the candidate who owns the evidence, and the named human reviewer who observes the explanation or live changed-condition exercise and records feedback. The coordinator owns delivery, not an employability verdict.

3. Product and selected slice

Umbral is a controlled workflow for one fictional bookkeeping work sample. It demonstrates ability in the bounded task; it is not a universal certificate. The first viewport is an operator work queue with session states, review deadlines and a create-invitation action.

Included: invitation with bounded scope and fictional/public data; named reviewer and deadlines; candidate assistance disclosure; observed changed condition; criterion-by-criterion human review; candidate-first result; correction request and reviewer response; private approval; individual recipient authorization and revocation; local export; audit trail; review-time measurement; pilot decision thresholds.

Excluded: CV builder, job board, ranking, automatic rejection, universal score, real production work, candidate fees, credential verification, identity guarantee and claims of hiring. The demo has a role switch for exploring fictional records, not real multi-user authentication. Do not enter personal/client data. Local persistence is explicitly limited to this demonstration on this device. Production needs authenticated actor isolation, retention/deletion policy, a real consent service and institutional review before real participants.

4. One coherent workflow

1. Operator chooses the verified fictional template, names the reviewer, sets due dates and confirms task scope/review conditions.
2. Candidate sees the task, rubric, data and assistance policy before accepting. An accessible written explanation alternative is available.
3. Candidate submits an explanation and discloses AI assistance. The reviewer observes a live revision/explanation of the changed condition.
4. Reviewer records evidence per criterion, observation method, feedback and review time. No automatic rating/ranking. Incomplete observation blocks a shareable proof.
5. Result returns privately to the candidate. They can request correction, keep it private, remove their local attempt or approve the accurate record.
6. Candidate authorizes a named recipient for a stated purpose, then exports a recipient-specific proof. Authorization can be revoked locally; already downloaded copies cannot be recalled. Never imply otherwise.

State rules: invited > submitted > reviewed_private > correction_requested > reviewed_private > approved_private > authorized. A private incomplete attempt may be revised or deleted; it is not exported as a permanent failure label. A reviewer must resolve a correction before candidate approval/sharing. An edit to a reviewed record invalidates prior approval and sharing. A proof always carries fictional-demo labeling.

5. Dragon Stack

LLM: a server-side Gemini 3.5 Flash-Lite drafting assistant for routine wording of scope and accommodation, grounded in the selected template and its four human-review criteria. It must not evaluate a candidate, rank, reject, verify identity or infer employability. The provider key is stored as a masked server secret. Actual live drafting was verified on 7 October 2026. If the provider is unavailable, show that status and let the verified template workflow continue; never label the deterministic fallback as LLM output. The operator must review generated wording before creating an invitation.

Structured/verified data: versioned template JSON, explicit criterion definitions, synthetic ledger rows, a manually checked reference calculation, provenance, allowed state transitions and consent/event records. These data establish the fictional exercise arithmetic, not actual skill or demand.

Additional component: deterministic workflow/consent guardrails, deadline/review timer and portable recipient-specific evidence export. The browser performs these functions independently of a model.

Implementation: semantic HTML/CSS and browser ES modules; a minimal Cloudflare-compatible Worker for the drafting endpoint; no external browser trackers. Model requests contain only a selected fictional task and closed-list drafting context, never candidate answers or names. Demo records remain on the device.

6. Template and human verification

Fictional task: reconcile a small shop's cash drawer. Opening cash MXN 500 + cash sales 1,890 - cash refund 120 - cash expenses 250 - bank deposit 1,000 = closing cash MXN 1,020. Changed condition: the refund was paid by card, not cash; corrected closing cash = MXN 1,140. Reference amounts support reviewer preparation; they never issue a candidate score.

Criteria: trace each cash movement; identify missing/contradictory evidence; explain the changed-condition adjustment; state assumptions and AI assistance. Reviewer records observed/support-needed/not-observed for each criterion, a factual note and an explanation of limits. No weighted total. The proof names reviewer, task version, observation method, revision, assistance and date.

Benchmark: Riipen's institution/employer project scoping, matching and feedback workflow is the closest operating reference; Forage shows bounded simulations, sample tasks and model answers. Umbral's localization bet is Spanish-first, informal-experience recognition, short named-human review and candidate-controlled sharing. This does not establish employer preference over an existing work-sample test. Official references checked for the implementation: https://www.riipen.com/educators and https://www.theforage.com/.

7. Shadow clause and acceptance checks

No unpaid production work. The fictional assessment cannot be repurposed as a client deliverable. Any later real-work branch requires agreed pay, scope, supervision, acceptance rules and applicable labor protections. No permanent failure label or public unsuccessful attempt. Candidate sees results first and controls every recipient. Accessibility accommodations must preserve the capability observed rather than reward polished presentation.

Acceptance: cannot invite without reviewer/deadlines/scope confirmation; cannot submit without assistance disclosure; cannot finish review without each criterion and observed revision/explanation; cannot approve unresolved correction; cannot export proof without candidate approval and named-recipient authorization; revocation disables future recipient export; substantive review edits invalidate prior sharing; deletion removes the local record; recover gracefully if browser storage or AI is unavailable; keyboard/mobile usable.

8. Mechanical and persona checks

Test the high-consequence state/consent guards and the known arithmetic. Exercise the actual browser flow at desktop/mobile, including one correction and one revocation. Record any observed defect, correction and subsequent deployment honestly; do not manufacture a defect or deployment history. Use a clearly labeled synthetic persona for comprehension and privacy checks, with captures from the actual app, and separate those results from real user validation.

Proposed pilot: 3 businesses, 12 candidates, not achieved. Stop/redesign if fewer than 2/3 employers would pay to repeat, median review exceeds 10 minutes, or comparison against final-artifact-only evidence

reveals no useful additional hiring information. Demo fixtures do not count toward those targets. Money owns real willingness-to-pay research; this operator slice only makes delivery observable.

9. Three-year vision and next evidence

If a bounded sample changes actual employer decisions and reviewer costs stay manageable, Umbral could become a small institutional evidence service with reusable task families and interoperable candidate-owned proof. It would need authenticated privacy, reviewer calibration, retention controls, accessible observation, payment/repeat-purchase evidence and local partner capacity. Do not build a marketplace before that evidence.

Next evidence: compare proof versus final artifact with actual employers; observe informal-experience candidates completing the task; measure reviewer minutes; test willingness to fund repeat assessments; review candidate comprehension of recipient-specific consent. Public GitHub delivery and live Gemini drafting are now verified. Team confirmation and original human recordings remain separate delivery items. The original visible build exchange is recovered locally during the audit.

10. Implementation update - 7 October 2026

The bounded operator workflow is implemented and two private publications succeeded. Existing regression checks passed 14/14 after a real malformed-restored-review defect was corrected. An actual fictional browser walkthrough exercised candidate-first review, separate permission, revocation and correction followed by new private confirmation. Manual demo timer inputs are not measured pilot results.

The first export path could not confirm a downloaded file in the integrated browser. It now exposes visible JSON with text selection and manual saving instructions, plus a printable proof in the current app. Native browser download and OS Save as PDF remain unverified. Actual captures and the synthetic-persona report document the limits.

The initial Gemini check reported a missing provider secret; that historical observation remains in the synthetic-persona report. Gemini was subsequently configured and two real drafts were observed as described below. Public access was enabled with Rodrigo's explicit authorization on 7 October and the actual application opened without a sign-in gate. Code and the original build history were uploaded to the public GitHub repository. Production authentication, actual videos, original build-chat export and real pilot validation are not claimed complete. Version 2 was published successfully from commit 77c26576b0d615550f7b78622e46389f13dda773 after the export refinement. Published URL: https://umbral-week9-rodrigo.j6x567qt8g.chatgpt.site.

Public handoff - 7 October 2026

Rodrigo explicitly authorized public access and GitHub delivery. Sites access revision 2 confirms public mode. The published application was observed opening with the fictional operator workspace instead of the previous sign-in gate. The public GitHub repository was created at https://github.com/rodrigobuilds3-creator/umbral-week9. After Rodrigo completed GitHub's email verification, the original nine build commits were pushed intact to main. The public-delivery documentation extends that history. The original local history and source bundle remain preserved.

Live Gemini update - 7 October 2026

Rodrigo authorized the dedicated Umbral Week 9 Google project and Gemini key. AI Studio showed Free tier; billing was not enabled. Sites environment revision 1 stores the key as a masked secret. The code uses Gemini 3.5 Flash-Lite for closed-template drafting, never candidate assessment.

Two actual published-app requests returned Gemini text. Codex's simulated operator review found that the first draft wrongly told the candidate to withhold the final number. The prompt was clarified so the candidate calculates and explains both cases while the assistant withholds the answers. A second live response correctly requested both balances, the four review criteria, and a written explanation followed by reviewer questions. Neither request sent a candidate name or answer; no invitation or human assessment was created from this check.

Five native publications have succeeded across four saved versions, including the secret activation and corrected-prompt publication. Version 4 uses source 5e3eae75098a547d7fae92b92d93059c7d137566. Full responses, the visible Gemini success message and exact deployment results are preserved in the evidence and logs. Automated regression results remain historical; no new suite run is claimed for the Gemini change.

15. Assignment audit addendum - 11 October 2026

Chronology: the core Packet was committed before code as c3a13ed on 7 October (Mexico City). The image-generated mockup, Mermaid diagrams, architecture table, explicit success statement and detailed commit plan were missing then. They are completed during the 8-11 October review and are NOT claimed to have existed before implementation. The assignment's full pre-code Packet requirement therefore retains a chronology limitation.

Success definition: before this module closes, one fictional cash task must work from an operator invitation with named reviewer/deadlines, through explanation and a simulated human review, to candidate-first correction/confirmation and separately authorized recipient-specific JSON/print preview. A malformed restored review must recover; private/unapproved/corrected/revoked/expired records must not generate an authorized proof. The published scope assistant must return a real Gemini draft and keep all candidate information outside model requests. This is a functional demonstration success criterion; it does not establish hiring, payment or observed human capability.

Exact benchmark line: The best existing operating reference on Earth for this institutional project-scoping/review workflow is Riipen. Our localization bet is Spanish-first recognition of informal experience, one short named-human task review, a written explanation alternative and recipient-specific candidate control in a Mexican university/small-business setting. Forage is the comparison for bounded simulations; neither benchmark proves that Umbral is preferred locally. The proposed local comparison can kill our product if an existing cash work-sample achieves the same information with less coordination cost.

Architecture and stack table

Component	Implementation	Input/output and limit
Browser UI	Semantic HTML/CSS and ES modules	Fictional alias, explanation and criterion notes; device-local persistence only
Structured data	Versioned TASK JSON and explicit transitions	Checked fictional ledger: 1,020 / 1,140; no universal skill score
Additional Dragon component	Consent workflow, review timer, recipient export	Approval and individual permission gates; local revocation; downloaded copies cannot be recalled
Server drafting	Cloudflare-compatible Worker on Sites	Closed task ID plus written accommodation; unexpected fields rejected
Real LLM	Gemini 3.5 Flash-Lite	Scope wording only; never sees candidate identity/answers or makes a verdict
Secret/config	Masked Sites server environment	No credential in source/client/archive; free tier observed, billing not activated
Hosting/source	Public Sites + public GitHub	Same authorized audience; reproducible source and meaningful deployment history

Authentication/RLS condition: this demonstration prohibits real personal data and has no shared user database or Supabase tables. Its role selector is navigation, not identity control. No RLS protection is claimed. A real-person pilot requires authentication, actor isolation, retention controls and funded human review before collecting personal information.

Mermaid flowchart (added after the build)

```
flowchart TD
  A[Operator: fictional task, reviewer and dates] --> B[Candidate: explanation and assistance disclosure]
  B --> C[Human reviewer: criteria and changed-condition observation]
  C --> D[Private result to candidate]
  D --> E{Correction needed?}
  E -- Yes --> F[Correction request: revoke old permissions]
  F --> C
  E -- No --> G[Candidate confirms accuracy: still private]
  G --> H{Optional recipient permission?}
  H -- No --> I[Finish with private result]
  H -- Yes --> J[Recipient, purpose, expiry and consent]
  J --> K[Local recipient-specific JSON / print preview]
  J --> L[Revoke: block new exports]
```

Mermaid swimlane (actor responsibilities)

```
flowchart LR
  subgraph Operator
    O1[Choose fictional task] --> O2[Assign reviewer and dates]
  end
  subgraph Candidate
    C1[Read task and disclose assistance] --> C2[Explain original and changed condition]
    C3[Read private review] --> C4{Correct or confirm?}
    C4 -- Confirm --> C5[Keep private or authorize one recipient]
  end
  subgraph Human_reviewer
    R1[Observe explanation] --> R2[Record criteria, limits and review time]
  end
  subgraph Device_local_workflow
    W1[Validate invitation] --> W2[Gate review completeness]
    W3[Invalidate consent on correction/edit] --> W2
    W4[Check approval, recipient and expiry] --> W5[Local export; never automatic sending]
  end
  O2 --> W1 --> C1
  C2 --> R1
  R2 --> W2 --> C3
  C4 -- Correct --> W3 --> R1
  C5 --> W4
```

The image-generated design concept is stored in assets/umbral-imagegen-mockup-2026-10-08.png and labeled as a later mockup. It is not a production screenshot or evidence of real candidates.


Recheck and remaining limits

The current source passed 14/14 automated domain/API tests during this audit, including mock-provider checks; historical real Gemini requests remain distinct evidence. A fresh Google AI Studio chat on 11 October reviewed six actual screenshots in order, identified confusion about accuracy confirmation versus sharing, and prompted an explicit optional/no-automatic-sending clarification. The full fresh response and a visual retest are retained with the Persona report.

The 3:30 DEMO uses actual app captures with disclosed synthetic narration. The independent two-minute camera reflection and Team FUSION are still original-human evidence requirements. The Brain raw process must be the actual personal research argument; a build conversation or simulated dialogue cannot replace it. DECISIONS.md is first created during this audit; its earlier history is explicitly reconstructed from commits rather than invented session notes.

11. Actual interface and workflow

Capture from the real local build. The 446-pixel viewport is the integrated browser default. Fictional states shown here are produced by the walkthrough; they are not pilot results.



A usable first rung needs an operating process

Named reviewer and deadlines precede the sample. The three fixture cases are labeled fictional. The ten-minute card is a proposed pilot threshold.

Privacy gates

Invitation > explanation > human review > private candidate result > accuracy confirmation > recipient permission.

Correction or substantive new review invalidates earlier approval and permission. An incomplete observation stays private and may be retried.

Scope of proof

One fictional task with version, reviewer, observed revision, assistance disclosure and a named recipient. No universal score or promise of employment.

12. Implementation specification

This is the implementation specification recorded for the current Codex build. It is not a raw export of the user conversation.

Build Umbral, the OPERATOR contribution to the supplied Team 2 First-Proof Blueprint. Preserve the Blueprint's draft status and Rodrigo's final individual brief. Store the Packet before product code. Use one bounded fictional cash-reconciliation task, not a CV builder or job board.

Implement operator intake with assigned reviewer and deadlines; task/rubric disclosure; assistance disclosure; human observation of a changed condition; evidence per criterion; candidate-first private result; correction; separate accuracy confirmation and named-recipient consent; revocation; private retry; portable proof export. Never rank, automatically reject, score universal employability or turn unsuccessful attempts into public failure labels. Do not create unpaid client deliverables.

Use semantic HTML/CSS, browser ES modules, versioned synthetic JSON and deterministic transitions. Keep device-local demo records plainly labeled. The role switch is exploratory navigation. Never imply production authentication.

Use a Worker endpoint for optional Gemini scope wording. Send only a closed fictional task ID and accommodation choice; reject candidate data and unexpected keys. Keep the provider secret on the server. Explicitly show unavailable AI when no secret is configured. Never present template text as a live LLM response.

Save actual commits, failure/correction observations, source provenance and deployments. Generate Packet and clearly synthetic Persona reports with captures from the actual application. Preserve the real build conversation separately when native export is available; do not invent a raw transcript. Prepare recording scripts without claiming that videos or interviews happened.

Dated completion - 11 October 2026

The following detailed acceptance/commit plan completes documentation after implementation; it is not attributed to the original pre-code prompt.

1. Invitation/data foundation: reviewer and future dates required; closed fictional template. Commit template, intake and validation together.
2. Explanation/review: length-limited answers and assistance; four evidence notes; observation of changed condition; no score. Commit the complete human-review slice.
3. Candidate control: candidate-first private result; unresolved correction blocks confirmation; each new review revokes old permissions. Commit state guards and correction UI.
4. Recipient export: named recipient, purpose, expiry and independent consent; expired/revoked permission blocks a new proof; no automatic sending. Commit the portable-proof slice.
5. Resilience/mechanical check: malformed saved state recovers; verified arithmetic; mock provider/error isolation. Commit the observed fix, run regression checks, publish and record source.
6. Persona check: fresh chat receives ordered real screenshots; log every confusion; clarify worst issue; capture again and retest. Commit actual UI/documentation refinement and republish.

7. Live LLM: masked server secret, closed task context and reviewable generated scope; provider failure honest. Commit the actual bounded assistant change; verify live response and record deployment.

Every current session ends by updating DECISIONS.md with the actual decision, evidence boundary and tomorrow's first move, then committing and pushing the reviewable source. Original commits are preserved; documentation additions do not create retroactive compliance.


13. Delivery provenance

The Packet was first committed as c3a13ed before product-source code. Version 1 was published successfully from 91adef9722b03b9f083eeb818482e2a2ecc692b3. The managed source preserves meaningful commits. Version 2 succeeded from 77c26576b0d615550f7b78622e46389f13dda773 after the portable-copy refinement. Exact deployment status is recorded in docs/DEPLOYMENT_LOG.md. The supplied Blueprint is preserved outside the app repository.

Sources: Team 2 Blueprint supplied by Rodrigo; Rodrigo's final individual Brain brief; actual app and Git history. Operating references: Riipen Educators (https://www.riipen.com/educators), Forage (https://www.theforage.com/) and official Gemini text-generation documentation (https://ai.google.dev/gemini-api/docs/text-generation). These references do not validate the proposed pilot.

14. Verified live Gemini drafting

Observed in the published application on 7 October 2026. Model: Gemini 3.5 Flash-Lite. Server secret masked in Sites; billing not activated. No candidate data sent.



Actual generated scope

Instrucción para tarea de conciliación de caja. Esta es una evaluación acotada, gratuita para ti, sin fines de producción ni valor de empleo o certificación. Calcula el saldo final con estos datos ficticios: fondo de apertura 500, ventas en efectivo 1890, devolución en efectivo 120, gastos menores 250 y depósito bancario 1000. Explica tu procedimiento paso a paso. Luego, recalcula el saldo bajo una nueva condición: la devolución mencionada no fue en efectivo, sino a tarjeta. Comunica y justifica claramente tus resultados finales. Un evaluador humano revisará tu desempeño según cuatro criterios: trazar los movimientos, identificar evidencia contradictoria, explicar el impacto del cambio y declarar supuestos junto con cualquier asistencia de IA utilizada. Ofrecemos explicación escrita seguida de preguntas del revisor como alternativa accesible; toma en cuenta que las preguntas no sustituyen a la explicación requerida.


Review and limits

Codex simulated an operator review and clarified an ambiguity in the first real draft. The second real response asks for both calculations without supplying their answers. A human operator must still review every draft before inviting a candidate. No invitation or human assessment was created in this check.

Evidence: GEMINI_LIVE_FIRST_SCOPE.json and GEMINI_LIVE_SCOPE.json. Version 4 / source 5e3eae7 / environment revision 1. Exact publication results are recorded in DEPLOYMENT_LOG.md.

Workflow diagram

Visual companion to the exact Mermaid flowchart source above. Added during the post-build audit.



Swimlane: actor responsibilities

Visual companion to the Mermaid actor lanes above. Correction repeats the human review and invalidates old approval/permission.




Image-generated mockup - post-build addition

Generated 8 October and refined during the audit. A labeled design concept; actual implementation screenshots and tests are separate evidence.




Image-generation provenance and prompt are retained in assets/MOCKUP_PROVENANCE.md. The concept is not a claim of a live team meeting, real review or production authentication.