


Level of Compliance with ISO 7101:2023 and its impact on patient satisfaction in hospitals

- Juan Ernesto Arbito Ayora
- Joseline Andrea Ayala Narea
- **Tutor:** Milton F. Barragán-Landy Ph.D


Abstract

The study addresses the gap between quality requirements in hospitals and the limited evidence on the impact of the ISO 7101:2023 standard. It uses a cross-sectional analytical design, checklists, and SERVPERF surveys.

Objectives



Methodology



Curricular Integration

- Quality Management
- Design of Experiments
- Occupational Health and Safety

Applied Engineering

- Engineering Standards**
- ISO 7101:2023
  - ISO 9001:2015
- Design Constraints**
- Limited budget, mobilization availability
  - Access to internal databases and records
  - Institutional authorizations, scope and time limitations

Author Keywords

- SERVPERF
- Quality Management
- ISO 7101:2023
- Patient Satisfaction
- Perception


Research Results

In the private hospital, 98.5% of patients reported high satisfaction and 1.5% reported medium satisfaction; the overall average was 4.93, demonstrating very favorable perceptions of the service.

In the public hospital, 76.3% of patients reported high satisfaction and 23.7% reported medium satisfaction; complaints were associated with access, availability and user experience.

Compliance with ISO 7101:2023 was 62.97% in the private hospital and 90% in the public hospital, showing a marked gap due to shortcomings in the private hospital in planning and evaluation as established by the standard.

Conclusions



Contacts

- [juan.arbito@ucuenca.edu.ec](mailto:juan.arbito@ucuenca.edu.ec)
- [joseline.ayala@ucuenca.edu.ec](mailto:joseline.ayala@ucuenca.edu.ec)
- [mfrancisco.barraganl@ucuenca.edu.ec](mailto:mfrancisco.barraganl@ucuenca.edu.ec)

References

- (Suárez Lima et al., 2019).  
Urure Velazco et al. (2025).  
(Fariño Cortez et al., 2018).

