

NoReverseMatch at /profile/

Reverse for 'user_home' not found. 'user_home' is not a valid view function or pattern name.

Request Method: GET
Request URL: http://127.0.0.1:8000/profile/
Django Version: 4.2.14
Exception Type: NoReverseMatch
Exception Value: Reverse for 'user_home' not found. 'user_home' is not a valid view function or pattern name.
Exception Location: C:\Users\rodri\miniconda3\Lib\site-packages\django\urls\resolvers.py, line 828, in _reverse_with_prefix
Raised during: core.views.profile_view
Python Executable: C:\Users\rodri\miniconda3\python.exe
Python Version: 3.13.5
Python Path: ['.',
C:\\Users\\rodri\\miniconda3\\Scripts\\daphne.exe',
C:\\Users\\rodri\\miniconda3\\python313.zip',
C:\\Users\\rodri\\miniconda3\\DLLs',
C:\\Users\\rodri\\miniconda3\\Lib',
C:\\Users\\rodri\\miniconda3',
C:\\Users\\rodri\\miniconda3\\Lib\\site-packages',
C:\\Users\\rodri\\miniconda3\\Lib\\site-packages\\win32',
C:\\Users\\rodri\\miniconda3\\Lib\\site-packages\\win32\\lib',
C:\\Users\\rodri\\miniconda3\\Lib\\site-packages\\Pythonwin']
Server time: Sun, 24 Aug 2025 17:47:41 +0000

Error during template rendering

In template C:\Users\rodri\OneDrive\UoL - Data Science\Course\202504\CM3035 Advanced Web Development\Endterm\elearning_platform\templates\core\profile.html, error at line 8

Reverse for 'user_home' not found. 'user_home' is not a valid view function or pattern name.

```
1 {% extends "base.html" %}
2 {% block title %}My Profile{% endblock %}
3
4 {% block content %}
5 <div class="d-flex justify-content-between align-items-center mb-3">
6   <h2>My Profile</h2>
7   <!-- Tiny link to public profile -->
8   <a href="{% url 'user_home' request.user.username %}" class="small text-muted">
9     View public page →
10  </a>
11 </div>
12
13 <div class="card mb-3">
14   <div class="card-body">
15     <h5 class="card-title">{{ request.user.username }}</h5>
16     {% if request.user.profile.photo %}
17       
18     {% endif %}
```

Traceback [Switch to copy-and-paste view](#)

C:\Users\rodri\miniconda3\Lib\site-packages\django\core\handlers\exception.py, line 42, in inner

42. response = await get_response(request)

^^

► Local vars

C:\Users\rodri\miniconda3\Lib\site-packages\django\core\handlers\base.py, line 253, in _get_response_async

```
253.             response = await wrapped_callback(
```

► Local vars

C:\Users\rodri\miniconda3\Lib\concurrent\futures\thread.py, line 59, in run

```
59.             result = self.fn(*self.args, **self.kwargs)
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\rodri\miniconda3\Lib\site-packages\django\contrib\auth\decorators.py, line 23, in _wrapper_view

```
23.             return view_func(request, *args, **kwargs)
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\rodri\OneDrive\UoL - Data Science\Course\202504\CM3035 Advanced Web Development\Endterm\elearning_platform\core\views.py, line 202, in profile_view

```
202.     return render(request, "core/profile.html", {"user_obj": request.user})
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\rodri\miniconda3\Lib\site-packages\django\shortcuts.py, line 24, in render

```
24.     content = loader.render_to_string(template_name, context, request, using=using)
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\rodri\miniconda3\Lib\site-packages\django\template\loader.py, line 62, in render_to_string

```
62.     return template.render(context, request)
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\rodri\miniconda3\Lib\site-packages\django\template\backends\django.py, line 61, in render

```
61.             return self.template.render(context)
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\rodri\miniconda3\Lib\site-packages\django\template\base.py, line 175, in render

```
175.             return self._render(context)
               ^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\rodri\miniconda3\Lib\site-packages\django\template\base.py, line 167, in _render

```
167.             return self.nodelist.render(context)
               ^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\rodri\miniconda3\Lib\site-packages\django\template\base.py, line 1005, in render

```
1005.            return SafeString("".join([node.render_annotated(context) for node in self]))
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\rodri\miniconda3\Lib\site-packages\django\template\base.py, line 966, in render_annotated

```
966.             return self.render(context)
               ^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\rodri\miniconda3\Lib\site-packages\django\template\loader_tags.py, line 157, in render

```
157.             return compiled_parent._render(context)
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\rodri\miniconda3\Lib\site-packages\django\template\base.py, line 167, in _render

```
167.             return self.nodelist.render(context)
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\rodri\miniconda3\Lib\site-packages\django\template\base.py, line 1005, in render

```
1005.            return SafeString("".join([node.render_annotated(context) for node in self]))
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\rodri\miniconda3\Lib\site-packages\django\template\base.py, line 966, in render_annotated

```
966.             return self.render(context)
               ^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\rodri\miniconda3\Lib\site-packages\django\template\loader_tags.py, line 63, in render

```
63.             result = block.nodelist.render(context)
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\rodri\miniconda3\Lib\site-packages\django\template\base.py, line 1005, in render

```
1005.            return SafeString("".join([node.render_annotated(context) for node in self]))
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\rodri\miniconda3\Lib\site-packages\django\template\base.py, line 966, in render_annotated

```
966.             return self.render(context)
               ^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\rodri\miniconda3\Lib\site-packages\django\template\defaulttags.py, line 471, in render

```
471.             url = reverse(view_name, args=args, kwargs=kwargs, current_app=current_app)
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\rodri\miniconda3\Lib\site-packages\django\urls\base.py, line 88, in reverse

```
88.             return resolver._reverse_with_prefix(view, prefix, *args, **kwargs)
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

► Local vars

C:\Users\rodri\miniconda3\Lib\site-packages\django\urls\resolvers.py, line 828, in _reverse_with_prefix

```
828.             raise NoReverseMatch(msg)
               ^^^^^^^^^^^^^^^^^^^^^
```

[► Local vars](#)

Request information

USER teacher

GET No GET data

POST No POST data

FILES No FILES data

COOKIES

Variable	Value
csrftoken	'*****'
sessionid	'*****'

META

Variable	Value
CSRF_COOKIE	'8uMXCP0JJnYxImd9RjT9EHRBgjUhwQUK'
HTTP_ACCEPT	'text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8'
HTTP_ACCEPT_ENCODING	'gzip, deflate, br, zstd'
HTTP_ACCEPT_LANGUAGE	'pt-BR,pt;q=0.8,en-US;q=0.5,en;q=0.3'
HTTP_CONNECTION	'keep-alive'
HTTP_COOKIE	'*****'
HTTP_HOST	'127.0.0.1:8000'
HTTP_PRIORITY	'u=0, i'
HTTP_REFERER	'http://127.0.0.1:8000/dashboard/'
HTTP_SEC_FETCH_DEST	'document'
HTTP_SEC_FETCH_MODE	'navigate'
HTTP_SEC_FETCH_SITE	'same-origin'
HTTP_SEC_FETCH_USER	'?1'
HTTP_UPGRADE_INSECURE_REQUESTS	'1'
HTTP_USER_AGENT	('Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:139.0) Gecko/20100101 'Firefox/139.0')
PATH_INFO	'/profile/'
QUERY_STRING	''
REMOTE_ADDR	'127.0.0.1'
REMOTE_HOST	'127.0.0.1'
REMOTE_PORT	57956
REQUEST_METHOD	'GET'
SCRIPT_NAME	''
SERVER_NAME	'127.0.0.1'
SERVER_PORT	'8000'
wsgi.multiprocess	True
wsgi.multithread	True

Settings

Using settings module elearning_platform.settings

Setting	Value
ABSOLUTE_URL_OVERRIDES	{}
ADMINS	[]
ALLOWED_HOSTS	[]
APPEND_SLASH	True
ASGI_APPLICATION	'elearning_platform.asgi.application'
AUTHENTICATION_BACKENDS	['django.contrib.auth.backends.ModelBackend']
AUTH_PASSWORD_VALIDATORS	'*****'
AUTH_USER_MODEL	'core.User'

Setting	Value
BASE_DIR	WindowsPath('C:/Users/rodri/OneDrive/UoL - Data Science/Course/202504/CM3035 Advanced Web Development/Endterm/elearning_platform')
CACHES	{'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
CACHE_MIDDLEWARE_ALIAS	'default'
CACHE_MIDDLEWARE_KEY_PREFIX	'*****'
CACHE_MIDDLEWARE_SECONDS	600
CHANNEL_LAYERS	{'default': {'BACKEND': 'channels.layers.InMemoryChannelLayer'}}
CSRF_COOKIE_AGE	31449600
CSRF_COOKIE_DOMAIN	None
CSRF_COOKIE_HTTPONLY	False
CSRF_COOKIE_MASKED	False
CSRF_COOKIE_NAME	'csrftoken'
CSRF_COOKIE_PATH	'/'
CSRF_COOKIE_SAMESITE	'Lax'
CSRF_COOKIE_SECURE	False
CSRF_FAILURE_VIEW	'django.views.csrf.csrf_failure'
CSRF_HEADER_NAME	'HTTP_X_CSRFTOKEN'
CSRF_TRUSTED_ORIGINS	[]
CSRF_USE_SESSIONS	False
DATABASES	{'default': {'ATOMIC_REQUESTS': False, 'AUTOCOMMIT': True, 'CONN_HEALTH_CHECKS': False, 'CONN_MAX_AGE': 0, 'ENGINE': 'django.db.backends.sqlite3', 'HOST': '', 'NAME': WindowsPath('C:/Users/rodri/OneDrive/UoL - Data Science/Course/202504/CM3035 Advanced Web Development/Endterm/elearning_platform/db.sqlite3'), 'OPTIONS': {}, 'PASSWORD': '*****', 'PORT': '', 'TEST': {'CHARSET': None, 'COLLATION': None, 'MIGRATE': True, 'MIRROR': None, 'NAME': None}, 'TIME_ZONE': None, 'USER': ''}}
DATABASE_ROUTERS	[]
DATA_UPLOAD_MAX_MEMORY_SIZE	2621440
DATA_UPLOAD_MAX_NUMBER_FIELDS	1000
DATA_UPLOAD_MAX_NUMBER_FILES	100
DATETIME_FORMAT	'N j, Y, P'
DATETIME_INPUT_FORMATS	['%Y-%m-%d %H:%M:%S', '%Y-%m-%d %H:%M:%S.%f', '%Y-%m-%d %H:%M', '%m/%d/%Y %H:%M:%S', '%m/%d/%Y %H:%M:%S.%f', '%m/%d/%Y %H:%M', '%m/%d/%y %H:%M:%S', '%m/%d/%y %H:%M:%S.%f', '%m/%d/%y %H:%M']
DATE_FORMAT	'N j, Y'
DATE_INPUT_FORMATS	['%Y-%m-%d', '%m/%d/%Y', '%m/%d/%y', '%b %d %Y', '%b %d, %Y', '%d %b %Y', '%d %b, %Y']

Setting	Value
	'%B %d %Y', '%B %d, %Y', '%d %B %Y', '%d %B, %Y']
DEBUG	True
DEBUG_PROPAGATE_EXCEPTIONS	False
DECIMAL_SEPARATOR	'.'
DEFAULT_AUTO_FIELD	'django.db.models.BigAutoField'
DEFAULT_CHARSET	'utf-8'
DEFAULT_EXCEPTION_REPORTER	'django.views.debug.ExceptionReporter'
DEFAULT_EXCEPTION_REPORTER_FILTER	'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_FILE_STORAGE	'django.core.files.storage.FileSystemStorage'
DEFAULT_FROM_EMAIL	'webmaster@localhost'
DEFAULT_INDEX_TABLESPACE	''
DEFAULT_TABLESPACE	''
DISALLOWED_USER_AGENTS	[]
EMAIL_BACKEND	'django.core.mail.backends.smtp.EmailBackend'
EMAIL_HOST	'localhost'
EMAIL_HOST_PASSWORD	'*****'
EMAIL_HOST_USER	''
EMAIL_PORT	25
EMAIL_SSL_CERTFILE	None
EMAIL_SSL_KEYFILE	'*****'
EMAIL_SUBJECT_PREFIX	'[Django] '
EMAIL_TIMEOUT	None
EMAIL_USE_LOCALTIME	False
EMAIL_USE_SSL	False
EMAIL_USE_TLS	False
FILE_UPLOAD_DIRECTORY_PERMISSIONS	None
FILE_UPLOAD_HANDLERS	['django.core.files.uploadhandler.MemoryFileUploadHand ler', 'django.core.files.uploadhandler.TemporaryFileUploadHa ndler']
FILE_UPLOAD_MAX_MEMORY_SIZE	2621440
FILE_UPLOAD_PERMISSIONS	420
FILE_UPLOAD_TEMP_DIR	None
FIRST_DAY_OF_WEEK	0
FIXTURE_DIRS	[]
FORCE_SCRIPT_NAME	None
FORMAT_MODULE_PATH	None
FORM_RENDERER	'django.forms.renderers.DjangoTemplates'
IGNORABLE_404_URLS	[]
INSTALLED_APPS	['django.contrib.admin', 'django.contrib.auth', 'django.contrib.contenttypes', 'django.contrib.sessions', 'django.contrib.messages', 'django.contrib.staticfiles', 'channels', 'core', 'chat']
INTERNAL_IPS	[]
LANGUAGES	[('af', 'Afrikaans'), ('ar', 'Arabic'), ('ar-dz', 'Algerian Arabic'), ('ast', 'Asturian'), ('az', 'Azerbaijani'), ('bg', 'Bulgarian'), ('be', 'Belarusian'), ('bn', 'Bengali'),

Setting	Value
	(<code>'br'</code> , <code>'Breton'</code>), (<code>'bs'</code> , <code>'Bosnian'</code>), (<code>'ca'</code> , <code>'Catalan'</code>), (<code>'ckb'</code> , <code>'Central Kurdish (Sorani)'</code>), (<code>'cs'</code> , <code>'Czech'</code>), (<code>'cy'</code> , <code>'Welsh'</code>), (<code>'da'</code> , <code>'Danish'</code>), (<code>'de'</code> , <code>'German'</code>), (<code>'dsb'</code> , <code>'Lower Sorbian'</code>), (<code>'el'</code> , <code>'Greek'</code>), (<code>'en'</code> , <code>'English'</code>), (<code>'en-au'</code> , <code>'Australian English'</code>), (<code>'en-gb'</code> , <code>'British English'</code>), (<code>'eo'</code> , <code>'Esperanto'</code>), (<code>'es'</code> , <code>'Spanish'</code>), (<code>'es-ar'</code> , <code>'Argentinian Spanish'</code>), (<code>'es-co'</code> , <code>'Colombian Spanish'</code>), (<code>'es-mx'</code> , <code>'Mexican Spanish'</code>), (<code>'es-ni'</code> , <code>'Nicaraguan Spanish'</code>), (<code>'es-ve'</code> , <code>'Venezuelan Spanish'</code>), (<code>'et'</code> , <code>'Estonian'</code>), (<code>'eu'</code> , <code>'Basque'</code>), (<code>'fa'</code> , <code>'Persian'</code>), (<code>'fi'</code> , <code>'Finnish'</code>), (<code>'fr'</code> , <code>'French'</code>), (<code>'fy'</code> , <code>'Frisian'</code>), (<code>'ga'</code> , <code>'Irish'</code>), (<code>'gd'</code> , <code>'Scottish Gaelic'</code>), (<code>'gl'</code> , <code>'Galician'</code>), (<code>'he'</code> , <code>'Hebrew'</code>), (<code>'hi'</code> , <code>'Hindi'</code>), (<code>'hr'</code> , <code>'Croatian'</code>), (<code>'hsb'</code> , <code>'Upper Sorbian'</code>), (<code>'hu'</code> , <code>'Hungarian'</code>), (<code>'hy'</code> , <code>'Armenian'</code>), (<code>'ia'</code> , <code>'Interlingua'</code>), (<code>'id'</code> , <code>'Indonesian'</code>), (<code>'ig'</code> , <code>'Igbo'</code>), (<code>'io'</code> , <code>'Ido'</code>), (<code>'is'</code> , <code>'Icelandic'</code>), (<code>'it'</code> , <code>'Italian'</code>), (<code>'ja'</code> , <code>'Japanese'</code>), (<code>'ka'</code> , <code>'Georgian'</code>), (<code>'kab'</code> , <code>'Kabyle'</code>), (<code>'kk'</code> , <code>'Kazakh'</code>), (<code>'km'</code> , <code>'Khmer'</code>), (<code>'kn'</code> , <code>'Kannada'</code>), (<code>'ko'</code> , <code>'Korean'</code>), (<code>'ky'</code> , <code>'Kyrgyz'</code>), (<code>'lb'</code> , <code>'Luxembourgish'</code>), (<code>'lt'</code> , <code>'Lithuanian'</code>), (<code>'lv'</code> , <code>'Latvian'</code>), (<code>'mk'</code> , <code>'Macedonian'</code>), (<code>'ml'</code> , <code>'Malayalam'</code>), (<code>'mn'</code> , <code>'Mongolian'</code>), (<code>'mr'</code> , <code>'Marathi'</code>), (<code>'ms'</code> , <code>'Malay'</code>), (<code>'my'</code> , <code>'Burmese'</code>), (<code>'nb'</code> , <code>'Norwegian Bokmål'</code>), (<code>'ne'</code> , <code>'Nepali'</code>), (<code>'nl'</code> , <code>'Dutch'</code>), (<code>'nn'</code> , <code>'Norwegian Nynorsk'</code>), (<code>'os'</code> , <code>'Ossetic'</code>), (<code>'pa'</code> , <code>'Punjabi'</code>), (<code>'pl'</code> , <code>'Polish'</code>), (<code>'pt'</code> , <code>'Portuguese'</code>), (<code>'pt-br'</code> , <code>'Brazilian Portuguese'</code>), (<code>'ro'</code> , <code>'Romanian'</code>), (<code>'ru'</code> , <code>'Russian'</code>), (<code>'sk'</code> , <code>'Slovak'</code>), (<code>'sl'</code> , <code>'Slovenian'</code>),

Setting	Value
	(<code>'sq', 'Albanian'</code>), (<code>'sr', 'Serbian'</code>), (<code>'sr-latn', 'Serbian Latin'</code>), (<code>'sv', 'Swedish'</code>), (<code>'sw', 'Swahili'</code>), (<code>'ta', 'Tamil'</code>), (<code>'te', 'Telugu'</code>), (<code>'tg', 'Tajik'</code>), (<code>'th', 'Thai'</code>), (<code>'tk', 'Turkmen'</code>), (<code>'tr', 'Turkish'</code>), (<code>'tt', 'Tatar'</code>), (<code>'udm', 'Udmurt'</code>), (<code>'uk', 'Ukrainian'</code>), (<code>'ur', 'Urdu'</code>), (<code>'uz', 'Uzbek'</code>), (<code>'vi', 'Vietnamese'</code>), (<code>'zh-hans', 'Simplified Chinese'</code>), (<code>'zh-hant', 'Traditional Chinese'</code>))]
<code>LANGUAGES_BIDI</code>	<code>['he', 'ar', 'ar-dz', 'ckb', 'fa', 'ur']</code>
<code>LANGUAGE_CODE</code>	<code>'en-us'</code>
<code>LANGUAGE_COOKIE_AGE</code>	<code>None</code>
<code>LANGUAGE_COOKIE_DOMAIN</code>	<code>None</code>
<code>LANGUAGE_COOKIE_HTTPONLY</code>	<code>False</code>
<code>LANGUAGE_COOKIE_NAME</code>	<code>'django_language'</code>
<code>LANGUAGE_COOKIE_PATH</code>	<code>'/'</code>
<code>LANGUAGE_COOKIE_SAMESITE</code>	<code>None</code>
<code>LANGUAGE_COOKIE_SECURE</code>	<code>False</code>
<code>LOCALE_PATHS</code>	<code>[]</code>
<code>LOGGING</code>	<code>{}</code>
<code>LOGGING_CONFIG</code>	<code>'logging.config.dictConfig'</code>
<code>LOGIN_REDIRECT_URL</code>	<code>'/dashboard/'</code>
<code>LOGIN_URL</code>	<code>'/accounts/login/'</code>
<code>LOGOUT_REDIRECT_URL</code>	<code>'/accounts/login/'</code>
<code>MANAGERS</code>	<code>[]</code>
<code>MEDIA_ROOT</code>	<code>WindowsPath('C:/Users/rodri/OneDrive/UoL - Data Science/Course/202504/CM3035 Advanced Web Development/Endterm/elearning_platform/media')</code>
<code>MEDIA_URL</code>	<code>'/media/'</code>
<code>MESSAGE_STORAGE</code>	<code>'django.contrib.messages.storage.fallback.FallbackStorage'</code>
<code>MIDDLEWARE</code>	<code>['django.middleware.security.SecurityMiddleware', 'django.contrib.sessions.middleware.SessionMiddleware', , 'django.middleware.common.CommonMiddleware', 'django.middleware.csrf.CsrfViewMiddleware', 'django.contrib.auth.middleware.AuthenticationMiddleware', 'django.contrib.messages.middleware.MessageMiddleware', , 'django.middleware.clickjacking.XFrameOptionsMiddleware']</code>
<code>MIGRATION_MODULES</code>	<code>{}</code>
<code>MONTH_DAY_FORMAT</code>	<code>'F j'</code>
<code>NUMBER_GROUPING</code>	<code>0</code>
<code>PASSWORD_HASHERS</code>	<code>'*****'</code>
<code>PASSWORD_RESET_TIMEOUT</code>	<code>'*****'</code>
<code>PREPEND_WWW</code>	<code>False</code>
<code>ROOT_URLCONF</code>	<code>'elearning_platform.urls'</code>
<code>SECRET_KEY</code>	<code>'*****'</code>

Setting	Value
SECRET_KEY_FALLBACKS	'*****'
SECURE_CONTENT_TYPE_NOSNIFF	True
SECURE_CROSS_ORIGIN_OPENER_POLICY	'same-origin'
SECURE_HSTS_INCLUDE_SUBDOMAINS	False
SECURE_HSTS_PRELOAD	False
SECURE_HSTS_SECONDS	0
SECURE_PROXY_SSL_HEADER	None
SECURE_REDIRECT_EXEMPT	[]
SECURE_REFERRER_POLICY	'same-origin'
SECURE_SSL_HOST	None
SECURE_SSL_REDIRECT	False
SERVER_EMAIL	'root@localhost'
SESSION_CACHE_ALIAS	'default'
SESSION_COOKIE_AGE	1209600
SESSION_COOKIE_DOMAIN	None
SESSION_COOKIE_HTTPONLY	True
SESSION_COOKIE_NAME	'sessionid'
SESSION_COOKIE_PATH	'/'
SESSION_COOKIE_SAMESITE	'Lax'
SESSION_COOKIE_SECURE	False
SESSION_ENGINE	'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE	False
SESSION_FILE_PATH	None
SESSION_SAVE_EVERY_REQUEST	False
SESSION_SERIALIZER	'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS_MODULE	'elearning_platform.settings'
SHORT_DATETIME_FORMAT	'm/d/Y P'
SHORT_DATE_FORMAT	'm/d/Y'
SIGNING_BACKEND	'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS	[]
STATICFILES_DIRS	[WindowsPath('C:/Users/rodri/OneDrive/UoL - Data Science/Course/202504/CM3035 Advanced Web Development/Endterm/elearning_platform/static')]
STATICFILES_FINDERS	['django.contrib.staticfiles.finders.FileSystemFinder', 'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES_STORAGE	'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC_ROOT	WindowsPath('C:/Users/rodri/OneDrive/UoL - Data Science/Course/202504/CM3035 Advanced Web Development/Endterm/elearning_platform/staticfiles')
STATIC_URL	'/static/'
STORAGES	{'default': {'BACKEND': 'django.core.files.storage.FileSystemStorage'}, 'staticfiles': {'BACKEND': 'django.contrib.staticfiles.storage.StaticFilesStorage'}}
TEMPLATES	[{'APP_DIRS': True, 'BACKEND': 'django.template.backends.django.DjangoTemplates', 'DIRS': [WindowsPath('C:/Users/rodri/OneDrive/UoL - Data Science/Course/202504/CM3035 Advanced Web Development/Endterm/elearning_platform/templates')], 'OPTIONS': {'context_processors': ['django.template.context_processors.debug', 'django.template.context_processors.request', 'django.contrib.auth.context_processors.auth',

Setting	Value
	'django.contrib.messages.context_processors.messages'] }}]
TEST_NON_SERIALIZED_APPS	[]
TEST_RUNNER	'django.test.runner.DiscoverRunner'
THOUSAND_SEPARATOR	','
TIME_FORMAT	'p'
TIME_INPUT_FORMATS	['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME_ZONE	'UTC'
USE_DEPRECATED_PYTZ	False
USE_I18N	True
USE_L10N	True
USE_THOUSAND_SEPARATOR	False
USE_TZ	True
USE_X_FORWARDED_HOST	False
USE_X_FORWARDED_PORT	False
WSGI_APPLICATION	None
X_FRAME_OPTIONS	'DENY'
YEAR_MONTH_FORMAT	'F Y'

You're seeing this error because you have `DEBUG = True` in your Django settings file. Change that to `False`, and Django will display a standard page generated by the handler for this status code.
