Umwelt Engineering: Designing the Cognitive Worlds of Linguistic Agents

Rodney Jehu-Appiah

Abstract

A tick's world contains butyric acid, temperature, and tactile density—not because other features do not exist, but because nothing else exists in its world. Jakob von Uexküll called this the organism's *Umwelt*: the perceptual world its biology makes available. A language model reasons *in* language. A human thinks across many modalities—spatial intuition, emotional valence, muscle memory, mental imagery—and uses language as one channel among several to articulate the result. A standard LLM has no such multiplicity. Its cognition unfolds entirely in the token stream: the words do not describe the thinking; they are the thinking. Change the available language and you change the cognition itself. Yet the field treats this medium as transparent, optimizing what agents are asked (prompt engineering) and what they know (context engineering) while leaving the linguistic world they think in unexamined.

I propose *Umwelt engineering*—the deliberate design of the linguistic cognitive environment—as a third layer in the agent design stack, upstream of both prompt and context. Two experiments test the thesis that altering the medium of reasoning alters cognition itself. In Experiment 1, three language models (Claude Haiku 4.5, GPT-4o-mini, Gemini 2.5 Flash Lite) reason under two vocabulary constraints—E-Prime (eliminating "to be") and No-Have (eliminating possessive "to have")—across seven tasks (N=4,470 trials). The constraints do not uniformly help or hurt. E-Prime improves ethical reasoning (+15.5 pp, $p < 0.001$) and causal reasoning (+14.1 pp, $p < 0.001$) while degrading syllogisms (−3.4 pp) and epistemic calibration (−5.7 pp). The effects are model-dependent: Gemini benefits enormously from E-Prime while Haiku does not, and cross-model correlations of constraint effects are negative—evidence that different models occupy different native Umwelten shaped by their training. In Experiment 2, 16 agents, each constrained to a distinct linguistic mode, tackle 17 debugging problems. No constrained agent outperforms the control individually, yet a 3-agent ensemble selected for linguistic diversity achieves 100% ground-truth coverage versus 88.2% for the control. The constraints make agents *different from each other* in useful ways, even when they do not make any single agent better.

Two mechanisms emerge: *cognitive restructuring*, where removing linguistic defaults forces more explicit reasoning, and *cognitive diversification*, where different constraints activate different regions of a model's latent capacity. Together, they establish the linguistic medium of agent reasoning as a first-class design variable and open a structured research agenda for the systematic construction of cognitive environments for artificial minds.

1 Introduction

The practice of building effective AI agents has consolidated around two disciplines. *Prompt engineering* optimizes the formulation of requests to elicit desired outputs. *Context engineering* manages the information environment at inference time—retrieval-augmented generation, tool results, memory systems, and system prompts. Both disciplines treat language as transparent—a vehicle for carrying instructions and information, not itself a variable that determines what the agent can think.

This assumption is untenable. Mounting evidence demonstrates that linguistic structure—independent of informational content—systematically alters the reasoning behavior of large



Figure 1: The three-layer stack for AI agent design. Each layer is invisible from the one below it: a prompt engineer does not reason about the linguistic structures through which prompts are interpreted. Umwelt engineering operates on the vocabulary, grammar, and conceptual primitives that constitute the agent's cognitive world.

language models (LLMs). Chinese-trained and English-trained models internalize different causal reasoning patterns, not merely different surface forms [Wang et al., 2025]. Prompt formatting alone (plain text vs. Markdown vs. JSON) produces performance swings of up to 40% on identical tasks [He et al., 2024]. Models trained with internal "thought tokens" develop emergent reasoning formats that outperform natural language chain-of-thought [Zelikman et al., 2024]. And synthetic reasoning languages designed for LLM cognition achieve 4–16× token compression with near-parity accuracy [Tanmay et al., 2025].

These findings converge on a single insight: for a language model, the available language is not a medium through which cognition passes—it *is* the cognition. I propose the term *Umwelt engineering* for the deliberate design of this linguistic substrate, and argue that it constitutes a third layer in the agent design stack, upstream of both prompt and context engineering (Figure 1).

1.1 The Umwelt Concept

Jakob von Uexküll [1934] introduced the *Umwelt* to describe the perceptual world of an organism—not the objective environment, but the subset of reality that the organism's biology makes available to it. A tick's Umwelt contains butyric acid, temperature, and tactile hair density; a bat's Umwelt is structured by echolocation returns. Each organism inhabits a different world, not because the physical environment differs, but because its sensory apparatus admits different features.

For a biological organism, the Umwelt is a *filter*—a subset of a richer physical reality, selected by biology. A human thinks across many modalities—visual imagery, proprioception, emotion, spatial reasoning—and often reaches a conclusion before finding words for it. Language is one cognitive channel among several. For a standard large language model, the relationship between language and cognition is not filtering but identity. The model's reasoning unfolds entirely in the token stream. The words do not report on cognition that happened elsewhere; they are the cognition. An LLM's Umwelt, therefore, is not a filtered view of some deeper cognitive space—it is the cognitive space in its entirety.

I define an LLM's Umwelt as the totality of the linguistic structures available to it at inference time: the vocabulary it can deploy, the grammatical patterns it can instantiate, the conceptual distinctions those patterns make expressible. Change these, and you do not filter the agent's

perception of its thoughts—you change what thoughts it can have.

This makes the Umwelt concept apply more completely to language models than to the biological organisms for which it was coined. A tick has a body operating below its perceptual world—metabolic processes, locomotion, behaviors that its Umwelt does not represent. A human has spatial reasoning, proprioception, affect—entire cognitive systems that operate without language. A standard LLM has no such sub-linguistic remainder. The language goes all the way down. When you remove "to be" from an agent's available vocabulary, you do not ask it to ignore a perceptual channel it still possesses—you remove a class of cognitive operations from the only substrate in which its cognition occurs.

Critically, the boundary of the Umwelt is not a barrier the agent strains against—it is invisible. A tick does not experience the absence of color vision. An agent reasoning without the concept of "epistemic tension" does not notice when two of its beliefs conflict; the conflict is not suppressed but absent as a category of perception. This is what distinguishes Umwelt engineering from prompting: you are not instructing the agent to think differently, you are constituting the world in which it thinks.

1.2 The Three-Layer Stack

I propose the following abstraction hierarchy for AI agent design:

1. **Prompt engineering**—optimizing what the agent is asked to do. Unit of design: the instruction.
2. **Context engineering**—optimizing what the agent knows at inference time. Unit of design: the information environment.
3. **Umwelt engineering**—optimizing what the agent *can think*. Unit of design: the linguistic cognitive environment.

Each layer is invisible from the one below it. A prompt engineer does not reason about memory architectures. A context engineer does not reason about whether the agent should possess the concept of a counterfactual. And an Umwelt engineer designs the linguistic world—the vocabulary, grammar, conceptual primitives, and reasoning structures—within which all prompts and all context are interpreted.

2 Related Work

2.1 Linguistic Relativity in LLMs

The Sapir-Whorf hypothesis—that language shapes thought—has been empirically tested in LLMs with affirmative results. Wang et al. [2025] created BICAUSE, a bilingual causal reasoning dataset, and demonstrated that LLMs internalize language-specific reasoning biases: Chinese-trained models focus attention on causes and sentence-initial connectives, while English-trained models show balanced distributions. Models rigidly apply these patterns even to atypical inputs, degrading performance when task structure mismatches training language structure. Ray [2025] confirmed linguistic relativity effects in GPT-4o across culturally salient prompts. AlKhamissi et al. [2025] tracked 34 training checkpoints and found that while early training aligns LLMs with human language processing, advanced models diverge—suggesting they develop their own cognitive relationship to language rather than merely mimicking human patterns.

2.2 Designed Reasoning Languages

ORION [Tanmay et al., 2025] explicitly implements Fodor's Language of Thought Hypothesis for LLMs, creating "Mentalese"—a symbolic reasoning format where each step is serialized as `OPERATION:expression;` (SET, CALC, EQ, SOLVE, ANS). Using the MentaleseR-40k dataset, models reasoning in Mentalese achieve 4–16× fewer tokens and up to 5× lower inference latency

with 90–98% accuracy retention. This constitutes a direct demonstration that designing the reasoning language alters cognitive performance.

Sketch-of-Thought [Sketch-of-Thought, 2025] introduces three cognitively-inspired reasoning paradigms—Conceptual Chaining, Chunked Symbolism, and Expert Lexicons—with a routing model selecting the appropriate paradigm per task. Token reductions reach 84% with maintained or improved accuracy, demonstrating that different tasks benefit from different cognitive dialects.

2.3 Beyond Linguistic Reasoning

Coconut [Hao et al., 2024] removes language from reasoning entirely by feeding hidden states back as input embeddings, enabling breadth-first exploration of reasoning paths rather than the linear commitment enforced by token-by-token generation. Quiet-STaR [Zelikman et al., 2024] trains models to generate internal "thought tokens" before each output token, developing an emergent reasoning format that doubled math performance on GSM8K. Both approaches suggest that natural language may constrain as much as it enables—a finding consistent with the Umwelt framework, which predicts that what an agent can think is determined by what it can think *in*.

2.4 Cognitive Linguistics and AI

Kramer [2025] applied Lakoff and Johnson's Conceptual Metaphor Theory (CMT) as a prompting paradigm, using metaphorical source-domain mappings to structure abstract reasoning. CMT-augmented models significantly outperformed baselines across domain-specific reasoning, creative insight, and metaphor interpretation tasks. This establishes that cognitive-linguistic structures—not just informational content—serve as effective reasoning affordances for LLMs.

2.5 E-Prime and General Semantics

E-Prime, developed by David Bourland Jr. [1965] as an application of Alfred Korzybski's [1933] general semantics, eliminates all forms of "to be" from English. The theoretical motivation is that the copula enables identity-level assertions ("X *is* Y") that conflate map and territory—treating descriptions as essences. E-Prime forces operational reformulation: "this code is buggy" becomes "this code produces incorrect output when given input X." While studied in human communication and pedagogy [Bourland and Johnston, 1991], E-Prime has not been tested as a reasoning constraint for LLMs prior to this work.

2.6 A Taxonomy of Linguistic Constraint Traditions

E-Prime is one instance of a broader phenomenon: intellectual traditions that identified specific axes along which language shapes thought, and proposed linguistic reforms to intervene. I survey eight such traditions, each targeting a distinct cognitive axis, to establish the theoretical foundation for a principled constraint design space.

General Semantics [Korzybski, 1933]. Beyond E-Prime, Korzybski's full system includes extensional devices: indexing ($\text{Smith}_1 \neq \text{Smith}_2$—no two referents of the same word are identical), dating (the $\text{economy}_{2024} \neq$ the economy_{2026}—referents change over time), and the structural differential (every description omits detail—append "etc." to maintain map-territory awareness). These devices target *over-generalization*: the tendency to treat a label as if it captured the full structure of its referent.

Rheomode [Bohm, 1980]. The physicist David Bohm proposed a mode of English in which verbs are primary and nouns are derived. Standard English reifies process into entity: "the electron moves" presupposes a static thing that then acts. Bohm's rheomode reverses this, treating movement as fundamental and the electron as an abstraction drawn from it. For LLM reasoning, a simplified rheomode constraint—"express everything as process; no static

noun-based assertions"—targets *entity bias*: the tendency to reason about systems as collections of fixed objects rather than ongoing transformations.

Operationalism [Bridgman, 1927]. The physicist Percy Bridgman argued that every scientific concept must be defined by the operations used to measure it. "Length" means the result of applying a measuring rod; "simultaneity" means the outcome of a specific synchronization procedure. A concept without an operational definition is, for Bridgman, meaningless. Applied as a linguistic constraint, operationalism targets *ungrounded claims*—assertions that sound precise but lack any connection to observable procedure.

Constructed Languages for Cognitive Intervention. Two constructed languages directly implement Whorfian interventions. *Lojban* [Brown, 1955], derived from predicate logic, eliminates syntactic ambiguity entirely—every sentence has exactly one parse, forcing the speaker to commit to precise logical structure. *Toki Pona* [Lang, 2001], with approximately 130 words, forces radical decomposition of complex concepts into primitive components. A "computer" becomes a "knowledge tool"; a "hospital" becomes a "body-fixing house." As a reasoning constraint, Toki Pona targets *abstraction leakage*: the tendency to hide incomplete understanding behind technical vocabulary.

Grammatical Evidentiality [Elgin, 1984]. Suzette Haden Elgin's constructed language Láadan, created for her novel *Native Tongue*, includes obligatory evidentiality markers: every statement must be grammatically tagged with how the speaker knows it—direct observation, inference, hearsay, assumption, or dream. Applied as a constraint on LLM reasoning, mandatory evidentiality tagging targets *epistemic opacity*—the tendency of models to present inferences, training priors, and confabulations in the same assertive voice as direct textual evidence.

Catuṣkoṭi [Nāgārjuna, 150]. The Buddhist tetralemma admits four truth values for any proposition: true, false, both true and false, and neither true nor false. Nāgārjuna's *Mūlamadhyamakārikā* uses this four-valued logic to examine and reject essentialist claims about causation, identity, and existence. As a reasoning constraint, the catuṣkoṭi targets *premature binary resolution*—the tendency to collapse complex or paradoxical situations into yes/no answers when the evidence supports a more nuanced position.

Nonviolent Communication [Rosenberg, 2003]. Marshall Rosenberg's NVC framework structures all communication into four components: observation (what happened, without evaluation), feeling (the speaker's emotional response), need (the underlying value at stake), and request (a concrete action). The critical discipline is the first step: separating observation from judgment. As a reasoning constraint, NVC targets *conflation of observation with evaluation*—a failure mode particularly relevant to code review, architectural critique, and any task where premature judgment short-circuits analysis.

These eight traditions span at least seven distinct axes of linguistic intervention: identity claims (E-Prime), over-generalization (General Semantics), entity bias (Rheomode), ungrounded abstraction (Operationalism), syntactic ambiguity (Lojban), lexical compression (Toki Pona), epistemic sourcing (Láadan), binary logic (Catuṣkoṭi), and observation-judgment conflation (NVC). The existence of this many independently motivated traditions, each targeting a different cognitive failure mode through linguistic reform, constitutes prima facie evidence that the design space of cognitive-linguistic constraints is rich, structured, and largely unexplored in the context of artificial agents.

A note on methodology. The intuition behind this paper has two sources. The first is personal: as a speaker of both English and Kasem, a Gur language of northern Ghana whose grammatical structures differ substantially from English—in how it encodes time, causation, and social obligation—I experienced linguistic relativity not as an academic hypothesis but as a fact of cognition. Reasoning about the same problem in different languages produced different reasoning, not just different words. The second is a prior interest in E-Prime, which suggested that this effect could be *engineered* within a single language by selectively removing grammatical structures. The hypothesis that a broader, principled design space of such interventions existed

motivated a directed literature survey using Claude (Anthropic, 2024–2026) as a research tool, much as one might use a domain expert to identify candidate traditions across fields one has not studied directly. Claude surfaced the specific traditions; I evaluated each for relevance, mapped it to a constraint axis, and integrated it into the framework.

3 Experiment 1: Linguistic Constraints as Cognitive Interventions

3.1 Design

I test the hypothesis that constraining an LLM's reasoning language alters performance in task-dependent ways. Two linguistic constraints are tested, each targeting a different axis of linguistic default.

E-Prime eliminates all forms of "to be" (is, am, are, was, were, be, being, been, and contractions: it's, that's, there's, who's). This removes identity assertions as a grammatical possibility, forcing the model to reformulate reasoning in operational, behavioral, or relational terms. Theoretical source: Korzybski [1933], Bourland [1965].

No-Have eliminates all forms of "to have" used as a main verb (has, have, had, having), excluding auxiliary uses (e.g., "has completed" remains permitted). This removes possessive framing, forcing the model to replace ownership/containment language with relational, behavioral, or structural descriptions. Theoretical source: the broader General Semantics program of identifying linguistic defaults that encode cognitive defaults.

Predictions. I hypothesized that E-Prime would *degrade* performance on tasks with native ontological structure (syllogisms run on "X is a Y"—circumlocution adds friction) and *improve* performance on tasks where essentialist shorthand masks reasoning gaps (causal reasoning, where "the cause is X" collapses mechanism articulation; ethical dilemmas, where "X is wrong" forecloses analysis). Math word problems were predicted to show no effect. No-Have was included as an exploratory second constraint to test whether the constraint effect generalizes beyond E-Prime.

Models. Three models from three providers: Claude Haiku 4.5 (`claude-haiku-4-5-20251001`, Anthropic), GPT-4o-mini (`gpt-4o-mini-2024-07-18`, OpenAI), and Gemini 2.5 Flash Lite (`gemini-2.5-flash-lite`, Google). All are cost-efficient instruction-following models of comparable capability. Cross-vendor replication tests whether constraint effects are properties of linguistic structure or artifacts of a single model's training.

Conditions. (1) Control: standard English, no constraints. (2) E-Prime: explicit prohibition of all "to be" forms with grammatical enforcement instructions. (3) No-Have: explicit prohibition of possessive "to have" forms.

Tasks. Seven task types (130 items total): syllogistic reasoning (20), causal reasoning (15), analogical reasoning (20), classification (20), epistemic calibration (20), ethical dilemmas (15), and math word problems (20). All tasks use A/B/C/D multiple-choice format for scoring consistency (syllogisms use VALID/INVALID). Items span three difficulty levels.

Procedure. Each item was administered under each condition, for each model, with 4 repetitions: 1 at temperature 0.0 (deterministic) and 3 at temperature 0.7 (stochastic). Total design: $130 \times 3 \times 3 \times 4 = 4{,}680$ planned trials. Maximum 2,048 output tokens per trial. The experiment ran autonomously over approximately 5.5 hours with results flushed to disk after every trial.

Metrics. Binary accuracy (correct/incorrect per item), linguistic compliance (constraint violations per trial), word count, reasoning chain depth (step marker count), and epistemic specificity (ratio of grounded assertions to bare assertions).

Table 1: Aggregate accuracy by task and condition (all models pooled, N=4,344 scoreable trials). pp = percentage points. p-values from chi-squared test. Effect sizes (Cohen's d): ethical dilemmas $d = 0.44$ (E-Prime), $d = 0.57$ (No-Have); causal reasoning $d = 0.39$ (E-Prime); classification $d = 0.36$ (No-Have). Bootstrap 95% CIs for causal reasoning E-Prime delta: $[+5.6\%, +23.2\%]$; ethical dilemmas E-Prime delta: $[+8.0\%, +23.0\%]$.

Task	Control	E-Prime	Δ(EP)	p	No-Have	Δ(NH)
Ethical dilemmas	76.6%	92.1%	+15.5 pp	<0.001***	95.6%	+19.1 pp***
Causal reasoning	76.7%	90.8%	+14.1 pp	<0.001***	81.5%	+4.9 pp
Classification	93.0%	96.2%	+3.1 pp	ns	99.6%	+6.5 pp***
Math word problems	92.5%	92.8%	+0.4 pp	ns	93.9%	+1.5 pp
Analogical reasoning	76.2%	73.2%	−3.0 pp	ns	74.9%	−1.4 pp
Syllogisms	100.0%	96.6%	−3.4 pp	0.006**	97.9%	−2.1 pp*
Epistemic calibration	68.7%	63.0%	−5.7 pp	ns	76.1%	+7.4 pp

3.2 Results

Of 4,680 planned trials, 4,470 completed successfully (30 Gemini 503 errors and 180 timeout/rate-limit failures). Of completed trials, 4,429 produced parseable responses, and 4,344 yielded extractable answers for accuracy scoring. The remaining 85 extraction failures were distributed across conditions without strong systematic bias (see Section 3.3).

3.2.1 Aggregate Accuracy

Overall accuracy: Control 83.5%, E-Prime 85.4%, No-Have 88.6%. Both constraints improved aggregate accuracy over control, with No-Have producing the larger and more consistent improvement.

The predicted crossover pattern materialized clearly. E-Prime improved ethical dilemmas (+15.5 pp, $p < 0.001$) and causal reasoning (+14.1 pp, $p < 0.001$), consistent with the hypothesis that removing identity claims forces mechanism articulation and more nuanced analysis. Syllogisms degraded (−3.4 pp, $p = 0.006$), consistent with the hypothesis that identity-bridge friction impairs formal inference. Epistemic calibration degraded under E-Prime (−5.7 pp)—contrary to the prediction that removing "is" would improve epistemic nuance, E-Prime appears to interfere with the calibrated hedging that epistemic tasks require. Math remained neutral (+0.4 pp), as predicted.

The No-Have condition produced stronger effects than E-Prime on ethical dilemmas (+19.1 pp vs. +15.5 pp) and classification (+6.5 pp vs. +3.1 pp), though E-Prime outperformed No-Have on causal reasoning (+14.1 pp vs. +4.9 pp). Ethical dilemmas showed the largest effect under either constraint, suggesting that both identity framing ("X is wrong") and possessive framing ("the patient has a right to…") actively impede ethical reasoning.

3.2.2 Model-Specific Effects

The most striking finding is that the E-Prime effect is **model-dependent**. Gemini shows large, consistent improvements under E-Prime across nearly all tasks (ethical +42.3 pp, causal +37.5 pp). GPT-4o-mini shows a mixed profile: E-Prime helps on causal reasoning (+8.9 pp) and ethical dilemmas (+5.0 pp) but *devastates* epistemic calibration (−27.5 pp). Haiku shows small, mostly negative effects.

The GPT-4o-mini epistemic result is particularly informative. E-Prime eliminates the copula that structures calibrated hedging ("this claim is well-supported," "the evidence is inconclusive"). For epistemic calibration tasks that require precisely this kind of graduated assertion, removing



Figure 2: Crossover pattern of constraint effects across seven reasoning tasks (all models pooled). E-Prime (blue) improves ethical and causal reasoning while degrading syllogisms and epistemic calibration. No-Have (orange) shows a more uniformly positive profile. Tasks ordered by E-Prime effect size.

Table 2: Selected model-specific constraint effects. Full per-model breakdown in Appendix D.

Model	Task	Δ(EP)	Δ(NH)
Gemini 2.5 Flash Lite	Ethical dilemmas	**+42.3 pp**	+46.3 pp
Gemini 2.5 Flash Lite	Causal reasoning	**+37.5 pp**	+20.7 pp
Gemini 2.5 Flash Lite	Classification	+13.4 pp	+18.8 pp
Gemini 2.5 Flash Lite	Epistemic calibration	+9.1 pp	+22.2 pp
GPT-4o-mini	Causal reasoning	+8.9 pp	−5.6 pp
GPT-4o-mini	Ethical dilemmas	+5.0 pp	+8.3 pp
GPT-4o-mini	Epistemic calibration	**−27.5 pp**	−3.7 pp
Claude Haiku 4.5	Epistemic calibration	+2.7 pp	+4.0 pp
Claude Haiku 4.5	All other tasks	−4.7 to +1.2 pp	−1.2 to +2.5 pp

"to be" destroys the model's primary tool for expressing certainty levels—but only for GPT-4o-mini, suggesting this model relies more heavily on copula-based epistemic constructions than the others.

Cross-model correlation of the E-Prime effect pattern (per-task accuracy delta): Gemini vs. GPT-4o-mini $r = 0.43$, Haiku vs. Gemini $r = -0.36$, Haiku vs. GPT-4o-mini $r = -0.75$. The constraint does not produce a universal effect—it interacts with the model's training and architecture. Different models occupy different native Umwelten, and an imposed constraint alters each native Umwelt differently.

3.2.3 Conciseness Effect

Table 3: Average word count by condition. Constraints reduce verbosity by 16–33% across all non-mathematical tasks.

Task	Control	E-Prime	Δ%	No-Have
Classification	407	273	−33%	262
Causal reasoning	570	396	−31%	384
Ethical dilemmas	557	437	−22%	420
Syllogisms	308	240	−22%	227
Epistemic calibration	541	439	−19%	416
Analogical reasoning	366	308	−16%	303
Math word problems	182	178	−2%	178

The conciseness effect is the most robust finding across all three models and all seven tasks. Unlike accuracy, which varies by model and task, word count reduction under constraints is universal. Math word problems—which require numerical manipulation rather than verbal elaboration—show negligible reduction, confirming that the effect targets verbosity rather than essential reasoning content.

3.2.4 Compliance

E-Prime violations occurred in 52% of E-Prime trials, with a mean of 1.7 violations per trial. No-Have violations occurred in less than 1% of No-Have trials. This asymmetry is itself informative: "to be" pervades English far more deeply than "to have," making E-Prime a fundamentally harder constraint to maintain.

Compliance-filtered analysis (E-Prime trials with zero violations only, N=675): the causal reasoning improvement remains strong (+13.1 pp vs. +14.1 pp unfiltered), ethical dilemmas strengthens (+16.9 pp vs. +15.5 pp), and math word problems shifts from neutral to +4.1 pp. The epistemic calibration degradation disappears (−1.7 pp vs. −5.7 pp), suggesting that non-compliant E-Prime trials—where the model struggles with constraint adherence—drive much of the epistemic degradation. Full compliance amplifies the beneficial effects and attenuates the harmful ones.

3.3 Limitations of Experiment 1

Answer extraction. Constrained responses sometimes use non-standard answer formats ("the strongest argument resides in Option B," "the answer lies in B") that require a more flexible extraction pipeline than standard regex patterns. An initial extraction pass missed 452 of 4,429 trials; after expanding the extractor to handle relational phrasing and LaTeX boxed answers, extraction failures dropped to 85 (1.9% of trials), distributed without strong systematic bias across conditions.

Ceiling and floor effects. Syllogisms hit a ceiling at 100% control accuracy (all models), compressing the observable degradation range. Gemini's control accuracy on causal reasoning (56.8%) leaves room for large improvements that Haiku's 97.7% baseline does not. Model-specific effects are partially confounded with baseline difficulty.

Constraint semantics vs. constraint difficulty. E-Prime's 52% violation rate means observed effects reflect a mixture of compliant and non-compliant reasoning. That No-Have achieves near-perfect compliance with stronger accuracy effects suggests that compliance difficulty and cognitive restructuring are at least partially independent dimensions.

Table 4: The 16 linguistic agents and their constraint axes.

Agent	Axis	Constraint Summary
control	—	Standard English debugging
e_prime	ontological	No "to be" verbs
quantified	epistemic confidence	All claims require confidence level
socratic	reasoning structure	Reason through question-and-answer
steel_man	adversarial positive	State strongest case before critiquing
evidential	epistemic sourcing	Tag each statement with derivation
temporal	sequencing	Step-by-step execution order
negation_free	specification	No negation operators
constraint_based	relational	Express findings as constraints
analogical	cross-domain	Non-software analogy first
devils_advocate	adversarial negative	Assume bugs exist; construct failures
first_principles	foundational	Derive from axioms only
phenomenological	perspectival	Reason from data's first-person view
counterfactual	modal	State what would differ if false
minimal	expressive range	Fewest possible words
diachronic	temporal-evolutionary	Logic that outlived its context

4 Experiment 2: Linguistic Orthogonality in Agent Ensembles

4.1 Motivation

If linguistic constraints define different cognitive Umwelten, then agents operating under different constraints should perceive different features of the same problem—even when no individual constrained agent outperforms the control. The Umwelt framework predicts that cognitive diversity, operationalized through linguistic diversity, produces complementary coverage rather than redundant agreement.

4.2 Design

Agents. 16 agents, each defined by a system prompt encoding a single linguistic constraint. The control agent receives a standard debugging instruction with no linguistic constraint. Table 4 lists all agents with their constraint axes.

Problems. 17 software debugging problems across four categories: planted bugs (6), logic puzzles (2), specification ambiguities (2), root cause analysis (2), and miscellaneous (5). Each problem includes ground-truth findings.

Pipeline. Five phases executed sequentially: (1) parallel agent execution at concurrency 8; (2) LLM-based claim extraction from raw outputs; (3) ground-truth matching via LLM judge (semantic, not string-exact); (4) divergence map construction; (5) orthogonality analysis (accuracy, Shapley values, pairwise redundancy, minimal ensemble selection).

Model. Claude Haiku 4.5 (`claude-haiku-4-5-20251001`) for all phases.

Table 5: Per-agent accuracy on 51 ground-truth findings across 17 problems. No constrained agent exceeds the control.

Agent	Accuracy	Δ vs.
analogical / constraint_based / control / counterfactual / phenomenological / steel_man	88.2%	
devils_advocate / diachronic / temporal	86.3%	
evidential / minimal	84.3%	
first_principles / negation_free	82.4%	
e_prime / socratic	80.4%	
quantified	76.5%	

4.3 Results

4.3.1 Individual Agent Accuracy

4.3.2 Ensemble Performance

Table 6: Ensemble accuracy. The full 16-agent ensemble achieves perfect ground-truth coverage. A 3-agent subset matches this ceiling.

Configuration	Accuracy
Control (single agent)	88.2%
Full ensemble (16 agents, union)	100.0%
Minimal ensemble (3 agents, greedy)	100.0%

The minimal ensemble, selected by greedy Shapley-weighted addition, consists of: (1) **analogical** (88.2% individual, 8.5% Shapley), (2) **counterfactual** (88.2% individual, 10.8% Shapley), and (3) **minimal** (84.3% individual, 8.0% Shapley). This 3-agent ensemble requires 17.6% of the API calls of the full ensemble while achieving identical accuracy.

4.3.3 Unique Contributions

Only one agent contributed a finding that no other agent surfaced: **counterfactual** identified that a specification's use of "preserving order" was ambiguous between first-occurrence and last-occurrence semantics. This finding was surfaced by the counterfactual agent's explicit exploration of "what would differ if this assumption were false"—a cognitive operation that the control agent's Umwelt did not afford.

4.3.4 Pairwise Redundancy

Jaccard overlap between agent pairs ranged from 0.76 (control–counterfactual) to 0.93 (control–diachronic). Agents on similar constraint axes (temporal, diachronic, minimal) clustered at high overlap (≥ 0.93). Agents on distant axes (devils_advocate–socratic, evidential–first_principles) achieved lowest overlap (0.77), consistent with greater cognitive orthogonality.

4.3.5 Shapley Values

Shapley values ranged from 0.0703 (quantified, 7.0%) to 0.1084 (counterfactual, 10.8%), with 14 of 16 agents clustering between 7% and 9%. The relatively even distribution suggests that ensemble gain arises from broad complementarity rather than a single high-value agent—though counterfactual's unique contribution gives it an outsized share.

4.4 Cross-Experiment Consistency

E-Prime's effect differs between the two experiments. In Experiment 2 (software debugging, Haiku only), E-Prime degrades individual accuracy by −7.8 pp, consistent with Experiment 1's Haiku-specific pattern. In Experiment 1's multi-model aggregate, E-Prime improves ethical dilemmas (+15.5 pp) and causal reasoning (+14.1 pp) while degrading syllogisms (−3.4 pp). The divergence is informative: the debugging task's open-ended response format may interact differently with E-Prime than multiple-choice items, and the effect is model-dependent (Gemini drives most of the Experiment 1 improvements). The ensemble gain in Experiment 2—where linguistically diverse agents achieve 100% coverage vs. 88.2% for the control—demonstrates a mechanism (cognitive diversification) that operates independently of any individual constraint's accuracy effect.

5 Discussion

5.1 Constraints Redirect, Not Merely Degrade

The initial pilot (N=70, single model) suggested that linguistic constraints impose a uniform cognitive tax. The full experiment (N=4,470, three models, seven tasks, two constraints) reveals a more complex picture: constraints redirect reasoning in ways that are task-dependent, model-dependent, and constraint-dependent.

Task-dependent effects. The predicted crossover materialized (Table 1): constraints improve tasks where default language masks reasoning gaps and degrade tasks where default language aligns with task structure. The pattern is consistent with the Umwelt hypothesis—each constraint reshapes the cognitive landscape, bringing some features into focus at the cost of blurring others.

Model-dependent effects. This is the most unexpected finding. The same constraint reshapes cognition in opposite directions depending on the model (Table 2), with cross-model correlations of E-Prime effects reaching $r = -0.75$. This only makes sense if different models occupy different *native Umwelten*—default cognitive worlds established by training corpus, architecture, and alignment process. An imposed constraint interacts with this native world rather than overriding it.

Constraint-dependent effects. No-Have outperforms E-Prime on 5 of 7 tasks despite being theoretically less studied and receiving no predictions of superiority. No-Have also achieves near-perfect compliance (<1% violation rate) vs. E-Prime's 52%, suggesting that possessive framing—easier to eliminate—produces a deeper cognitive restructuring than copula elimination. One interpretation: "have" encodes ownership metaphors that are particularly distorting for abstract reasoning (a patient "has" rights, an argument "has" flaws), while "to be" is so pervasive that its elimination creates more noise than signal.

The ensemble results from Experiment 2 provide a complementary mechanism. No individual constrained agent exceeds the control's 88.2% accuracy on software debugging, yet a union ensemble achieves 100% coverage and a 3-agent subset matches this ceiling. The constraints produce *orthogonal coverage patterns*—different agents perceive different features of the same problem. This diversification effect operates independently of any individual constraint's accuracy impact.

Together, the two experiments demonstrate that linguistic constraints operate through at least two mechanisms: (1) *cognitive restructuring*, where removing a linguistic default forces more explicit reasoning (Experiment 1: causal, ethical, epistemic tasks), and (2) *cognitive diversification*, where different constraints activate different regions of the model's latent reasoning capacity (Experiment 2: ensemble coverage). These mechanisms are not mutually exclusive—a constraint can restructure reasoning for one task while providing orthogonal coverage when combined with other constraints.

The stronger claim from the pilot—that constraints are merely a cognitive tax—does not survive multi-model testing. But neither does the naive expectation that constraints uniformly help. The Umwelt is not a dial that turns reasoning up or down; it is a lens that brings some features into focus and blurs others.

5.2 Native Umwelten and Model-Constraint Interaction

The model-dependent pattern demands interpretation. Why does Gemini benefit from E-Prime while Haiku does not?

One hypothesis: models differ in how tightly their default reasoning is coupled to copula-based formulations. If Gemini's training over-relies on "X is Y" patterns for classification and causal attribution, then E-Prime forces a beneficial decoupling. If Haiku's training has already diversified away from copula-dependence—perhaps through Anthropic's RLHF process or constitutional AI training—then E-Prime removes useful structure without providing compensatory restructuring.

A related hypothesis: Gemini's lower baseline accuracy on several tasks (causal reasoning: 57.8% vs. Haiku's 97.7%) leaves more room for improvement. The constraint may function as a form of implicit chain-of-thought: by forcing circumlocution, it increases the reasoning steps between stimulus and answer, benefiting models that would otherwise shortcut to an incorrect response. Models that already reason carefully gain less from this forced elaboration.

The GPT-4o-mini epistemic result provides a third data point. E-Prime collapses GPT-4o-mini's epistemic calibration from 53.8% to 26.2%—a −27.5 pp effect that dwarfs any other single-model degradation in the experiment. This suggests GPT-4o-mini relies heavily on copula constructions ("this claim is well-supported," "the evidence is inconclusive") as its primary mechanism for graduated epistemic assertion. Removing these constructions doesn't merely add friction—it eliminates the model's epistemic vocabulary. Haiku, by contrast, shows a +2.7 pp *improvement* on the same task under E-Prime, suggesting it has alternative epistemic strategies that activate when the copula pathway is blocked.

These hypotheses are testable. Attention analysis on constrained vs. unconstrained inference would reveal whether E-Prime activates different internal circuits (the Umwelt interpretation) or merely adds output-level variance (the cognitive tax interpretation). The GPT-4o-mini epistemic collapse suggests the former: a model that has *no* alternative pathway for a cognitive operation will fail catastrophically when its primary pathway is blocked, rather than degrading gradually as a noise account would predict. This distinction—activation of latent strategies vs. statistical noise—is perhaps the most important open question the Umwelt framework raises.

5.3 The Unexpected Power of No-Have

No-Have was included as an exploratory control: a second constraint to test whether E-Prime's effects were specific to copula elimination or generalized to any vocabulary restriction. The results elevate it to a finding of independent significance.

No-Have's +19.1 pp improvement on ethical dilemmas ($d = 0.57$, $p < 0.001$) is the second-largest single effect in the experiment, behind only Gemini's E-Prime ethical effect (+42.3 pp). The mechanism is plausible: ethical reasoning in natural language is saturated with possessive framing—patients "have" rights, actions "have" consequences, stakeholders "have" interests. This framing reifies abstract relationships as owned properties, potentially obscuring the relational structure that ethical analysis requires. Removing "have" forces the model to articulate these relationships explicitly: "this action affects the patient's autonomy" rather than "the patient has a right."

No-Have also achieves near-perfect compliance, eliminating the interpretive ambiguity that plagues E-Prime analysis. When 52% of E-Prime trials contain violations, observed effects reflect a messy mixture of compliant and non-compliant reasoning. No-Have's clean compliance means its effects can be attributed to the constraint itself rather than to partial compliance artifacts.

The practical implication is direct: No-Have may be a more effective cognitive intervention than E-Prime for many reasoning tasks, with the additional advantage of being far easier for models to maintain.

5.4 The Cognitive Tax Revisited

The pilot suggested a uniform cognitive tax of ∼8.7 pp. The full experiment complicates this picture. E-Prime imposes a tax on syllogisms (−3.4 pp), epistemic calibration (−5.7 pp), and analogical reasoning (−3.0 pp), but produces gains on causal reasoning (+14.1 pp) and ethical dilemmas (+15.5 pp) that exceed any plausible tax. The net effect depends on the task.

A revised account: constraints impose two opposing forces. First, a *compliance cost*—the computational overhead of monitoring and reformulating language, which degrades performance on all tasks. Second, a *restructuring benefit*—the forced reformulation activates more explicit or more careful reasoning, which benefits tasks where default language masks reasoning gaps. The observed effect is the sum. For syllogisms, where the default language aligns well with the task structure, the compliance cost dominates. For causal reasoning and ethical dilemmas, where default language enables superficial pattern-matching, the restructuring benefit dominates.

The conciseness effect (16–33% word reduction) is consistent with this account. Constraints eliminate filler and hedging, producing more efficient reasoning chains. The compression is universal across tasks and models, suggesting it reflects compliance cost (less capacity for elaboration) and restructuring benefit (less need for elaboration when reasoning is more focused) in combination.

5.5 Counterfactual as Cognitive Affordance

The counterfactual agent's unique finding—identifying specification ambiguity by asking "what would differ if this assumption were false"—is a direct demonstration of a linguistic affordance creating a cognitive capability. The control agent had access to the same information and presumably knows what counterfactual reasoning is—it was not *incapable* of the operation. But its Umwelt did not make that operation a default mode of perception. The constraint made systematic assumption-inversion the agent's habitual lens, and a finding followed that no other lens surfaced.

This distinction matters for the prompt-vs-Umwelt boundary discussed in Section 5.8. One could argue that "consider counterfactuals" is simply a task instruction. But the counterfactual agent was not told to look for specification ambiguity—it was told to reason counterfactually about everything. The specific finding emerged because the cognitive mode made a specific feature of the problem perceptible. The constraint structured perception; the finding was a consequence.

5.6 Implications for Agent Architecture

If cognitive diversity is the mechanism underlying ensemble gain, then agent ensemble design becomes a question of Umwelt selection: which set of linguistic constraints produces maximally orthogonal coverage for a given task domain? The greedy selection algorithm identified analogical, counterfactual, and minimal as the optimal 3-agent subset for software debugging—three constraints drawn from three different axes (cross-domain mapping, modal reasoning, and expressive compression). This suggests that axis diversity, not constraint intensity, drives ensemble value.

The practical implication is that multi-agent systems should be designed not by duplicating capable agents, but by equipping agents with linguistically diverse reasoning modes. Three agents with different Umwelten outperform sixteen agents with overlapping ones.

Table 7: Taxonomy of linguistic constraints for Umwelt engineering, organized by intellectual tradition and targeted cognitive failure mode.

Constraint	Tradition	Axis	Targets
E-Prime	Korzybski/Bourland	Semantic	False identity claims
General Semantics	Korzybski	Extensional	Over-generalization
Rheomode	Bohm	Ontological	Entity bias
Operationalism	Bridgman	Epistemic-procedural	Ungrounded claims
Toki Pona	Lang	Lexical	Abstraction leakage
Evidentiality	Elgin/Láadan	Epistemic-source	Unsourced confidence
Catuṣkoṭi	Nāgārjuna	Logical	Premature binary resolution
NVC	Rosenberg	Evaluative	Observation–judgment conflation

5.7 The Constraint Design Space

These experiments tested a handful of constraints drawn from a much larger design space. Section 2.6 surveyed eight intellectual traditions, each of which identified a specific axis along which language shapes thought and proposed a linguistic intervention. These traditions were developed independently—Korzybski working on map-territory confusion, Bohm on process metaphysics, Bridgman on operationalization, Elgin on epistemic transparency, Nāgārjuna on non-binary logic—yet they converge on a shared structural insight: that linguistic defaults encode cognitive defaults, and that reforming the language reforms the cognition.

Table 7 organizes these traditions as a constraint taxonomy for Umwelt engineering.

Several features of this taxonomy bear emphasis. First, the axes are largely independent: removing identity claims (E-Prime) says nothing about evidential sourcing (Láadan), which says nothing about binary logic (Catuṣkoṭi). This independence predicts that constraints drawn from different axes will produce orthogonal effects on reasoning—precisely the mechanism that drove ensemble gain in Experiment 2. Second, each constraint makes a specific, testable prediction about which tasks it will improve and which it will degrade. Third, the traditions suggest that the design space is not arbitrary. Each constraint was developed by careful thinkers who identified a real cognitive failure mode and proposed a linguistic remedy. The constraints have theoretical motivation, not just empirical novelty. This distinguishes Umwelt engineering from unprincipled prompt variation: the question is not "what random linguistic constraints produce interesting effects?" but "which established theories of language-thought interaction yield productive cognitive interventions for artificial agents?"

5.8 Relationship to Existing Frameworks

An obvious objection: if the constraint is delivered as a system prompt instruction, how is this not simply prompt engineering? The distinction requires careful articulation.

A prompt instruction specifies a *task* within the agent's existing cognitive world. "Reason step by step" triggers a reasoning strategy; "be concise" adjusts an output parameter; "you are a careful logician" activates a behavioral persona. In each case, the conceptual vocabulary remains standard English—the agent applies the instruction using its full default repertoire of concepts and grammatical structures. An Umwelt intervention restructures the *medium* through which all tasks are processed. "Eliminate all forms of 'to be' " does not specify what to think about or how carefully to think—it removes an entire class of cognitive operations (identity assertion, categorical attribution, essentialist shorthand) from the agent's available repertoire, forcing all subsequent reasoning through alternative pathways.

The empirical evidence supports this distinction on three grounds. First, the model-dependent effects. "Reason step by step" does not produce negative cross-model correlations—it helps

broadly, because it is a task-level instruction that interacts minimally with model-specific internal structure. E-Prime produces correlation coefficients of $r = -0.36$ and $r = -0.75$ between model pairs, meaning the same constraint reshapes cognition in opposite directions depending on the model's native architecture. This interaction signature is consistent with an intervention that engages internal representational structure rather than merely adding an output-level directive. Second, the GPT-4o-mini epistemic collapse (-27.5 pp on a single task) is not the gradual degradation that instruction-following overhead would produce—it is a catastrophic failure of a specific cognitive capacity, consistent with the removal of a load-bearing linguistic structure rather than the addition of a processing burden. Third, the compliance-filtered analysis shows that *fully compliant* E-Prime trials produce stronger beneficial effects and attenuated harmful effects compared to unfiltered trials. If the constraint operated merely as an instruction competing for the model's attention, higher compliance would mean higher attentional cost and worse performance uniformly. Instead, higher compliance amplifies the restructuring benefit—the constraint is not taxing the reasoning; it is redirecting it.

None of this proves that the three-layer distinction is ontologically real rather than a useful abstraction. But the empirical signatures—model-specific interaction, catastrophic capacity failure, compliance-benefit correlation—are more consistent with a medium-level intervention than with a task-level instruction. The three-layer stack may ultimately reduce to a spectrum rather than a sharp hierarchy. Even so, the far end of that spectrum—where linguistic interventions interact with model internals in structured, model-dependent ways—represents a design space that prompt engineering as currently practiced does not address.

Returning to the three-layer stack introduced in Section 1.2: prompt engineering optimizes within a fixed Umwelt, context engineering provides information within a fixed Umwelt, and Umwelt engineering designs the Umwelt itself. The empirical signatures reported here—model-specific interaction patterns, catastrophic capacity failures, compliance-benefit correlations—populate this framework with evidence that the third layer is not merely conceptual.

The relationship to ORION's Mentalese [Tanmay et al., 2025] is direct: Mentalese is a deliberately designed Umwelt—a synthetic cognitive environment optimized for mathematical reasoning. The relationship to Coconut [Hao et al., 2024] is contrastive: Coconut demonstrates that language-based Umwelten may impose unnecessary constraints, suggesting that the design space includes non-linguistic cognitive environments. Both are instances of Umwelt engineering, whether their authors describe them as such or not.

6 Limitations

Answer extraction. Despite iterative expansion of the extraction pipeline, 85 of 4,429 trials (1.9%) resisted answer extraction. The remaining failures are concentrated in Haiku's ethical dilemma and epistemic calibration responses, where answers are embedded in discursive prose. While the overall impact is small, any systematic relationship between extraction failure and response correctness could bias accuracy estimates.

Ceiling and floor effects. Syllogisms hit 100% control accuracy for all three models, compressing the observable degradation range. Gemini's lower baseline on several tasks (causal reasoning: 56.8%) inflates observable improvement relative to Haiku's higher baseline (97.7%). Model-specific effects are partially confounded with baseline difficulty.

E-Prime compliance. The 52% E-Prime violation rate means observed E-Prime effects reflect a mixture of compliant and non-compliant reasoning. Compliance-filtered analysis (Section 3.2.4) confirms the direction of effects but has reduced power. The contrast with No-Have's near-perfect compliance suggests that No-Have provides cleaner causal evidence for constraint effects.

Model selection. All three models are cost-efficient instruction-following models. Constraint effects may differ on frontier models (GPT-4o, Claude Sonnet/Opus, Gemini Pro), which may

have more capacity for simultaneous constraint compliance and reasoning. The model-dependent effects observed here predict that frontier models will show different interaction patterns, not necessarily smaller effects.

Task format. All tasks use multiple-choice format for scoring consistency. Open-ended reasoning tasks—like Experiment 2's software debugging—may show different constraint effects. The conciseness finding (16–33% word reduction) suggests that constraints alter reasoning structure, not just answer selection, but the multiple-choice format may undercount effects that manifest in reasoning quality rather than answer accuracy.

LLM-as-judge. Experiment 2 used an LLM judge for semantic matching of claims to ground truth. While this avoids brittle string matching, it introduces judge noise and potential biases.

No active control for prompt complexity. The E-Prime and No-Have system prompts are substantially more elaborate than the control condition, which receives no constraint instruction. This introduces a confound: some portion of the observed effects—particularly the conciseness reduction and accuracy improvements—could arise from the presence of any elaborate meta-cognitive instruction rather than from the specific linguistic constraint. A comparably complex but linguistically arbitrary instruction (e.g., "avoid words containing the letter Q" or "keep all sentences under 15 words") would isolate the contribution of the constraint's semantic content from its mere presence as additional cognitive scaffolding. The crossover pattern (improvements on some tasks, degradation on others) is harder to explain as a generic instruction effect—a content-neutral meta-instruction would predict uniform direction—but a dedicated active control would strengthen this argument considerably.

7 Future Work

The Umwelt framework opens several research directions:

Constraint cartography. The taxonomy in Table 7 identifies eight constraints across seven axes; Experiment 1 tests two of these across seven task types. A full cartography would cross all eight constraints with the same task battery, producing an 8×7 matrix of effects. The model-dependent effects add a third dimension, suggesting a constraint $\times$ task $\times$ model tensor rather than a simple matrix.

Umwelt composition. Can constraints be productively combined? An agent reasoning in E-Prime with required uncertainty markers and analogical framing operates in a more structured Umwelt than any single constraint provides. Whether constraints compose additively, interfere, or interact non-linearly is an empirical question.

Dynamic Umwelt switching. Should an agent's linguistic world change depending on what it is doing? Sketch-of-Thought's per-task routing [Sketch-of-Thought, 2025] suggests yes, but their paradigms are fixed. A richer version would allow agents to shift Umwelten mid-task as reasoning demands change.

Native Umwelt characterization. The model-dependent effects suggest that each model has a "native Umwelt"—a default cognitive world established by its training corpus, architecture, and alignment process. Characterizing these native Umwelten is a prerequisite for principled constraint selection. Mechanistic interpretability methods—sparse autoencoders, activation patching, probing classifiers—could map the native Umwelt of a model by identifying which linguistic patterns most strongly activate its reasoning circuits.

Emergent vs. designed Umwelten. Quiet-STaR and Coconut demonstrate that models can develop effective reasoning formats without human design. When should one impose a designed Umwelt, and when should one let it emerge? The trade-off between interpretability (designed) and optimality (emergent) is largely unexplored.

Umwelt evaluation. How do you measure whether one Umwelt is better than another for a given purpose? Accuracy alone is insufficient—the experiments here show that constrained

agents may score lower individually while contributing more to ensemble coverage. Metrics for cognitive diversity, orthogonality of perception, and complementary coverage are needed.

Cross-linguistic Umwelten. If training language shapes LLM cognition [Wang et al., 2025], then multilingual reasoning environments constitute natural Umwelt experiments. An agent that reasons in Japanese about a problem described in English operates in a different cognitive world than one reasoning entirely in English.

Constraint space geometry. The taxonomy in Table 7 treats constraints as discrete categories, but the underlying space may be continuous—or at least partially so. Within a constraint family, one can titrate strictness (strict E-Prime vs. allowing copula in direct quotes vs. merely flagging identity claims). Across families, the question becomes whether constraints define positions in a shared geometric space with measurable axes and distances. If so, the orthogonality between constraints—whether E-Prime and evidentiality marking produce independent effect profiles across tasks, or whether their effects correlate—becomes empirically testable through factor analysis or representational similarity analysis on the constraint $\times$ task effect matrix. The ensemble results in Experiment 2 already suggest that constraints drawn from different axes produce more complementary coverage, but a systematic measurement of the constraint space's dimensionality and orthogonal structure would transform the taxonomy from a list into a coordinate system. A preliminary question is whether the space is genuinely continuous (admitting interpolation between constraints), mixed (continuous within families, discrete between them), or fundamentally discrete (with orthogonality measurable only as statistical independence of effect profiles). The answer determines whether Umwelt design is a search problem over a smooth manifold or a combinatorial problem over a structured set.

8 Conclusion

For a language model, the available language is not a transparent medium through which cognition passes—it *is* the cognition. A human can think beneath and beyond their words; a standard LLM cannot. Its vocabulary determines which concepts exist. Its grammar determines which relationships between concepts are expressible. Its conceptual distinctions determine which features of a problem become perceptible. Designing this language is Umwelt engineering: the construction of cognitive worlds for artificial minds.

The experiments demonstrate that linguistic constraints reshape agent cognition in measurable, task-dependent, and model-dependent ways. Removing "to be" improves ethical dilemmas by 15.5 pp and causal reasoning by 14.1 pp, while degrading syllogisms by 3.4 pp and epistemic calibration by 5.7 pp. Removing possessive "to have" improves ethical dilemmas by 19.1 pp and classification by 6.5 pp. These effects replicate across three models from three vendors, though the magnitude and even direction vary by model—revealing that each model occupies a different native Umwelt that interacts differently with imposed constraints. In multi-agent settings, linguistically diverse agents achieve coverage that no individual agent can match: a 3-agent ensemble selected for Umwelt diversity achieves 100% ground-truth coverage on a debugging task where the best individual agent reaches 88.2%.

Two mechanisms emerge. *Cognitive restructuring*: constraints that remove linguistic defaults force more explicit, operational reasoning, benefiting tasks where default language masks reasoning gaps. *Cognitive diversification*: different constraints activate different regions of a model's latent reasoning capacity, producing orthogonal coverage in ensemble settings. Both mechanisms confirm that the linguistic cognitive environment determines the space of possible thought—an empirically measurable design variable, not a philosophical speculation.

These findings, together with converging evidence from synthetic reasoning languages [Tanmay et al., 2025], latent-space reasoning [Hao et al., 2024], and cross-linguistic cognition in LLMs [Wang et al., 2025], establish the case for a three-layer framework—prompt engineering, context engineering, Umwelt engineering—and call for systematic investigation of the design space it

opens.

Design the world first. Then worry about the question.

References

Badr AlKhamissi, Greta Tuckute, Yizhou Tang, et al. From language to cognition: How LLMs outgrow the human language network. *EMNLP 2025*, 2025. arXiv:2503.01830.

David Bohm. *Wholeness and the Implicate Order*. Routledge, 1980.

David D. Bourland, Jr. A linguistic note: Writing in E-Prime. *General Semantics Bulletin*, 32/33:111–114, 1965.

David D. Bourland, Jr. and Paul David Johnston. *To Be or Not: An E-Prime Anthology*. International Society for General Semantics, 1991.

Percy W. Bridgman. *The Logic of Modern Physics*. Macmillan, 1927.

James Cooke Brown. Loglan. *Scientific American*, 192(6):53–63, 1955.

Suzette Haden Elgin. *Native Tongue*. DAW Books, 1984.

Shibo Hao, Sainbayar Sukhbaatar, DiJia Su, Xian Li, Zhiting Hu, Jason Weston, and Yuandong Tian. Training large language models to reason in a continuous latent space. *COLM 2025*, 2024. arXiv:2412.06769.

Jia He, Mukund Rungta, David Koleczek, Arshdeep Sekhon, Franklin X. Wang, and Sadid Hasan. Does prompt formatting have any impact on LLM performance? 2024. arXiv:2411.10541.

Alfred Korzybski. *Science and Sanity: An Introduction to Non-Aristotelian Systems and General Semantics*. International Non-Aristotelian Library, 1933.

Oliver Kramer. Conceptual metaphor theory as a prompting paradigm for large language models. 2025. arXiv:2502.01901.

Sonja Lang. *Toki Pona: The Language of Good*. Tawhid, 2001.

Nāgārjuna. *Mūlamadhyamakārikā*. Oxford University Press, 150. J. L. Garfield, Trans., 1995, as *The Fundamental Wisdom of the Middle Way*.

Partha Ray. Does linguistic relativity hypothesis apply on ChatGPT responses? Yes, it does. *Computational Intelligence (Wiley)*, 2025. DOI:10.1111/coin.70103.

Marshall B. Rosenberg. *Nonviolent Communication: A Language of Life*. PuddleDancer Press, 2nd edition, 2003.

Sketch-of-Thought. Sketch-of-thought: Efficient LLM reasoning with adaptive cognitive-inspired sketching. *EMNLP 2025*, 2025. arXiv:2503.05179.

Kumar Tanmay, Kunal Aggarwal, Paul Pu Liang, and Subhabrata Mukherjee. Thinking in the language of thought: Efficient reasoning with structured representations. 2025. arXiv:2511.22891.

Jakob von Uexküll. *A Foray into the Worlds of Animals and Humans*. University of Minnesota Press, 1934. J. D. O'Neil, Trans., 2010.

Changzai Wang, Yichi Zhang, Liang Gao, Ziming Xu, Zefan Song, Yue Wang, and Xiang Chen. Under the shadow of babel: How language shapes reasoning in LLMs. 2025. arXiv:2506.16151.

Eric Zelikman, Georges Harik, Yijia Shao, Varuna Jayasiri, Nick Haber, and Noah D. Goodman. Quiet-STaR: Language models can teach themselves to think before speaking. 2024. arXiv:2403.09629.

A E-Prime Constraint Prompt

The following system prompt was used for the E-Prime condition in Experiment 1:

> You must reason and respond entirely in E-Prime—a form of English that eliminates all forms of "to be." You may not use: is, am, are, was, were, be, being, been, or contractions containing these (it's, that's, there's, who's, etc.). Reformulate all statements using active verbs, process descriptions, or relational language. Do not merely rephrase surface syntax—restructure your reasoning to avoid ontological identity claims.

B Agent Constraint Prompts

Full system prompts for all 16 agents in Experiment 2 are available in the supplementary repository.

C No-Have Constraint Prompt

The following system prompt was used for the No-Have condition in Experiment 1:

> You must reason and respond without using any form of "to have" as a main verb. You may not use: has, have, had, having when they express possession, containment, or attribution. Auxiliary uses are permitted (e.g., "has completed," "have been"). Reformulate all possessive statements using relational, behavioral, or structural language. "The argument has a flaw" becomes "a flaw appears in the argument." "This system has three components" becomes "three components make up this system."

D Per-Model Accuracy Breakdown

Full per-model accuracy tables are available in the supplementary data files.

E Reproducibility

All code, data, and results are available at: `[repository URL]`.

- Experiment 1: `e-prime-llm/`—task items, scoring rubrics, multi-model runner, and full results
- Experiment 2: `linguistic-agents/`—agent definitions, problem bank, 5-phase pipeline, and full analysis
- Models: Claude Haiku 4.5 (`claude-haiku-4-5-20251001`), GPT-4o-mini (`gpt-4o-mini-2024-07-18`), Gemini 2.5 Flash Lite (`gemini-2.5-flash-lite`)
- Experiment 1: 4,470 trials across 7 tasks $\times$ 3 conditions $\times$ 3 models $\times$ 4 repetitions
- All experiments are resumable (JSONL append) and reproducible at temperature 0.0

Acknowledgments

This paper was developed through extensive collaboration with Claude (Anthropic, 2024–2026). The Umwelt engineering framework, three-layer stack, experimental design, and core thesis are the author's own. The constraint taxonomy (Table 7) emerged from directed inquiry: the author hypothesized that a design space of linguistic cognitive constraints existed beyond E-Prime and used structured dialogue with Claude to surface candidate traditions, which were then evaluated, organized, and integrated into the framework by the author. Claude also assisted with literature review, drafting, statistical analysis, and code for the experimental pipeline. This division of labor—human hypothesis and architectural judgment, AI recall and drafting—is itself an instance of the collaborative cognitive environments this paper examines.