

ArtVenture — Release Notes

Solo-built trip-planning platform • changelog v0.1.0 - v0.6.0

The engineering changelog kept for ArtVenture across its first six releases — from the initial Iceland-only baseline to opening the library to anonymous visitors. Each entry documents what shipped, what broke and was fixed, and decisions made along the way, in the format used to track the project internally.

CURRENT COMPONENT VERSIONS

Application	0.6.0
Guest Access	1.0.0
Trip Cover Image Security	1.0.0
Reporting	1.0.0
Navigation Shell	1.1.0
MVP Feature Flags	1.0.0
Library Explorer UI	1.0.0
Region Assignment Engine	1.1.0
Block Discovery Pipeline	1.2.0
Blocks Service & API	1.0.1

0.6.0

2026-07-15

Opens the Library up to anonymous visitors (browse freely, sign-in prompt only on actual write actions), restricts trip cover images to an explicit host allowlist instead of any URL, and closes two real deployment gaps found while auditing for launch: a missing `prisma generate` build step, and a `Report` migration that only existed via `db push` and would've been silently skipped on a fresh deploy. Also corrects a stale docs claim (country content was assumed to be a small set of leftover test places — actually 150 real ones) and finalizes two decisions that were previously left open: countries in scope (Iceland + Germany, both real) and auth strategy (accounts required, permanently — not a deferral).

Guest Access — new, v1.0.0 • Trip Cover Image Security — new, v1.0.0 • Navigation Shell — 1.0.0 → 1.1.0

ADDED

- Guest Access (v1.0.0)** — `/library` and `/library/[...]` opened to anonymous visitors (previously redirected to login before a visitor could browse at all). Clicking "Save to Grey Board" or "Add to Day" while signed out now opens a small "sign in to continue" prompt instead of silently failing or hiding the buttons. Trip creation and the day builder keep their existing auth redirect — unreachable from browsing anyway, and correct behavior for direct URL access.
- Trip Cover Image Security (v1.0.0)** — the cover image field was previously a free-text URL with no host restriction. Introduced an explicit allowlist of the actual image sources in use and enforced it server-side on trip create/update, plus client-side for immediate feedback. The image-optimizer config is now generated from the same allowlist instead of a separately hardcoded list, so the two can't drift.
- New pre-launch checklist tracking everything that still needs manual/dashboard action before going live: environment and credential hygiene, pointing auth URLs at production, adding the prod OAuth redirect URI, choosing a host, confirming repo

visibility, restricting the country dropdown to real content, and a parked future-feature note on anonymous shareable trip links.

FIXED

- **Deploy-breaking:** the build had no `postinstall` script, so a fresh install on a deploy host would never generate the Prisma client — added `"postinstall": "prisma generate"`.
- **Deploy-breaking:** the `Report` table (added in v0.5.0) only existed in the database via a direct schema push, with no corresponding migration file — a clean migration deploy against a fresh database would have silently created every table except `Report`. Added the missing migration and marked it applied against the existing database (no data touched, history-only fix). Migration status now reports clean.
- **Navigation Shell (1.1.0)** — the marketing nav on the home page overlapped the always-present top bar, hid "My Trips" from logged-in users on the home page, and duplicated auth-aware buttons the top bar already provides. Simplified to a lightweight marketing-only bar that floats just below the top bar instead of competing with it.

DATA

- Removed a small number of leftover test entries from the public library, confirmed via direct query to have zero references elsewhere before deleting.
- Deleted a few orphaned draft/private trips with invalid country values, after verifying no real library content existed for those countries. Cascade-removed their associated day/item rows via existing foreign-key cascades.
- Removed an out-of-scope country entry from the static country-name dropdown, the only remaining place it appeared.

DOCS

- Corrected a factual error in the MVP planning doc: it claimed one country had only a few leftover test places that should be pruned before launch. Verified directly against the live database instead — that country has 150 real, deliberately-built library places. **Decision: both supported countries are permanently in scope; nothing gets pruned.**
- **Decision, not a deferral:** trip creation stays login-required. Anonymous library browsing is fine, but every trip creator needs an account, since personalized recommendations tied to an account are planned for a future release. Anonymous shareable read-only trip links were considered and parked as a possible future feature.
- Re-examined and reaffirmed hiding the "Explore" nav item: the global library page already has its own working country picker, and the hidden page turned out to be a separate editorial content layer rather than a plain picker — extra scope worth leaving parked, not simply "pointless with one country" as originally reasoned.

KNOWN GAPS

- The `Report` migration-history gap is now closed, but an unrelated, pre-existing migration drift noted in v0.5.0 is still unresolved.
- The country-name dropdown still lists dozens of other world countries as free-text options with no library content behind them — this is how the orphaned test trips above were created in the first place. Restricting it to only countries with real data is tracked in the pre-launch checklist, not urgent while usage is limited to internal testing.
- Environment credential rotation and history cleanup is tracked separately in the pre-launch checklist ahead of any public deployment.

0.5.0

2026-07-14

Closes out the last missing piece of the original MVP core loop — the flag/report button — and replaces the sidebar with a top navigation bar. Also fixes a bug that would have silently broken every image added by v0.3.0's data work, and improves environment-file hygiene in version control going forward.

Reporting — new, v1.0.0 · Navigation Shell — new, v1.0.0

ADDED

- **Reporting (v1.0.0)** — a report model with reason categories (wrong hours, permanently closed, not worth it, other); a public reporting endpoint (no login required, attaches a user only when a session exists); a "Something wrong?" dialog wired into both place detail views. Reports are read directly from the database for now — no admin review UI, matching the MVP scope this was built against.
- **Navigation Shell (v1.0.0)** — the desktop sidebar is gone; navigation (logo, My Trips, Library, conditional Admin link) now lives in the top bar. Mobile's bottom nav is untouched. The old sidebar component was left in place, just no longer rendered, in case it's needed again.

FIXED

- The image optimizer config only whitelisted one image host, meaning every photo added by v0.3.0's data work would have failed to render in the actual app. Added the two other real sources in use to the allowlist — verified directly against real URLs from the database.
- Two fixed-position elements in the day builder had left-offset values specifically calibrated to dodge the sidebar's width. Adjusted both now that the sidebar is gone.

SECURITY

- Identified that local environment configuration files had been tracked in version control. Untracked them going forward and corrected `.gitignore` to prevent recurrence. Full credential rotation is tracked separately as part of pre-launch hardening.
- Rewrote git history to remove an incorrect co-author attribution that had been added to one commit's message.

KNOWN GAPS

- The `Report` model was applied via a direct schema push rather than a tracked migration — the standard migration path detected pre-existing, unrelated drift in the migration history and wanted to reset the entire database to reconcile it, which was refused. The direct push applied the schema change cleanly with zero data loss, but this means there's no migration file for the new table, and the underlying drift issue itself is still unresolved.

0.4.0

2026-07-12

Reduces the app's navigation and UI surface down to the confirmed MVP core loop (browse → add to day → build → see a verdict), following an internal audit's finding that most of the MVP already works but is surrounded by extra features (a marketplace, a multi-country explore picker, a live on-trip mode, a route optimizer, and more) built alongside it. Nothing is deleted — every hidden surface is gated behind a single new feature-flag file and can be restored with a one-line change.

MVP Feature Flags — new, v1.0.0

ADDED

- **MVP Feature Flags (v1.0.0)** — a single source of truth for which non-core UI surfaces are currently hidden. Every hide in this release is a conditional render guarded by one of these flags, not a deletion or removed route — flipping a flag restores that surface.

CHANGED

- **Navigation** — hid the "Explore" (country picker) and "Marketplace" nav items; only Library and My Trips remain visible in the sidebar and mobile nav.
- **Library Explorer UI** — hid the Personal and Discovery tabs; only Global remains, matching the MVP doc's single named browse surface.
- **Trip overview** — hid the "Start Trip" button (the live on-trip companion entry point). The Grey Board saved-for-later panel on the same page was deliberately left visible.
- **Day builder** — hid the "Optimize Route" button (route optimization violates the product's own "we warn, we never auto-fix" principle) and the "Suggest Accommodation" button.

- **Landing page** — repointed all three "Explore"-labeled calls-to-action from the now-hidden country picker to the working global library page, so a first-time visitor's first click lands on a working page instead of a dead end.

0.3.0

2026-07-07

Brings Iceland's live library up to the same real-data standard as Germany's. Discovered along the way that Iceland's public-facing library was 88% template-generated mock data (test fixtures approved into production by mistake) and that 0% of blocks across both countries had real images due to a silent image-merge bug plus a missing HTTP header that was quietly zeroing out every OSM discovery request. Fixes all of that, adds real image sourcing (Google Places Photos, with a Wikimedia fallback), and hardens the discovery pipeline against two quota-wasting failure modes found by running it for real.

Block Discovery Pipeline — 1.1.0 → 1.2.0

ADDED

- Google Places Photos support: requests photo data in the discovery field mask and resolves each place's photo to a servable image URL during discovery.
- A name-based filter that blocks image search for generic or auto-generated place labels (e.g. "Viewpoint N," "Seal Watching," "Church") after these were found to confidently return unrelated photos.
- A pre-enrichment cap that limits candidates per category before AI enrichment runs, so a single flooded source (one query type returned nearly 3,000 raw results against an 80-place ceiling) can't burn enrichment quota on candidates that get rejected anyway.
- A reusable backfill script that attaches real images to already-approved blocks that have none, via a places photo search falling back to a Wikimedia Commons title search.
- A reusable approval script that bulk-approves high/medium-confidence import rows into the live library, leaving low-confidence entries for manual review.

FIXED

- The dedup path taken by the large majority of places (those not matched as cross-source duplicates) never surfaced a resolved image to the merged record, so any image found during discovery was silently discarded before import. This was the root cause behind 0% image coverage across both countries.
- The OSM fetcher was rejected on every request due to missing required headers, meaning zero OSM results made it into any pipeline run without this being visible as an error in the summary output.
- Google Places quota exhaustion previously crashed the entire pipeline run or backfill script rather than degrading gracefully, discarding all progress made before the exhaustion point. Both now continue without further calls to that source (falling back to Wikimedia where applicable) instead of aborting.
- AI enrichment ran on every deduplicated candidate before the category ceiling check, wasting enrichment quota on candidates that would be rejected immediately afterward.

DATA

- Removed 484 template-generated mock blocks that had been approved into Iceland's live public library by mistake — these were test fixtures from the pipeline's mock-data generator, not real places.
- Removed a handful of unrelated junk/test entries from Iceland's live library.
- Ran the discovery pipeline for Iceland across several data sources: 216 new places imported to the review queue; 263 high/medium-confidence places approved into the live library; 193 low-confidence places left pending manual review.
- Backfilled real images onto already-approved blocks: Germany 149/150 (99.3%), Iceland roughly 115/328 after removing 10 confirmed wrong image matches on generic-named places.
- **Net effect: Iceland's live library grew from 65 real blocks to 328**, with two categories now at or near their target ceilings and others remaining below target pending the next data-source quota reset.

0.2.0

2026-07-05

Adds country/region-based browsing to the Global Library, extends the block-discovery pipeline beyond its original Iceland-only scope, and fixes two multi-country bugs in region/country assignment uncovered while onboarding Germany as the platform's second fully-populated country (150 live attractions across 8 regions).

Library Explorer UI — new, v1.0.0 · Region Assignment Engine — 1.0.0 → 1.1.0 · Block Discovery Pipeline — 1.0.0 → 1.1.0 · Blocks Service & API — 1.0.0 → 1.0.1

ADDED

- **Library Explorer UI (v1.0.0)** — new country and region dropdown components on the global library page, replacing the old single country-only filter. Picking a country reveals a searchable, country-scoped area dropdown; both feed the existing results grid via the pre-existing API filters.
- A new endpoint exposing distinct regions available for a given country.
- Germany added as a supported country, targeting 6 states initially (Berlin, Bavaria, North Rhine-Westphalia, Baden-Württemberg, Hamburg, Saxony).
- Bounding-box definitions added for all 16 German states, so any place discovered anywhere in the country resolves to an accurate region, not just the 6 actively-searched states.
- A new onboarding-style architecture summary document for the codebase.

FIXED

- Region resolution hardcoded a single country as the fallback for every place regardless of which country was actually being processed, silently mislabeling all other places with the wrong default region. Now uses the real country name passed through from the pipeline run.
- Country values were populated with an ISO country code instead of the display name, inconsistent with how the rest of the app stores country as a full name, which silently split a country's data into two disconnected buckets. Now stores the display name consistently.
- The region-lookup query used a filter pattern against a non-nullable column that the ORM's newer version rejects outright; this broke the region endpoint for every country, not just newly added ones. Filter removed.
- Fixed a lint violation in the area dropdown by moving the region fetch into an async function inside the effect, matching the existing pattern used elsewhere in the codebase.

DATA

- Ran the discovery pipeline for Germany: 678 places discovered, 394 imported to the review queue, 147 high/medium-confidence places approved into the live library across 8 regions. 247 low-confidence places left pending manual review.

0.1.0

baseline

Baseline release predating this document: Iceland-focused AI trip-planning platform (trip building, Mapbox routing, curated block library, discovery pipeline for Iceland).