

Combined_Mapped_Analysis

October 8, 2026

1 Mapped Longitudinal Analysis

1.1 1. Report Analysis

1.1.1 Setup

1.1.2 1.1 Column_3 distribution

1.1.3 1.2 Column_2 distribution

1.1.4 1.3 Column_4 distribution

1.1.5 1.4 Column_5 distribution

1.1.6 1.5 Scale_1 item means across time

1.1.7 1.6 Scale_1 total across time

1.1.8 1.7 Scale_2 across time

1.1.9 1.8 Medication use (Column_35)

1.1.10 1.9 Medication type among users (Column_35)

1.1.11 1.10 Column_36 distribution

1.1.12 1.11 Column_37 distribution

1.1.13 1.12 Scale_1: Friedman test

1.1.14 1.13 Scale_1: Wilcoxon comparisons with Bonferroni correction

1.1.15 1.14 Scale_2: Friedman test

1.1.16 1.15 Scale_2: Wilcoxon comparisons with Bonferroni correction

1.1.17 1.16 Scale_1 and Scale_2 correlations

1.1.18 1.17 Column_3 and Column_2

1.1.19 1.18 Column_3 and Column_4

1.1.20 1.19 Column_3 and Column_5

1.1.21 1.20 Column_3 and Scale_1

1.1.22 1.21 Column_3 and Scale_2

1.1.23 1.22 Column_3 and Column_36

1.1.24 1.23 Column_3 and Column_37

1.1.25 1.24 Column_2 and Column_5

1.1.26 1.25 Column_2 and Scale_1

1.1.27 1.26 Column_2 and Scale_2

1.1.28 1.27 Column_2 and Column_36

1.1.29 1.28 Column_2 and Column_37

1.2 2. Exploratory Response-Pattern and Sensitivity Analysis

1.2.1 2.1 Setup

1.2.2 2.2 Range checks

1.2.3 2.3 Stored total verification