



Masked_Analysis

October 7, 2026

0.1 Import and preparation


0.2 Column_2

	count	min	max	mean	std
Value	550.0	7.0	17.0	11.296364	2.330089




0.3 Column_3

	N	%
Column_3		
1	278	50.545455
2	272	49.454545




0.4 Column_4

	N	%
Column_4		
0.0	33	6.010929
1.0	516	93.989071



0.5 Column_5


	N	%
Column_5		
0.0	55	10.638298
1.0	462	89.361702



0.6 Domain_1: item distributions

	Column	Response_1	Response_2	Response_3	Response_4	Response_5	\
0	Column_6	312 (60.35%)	123 (23.79%)	49 (9.48%)	17 (3.29%)	16 (3.09%)	
1	Column_7	374 (72.34%)	85 (16.44%)	34 (6.58%)	12 (2.32%)	12 (2.32%)	


N
0 517
1 517



0.7 Domain_2: item distributions

	Column	Response_1	Response_2	Response_3	Response_4	Response_5 \
0	Column_8	265 (51.26%)	145 (28.05%)	65 (12.57%)	25 (4.84%)	17 (3.29%)
1	Column_9	278 (53.98%)	126 (24.47%)	49 (9.51%)	31 (6.02%)	31 (6.02%)
2	Column_10	373 (72.15%)	84 (16.25%)	35 (6.77%)	15 (2.90%)	10 (1.93%)
3	Column_11	396 (76.60%)	66 (12.77%)	31 (6.00%)	13 (2.51%)	11 (2.13%)
4	Column_12	289 (55.90%)	125 (24.18%)	46 (8.90%)	31 (6.00%)	26 (5.03%)

	N
0	517
1	515
2	517
3	517
4	517




0.8 Domain_3: item distributions

	Column	Response_1	Response_2	Response_3	Response_4 \
0	Column_13	363 (70.21%)	127 (24.56%)	8 (1.55%)	10 (1.93%)
1	Column_14	330 (63.83%)	137 (26.50%)	26 (5.03%)	14 (2.71%)
2	Column_15	323 (62.60%)	131 (25.39%)	31 (6.01%)	17 (3.29%)
3	Column_16	289 (55.90%)	141 (27.27%)	44 (8.51%)	23 (4.45%)
4	Column_17	342 (66.15%)	110 (21.28%)	38 (7.35%)	14 (2.71%)
5	Column_18	318 (61.51%)	110 (21.28%)	33 (6.38%)	31 (6.00%)
6	Column_19	181 (35.01%)	157 (30.37%)	59 (11.41%)	61 (11.80%)

7	Column_20	208 (40.23%)	150 (29.01%)	69 (13.35%)	45 (8.70%)
8	Column_21	259 (50.10%)	134 (25.92%)	49 (9.48%)	38 (7.35%)
9	Column_22	294 (56.87%)	131 (25.34%)	39 (7.54%)	29 (5.61%)
10	Column_23	260 (50.29%)	153 (29.59%)	53 (10.25%)	25 (4.84%)
11	Column_24	300 (58.03%)	126 (24.37%)	40 (7.74%)	28 (5.42%)
12	Column_25	470 (90.91%)	31 (6.00%)	7 (1.35%)	4 (0.77%)


	Response_5	N
0	9 (1.74%)	517
1	10 (1.93%)	517
2	14 (2.71%)	516
3	20 (3.87%)	517
4	13 (2.51%)	517
5	25 (4.84%)	517
6	59 (11.41%)	517
7	45 (8.70%)	517
8	37 (7.16%)	517
9	24 (4.64%)	517
10	26 (5.03%)	517
11	23 (4.45%)	517
12	5 (0.97%)	517



0.9 Domain scores

	Domaini	N	Mean $\pm$ SD	Median (IQR)	Min-Max
0	Domain_1	517	1.55 $\pm$ 0.83	1.00 (1.00-2.00)	1.00-5.00

1	Domain_2	517	1.67 ± 0.69	1.40 (1.20-2.00)	1.00-5.00
2	Domain_3	517	1.73 ± 0.76	1.54 (1.15-2.00)	1.00-5.00



0.10 Cronbach alpha and item diagnostics


	Domain	Item	Item-rest r	Domain's	if item removed \
0	Domain_1	Column_6	0.532	0.692	NaN
1	Domain_1	Column_7	0.532	0.692	NaN
2	Domain_2	Column_8	0.414	0.689	0.653
3	Domain_2	Column_9	0.541	0.689	0.593
4	Domain_2	Column_10	0.451	0.689	0.640
5	Domain_2	Column_11	0.286	0.689	0.698
6	Domain_2	Column_12	0.539	0.689	0.594
7	Domain_3	Column_13	0.623	0.922	0.919
8	Domain_3	Column_14	0.709	0.922	0.916
9	Domain_3	Column_15	0.685	0.922	0.916
10	Domain_3	Column_16	0.747	0.922	0.913
11	Domain_3	Column_17	0.654	0.922	0.917
12	Domain_3	Column_18	0.731	0.922	0.914
13	Domain_3	Column_19	0.714	0.922	0.915
14	Domain_3	Column_20	0.686	0.922	0.916
15	Domain_3	Column_21	0.725	0.922	0.914
16	Domain_3	Column_22	0.702	0.922	0.915
17	Domain_3	Column_23	0.710	0.922	0.915
18	Domain_3	Column_24	0.581	0.922	0.920
19	Domain_3	Column_25	0.404	0.922	0.924

	Difference in
0	NaN
1	NaN
2	-0.037
3	-0.096
4	-0.050
5	0.008
6	-0.095
7	-0.004
8	-0.007
9	-0.007
10	-0.009
11	-0.005
12	-0.009
13	-0.007
14	-0.006
15	-0.008
16	-0.007
17	-0.008
18	-0.003
19	0.002

0.11 Column_5 × domain scores: Mann–Whitney U


	Domain	Group_1 N	Group_1 Median (IQR)	Group_0 N	Group_0 Median (IQR)	\
0	Domain_1	462	1.00 (1.00–1.50)	55	2.00 (1.00–3.50)	
1	Domain_2	462	1.40 (1.00–2.00)	55	2.20 (1.60–2.80)	
2	Domain_3	462	1.46 (1.15–1.92)	55	2.54 (1.92–3.23)	

	U	p	p Holm	Rank-biserial r	Significance
0	17316.0	<0.001	<0.001	0.363	Yes
1	18986.0	<0.001	<0.001	0.494	Yes
2	20706.0	<0.001	<0.001	0.630	Yes



0.12 Domain correlations: Spearman

	Comparison	N	Spearman	p	p Holm	Significance
0	Domain_1 × Domain_2	517	0.365	<0.001	<0.001	Yes
1	Domain_1 × Domain_3	517	0.389	<0.001	<0.001	Yes
2	Domain_2 × Domain_3	517	0.625	<0.001	<0.001	Yes



0.13 Domain_3 items: Friedman and mean ranks

	Test	N	N of items	²	df	p-value	Kendall's W
0	Friedman	516	13	927.332	12	<0.001	0.15

	Rank	Column	Item	N	Median (IQR)	Mean	Mean rank
0	1	Column_19	Column_19	516	2.00 (1.00-3.00)	2.34	9.22
1	2	Column_20	Column_20	516	2.00 (1.00-3.00)	2.17	8.66
2	3	Column_21	Column_21	516	1.00 (1.00-2.00)	1.96	7.79
3	4	Column_23	Column_23	516	1.00 (1.00-2.00)	1.85	7.54
4	5	Column_16	Column_16	516	1.00 (1.00-2.00)	1.73	7.08
5	6	Column_24	Column_24	516	1.00 (1.00-2.00)	1.74	7.07
6	7	Column_22	Column_22	516	1.00 (1.00-2.00)	1.76	7.06

7	8	Column_18	Column_18	516	1.00 (1.00-2.00)	1.72	6.85
8	9	Column_15	Column_15	516	1.00 (1.00-2.00)	1.58	6.49
9	10	Column_17	Column_17	516	1.00 (1.00-2.00)	1.54	6.35
10	11	Column_14	Column_14	516	1.00 (1.00-2.00)	1.53	6.29
11	12	Column_13	Column_13	516	1.00 (1.00-2.00)	1.41	5.79
12	13	Column_25	Column_25	516	1.00 (1.00-1.00)	1.15	4.81

0.14 Domain_3 item comparisons: Wilcoxon-Holm

	Column_13	Column_14	Column_15	Column_16	Column_17	Column_18	\
Column_13	-	***	***	***	**	***	
Column_14	***	-	ns	***	ns	***	
Column_15	***	ns	-	***	ns	*	
Column_16	***	***	***	-	***	ns	
Column_17	**	ns	ns	***	-	**	
Column_18	***	***	*	ns	**	-	
Column_19	***	***	***	***	***	***	
Column_20	***	***	***	***	***	***	
Column_21	***	***	***	***	***	***	
Column_22	***	***	**	ns	***	ns	
Column_23	***	***	***	ns	***	ns	
Column_24	***	***	*	ns	**	ns	
Column_25	***	***	***	***	***	***	

	Column_19	Column_20	Column_21	Column_22	Column_23	Column_24	\
Column_13	***	***	***	***	***	***	
Column_14	***	***	***	***	***	***	
Column_15	***	***	***	**	***	*	
Column_16	***	***	***	ns	ns	ns	
Column_17	***	***	***	***	***	**	
Column_18	***	***	***	ns	ns	ns	
Column_19	-	**	***	***	***	***	
Column_20	**	-	***	***	***	***	
Column_21	***	***	-	***	ns	***	
Column_22	***	***	***	-	ns	ns	
Column_23	***	***	ns	ns	-	ns	
Column_24	***	***	***	ns	ns	-	
Column_25	***	***	***	***	***	***	

	Column_25
Column_13	***
Column_14	***
Column_15	***
Column_16	***
Column_17	***
Column_18	***
Column_19	***
Column_20	***

Column_21 ***
 Column_22 ***
 Column_23 ***
 Column_24 ***
 Column_25 -


0.15 Domain_3 item correlations: Spearman

	Column_13	Column_14	Column_15	Column_16	Column_17	Column_18	\
Column_13	1.000	0.553	0.466	0.469	0.307	0.502	
Column_14	0.553	1.000	0.642	0.537	0.430	0.499	
Column_15	0.466	0.642	1.000	0.588	0.391	0.507	
Column_16	0.469	0.537	0.588	1.000	0.446	0.521	
Column_17	0.307	0.430	0.391	0.446	1.000	0.455	
Column_18	0.502	0.499	0.507	0.521	0.455	1.000	
Column_19	0.392	0.459	0.444	0.503	0.407	0.501	
Column_20	0.339	0.408	0.439	0.466	0.341	0.470	
Column_21	0.348	0.350	0.393	0.470	0.392	0.446	
Column_22	0.384	0.392	0.435	0.501	0.433	0.412	
Column_23	0.343	0.379	0.399	0.514	0.434	0.433	
Column_24	0.314	0.296	0.302	0.354	0.327	0.318	
Column_25	0.158	0.244	0.223	0.170	0.200	0.225	

	Column_19	Column_20	Column_21	Column_22	Column_23	Column_24	\
Column_13	0.392	0.339	0.348	0.384	0.343	0.314	
Column_14	0.459	0.408	0.350	0.392	0.379	0.296	
Column_15	0.444	0.439	0.393	0.435	0.399	0.302	
Column_16	0.503	0.466	0.470	0.501	0.514	0.354	
Column_17	0.407	0.341	0.392	0.433	0.434	0.327	
Column_18	0.501	0.470	0.446	0.412	0.433	0.318	
Column_19	1.000	0.683	0.539	0.490	0.499	0.439	
Column_20	0.683	1.000	0.493	0.447	0.481	0.352	
Column_21	0.539	0.493	1.000	0.670	0.649	0.507	
Column_22	0.490	0.447	0.670	1.000	0.636	0.465	
Column_23	0.499	0.481	0.649	0.636	1.000	0.476	
Column_24	0.439	0.352	0.507	0.465	0.476	1.000	
Column_25	0.212	0.250	0.173	0.254	0.200	0.280	


	Column_25
Column_13	0.158
Column_14	0.244
Column_15	0.223
Column_16	0.170
Column_17	0.200
Column_18	0.225
Column_19	0.212
Column_20	0.250
Column_21	0.173

Column_22 0.254
 Column_23 0.200
 Column_24 0.280
 Column_25 1.000




0.16 Column_2 × Column_3

	count	mean	std	min	max
Column_3					
1	278	11.38	2.32	7	17
2	272	11.21	2.34	7	16



0.17 Column_2 × domain scores: Spearman–Holm

	Domain	N	Spearman	p (Spearman)	p Holm	Significance
0	Domain_1	517	-0.068	0.122979	0.245958	No
1	Domain_2	517	-0.096	0.029349	0.088046	No
2	Domain_3	517	-0.027	0.536829	0.536829	No



0.18 Appendix: Column_2 × individual items

	Domain	Column	Item	N	Spearman rho	p	p Holm	\
0	Domain_1	Column_6	Column_6	517	-0.101	0.0221	0.0442	
1	Domain_1	Column_7	Column_7	517	-0.009	0.8376	0.8376	

2	Domain_2	Column_8	Column_8	517	0.041	0.3519	0.8074
3	Domain_2	Column_9	Column_9	515	-0.067	0.1281	0.5125
4	Domain_2	Column_10	Column_10	517	-0.043	0.3334	0.8074
5	Domain_2	Column_11	Column_11	517	-0.049	0.2691	0.8074
6	Domain_2	Column_12	Column_12	517	-0.109	0.0131	0.0657
7	Domain_3	Column_13	Column_13	517	-0.059	0.1774	1.0000
8	Domain_3	Column_14	Column_14	517	-0.071	0.1083	1.0000
9	Domain_3	Column_15	Column_15	516	-0.018	0.6887	1.0000
10	Domain_3	Column_16	Column_16	517	-0.013	0.7616	1.0000
11	Domain_3	Column_17	Column_17	517	-0.009	0.8379	1.0000
12	Domain_3	Column_18	Column_18	517	-0.067	0.1268	1.0000
13	Domain_3	Column_19	Column_19	517	0.003	0.9443	1.0000
14	Domain_3	Column_20	Column_20	517	0.038	0.3906	1.0000
15	Domain_3	Column_21	Column_21	517	0.021	0.6408	1.0000
16	Domain_3	Column_22	Column_22	517	0.013	0.7607	1.0000
17	Domain_3	Column_23	Column_23	517	0.027	0.5343	1.0000
18	Domain_3	Column_24	Column_24	517	-0.069	0.1174	1.0000
19	Domain_3	Column_25	Column_25	517	-0.003	0.9424	1.0000

Significance


0	Yes
1	No
2	No
3	No
4	No
5	No
6	No
7	No
8	No
9	No
10	No
11	No
12	No
13	No
14	No
15	No
16	No
17	No
18	No
19	No

0.19 Column_3 × Column_5: chi-square

Column_5_Label	Group_1	Group_0
Column_3_Label		
Group_2	89.1	10.9
Group_1	89.6	10.4

	Comparison	N	χ^2	df	p	Fisher p	Odds ratio	\
0	Column_3 × Column_5	517	0.025	1	0.874602	0.88761	0.956	


	Cramér's V	Recommended Test	Recommended p
0	0.007	Pearson Chi-square	0.874602



0.20 Column_3 × domain scores: Mann–Whitney U


	Domain	Group_2 N	Group_2 Median (IQR)	Group_1 N	Group_1 Median (IQR)	\
0	Domain_1	258	1.00 (1.00–2.00)	259	1.00 (1.00–2.00)	
1	Domain_2	258	1.60 (1.20–2.15)	259	1.40 (1.00–1.90)	
2	Domain_3	258	1.54 (1.17–2.15)	259	1.46 (1.15–1.88)	


	U	p	p Holm	Rank-biserial r	Significance
0	31732.0	0.279	0.279	-0.050	No
1	37556.5	0.014	0.041	0.124	Yes
2	37397.5	0.019	0.041	0.119	Yes



0.21 Total score and categories

	N	Mean	SD	Median	Q1	Q3	IQR	Min	Max
0	514	33.87	13.01	30.0	24.0	39.75	15.75	20.0	97.0





Number of participants with valid total scores: 514

	Score Category	Total Score	N	Përqindja (%)	95% CI
0	Category_1	35	332	64.6	60.4-68.6
1	Category_2	36-52	131	25.5	21.9-29.4
2	Category_3	53	51	9.9	7.6-12.8

0.22 Column_3 × score category: chi-square

EXPECTED COUNTS

Score_Category	Category_1	Category_2	Category_3
Column_3_Label			
Group_2	166.65	65.75	25.6
Group_1	165.35	65.25	25.4

Minimum expected count: 25.40

Cells with expected count <1: 0/6

Cells with expected count <5: 0/6 (0.0%)

CHI-SQUARE RESULTS

N = 514


Chi-square = 10.618

df = 2

p-value = 0.0049

Cramér's V = 0.144

Chi-square assumptions satisfied.



0.23 Column_5 × score category: chi-square

EXPECTED COUNTS

Score_Category	Category_1	Category_2	Category_3
Column_5_Label			
Group_1	297.12	117.24	45.64
Group_0	34.88	13.76	5.36

Minimum expected count: 5.36

Cells with expected count <1: 0/6

Cells with expected count <5: 0/6 (0.0%)

CHI-SQUARE RESULTS

N = 514


Chi-square = 94.982

df = 2

p-value = 0.00000

Cramér's V = 0.430

Chi-square assumptions satisfied.



0.24 Column_2 × score category: Kruskal–Wallis


Valid participants: 514

	Score Category	N	Median	Q1	Q3	IQR	Mean	SD
0	Category_1	332	12.0	10.0	14.0	4.0	11.54	2.38
1	Category_2	131	11.0	10.0	13.0	3.0	11.27	2.19
2	Category_3	51	11.0	9.0	12.5	3.5	11.00	1.94

KRUSKAL-WALLIS RESULTS

N = 514
H = 3.593
df = 2
p-value = 0.16584
Epsilon-squared = 0.003

No statistically significant difference.
Post-hoc comparisons are not required.



```
[NbConvertApp] Converting notebook Masked_Analysis.ipynb to html  
[NbConvertApp] WARNING | Alternative text is missing on 20 image(s).  
[NbConvertApp] Writing 2045375 bytes to Masked_Analysis.html
```