



CLI Cheatsheet - New Features

Overview

Since Nats-server v2.12 and 2.14 a number of features have been added.

Some have not (yet) been added to the standard API but are published as **orbit extensions**.

- <https://github.com/synadia-io/orbit.go>
- <https://github.com/synadia-io/orbit.java>
- <https://github.com/synadia-io/orbit.net>
- <https://github.com/synadia-io/orbit.js>
- <https://github.com/synadia-io/orbit.rs>
- <https://github.com/synadia-io/orbit.c>

New stream capabilities

See usage detailed examples in the following sections.

Per-Message TTL - Allows for auto cleaning caches and auto removal of delete markers in KVs.

```
nats s add S1 --defaults --subjects S1
--allow-msg-ttl
```

Atomic Counters in KV Stores - Works across sources

```
nats s add S2 --defaults --subjects S2
--allow-counter
```

Scheduled messages - Send messages with delay or on a repeated schedule

```
nats s add S3 --defaults --subjects S3
--allow-schedules
```

Atomic batch send messages - size is limited

```
nats s add S4 --defaults --subjects S4
--allow-batch
```

Fast batch - send messages in guaranteed sequence without waiting for delays

```
nats s add S5 --defaults --subjects S5
--allow-fast
```

Warning: Only activate features on streams when you intend to use them.

- Some capabilities cannot be disabled once enabled (e.g. schedules)
- Some capabilities are incompatible with Key Value Store or Source and Mirror (e.g. schedules)