

aXet.cover: A solution to generate unit tests in bulk from code files

Designed to streamline the use of generative AI in our daily services.

It is part of the aXet platform.


aXet.cover – Installation

Before starting aXet.cover installation, you need to download the **.cover** installer. Here is a [link](#) to the latest version.


Administrator permission is not required to install aXet.cover

If you already have the **aXet-cover Setup.exe** file, these are the steps to install it.

1. Double click on the .exe file to start the installation.





2. After installation, you must log in with your OKTA authentication.



If you are in more than one project, the first one will be considered, with no option to select another.

3. Select the desired language and framework.





4. You are ready to start using **aXet.cover**.

Important: Your user must have access to a project in aXet in order to use .cover.


aXet.cover – Interface

Let's introduce the graphical interface of **aXet.cover**.

When running **aXet.cover**, the first step is to select the language and the testing framework that you will use to generate the unit tests in your project.

aXet.cover interface for Java and .NET projects

This is the first screen when you have selected a Java or .NET project in **.cover**.




These are the points highlighted in the image:

1. Access a project to send files to generate unit tests or view projects that have already been processed.
2. Edits the name of this project.
3. Deletes this project.
4. Consults the processing of projects that have the status “processing”.
5. Adds a new project.
6. Opens **aXet.cover** documentation.
7. Opens login/logout options.

- Displays information about the selected language and framework. Clicking on the icons allows changing the language and/or the framework.

This is the screen when you are processing a project.




These are the points highlighted in the image:

- Returns to the project screen.
- Allows you to select a directory in your project to upload the files.
- Allows you to upload a pom.xml/csproj file, depending on the technology selected. (Necessary when it was not possible to identify it automatically with the project selection).
- Tree of files in your project where you can select which ones you want to send for processing or simply view the generated tests if already completed.
- Copies the respective code to the clipboard.
- Copies the respective code to the clipboard.
- Sends the selected test files for processing.
- Downloads the tests to the desired directory.

aXet.cover interface for Angular and React projects


This is the first screen when you have selected an Angular or React project in **.cover**.



These are the points highlighted in the image:

1. Allows you to select a directory in your project to upload the files.
2. Opens **aXet.cover** documentation.
3. Opens login/logout options.

This is the screen when you are processing a project.



These are the points highlighted in the image:

1. Allows you to select a directory in your project to upload the files.


2. Tree of files in your project where you can select which ones you want to send for processing or simply view the generated tests if already completed.
3. Copies the Source Code to the clipboard.
4. Copies the Test Code to the clipboard.
5. Sends to AI to make improvements to the tests.
6. Downloads the tests to the desired directory.

aXet.cover - Using it


Generating tests for Java and .NET projects

Once you have selected **Java / JUnit** or **.NET / xUnit** you can create several projects that will allow you to store configurations and test files generated by the AI.


Click on 'Add Project' button and provide a name for it.



Here you will be able to upload the project by clicking on 'Get Source' button.




Then, select from the tree which files you want the tests to be generated for.




If the *POM.xml* or *.csproj* file is not automatically identified, you must upload it manually.

Then, click on ‘Generate with AI’ button to start the process.

After selecting the files and sending them for processing, your project will be in a "in process" state, and you will be able to check the completion manually by clicking the ‘Consult Processing’ button or waiting for the automatic update.




Once completed, you can view the generated test file and download all of them.




Generating tests for Angular and React projects

Once you have selected **Angular** or **React** you can upload the project files by clicking on 'Get Source' button.



Then, select from the tree which files you want the tests to be generated for.



Then, click on 'Improve with AI' button to start the process.

After selecting the files and sending them for processing, your project will be in a "in process" state, and you'll have to wait for it to be completed before you can see the result.

Finally, you can download the results.

aXet.cover - Best practices

Select the code/files you are interested in

Before starting the automated and massive generation process of unit tests in your project, analyze the files you want to process with **aXet.cover** and select only the ones that interest you.

Remember that selecting more files incurs a cost in tokens and resources, which means an economic cost.

So, to optimize the generation of unit tests in any project, whether .NET, Java, Angular, or React, avoid selecting and sending files for which it is not necessary to generate unit tests.

Java Projects

If you are developing a Java project, remember that before generating unit tests with **aXet.cover** you must include the **pom.xml** file.

.NET Projects

If you are developing a .NET project, remember that before generating unit tests with **aXet.cover** you must include the **.csproj** file.

Keep .cover updated

Keep **.cover** updated to get all available functionality and improvements. This will save you time in development.

Follow the [link](#) to get the latest version of **aXet.cover**.

aXet.cover – FAQs

What can I do with aXet.cover?

You can generate unit tests using artificial intelligence for your project quickly, practically and safely.

What testing languages and frameworks are available?

The languages and frameworks currently supported are:

1 - React with **Jest** and **ReactTestingLibrary**.

2 - Angular with **Karma** and **Jest**.

3 - Java with **JUnit**.

4 - .NET with **xUnit**.

How can I download aXet.cover?

Download it [here](#) and if you have any doubts about installing it, follow these step-by-step instructions in this User Guide.