

aXet.gaia: AI-powered web application for everyone's day-to-day work


Designed to streamline the use of generative AI in our daily services.

It is part of the aXet platform.


aXet.gaia - First steps

The first step is to log into Okta. These are the steps to follow:

1. Access [aXet.gaia](#) web interface.
2. Log in to Okta platform. You can mark the *'Keep me signed in'* check.

The image shows a screenshot of the Okta Sign In interface. At the top, it says "Connecting to" followed by a gear icon and "Sign in with your account to access Axet Platform". Below this is the Okta logo. Under the logo, it says "Sign In". There is a "Username" label above a text input field. Below the input field is a checkbox labeled "Keep me signed in". At the bottom of the form is a blue button labeled "Next". A "Help" link is visible at the bottom left of the form.

3. Select the option to verify your credentials.



4. Once logged into Okta, you can now access **aXet.gaia** to continue with the process.
5. The first time you access **aXet** you must accept the terms of use. Until you accept them, you will not be able to start using **aXet.gaia**.


Important: Your user must have access to a project in aXet in order to use .gaia.

aXet.gaia – Interface

Let's introduce the graphical interface of **aXet.gaia**.

Here you can see the home page of **.gaia**.

You can click on the numbers to get the description of the main elements or you can read it below the image.



These are the points highlighted in the image:

1. **Explore questions.** Click on this button to start asking questions to **.gaia**. You can filter from categories of pre-engineered prompts or from use cases.
2. **Chat.** On the home page of **aXet.gaia** you can start asking questions in 'Ask aXet.gaia anything'.
3. **Delete** the conversation with **aXet.gaia** to start a new one.
4. **History.** Click on 'History' icon in the top right corner of the **aXet.gaia** home page to open a window where you can find the history of the questions asked and the pinned ones.
5. **Favourites.** Once the questions are saved as favourites, you can create shortcuts on the home page of **aXet.gaia** to access them more quickly and easily.
6. **User.** Here you can see your user. You will be able to view and select the projects you are registered in as well as change the language of the **.gaia** interface.

7. **Maintenance information.** Here you get information if there is a maintenance process running at the moment. Click on the bell icon to get more information.

If there are new notifications, they will automatically appear just below the bell button.

If the maintenance process is in progress, hover the mouse over the warning and you will see the exact duration of the process.

8. **Simple agent builder:** You can now customize your own agent in .gaia to accelerate your daily tasks and boost your productivity. Configure the agent's settings and behaviour to match your specific needs.

aXet.gaia - Using it

Simple agent builder

Click on 'Build your own agent' at the bottom of the chat sidebar to start configuring your own agent. This will open the 'My Agents' window, where you can manage all the agents you create.

From there, you can click on 'New Agent' to create a new one and configure all the necessary parameters to tailor the agent to your specific needs. Follow these steps:

Step 1: Provide basic information to establish its identity and complete the 'Agent Details'

- Agent Name: Give your agent a name.
- Command : Set a command for your agent. You can use this shortcut to quickly access and interact with your agent directly from the chat.
- Description: Write a brief description of your agent.

Step 2: Customize the agent's settings and behavior in the 'Agent Settings' section

- Model: Choose from the available AI models.
- Behavior: You can autofill the next categories based on the information provided in the previous 'Description' field.
- Agent Role: Define the role or personality your agent will adopt to guide its behavior (e.g. a travel guide)

- Objective: Specify the main task or goal your agent should focus on (e.g. summarizing articles or planning itineraries)
- Context: Add any specific context or instructions to guide your agent's actions (e.g. focus on recent data or prioritize user preferences)
- Expected output (optional): Defines what output the AI agent is expected to produce given a specific input (e.g. a concise summary or a list of activities)

Step 3: Select and configure tools to enhance the agent's functionality

- Retrieval Augmented Generation (RAG): Enables the agent to retrieve information from documents.
- Web Scraper: Equips the agent to search and analyze real-time information from the web, providing up-to-date answers.

Once all the fields are completed, click 'Create Agent' to finish the setup and start using your agent.

Documents Collections

You can use collections of documents to provide the context to create a more relevant, accurate, and tailored responses to the question asked to aXet.gaia.

There are two types of document collections:


- Project collections. They are created and managed by the project administrator and are accessible to all users working on the project.
- Private collections. They are created and managed by the user, and only the owner of the collection has access to it.

Document collections can be used when formulating open questions and when formulating preloaded questions.

When formulating a question, you can select which collections to use from all the available ones (project and private). Collections are prepared to group your knowledge, from 1 to 10 documents, with just one click you can select all.

These are the steps to follow to add a new private collection and upload files:

1. Click the roulette button to create a new collection.



2. Click on '+Create' button.
3. Provide the required information, **Name**, and click on 'Save' button.

Create collection

×

Name*


Project information

Information: This collection will be visible to all users of the project


Cancel

Save

3. Once the collection has been created, the next step is to **upload text documents**. For this, click on the eye icon.
4. Click on the '*Documents good practices*' button for relevant information on document management.




5. Click on 'Upload' button to attach documents to the collection.



- The documents are indexed to be used. Once the indexing process is complete, the green icon in the Indexed column informs us that they are ready to use.

NET_Help



As you can see in the image, the files added to the collection have an expiration date of 30 days from the upload date.

You can also check the size of the files uploaded.


- These are the actions that can be performed on the documents (from left to right in the image):
 - Automatically renew the expiration date before it expires, this way the counter resets to 30 days.
 - Download the file.
 - Delete the file from the collection.
- On this screen, you can also delete documents and the collection. You can only delete a collection that does not contain any documents.

Ask a question

Click on ‘*Explore questions*’ to start asking questions to **aXet.gaia**. You can filter from categories of pre-engineered prompts or from use cases.


These are the steps to follow:

Step 1: A window opens where you will find pre-engineered prompts classified by categories. Select the category you are looking for and on the right panel you will see the available pre-engineered prompts.



You can also use the search field. Enter some letters of the title of topic you are interested in or its description, for example "bug", and you will see the tree filtered by all the groups that contain questions with the word "bug".


Step 2: In the image, you can see the available actions on the selected question.




1. Click on this button to see an example that shows how to use the prompt.

2. Click on this button to use document collections.

If **aXet.gaia** has any document collection set up, you can use it when you formulate your question. This collection of documents provide the context to create a more relevant, accurate, and tailored response. If the project administrator has set up document collections, you can use them when formulating your question. Click on this button and select the collections you wish to use.



You can also create your private collection by clicking on the icon next to ‘*My Collections*’ that opens a modal where you can upload your documents. In this case, only you will be able to use those documents and they will not be visible to the other project users.




You can see the occupied space and the free space of your private collection. When you upload files to the collection, you will see the size of each one and its expiration date.

3. It shows information about token usage in the query.
4. Click on this button to clear all fields to clean the forms.
5. It allows saving the query as favourites with all the data filled in the form as default values.
6. It allows selecting the AI model from the available options.
7. Once everything is configured, click on this button to start the query.

When the number of tokens that will be sent to formulate the question reaches 100% of the available capacity of the selected model, the button to launch the query is disabled.

Step 3: You will get the answer to your question.



aXet.gaia provides the answer in **streaming**. **Streaming** refers to the process of **sending parts of the AI's response to the user in real time**, as they are being generated, instead of waiting for the entire response to be completed before displaying it.

If you have added document collections to contextualize the response provided by .gaia, you will see the source document from which the information to respond was obtained.

You can keep on working with the response provided by .gaia. The options you will see for requesting further information are configurable by the form administrator.

Even if you haven't used collections when asking the initial question to **aXet.gaia**, you can use them at any time when requesting clarifications or more information on the same topic.

Here are some examples of the actions you can perform on the response provided by **.gaia**.


- **Additional details.** Click on this button to expand the previous response with more details, examples or explanations to provide a deeper understanding of the topic.
- **Step by step.** Click on this button to break down the previous response into a step by step format, providing detailed instructions or the necessary sequence of actions.
- **Summary.** Click on this button to get a concise summary of the previous response, highlighting only the main points.
- **Examples.** Click on this button to get practical examples or use cases related to the previous response to better illustrate the discussed concepts or solutions.
- **Alternatives.** Click on this button to get alternative approaches or solutions to the given response, considering different methods or perspectives.
- **Rephrasing.** Click on this button to rephrase the previous response using different words or a simpler approach to facilitate understanding.
- **Definitions.** Click on this button to get a definition of the technical terms or specialized concepts in the previous response to clarify their meaning.
- **Translation.** Click on this button to get a translation of the previous response into English, maintaining the same level of detail and accuracy.

Once you have found the answer that satisfies your question, you have the following actions available.



- **Download.** Click on this button to download the result as a PDF file.
- **Copy.** Click on this button to copy the answer.
- **Feedback.** Click on these buttons to provide feedback to **aXet** if you like or dislike the answer to your question. This information will be used internally.

Let's review the options available in 'Explore questions' window.




- **Favourites.** Select this tab to view the categories and use cases that you have saved as favourites.
- **New.** Select this tab to view the categories that have been updated.
- **Updated.** Select this tab to view new categories.
- **Questions - Use Cases.** You can change the way the information is displayed in the left panel. By default, you will see the categories in which the pre-engineered prompts have been grouped, but you can change the view to use cases.

Work with questions


Favourites

You can save groups or pre-engineered prompts as **favourites**. This will allow you to speed up the search for the questions you use frequently.

- If you click on the star icon next to a group, you will add the entire group to favourites. The icon next to the group name changes its color and is displayed in yellow.



- If you click on the star icon next to a pre-engineered prompt, you will only add that question to favourites. The icon next to the group name changes its color and is displayed in grey and the icon next to the question changes is displayed in yellow.




Once the questions are saved as favourites, you can create shortcuts on the home page of **aXet.gaia** to access them more quickly and easily.


Click on the icon shown in the image above to manage favourites in **aXet.gaia** home page.



Simplifying tasks at NTT DATA with pre-engineered prompts for instant answers.



You can select from the saved favourites up to 5 to display in the home page and the order of this favourites.




Pinned answers

Another way to facilitate and speed up work with **.gaia** is by using **pinned answers**.

When you have found the appropriate answer to your question, you can save it if you plan to use it often. You will save the question with its inputs and the output provided by **.gaia**.

The steps you have to follow are:


1. Click on '*History*' icon in the upper right corner of the **aXet.gaia** home page to open a window where you can find the history of the questions asked
2. Select the query you want to save and click on the icon indicated in the image.



3. You can check in the *'Pinned'* tab that you have the question with its inputs and outputs available to use.

History

Click on *'History'* icon in the top right corner of the **aXet.gaia** home page to open a window where you can find the history of the questions asked and the pinned ones.




You can also delete the query history for time periods: today, yesterday, last 7 days, ... It is not possible to delete individual queries.

You just have to click on the trash icon.

Chat

On the home page of **aXet.gaia** you can start asking questions in 'Ask aXet.gaia anything'.



When the number of tokens that will be sent to formulate the question reaches 100% of the available capacity of the selected model, the 'Ask a question' button is disabled.


These are the steps to follow:

1. Click on 'Style' and select Free, Basic, Moderate or Detail to get the most appropriate answers for your profile and needs.
2. Select the AI model you want to use to formulate your question from those available.
3. If **aXet.gaia** has any document collection set up, you can use it when you formulate your question. This collection of documents provide the context to create a more relevant, accurate, and tailored response.


If the project administrator has set up document collections, you can use them when formulating your question. Click on the 'Attach' button and select the collections you wish to use.



Simplifying tasks at NTT DATA with pre-engineered prompts for instant answers.




You can also create your private collection by clicking on the icon next to ‘*My Collections*’ that opens a modal where you can upload your documents. In this case, only you will be able to use those documents and they will not be visible to the other project users.




You can see the occupied space and the free space of your private collection. When you upload files to the collection, you will see the size of each one and its expiration date.

3. Type your question and click the upward arrow button.

You can also use agents when formulating a question to .gaia. Click on the 'Agents' button and you can see the available agents for all users of the project and your private agents, as well as you can build your own agents by clicking on the roulette button.



Select the agent and type your question.



You will get the answer to your question according to the detail level selected.

Other questions > Adaptive Chat

Starting a Java project can be broken down into several steps to ensure you have a structured and working environment to develop and run Java applications. Here is a detailed step-by-step process you can follow:

Step 1: Set Up Your Development Environment

- **Install Java Development Kit (JDK):**
 - Download the JDK from the [Oracle website](#) or [OpenJDK](#).
 - Follow the installation instructions to complete the setup.
 - Verify your installation by opening a command prompt or terminal and typing:

```
Copy
java -version
```
- **Install an Integrated Development Environment (IDE):**
 - Choose an IDE like Eclipse, IntelliJ IDEA, or NetBeans. These IDEs provide tools and features to manage your Java project efficiently.
 - Download and install your selected IDE. For example, you can download IntelliJ IDEA from the

Summary Translation Examples Step by Step

Ask aXet.gaia anything

gpt-4o Usage: 0.85%

Before using aXet.gaia, remember you must adhere to applicable customer contracts in connection with using customer data as Inputs.

aXet.gaia provides the answer in **streaming**. **Streaming** refers to the process of **sending parts of the AI's response to the user in real time**, as they are being generated, instead of waiting for the entire response to be completed before displaying it.

If you have added document collections to contextualize the response provided by .gaia, you will see the source document from which the information to respond was obtained.

You can keep on working with the response provided by **.gaia**. The options you will see for requesting further information are configurable by the form administrator.

Even if you haven't used collections when asking the initial question to **aXet.gaia**, you can use them at any time when requesting clarifications or more information on the same topic.

Here are some examples of the actions you can perform on the response provided by **.gaia**.

- **Additional details.** Click on this button to expand the previous response with more details, examples or explanations to provide a deeper understanding of the topic.
- **Step by step.** Click on this button to break down the previous response into a step by step format, providing detailed instructions or the necessary sequence of actions.
- **Summary.** Click on this button to get a concise summary of the previous response, highlighting only the main points.
- **Examples.** Click on this button to get practical examples or use cases related to the previous response to better illustrate the discussed concepts or solutions.
- **Alternatives.** Click on this button to get alternative approaches or solutions to the given response, considering different methods or perspectives.
- **Rephrasing.** Click on this button to rephrase the previous response using different words or a simpler approach to facilitate understanding.
- **Definitions.** Click on this button to get a definition of the technical terms or specialized concepts in the previous response to clarify their meaning.
- **Translation.** Click on this button to get a translation of the previous response into English, maintaining the same level of detail and accuracy.

Once you have found the answer that satisfies your question, you have the following actions available.




- **Download.** Click on this button to download the result as a PDF file.
- **Copy.** Click on this button to copy the answer.
- **Feedback.** Click on these buttons to provide feedback to **aXet** if you like or dislike the answer to your question. This information will be used internally.

User Panel


You can find the user panel in the upper right corner of the **.gaia** interface.

Click on the icon to open the context menu.


The first item on the menu informs you about the project you are working on, allows you to switch projects (if you are registered in more than one), and allows you to join a new project. If you select the last option, it takes you to the home page of **.gaia** where you can request to join a project.




The second item on the menu allows you to change the language. Select it from the available options.



The third item on the menu allows you to re-read the terms of use of **aXet.gايا**.



The fourth item takes you directly to the Service Desk page if you need to request support.



aXet.gaia - Best practices

If you have the role of **administrator** in **.gaia**:

- It is recommended deactivate a project if you are not working on it to avoid being billed for the use of **.gaia**. This way, the project will be temporarily inactive until it is reactivated again.
- Hide the groups of questions from the tree that your team does not use regularly and thus facilitate searches. For example, if the users working on the project are developing the front-end of the application, you can leave the question groups such as HTML, CSS, ... visible and hide the rest to facilitate working with the category tree.

If you have the role of **user** in **.gaia**:

- Save groups or questions from the tree as favorites. This will allow you to speed up the search for the questions you use frequently.
- Save pinned answers. When you have found the appropriate answer to your question, you can save it if you plan to use it often. You will save the question with its inputs and the output provided by **.gaia**.

Nearly Decalogue of the Ideal User of **.gaia** for Developers

1. **Support Your Development:** Use **.gaia** to complement your work, such as generating code examples or suggestions, but always review and understand what it generates before integrating it into your project.
2. **Formulate Clear Problems:** Pose problems and requirements clearly and in detail. Provide context about the programming language, development environment, and specific objectives.
3. **Iterate and Refine:** If the first response is not perfect, do not hesitate to ask follow-up questions or request improvements. **.gaia** can help you iterate on solutions until they meet your needs.
4. **Verify and Test the Code:** Consider the generated code as a starting point. Always review, debug, and test any fragment thoroughly before using it in production.
5. **Promote Good Practices:** Request and follow recommendations on design patterns, SOLID principles, and other good programming practices. Use the AI to maintain clean and sustainable code.

6. **Document Clearly:** Use **.gaia** to generate or improve code documentation. Ensure that explanations are clear and understandable both for you and other developers.
7. **Optimize Performance:** Request suggestions to improve your code's performance or to identify potential bottlenecks. **.gaia** can help you consider alternative approaches or optimization techniques.

aXet.gaia – FAQs

What is considered improper use of the asset? What consequences might there be?

aXet.gaia is designed as a question-and-answer-based asset; attempts at mass generation or the use of "prompt injection" techniques will be considered misuse and may result in the temporary or permanent deactivation of the offending user.

Is integration with other LLM models being considered?

The asset's architecture allows us to consider integration with other Large Language Models (LLMs), although we currently work with OpenAI models using the authenticated API from Coding by NTT DATA.

How can I request the inclusion of new groups of questions in the tree?

For users in EMEAL, this is the [link](#) to open a ticket requesting an improvement.

For users at INC., we will soon provide a procedure.

What type of documents can I upload to a collection?

You can upload documents that have the following extensions .csv, .json, .xml, .txt, .kml, .docx, .doc, .docm, .xlsx, .xls, .xlsm, .pptx, .ppt, .ppt, .msg, .odt, .ods, .odp, .pdf, .rtf, .epub, .eml, .c, .cpp, .h, .hpp, .cs, .java, .go, .rs, .swift, .kt, .py, .js, .ts, .rb, .php, .pl, .sh, .bat, .lua, .r, .html, .xml, .json, .yaml, .yml, .toml, .md, .css, .scss, .sass, .less.

The maximum size of each text document that can be uploaded to a collection is 10 Mb.

What document collections can I use?

You can see the collections of the projects you belong to and your private ones.

How long are documents preserved for?

The documents are preserved for 1 month since they are uploaded.

aXet.gaia – Glossary

This is a glossary of relevant terms:

- **Generative AI**

Generative Artificial Intelligence is a field of Artificial Intelligence that encompasses systems and algorithms capable of generating new, original, and creative content. This type of AI learns from enormous datasets and generates new similar content (text, images, music, and other types of data). It falls within a specific type of Machine Learning known as Deep Learning, which is based on the use of deep neural networks. These networks are configured in various architectures, such as Generative Adversarial Networks (GANs) or diffusion models based on Transformers.

- **Machine Learning**

Machine Learning is a branch of computer science that aims to enable computers to perform tasks without being explicitly programmed to do so. These are models that can gradually improve their accuracy based on the data provided. Its most basic application is the practice of using algorithms to process data, learn from it, and then be able to make a prediction or suggestion about something. It comprises three categories of learning: supervised, unsupervised, and reinforcement learning.

- **Supervised Learning**

Supervised Learning is a type of learning in Machine Learning models that relies on labeled data and has high accuracy and easily interpretable results, which is why it is widely used in industry. Its main drawback is that it requires data to be previously labeled (which can be costly or unfeasible in many cases).

- **Unsupervised Learning**

Unsupervised Learning is a type of learning in ML models that uses unlabeled data and, unlike Supervised Learning models, can detect hidden patterns in the data without human intervention. This includes clustering algorithms, for example, to group customers into segments and detect similar behaviors.

- **Reinforcement Learning**

Reinforcement Learning is a type of learning in ML models where the machine is guided to learn from the repetition of actions and associated rewards. The agent, representing the machine, takes actions in an environment and receives rewards when correct decisions are made. Over time, the agent learns to choose the correct

actions to maximize its reward. Reinforcement Learning from Human Feedback is the technique behind large language models like ChatGPT.

- **Neural Networks**

Neural networks are a type of computational model that teaches machines to process data in a way inspired by the human brain. It consists of a set of units, called artificial neurons, connected to transmit signals. The input information passes through the neural network (where it undergoes various operations), producing output values.

- **Deep Learning**

Deep Learning is a type of Machine Learning that uses complex neural networks with three or more layers. These neural networks attempt to emulate the behavior of the human brain—though far from matching its capacity—but allow it to "learn" from large amounts of data. While a single-layer neural network can make approximate predictions, additional hidden layers add complexity to the model and help optimize its accuracy.

- **GAN**

Generative Adversarial Networks, or GANs, are a method based on training two neural networks, one called the generator and the other the discriminator, which compete with each other to generate new instances that resemble the training data distribution.

- **LM and LLM – Large Language Models**

Language models (LM) are machine learning models that predict the next word in a sentence, considering the context of previous words. They are based on a probabilistic description of language phenomena. A colossal language model or LLM, also called a large language model, is a language model consisting of a neural network with many parameters, trained on large amounts of unlabeled text through self-supervised or semi-supervised learning. These models can be used in a wide range of natural language processing tasks, such as text creation, document summarization, or language translation.

- **NLP**

Natural Language Processing (NLP) is a field within artificial intelligence and applied linguistics that studies interactions using natural language between humans and machines. It focuses on processing human communications, breaking them into parts, and identifying the most relevant elements of the message. With Natural

Language Understanding and Generation, it aims for machines to understand, interpret, and manipulate human language.

- **Open AI**

Open AI is an artificial intelligence (AI) research lab founded in 2015 that operates with the declared intention of promoting and developing friendly and democratized AI. OpenAI systems run on a supercomputing platform based on Microsoft's Azure, and some of its best-known works are generative AIs like ChatGPT (the leading conversational AI) or DALL-E (the AI for generating images from natural language).

- **Chat-GPT**

Chat GPT is a language model developed by OpenAI that employs natural language processing (NLP) techniques to generate coherent and natural responses in real-time. Its free version uses the GPT-3.5 model, and the most current version is GPT-4.

- **Fine-Tuning**

Fine-Tuning is a training technique that involves reusing predefined and pre-trained neural network architectures. It is a process where a "fine-tuning" of some layers of the network is performed to obtain the desired outputs. In other words, certain representations of the pre-trained model are slightly adjusted to make it more relevant to the problem to be solved. This avoids training the network from scratch.

- **Prompts**

A "prompt" in AI refers to an instruction or request that a user makes to an LLM, chatbot, or AI model. This instruction can come not only in natural language (text or audio) but also in other formats like images or code. The careful and concise preparation of these instructions is known as "prompting," and it ultimately aims to obtain the desired results or responses from LLMs or generative models of images and videos.

- **Token**

In the context of large language models or LLMs, a token is a basic unit of information for text processing. These tokens generally correspond to words or phrases, but they can also be punctuation marks or numbers. Transforming text into chains of tokens allows LLMs to process user prompts and generate corresponding responses. A model like GPT-3.5 could handle 4,096 tokens or around 8,000 words. The number of tokens processed in an input grows as more complex LLMs are trained.

- **Transformer**

It is a neural network architecture that has served as the basis for deep learning models used in modern generative AI models. Transformers specialize in processing sequential information, such as natural language, and for this, they employ the self-attention mechanism, where different weights are given to each part of the input. These models take a sentence in the form of a sequence of vectors, convert it into an encoded vector, which is then decoded into an output sequence. This architecture was proposed by a group of Google researchers in 2017, in the seminal paper "Attention is all you need."

- **RAG**

Retrieval-Augmented Generation (RAG) is a methodology to optimize LLMs so that they take into account a reference knowledge base when generating responses. This way, with RAG, we augment LLMs' capabilities with internal or specific information that has been trained with large volumes of generic data.