

aXet.talk: Your expert functional assistant

Upload project documentation and interact with the tool as an expert assistant.

It is part of the aXet platform.

aXet.talk - First steps

Adoption Process Guide for .talk

Follow these steps to successfully adopt and implement **.talk** for your project:

1. Identify an opportunity.

Pinpoint an area where **.talk** can enhance team performance by utilizing their expertise and knowledge to support the project.

2. Begin with a Small Proof of Concept (POC).

Collaborate with the implementation team to run a **POC**. This will allow you to:

- Evaluate **.talk**'s potential.
- Configure the system according to the project's needs.
- Ensure smooth deployment for optimal results.

3. Assign a Moderator

Designate a team member as a **moderator**. Their role will include:

- Uploading relevant project documents to the platform.
- Training the Assistant on specific content related to the project.

4. Ready for Use!


Once the assistant is trained and the setup is complete, your project is ready to leverage **.talk** for enhanced performance and results!

Asset access

After approbation of the PoC and all aligned with the Manager, the application of **aXet.talk** will be deployed and ready to use.

The first step is to log into Okta. These are the steps to follow:

1. Access **aXet.talk** web interface.
2. Log in to Okta platform. You can mark the *'Keep me signed in'* check.



Connecting to 
Sign in with your account to access Axet Platform

okta

Sign In


Username

☐ Keep me signed in

Next

[Help](#)

3. Select the option to verify your credentials.




4. Once logged into Okta, you can now access **aXet.talk** to start working with it.


aXet.talk – Interface

Here you can see the home page of **.talk**.

Where you will initially have two options for interacting with **.talk**.




- **New Chat With Repository.** By clicking on the **New Chat With Repository** option, you can specify which files will be used as parameters.



1. **New Conversation.** Starts a new conversation or session with the AI assistant. It likely resets the context, allowing the user to ask questions or interact without the influence of previous conversations.


2. **History.** Displays a list of recent queries or conversations with the assistant. It allows users to revisit and reuse previous questions or interactions.
 3. **Suggested Questions.** In this section, you can find questions suggested by the assistant. Click on one to start chatting with **.talk**.
 4. **Text input field.** This is where users type their queries or messages to the assistant. It collects user input and sends it for processing when the user presses 'Send Message'.
 5. **Send Message.** Submits the query or message typed in the input field to the assistant for processing and response generation.
 6. **Manage Documents.** This might allow users to upload, manage, or delete documents that the AI assistant can reference during the conversation. It could involve document storage or retrieval functionalities.
- **New Chat with Document.** This feature enables users to ask questions about a specific uploaded document. **axet.talk** generates responses based on its understanding of the document's content. This is particularly useful for lengthy documents.



1. **New Chat With Document.** Starts a new conversation or session with the AI assistant. It likely resets the context, allowing the user to ask questions or interact without the influence of previous conversations.

2. **Assistant Language.** Allows selecting a language from the dropdown with which **aXet.talk** will communicate with the user.
3. **Upload your document.** Allows upload the document that the user wants to ask questions about.
4. **History.** Displays a list of recent queries or conversations with the assistant. It allows users to revisit and reuse previous questions or interactions.
5. **Suggested Questions.** In this section, you can find questions suggested by the assistant. Click on one to start chatting with **.talk**.
6. **Text input field.** This is where users type their queries or messages to the assistant. It collects user input and sends it for processing when the user presses 'Send Message'.
7. **Send Message.** Submits the query or message typed in the input field to the assistant for processing and response generation.

Administrator. This menu allows you to access the configuration options of **aXet.talk**.



aXet.talk - Setup


Settings

To access the settings section, you must select '*Administrator*' menu on the main page of **aXet.talk**.

Click on '*Settings*' and you will find 3 tabs to configure.

General

This tab likely contains the main configuration options for the assistant, such as its purpose, password settings, and other general settings related to the assistant's behavior and document handling.



The screenshot shows the 'General' settings tab in the aXet.talk interface. The top navigation bar includes 'New Chat' and 'Administrator' links. The main content area is divided into three sections: 'ADMIN AREA', 'CHAT', and 'DOCUMENTS'. The 'ADMIN AREA' section contains fields for 'Password Document Manager' and 'Admin Password'. The 'CHAT' section has checkboxes for 'Assistant suggest possible next questions' and 'Show model in the response'. The 'DOCUMENTS' section has a dropdown for 'Days until document expiration' set to '90'. On the right side, there are sections for 'RESPONSE BAR' with checkboxes for 'Name of source document in the chat response', 'Show fragments of relevant documents (Display Bar)', and 'Download documents from the response'. Below that is the 'VIDEO PROCESSOR' section with a checkbox for 'Active video transcriptor'. At the bottom, there are 'Back', 'Save', and 'Restore Default Values' buttons.

Restrictive only for Project Users. Allows restricting access only to users registered in the project.

In the **ADMIN AREA** you can configure:

- A password for accessing to Document manager section.
- A password for accessing the administration panel of **aXet.talk**.

In the **CHAT** section you can configure:

- **Assistant Suggests Possible Next Questions.** Enable this setting if you want the assistant will suggest follow-up questions or the next steps after an interaction to guide users in further inquiry.
- **Show Model in the Response.** When enabled, the AI assistant will display which model or system was used to generate the response, giving more transparency on how responses are created.

In the **RESPONSE BAR** section you can configure:

- **Name of Source Document in the Chat Response.** When enabled, the assistant will display the name of the document it used as a source when responding to a query. This is useful for tracking where the information came from.
- **Show Fragments of Relevant Documents (Display Bar).** Displays relevant portions or fragments of documents when responding to user queries, providing users with context around the answer.
- **Download Documents from the Response.** Allows users to download documents directly from the response if they are referenced or used to answer a query. This is a helpful feature for document-heavy environments.

In the **VIDEO PROCESSOR** section you can configure:

- You can enable or disable the Active video transcriptor option.

In the **DOCUMENTS** section you can configure:

- The maximum expiration time of documents for their de-indexing in the RAG in case they have not been used.

Assistant

On the Assistant screen you can configure: the default language (English), the Initial Suggested Questions field, Initial Custom Chat Questions and enable or disable Active GPT agents.

talk Esperanza Llorens Rodriguez (Automation CoE)

New Chat Administrator

General **Assistant** Parameters

ASSISTANT

☒ Active GPT agents

Default Assistant Language *

English

INITIAL MESSAGE ? Help

Initial Suggested Questions @

What is Covid? ➔

Initial Custom Chat Questions @

Can you give me a summary of this document? ➔ What are the key points of this text? ➔

Can you formulate discussion questions about the content? ➔ What do you think about the conclusions of the document? ➔

← Back Save Restore Default Values

powered by **axet flows**

Parameters

This might lead to more advanced configuration options, possibly related to AI behavior, model parameters, or system-level configurations.

talk Esperanza Llorens Rodriguez (Automation CoE)

New Chat Administrator

General Assistant **Parameters**

MODEL CONFIGURATION

Model

gpt-4o

MODELS AVAILABLE

Models @

gpt-4o-mini ➔ gpt-4o ➔ gpt-4o-2024-08-07 ➔

RETRIEVAL CONFIGURATION ? Help

Number of pages considered for the response.

10

← Back Save Restore Default Values

powered by **axet flows**

In the **MODEL CONFIGURATION** section you can configure:

- Model.** Allows the user to select which language model the assistant will use for processing and generating responses. In this case, "gpt-4o" is selected, which likely refers to the OpenAI GPT-4o model. The dropdown menu provides other model options.

In the **MODELS AVAILABLE** section you can configure:

- **Models.** You can add or remove models from this list. Click *'Remove item'* next to a model to delete it. Ensure you select the appropriate model based on your needs.

In the **RETRIEVAL CONFIGURATION** section you can configure:

In this field you configure the number of pages considered for the response. The default option is 20. A higher number may improve completeness but can reduce relevance.

Agents

aXet.talk allows the configuration of different agents specialized in specific tasks, such as summarizing texts, validating data, ...

The use of these personalized assistants is transparent for the user, as they do not have to force or select their application. **aXet.talk** autonomously decides which agents to apply when crafting its response based on each of the user's questions. For example, if the user requests a summary of a document, the system analyzes the question and will detect that there is a specialized agent that optimizes the possible response, "Summary Agent," so it will apply the specific prompt to obtain the most concise result possible.

In case of applying any assistant in the formation of the response, **aXet.talk** will inform the user about the agent that has been used.

Only system administrators can create new agents.

Click on *'New Task Agent'* to add a new agent to **.talk**.

The screenshot shows the 'Customize Talk Agent GPT' interface. On the left, there's a sidebar with 'New Chat' and 'Administrator' options. The main area is titled 'Customize Talk Agent GPT' and contains the following fields:

- Agent Name:** Summary Agent
- Agent Role:** summary
- Agent Backstory - What profile should Talk-AgentGPT have?:** You are an intelligent assistant specialized in document analysis. Your task is to help the user understand, summarize, and extract relevant information from uploaded documents.
- Agent Goal - Instructions:**
 - Document-based context: Use the document's content as the primary source of information when answering questions. If a query is not covered in the document, clearly state that you do not have enough information.
 - Clear and structured responses: Provide detailed answers when necessary, but also allow for brief and concise responses if the question requires it.
 - Information retrieval: If the document is extensive, search for relevant information in specific sections before responding.
 - Summaries and extractions: If the user requests it, summarize the document or extract key points, dates, names, important terms, or any other relevant information.
- Agent Output Expected:**
 - Do not generate information that is not present in the document.
 - If there is ambiguous or incomplete content, ask the user for more context or to refine their question.

At the bottom, there are 'Cancel' and 'Save' buttons.

Setup the required parameters:

- **Agent Name** to provide a name to the new agent. E.g.: Summary Agent.

- **Agent Role** to provide a description to new agent. This information will be the most important when **aXet.talk** decides to use the agent in a conversation based on the user's question. E.g.: Summary.
- **Agent Backstory** to provide the profile for the new agent. E.g.: You are an intelligent assistant specialized in document analysis. Your task is to help the user understand, summarize and extract relevant information from uploaded documents.
- **Agent Goal** to provide detailed instructions to the new agent. E.g.: Document-based context : Use the document's content as the primary source of information when answering questions. If the query is not covered in the document, clearly state you do not have enough information. ...
- **Agent Output** expected to provide the output format to the responses.

From the main 'Task Agents' page you can edit and delete the agents from the list.

Slug	Subject	
feedback	Feedback Agent	
ticket-categorization	Ticket Categorization Agent	
explanation	Explanation Agent	
data-validation	Data Validation Agent	
key-points	Key Points Extractor	
qa-agent	Question Answering Agent	
data-enrichment	Data Enrichment Agent	
summary	Summary Agent	
classification	Classification Agent	
General	General Default Agent	

All Conversations

In this section, you can get all users conversation history.

talk

New Chat

Administrator

Victor De La Concepcion Gil
(Automation CoE)

+ New Chat

+ New Chat
Document

Updated At	Name	User	
2025-06-17 05:19 PM	what is NTT launch	Smitha Swamy	
2025-06-16 02:54 PM	What its Oasis?	Muzammil Younes	
2025-06-13 09:29 AM	haz un resumen de la reunión	Victor De La Concepcion Gil	
2025-06-12 05:37 PM	What are the key points of	David Klaus Butt	
2025-06-11 12:51 PM	What is aXet?	Eugeni Aguilar Almodovar	
2025-06-11 12:47 PM	What its Oasis?	Eugeni Aguilar Almodovar	
2025-06-10 07:28 AM	What its Oasis?	Ariel Alejandro Delbe	
2025-06-09 04:37 PM	What its Oasis?	Eugeni Aguilar Almodovar	

axet flows


1234567891011121314151617181920212223242526272829303132333435363738394041424344454647484950515253545556575859606162636465666768697071727374757677787980818283848586878889909192939495969798991001011021031041051061071081091101111121131141151161171181191201211221231241251261271281291301311321331341351361371381391401411421431441451461471481491501511521531541551561571581591601611621631641651661671681691701711721731741751761771781791801811821831841851861871881891901911921931941951961971981992002012022032042052062072082092102112122132142152162172182192202212222232242252262272282292302312322332342352362372382392402412422432442452462472482492502512522532542552562572582592602612622632642652662672682692702712722732742752762772782792802812822832842852862872882892902912922932942952962972982993003013023033043053063073083093103113123133143153163173183193203213223233243253263273283293303313323333343353363373383393403413423433443453463473483493503513523533543553563573583593603613623633643653663673683693703713723733743753763773783793803813823833843853863873883893903913923933943953963973983994004014024034044054064074084094104114124134144154164174184194204214224234244254264274284294304314324334344354364374384394404414424434444454464474484494504514524534544554564574584594604614624634644654664674684694704714724734744754764774784794804814824834844854864874884894904914924934944954964974984995005015025035045055065075085095105115125135145155165175185195205215225235245255265275285295305315325335345355365375385395405415425435445455465475485495505515525535545555565575585595605615625635645655665675685695705715725735745755765775785795805815825835845855865875885895905915925935945955965975985996006016026036046056066076086096106116126136146156166176186196206216226236246256266276286296306316326336346356366376386396406416426436446456466476486496506516526536546556566576586596606616626636646656666676686696706716726736746756766776786796806816826836846856866876886896906916926936946956966976986997007017027037047057067077087097107117127137147157167177187197207217227237247257267277287297307317327337347357367377387397407417427437447457467477487497507517527537547557567577587597607617627637647657667677687697707717727737747757767777787797807817827837847857867877887897907917927937947957967977987998008018028038048058068078088098108118128138148158168178188198208218228238248258268278288298308318328338348358368378388398408418428438448458468478488498508518528538548558568578588598608618628638648658668678688698708718728738748758768778788798808818828838848858868878888898908918928938948958968978988999009019029039049059069079089099109119129139149159169179189199209219229239249259269279289299309319329339349359369379389399409419429439449459469479489499509519529539549559569579589599609619629639649659669679689699709719729739749759769779789799809819829839849859869879889899909919929939949959969979989991000100110021003100410051006100710081009101010111012101310141015101610171018101910201021102210231024102510261027102810291030103110321033103410351036103710381039104010411042104310441045104610471048104910501051105210531054105510561057105810591060106110621063106410651066106710681069107010711072107310741075107610771078107910801081108210831084108510861087108810891090109110921093109410951096109710981099110011011102110311041105110611071108110911101111111211131114111511161117111811191120112111221123112411251126112711281129113011311132113311341135113611371138113911401141114211431144114511461147114811491150115111521153115411551156115711581159116011611162116311641165116611671168116911701171117211731174117511761177117811791180118111821183118411851186118711881189119011911192119311941195119611971198119912001201120212031204120512061207120812091210121112121213121412151216121712181219122012211222122312241225122612271228122912301231123212331234123512361237123812391240124112421243124412451246124712481249125012511252125312541255125612571258125912601261126212631264126512661267126812691270127112721273127412751276127712781279128012811282128312841285128612871288128912901291129212931294129512961297129812991300130113021303130413051306130713081309131013111312131313141315131613171318131913201321132213231324132513261327132813291330133113321333133413351336133713381339134013411342134313441345134613471348134913501351135213531354135513561357135813591360136113621363136413651366136713681369137013711372137313741375137613771378137913801381138213831384138513861387138813891390139113921393139413951396139713981399140014011402140314041405140614071408140914101411141214131414141514161417141814191420142114221423142414251426142714281429143014311432143314341435143614371438143914401441144214431444144514461447144814491450145114521453145414551456145714581459146014611462146314641465146614671468146914701471147214731474147514761477147814791480148114821483148414851486148714881489149014911492149314941495149614971498149915001501150215031504150515061507150815091510151115121513151415151516151715181519152015211522152315241525152615271528152915301531153215331534153515361537153815391540154115421543154415451546154715481549155015511552155315541555155615571558155915601561156215631564156515661567156815691570157115721573157415751576157715781579158015811582158315841585158615871588158915901591159215931594159515961597159815991600160116021603160416051606160716081609161016111612161316141615161616171618161916201621162216231624162516261627162816291630163116321633163416351636163716381639164016411642164316441645164616471648164916501651165216531654165516561657165816591660166116621663166416651666166716681669167016711672167316741675167616771678167916801681168216831684168516861687168816891690169116921693169416951696169716981699170017011702170317041705170617071708170917101711171217131714171517161717171817191720172117221723172417251726172717281729173017311732173317341735173617371738173917401741174217431744174517461747174817491750175117521753175417551756175717581759176017611762176317641765176617671768176917701771177217731774177517761777177817791780178117821783178417851786178717881789179017911792179317941795179617971798179918001801180218031804180518061807180818091810181118121813181418151816181718181819182018211822182318241825182618271828182918301831183218331834183518361837183818391840184118421843184418451846184718481849185018511852185318541855185618571858185918601861186218631864186518661867186818691870187118721873187418751876187718781879188018811882188318841885188618871888188918901891189218931894189518961897189818991900190119021903190419051906190719081909191019111912191319141915191619171918191919201921192219231924192519261927192819291930193119321933193419351936193719381939194019411942194319441945194619471948194919501951195219531954195519561957195819591960196119621963196419651966196719681969197019711972197319741975197619771978197919801981198219831984198519861987198819891990199119921993199419951996199719981999200020012002200320042005200620072008200920102011201220132014201520162017201820192020202120222023202420252026202720282029203020312032203320342035203620372038203920402041204220432044204520462047204820492050205120522053205420552056205720582059206020612062206320642065206620672068206920702071207220732074207520762077207820792080208120822083208420852086208720882089209020912092209320942095209620972098209921002101210221032104210521062107210821092110211121122113211421152116211721182119212021212122212321242125212621272128212921302131213221332134213521362137213821392140214121422143214421452146214721482149215021512152215321542155215621572158215921602161216221632164216521662167216821692170217121722173217421752176217721782179218021812182218321842185218621872188218921902191219221932194219521962197219821992200220122022203220422052206220722082209221022112212221322142215221622172218221922202221222222232224222522262227222822292230223122322233223422352236223722382239224022412242224322442245224622472248224922502251225222532254225522562257225822592260226122622263226422652266226722682269227022712272227322742275227622772278227922802281228222832284228522862287228822892290229122922293229422952296229722982299230023012302230323042305230623072308230923102311231223132314231523162317231823192320232123222323232423252326232723282329233023312332233323342335233623372338233923402341234223432344234523462347234823492350235123522353235423552356235723582359236023612362236323642365236623672368236923702371237223732374237523762377237823792380238123822383238423852386238723882389239023912392239323942395239623972398239924002401240224032404240524062407240824092410241124122413241424152416241724182419242024212422242324242425242624272428242924302431243224332434243524362437243824392440244124422443244424452446244724482449245024512452245324542455245624572458245924602461246224632464246524662467246824692470247124722473247424752476247724782479248024812482248324842485248624872488248924902491249224932494249524962497249824992500250125022503250425052506250725082509251025112512251325142515251625172518251925202521252225232524252525262527252825292530253125322533253425352536253725382539254025412542254325442545254625472548254925502551255225532554255525562557255825592560256125622563256425652566256725682569257025712572257325742575257625772578257925802581258225832584258525862587258825892590259125922593259425952596259725982599260026012602260326042605260626072608260926102611261226132614261526162617261826192620262126222623262426252626262726282629263026312632263326342635263626372638263926402641264226432644264526462647264826492650265126522653265426552656265726582659266026612662266326642665266626672668266926702671267226732674267526762677267826792680268126822683268426852686268726882689269026912692269326942695269626972698269927002701270227032704270527062707270827092710271127122713271427152716271727182719272027212722272327242725272627272728272927302731273227332734273527362737273827392740274127422743274427452746274727482749275027512752275327542755275627572758275927602761276227632764276527662767276827692770277127722773277427752776277727782779278027812782278327842785278627872788278927902791279227932794279527962797279827992800280128022803280428052806280728082809281028112812281328142815281628172818281928202821282228232824282528262827282828292830283128322833283428352836283728382839284028412842284328442845284628472848284928502851285228532854285528562857285828592860286128622863286428652866286728682869287028712872287328742875287628772878287928802881288228832884288528862887288828892890289128922893289428952896289728982899290029012902290329042905290629072908290929102911291229132914291529162917291829192920292129222923292429252926292729282929293029312932293329342935293629372938293929402941294229432944294529462947294829492950295129522953295429552956295729582959296029612962296329642965296629672968296929702971297229732974297529762977297829792980298129822983298429852986298729882989299029912992299329942995299629972998299930003001300230033004300530063007300830093010301130123013301430153016301730183019302030213022302330243025302630273028302930303031303230333034303530363037303830393040304130423043304430453046304730483049305030513052305330543055305630573058305930603061306230633064306530663067306830693070307130723073307430753076307730783079308030813082308330843085308630873088308930903091309230933094309530963097309830993100310131023103310431053106310731083109311031113112311331143115311631173118311931203121312231233124312531263127312831293130313131323133313431353136313731383139314031413142314331443145314631473148314931503151315231533154315531563157315831593160316131623163316431653166316731683169317031713172317331743175317631773178317931803181318231833184318531863187318831893190319131923193319431953196319731983199320032013202320332043205320632

aXet.talk – Repository

Manage Documents Repository

In the process of implementing **aXet.talk**, the repository is created in SharePoint.

Click on '*New Chat with Repository*' and access the page to upload, manage, or delete documents by clicking on '*Manage Documents*'.



Only system administrators can manage the repository.

To upload documents, click on '*Add Documents*' button.

There are two ways to upload documents to the repository:

- **Directly upload.**

The screenshot shows the 'talk Document Upload Sharepoint' form. At the top, the 'talk' logo is displayed above the title 'Document Upload Sharepoint'. Below the title is a '? Help' button. The main text instructs users to 'Import files from a dedicated SharePoint folder into Talk from Source Repository.' and provides an 'Open Sharepoint' button. A paragraph explains that after verification, clicking the 'Upload' button will import files into the 'Talk Knowledge Repository'. Under 'Additional Parameters', there's a question 'Would you like to overwrite or ignore the file if it exists?' with radio buttons for 'ignore' (selected) and 'overwrite'. A note at the bottom states: 'If your upload includes more than 50 files, the process may take several minutes. We recommend: Splitting uploads into smaller batches to improve performance. Don't worry — If you check "ignore" then files that have already been uploaded will be automatically skipped.' At the bottom of the form are four buttons: 'Back to Documents', 'Upload Manually', 'Load Documents' (highlighted), and 'Load Media'.

Click on 'Open SharePoint' button, select a folder from the repository, and upload the files.

The video files must be uploaded directly to SharePoint.

Once the files are uploaded, you need to click on 'Load Documents' or 'Load Media' (depending on the format of the uploaded files) to index the files. This way, the files can be used.

- **Manually upload.**

The screenshot shows the 'aXet.talk' Document Upload interface. The page is divided into two main sections: STEP 1 and STEP 2. STEP 1 is titled 'Attach your document to begin the indexing process.' and features a file upload area with a 'Drop files to attach, or browse' button. Below this, a list of supported file formats is shown: doc, docx, ppt, pptx, xls, xlsx, pdf, txt, rtf, and odt. STEP 2 is titled 'Assign it to the correct folder or create a new one.' and includes a 'Select Collection:' dropdown menu with a '-- Root Folder --' option. At the bottom of the interface, there are two buttons: 'Back to Documents' and 'Upload'. The top right corner of the page displays the user's name 'Victor De La Concepcion Gil' and the role '(Automation CoE)'.

Click on 'Upload Manually' button and select the files in **STEP 1**.

Then, select in which folder or collection they will be saved. Here you can choose an existing one or create a new one in **STEP 2**.

Finally, click on 'Upload' to start the upload process.

When uploading files to **aXet.talk**, the system automatically checks their names. If it detects special characters that could interfere with the indexing process, those characters are automatically removed to ensure proper file management.

In 'Knowledge Repository' page you can find a list of all documents with information regarding to **Document name**, **Document type**, **Collection** and **State**.

talk Victor De La Concepcion Gil (Automation CoE)

New Chat Admins

Knowledge Repository
226 documents uploaded. ? Help

Show 10 entries

Search:

Document	Document Type	Collection	Expiration date	State	
CU005_APPYER_Comprar v2.8.docx	docx	0 - Demo 001	03/16/2026	indexed	
CU010_APPYER_Buscador de EESS v2.2.docx	docx	0 - Demo 001	03/16/2026	indexed	
CU016_APPYER_Registración mediante cupón v2.7.docx	docx	0 - Demo 001	03/16/2026	indexed	
CU003_APPYER_Búsqueda y Vinculación de tarjetas y cupones v3.2.docx	docx	0 - Demo 001	03/16/2026	indexed	
CU006_APPYER_Comprobantes v1.8.docx	docx	0 - Demo 001	03/16/2026	indexed	

In the last column from the table, you can download or delete every single document. To perform a global deletion of all files indexed in the instance, aXet.talk enables the "Delete All Documents" button.

The documents indexed in aXet.talk through the SharePoint synchronization mechanism have a default maximum validity period of 90 days. The expiration time of each file is displayed in the column "Expiration date" that shows the date on which the indexed contents of each file will be de-indexed.

This validity date is reset individually for each file every time a query is made that, in order to be answered, requires the information contained in that document.

If the configured time period expires without any query being made to aXet.talk that requires that document, its indexed information will be released in order to optimize the use of the infrastructure.

If this happens and the user needs to recover expired documents, they can do so from the "Expired" option. This option allows you to reindex the deleted information from each expired file in case it has been previously removed from the RAG, as long as the original document still exists in SharePoint.

aXet.talk - Ask


Ask a Question

Once the documentation is uploaded and the assistant is trained, you can start asking questions to the conversational assistant!


You have several options to do it.

New Chat With Repository


1. The first step is select a collection of documents if you want to provide context to AI and receive more accurate answers. You can select one, several, all, or none of the collections configured in **aXet.talk** and selectable in the window.



2. You can select one of the suggested questions.




3. Or you can ask open questions like a chat bot.




New Chat With Document

Click on 'New Chat With Document' to ask questions about a specific uploaded document. **aXet.talk** generates responses based on its understanding of the document's content. This is particularly useful for lengthy documents, as it saves time by quickly retrieving relevant information instead of manually searching through the entire text.



aXet.talk will answer the question



1. **Model and Tokens.** Shows information of the AI model and the number of tokens used.
2. **Explanation.** It is the detailed answer to the question asked.
3. **More suggested questions.** Offers 3 more questions to further investigate the initial question asked to the assistant.
4. **Copy.** Allows you to copy the answer to the clipboard.

5. **Knowledge References.** Shows the fragments of the document from which you have obtained the information. Allows you to download the associated document.

aXet.talk - Best practices

Documents good practices

SharePoint Upload

You can bulk upload files from your SharePoint repository, with the following considerations:

- **Supported File Types:** csv, eml, html, json, docx, doc, docm, xlsx, xls, xlsx, pptx, ppt, pptm, msg, xml, odt, ods, odp, pdf, txt, rtf, xml, mp4, avi, mov, png, jpeg, jpg, gif, webp.
- **File Replacement:** If a file is already indexed, you'll need to choose whether to **replace** it or **ignore** it during the upload process.
- **Processing Time:** The process will provide a detailed summary upon completion. If you are uploading a large number of files, please note that processing may take several minutes.

Ensure that your SharePoint folder structure and file selection align with these guidelines for a smoother upload experience.

Upload Manually

Individual Upload: Files can be uploaded one by one if preferred..

You can bulk upload files from your SharePoint repository, with the following considerations:

- **Supported File Types:** csv, eml, html, json, docx, doc, docm, xlsx, xls, xlsx, pptx, ppt, pptm, msg, xml, odt, ods, odp, pdf, txt, rtf, xml. **Multimedia files are not allowed.**
- **File Replacement:** If a file is already indexed, you'll need to choose whether to **replace** it or **ignore** it during the upload process.
- **Processing Time:** The process will provide a detailed summary upon completion. If you are uploading a large number of files, please note that processing may take several minutes.

aXet.talk – FAQs

What files can I upload to the tool?

You can upload any type of file to **aXet.talk**, as long as they do not contain personal or sensitive data.

Examples of files that **should not be uploaded to the tool** would be payroll, bank statements, or files with information under an NDA.

What type of files can be uploaded to the assistant?

After the migration of the **.talk** engine to Azure AI Search, csv, eml, html, json, docx, doc, docm, xlsx, xls, xlsxm, pptx, ppt, pptm, msg, xml, odt, ods, odp, pdf, txt, rtf, xml, mp4, avi, mov, png, jpeg, jpg, gif, webp files are processed natively by the assistant.

You can also upload videos, and the tool allows responses based on the conversation and the ability to reference specific timestamps discussed in the video.

What are the current limits of aXet.talk for managing documents?

After the migration of **aXet.talk** engine to Azure AI Search, the capacity of each instance to handle documentation is:

- 300 files maximum.
- 400mb maximum size for video.
- 30mb maximum size for files.

These limits are set for each instance of **aXet.talk** as default general metrics, but they could be overridden in case of special need at configuration time.

How can I improve the AI's responses?

The tool has various adjustable parameters such as the top number of most similar search results or minimum accuracy thresholds, and the option to select different models.

Initially, an expert with knowledge of the system will setup these parameters for optimal performance.

What type of documents does the AI understand best?

The more detailed and verbose the document content, the better the AI will understand and respond. Keep in mind that these types of tools don't actually "train" the models but rather use vectorial search algorithms combined with generative models to provide responses.

aXet.talk – Glossary

This is a glossary of relevant terms:

- **Generative AI**

Generative Artificial Intelligence is a field of Artificial Intelligence that encompasses systems and algorithms capable of generating new, original, and creative content. This type of AI learns from enormous datasets and generates new similar content (text, images, music, and other types of data). It falls within a specific type of Machine Learning known as Deep Learning, which is based on the use of deep neural networks. These networks are configured in various architectures, such as Generative Adversarial Networks (GANs) or diffusion models based on Transformers.

- **Machine Learning**

Machine Learning is a branch of computer science that aims to enable computers to perform tasks without being explicitly programmed to do so. These are models that can gradually improve their accuracy based on the data provided. Its most basic application is the practice of using algorithms to process data, learn from it, and then be able to make a prediction or suggestion about something. It comprises three categories of learning: supervised, unsupervised, and reinforcement learning.

- **Supervised Learning**

Supervised Learning is a type of learning in Machine Learning models that relies on labeled data and has high accuracy and easily interpretable results, which is why it is widely used in industry. Its main drawback is that it requires data to be previously labeled (which can be costly or unfeasible in many cases).

- **Unsupervised Learning**

Unsupervised Learning is a type of learning in ML models that uses unlabeled data and, unlike Supervised Learning models, can detect hidden patterns in the data without human intervention. This includes clustering algorithms, for example, to group customers into segments and detect similar behaviors.

- **Reinforcement Learning**

Reinforcement Learning is a type of learning in ML models where the machine is guided to learn from the repetition of actions and associated rewards. The agent, representing the machine, takes actions in an environment and receives rewards when correct decisions are made. Over time, the agent learns to choose the correct

actions to maximize its reward. Reinforcement Learning from Human Feedback is the technique behind large language models like ChatGPT.

- **Neural Networks**

Neural networks are a type of computational model that teaches machines to process data in a way inspired by the human brain. It consists of a set of units, called artificial neurons, connected to transmit signals. The input information passes through the neural network (where it undergoes various operations), producing output values.

- **Deep Learning**

Deep Learning is a type of Machine Learning that uses complex neural networks with three or more layers. These neural networks attempt to emulate the behavior of the human brain—though far from matching its capacity—but allow it to "learn" from large amounts of data. While a single-layer neural network can make approximate predictions, additional hidden layers add complexity to the model and help optimize its accuracy.

- **GAN**

Generative Adversarial Networks, or GANs, are a method based on training two neural networks, one called the generator and the other the discriminator, which compete with each other to generate new instances that resemble the training data distribution.

- **LM and LLM – Large Language Models**

Language models (LM) are machine learning models that predict the next word in a sentence, considering the context of previous words. They are based on a probabilistic description of language phenomena. A colossal language model or LLM, also called a large language model, is a language model consisting of a neural network with many parameters, trained on large amounts of unlabeled text through self-supervised or semi-supervised learning. These models can be used in a wide range of natural language processing tasks, such as text creation, document summarization, or language translation.

- **NLP**

Natural Language Processing (NLP) is a field within artificial intelligence and applied linguistics that studies interactions using natural language between humans and machines. It focuses on processing human communications, breaking them into parts, and identifying the most relevant elements of the message. With Natural

Language Understanding and Generation, it aims for machines to understand, interpret, and manipulate human language.

- **Open AI**

Open AI is an artificial intelligence (AI) research lab founded in 2015 that operates with the declared intention of promoting and developing friendly and democratized AI. OpenAI systems run on a supercomputing platform based on Microsoft's Azure, and some of its best-known works are generative AIs like ChatGPT (the leading conversational AI) or DALL-E (the AI for generating images from natural language).

- **Chat-GPT**

Chat GPT is a language model developed by OpenAI that employs natural language processing (NLP) techniques to generate coherent and natural responses in real-time. Its free version uses the GPT-3.5 model, and the most current version is GPT-4.

- **Prompts**

A "prompt" in AI refers to an instruction or request that a user makes to an LLM, chatbot, or AI model. This instruction can come not only in natural language (text or audio) but also in other formats like images or code. The careful and concise preparation of these instructions is known as "prompting," and it ultimately aims to obtain the desired results or responses from LLMs or generative models of images and videos.

- **Token**

In the context of large language models or LLMs, a token is a basic unit of information for text processing. These tokens generally correspond to words or phrases, but they can also be punctuation marks or numbers. Transforming text into chains of tokens allows LLMs to process user prompts and generate corresponding responses. A model like GPT-3.5 could handle 4,096 tokens or around 8,000 words. The number of tokens processed in an input grows as more complex LLMs are trained.

- **Transformer**

It is a neural network architecture that has served as the basis for deep learning models used in modern generative AI models. Transformers specialize in processing sequential information, such as natural language, and for this, they employ the self-attention mechanism, where different weights are given to each part of the input. These models take a sentence in the form of a sequence of vectors, convert it into an encoded vector, which is then decoded into an output

sequence. This architecture was proposed by a group of Google researchers in 2017, in the seminal paper "Attention is all you need."

- **RAG**

Retrieval-Augmented Generation (RAG) is a methodology to optimize LLMs so that they take into account a reference knowledge base when generating responses. This way, with RAG, we augment LLMs' capabilities with internal or specific information that has been trained with large volumes of generic data.