

VERTEX FORMULATIONS PRIVATE LIMITED

Plot 44-46, Pharma SEZ, Vishakhapatnam 530046, Andhra Pradesh, India
Quality Assurance Department | qa@vertexformulations.co.in

CUSTOMER COMPLAINT NOTIFICATION

Complaint Reference	VFPL/QA/CC/2026-0187
Date of Complaint	18 July 2026
Raised By	Sunita Raghavan, Head - Quality Assurance
Addressed To	Head, Quality Assurance, Nandini Life Sciences Ltd.
Mode of Receipt	Formal written complaint (courier + email)

1. PRODUCT AND BATCH DETAILS

Material	Metformin Hydrochloride API
Grade / Compendial Standard	IP/BP
Batch / Lot Number	MFH26C
Manufacturing Date	12 March 2026
Retest / Expiry Date	11 March 2029
Quantity Received	200 kg (8 HDPE drums of 25 kg each)
Quantity Affected	25 kg (1 HDPE drum)
Purchase Order	VFPL/PO/2026/1142
Goods Receipt Note	GRN-2026-04471

2. DESCRIPTION OF THE COMPLAINT

During pre-dispensing verification of the above consignment, our warehouse quality inspection team observed that the material in one HDPE drum showed a distinct off-white to pale beige discolouration when compared against the retained reference standard and against the remaining drums of the same consignment, which were uniformly white.

On closer examination under white light, isolated dark particulate matter was observed adhering to the inner surface of the polyethylene liner. The liner seal of the affected drum appeared to have been compromised, showing a partial tear approximately 40 mm in length along the upper fold. The tamper-evident seal on the drum lid was intact.

The affected drum has been quarantined under hold label QH-2026-0331 pending your investigation. The material has not been dispensed and no product manufactured using this consignment has been released.

3. ANALYTICAL OBSERVATIONS

Description (IP)	Does not comply - off-white to pale beige, reference is white
Assay (on dried basis)	99.2% - complies (98.5-101.0%)
Loss on Drying	0.42% - complies (NMT 0.5%)
Related Substances	Under test, result awaited

4. ACTION REQUESTED

We request a formal investigation into the root cause of the discolouration and particulate contamination, a written investigation report with your CAPA plan within 30 calendar days, confirmation of whether other batches from the same campaign are affected, and replacement of the affected quantity.

Sunita Raghavan

Head - Quality Assurance

Vertex Formulations Private Limited

Tel: +91 891 274 5500 | qa@vertexformulations.co.in