

## DV+

### Publishers

### Solutions

### Knowledge Base

### Inventory Setup

### Reporting & Insights

[Performance Analytics Guide \(/help/reporting-insights-performance-analytics-guide\)](/help/reporting-insights-performance-analytics-guide)

[Field Compatibility Best Practices \(/help/field-compatibility-best-practices\)](/help/field-compatibility-best-practices)

[Performance Analytics API \(/help/dvplus-performance-analytics-api\)](/help/dvplus-performance-analytics-api)

[Performance Dashboard User Guide \(/help/performance-dashboard-user-guide\)](/help/performance-dashboard-user-guide)

[Finding Reporting API Key and Secret \(/help/finding-reporting-api-key-and-secret\)](/help/finding-reporting-api-key-and-secret)

[Reporting FAQ \(/help/reporting-insights-reporting-faq\)](/help/reporting-insights-reporting-faq)

[Glossary of Standard Reporting Dimensions \(/help/glossary-of-standard-reporting-dimensions\)](/help/glossary-of-standard-reporting-dimensions)

[Transparency Initiative Data \(/help/transparency-initiative-data\)](/help/transparency-initiative-data)



Refine

Exposure Transparency Data (/help/exposure-transparency-data)

Search for articles



Preferred Analytics Partnerships (/help/preferred-analytics-partnerships)

Field Compatibility (/help/field-compatibility)

Performance Analytics API Best Practices (/help/performance-analytics-api-best-practices)

Deals

Performance

Brand Protection & Security

Campaign Management

In this article

Guidelines and Policies

→ Overview

Brand Protection

→ Step 1

Curated Marketplaces

→ Step 2

→ Step 3: Retrieve Offline report data

→ Step 4 (optional): Retrieve all offline reports for the user

→ Dimension and metrics filtering

→ Key

In-App SDK

→ First Party Data / Key Values / All Reporting

→

Demand Manager

→ Data Availability in First Party Data Set

→ Best Practices

Overview

The Performance Analytics REST API provides Magnite DV+ customers with programmatic access to the reporting data available via the Performance Analytics reporting platform.

Please note that our data (except very rare occurrences) does not change once it has been initially published (once the data is published- it is settled). If a rare issue does indeed occur, we send out communications in-app to make users aware. Please optimize queries only to pull the same call once to get the best results without duplicating calls. See the bottom of the page for best practices

*Please note that API Access must be enabled by your account team before making requests. At this time access is granted on a case-by-case basis and not available for all publishers. For more information, reach out to your Magnite DV+ Account Team.*

New Offline Reports



On September 30th 2024, the old API endpoint will no longer be accessible. Users will need to make the change to the new API endpoint that will allow users to pull more data. The new endpoint includes additional steps and allows users to check the status of their reports. There are also additional steps for pagination to allow for a higher row limit of 500K. The steps for the new API endpoint are listed below.

Making Requests

The Performance Analytics REST API is accessed by sending HTTPS requests to the URLs corresponding to each service as documented below. Access to services requires an API key and secret that must be included in every request. Data can be requested in either JSON or CSV formats. Each service listed below describes the details of the document format.

The Performance Analytics REST API documentation describes resource URLs using the draft URI Templates specification that may be found here: URI Template (<https://datatracker.ietf.org/doc/html/draft-gregorio-uritemplate-04>).

Please note that the API resources can only be accessed via HTTPS and any requests over HTTP will be forwarded to HTTPS.

Authentication

Access to Performance Analytics REST API is authorized through the use of an API Key and cryptographic signature which is required for each request. Each request should set the HTTP Authorization header using the HTTP Basic authentication scheme where the username is the API Key and the secret is a shared secret known only to Magnite and you. Most programming libraries have support for this method of HTTP Authentication.

The base URL for all API requests is <https://api.rubiconproject.com/> (<https://api.rubiconproject.com/>).

Response Format

Performance Analytics REST API supports responses in JSON or CSV formats.

Response formats are controlled by setting the Accept header:

| Format | Accept Header Value |
|--------|---------------------|
| JSON   | application/json    |
| CSV    | text/csv            |



Response Structure

Each response contains “data” and “message” fields. Data field contains “items” list, listing each individual item, such as a report row or an available column. Message field is populated only if there is an error or a warning message available.

## Resources

### Ad-Hoc Reporting Resource

The Ad-Hoc Report resource allows you to request a custom report for a specific account id, composed of the desired dimensions and metrics provided by the Columns list resource, date range, and filtering criteria.

### Sample for General data set

POST <https://api.rubiconproject.com/analytics/v2/default?account=publisher/xxx> (<https://api.rubiconproject.com/analytics/v2/default?account=publisher/xxx>)

Sample for First Party data set (include body in same format above)

POST <https://api.rubiconproject.com/analytics/v2/firstparty?account=publisher/xxxx> (<https://api.rubiconproject.com/analytics/v2/firstparty?account=publisher/xxxx>)

For Prebid Analytics API Best Practices

<https://help.magnite.com/help/prebid-analytics-api>  
(<https://help.magnite.com/help/prebid-analytics-api>)

### Offline Reports for General Data

#### Step 1: Create offline report

POST [/analytics/v2/default/account=publisher/account\\_id](#)

Ex) POST <https://api.rubiconproject.com/analytics/v2/default?account=publisher/xxx> (<https://api.rubiconproject.com/analytics/v2/default?account=publisher/xxx>)

Add Dimensions and Filters to the Body. Note in order to pull for specific date ranges, remove “date\_range” and add start and end dates. Additionally in order to pull max, add 500000 to the limit param.



```
{
  "criteria":{
    "dimension": "site, date, size",
    "metric": "ad_requests,auctions",
    "limit": 500000,
    "date_range": "yesterday",
    "start": null,
    "end": null,
    "timezone": null,
    "currency": "USD",
    "filters": null
  }
}
```

| Parameter  | Required?                                | Description                                                                                                                                                                                                                          |
|------------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| start      | Yes (either date start/end or daterange) | Start date in ISO-8601 format, including time zone.                                                                                                                                                                                  |
| end        |                                          | End date in ISO-8601 format, including time zone.                                                                                                                                                                                    |
| date_range |                                          | Relative report range, such as last_3 for last 3 days in Pacific time zone. Valid inputs:"today", "yesterday", "week_to_date", "month_to_date", "year_to_date", "last_3", "last_7", "last_14" "Last_30", "prior_week", "prior_month" |
| dimension  | Yes                                      | List of dimensions to be included in the report.                                                                                                                                                                                     |
| metric     | Yes                                      | List of metrics to be included in the report.                                                                                                                                                                                        |
| filters    | No                                       | List of filter criteria, for example "filters=dimension:site_id==32464,32426;dimension:country_id==US"                                                                                                                               |
| currency   | No                                       | Currency of the report. Defaults to USD.                                                                                                                                                                                             |
| timezone   | No                                       | Ex) Europe/London. Default - UTC                                                                                                                                                                                                     |
| limit      | No                                       | Defaults to 50,000 rows, max 500,000. No error is returned if result set is >500,000.                                                                                                                                                |



Response

```
{
  "offline_report_id": 123,
  "status": "queued",
  "created": "2024-03-07T23:14:47Z",
  "updated": "2024-03-07T23:14:47Z"
}
```

Step 2 (optional): Check offline report status

GET /analytics/v2/default/report\_id?account=publisher/account\_id

Ex) GET https://api.rubiconproject.com/analytics/v2/default/123?  
account=publisher/xxxx  
(https://api.rubiconproject.com/analytics/v2/default/123?  
account=publisher/xxxx)xxxxx

Response

```
{
  "offline_report_id": 123,
  "status": "success",
  "created": "2024-03-07T23:14:47Z",
  "updated": "2024-03-07T23:14:47Z"
}
```

| Statuses |       |        |         |          |
|----------|-------|--------|---------|----------|
| success  | error | queued | pending | canceled |

Queued status shows that your report hasn't entered the queue. Pending status shows that your report has reached the top of queue and is now running.

Step 3: Retrieve offline report data

GET /analytics/v2/default/report\_id/data?  
account=publisher/account\_id&format=json\_or\_csv&page=x

EX) GET https://api.rubiconproject.com/analytics/v2/default/123/data?  
account=publisher/xxx&format=json&page=2  
(https://api.rubiconproject.com/analytics/v2/default/123/data?  
account=publisher/xxx&format=json&page=2)xx



Supported Params

| Param  | Description               |
|--------|---------------------------|
| page   | Pull the paginated page # |
| size   | Default and max is 50K    |
| format | json or csv               |

Response

```
{
  "content": [
    {
      "site": "test-site1",
      "ad_requests": 1000,
      "auctions": 200
    },
  ],
}
```

Response Codes

| Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 400  | URL params or path variables not conforming to the standard as per documentation                                                                                                                                                                                                                                                                                                                                                                                                              |
| 401  | Authentication credentials are missing or invalid                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 403  | Permissions issue. Please contact Magnite support.                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 404  | Requested resource wasn't found. Make sure the endpoint URL and resource information are correct.                                                                                                                                                                                                                                                                                                                                                                                             |
| 409  | Conflict with the current status of the resource. If the offline report is not ready the server will respond with this code.                                                                                                                                                                                                                                                                                                                                                                  |
| 429  | Only 5 reports are allowed for parallel processing, please try after the queued reports are cleared. <b>Note:</b> this error can be misleading in that limitations are often not the barrier to obtaining data. There could be a potential system wide issue that is affecting the entirety of the offline queue. Magnite is automatically alerted in these instances and works to address the problem. If the problem persists for one report after an hour, please contact Magnite support. |
| 50X  | internal error                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |



Step 4 (optional): Retrieve all offline reports for the user

GET /analytics/v2/default/data?  
account=publisher/account\_id&date\_range=xxxx

Ex) GET https://api.rubiconproject.com/analytics/v2/default?  
account=publisher/xxx&date\_range=today  
(https://api.rubiconproject.com/analytics/v2/default?  
account=publisher/xxx&date\_range=today)

Supported Params

|            |         |
|------------|---------|
| date_range |         |
| today      | last_3  |
| yesterday  | last_24 |

Response

API response to get offline reports

```
{
  "content": [
    {
      "offline_report_id": 123,
      "status": "success",
      "created": "2024-03-19T22:17:59Z",
      "updated": "2024-03-19T22:18:00Z"
    },
    {
      "offline_report_id": 124,
      "status": "success",
      "created": "2024-03-19T22:17:47Z",
      "updated": "2024-03-19T22:17:49Z"
    }
  ],
  "page": {
    "rows": 2,
    "size": 50,
    "total_elements": null,
    "total_pages": null,
    "number": 1
  }
}
```





## Dimension and metrics filtering

Under the filters section in the body of the request, you can use the below syntax to filter for dimensions and metrics.

Example:

```
"dimension:site_id==180726;dimension:device_type_name_v1==Connected TV;metric:bid_requests>0"
```

Time zone is supported for report range filtering and date dimensions such as date and hour will be returned in the local time zone specified by the offset.

Please note that daylight savings time is respected.

If the start and end time zones have different offsets, starting time zone will be used. Time zone offset with "+" will only work if URL encoded.

Inclusive and exclusive filtering is supported on filterable dimension via "==" and "!=".

## Keyword Reporting

Keyword reporting is available in Performance Analytics and includes pulling the dimension:keyword in the general dataset. Unlike other elements of Performance Analytics, keyword may only be combined with selected metrics and dimensions:

- date
- size\_id
- country
- account
- site\_ID
- campaign\_ID
- zone\_ID
- publisher\_gross\_revenue
- impressions
- paid impressions
- eCPM

## First Party Data / Key Value Pair Reporting

Please note that a filter on the key is required when displaying key value. Inventory and visitor keys may not be combined.



Data Availability in General Data Set

The following data attributes are available in the General data set and in Performance Analytics UI and API.

| Label                      | API Column Key      | Type      | Value Type |
|----------------------------|---------------------|-----------|------------|
| Account                    | account             | Dimension | STRING     |
| Account ID                 | account_id          | Dimension | STRING     |
| Ad Class                   | ad_class            | Dimension | STRING     |
| Ad Format                  | ad_format           | Dimension | STRING     |
| Ad Request CPM             | ad_request_cpm      | Metric    | STRING     |
| Ad Request CPM (Net)       | net_ad_request_cpm  | Metric    | STRING     |
| Ad Requests                | ad_requests         | Metric    | INTEGER    |
| Ad Responses               | auctions_won        | Metric    | INTEGER    |
| Ad Responses Revenue       | auction_revenue     | Metric    | MONEY      |
| Ad Responses Revenue (Net) | auction_net_revenue | Metric    | MONEY      |



|                       |                       |           |         |
|-----------------------|-----------------------|-----------|---------|
| Ad Response Rate      | ad_response_rate      | Metric    | INTEGER |
| Ad Spots              | ad_spots              | Metric    | INTEGER |
| Ad Spots CPM          | ad_spot_cpm           | Metric    | INTEGER |
| Ad Spots CPM (Net)    | net_ad_spot_cpm       | Metric    | INTEGER |
| Ad Spots Fill Rate    | ad_spot_fill_rate     | Metric    | INTEGER |
| Ad Spots Render Rate  | ad_spot_render_rate   | Metric    | INTEGER |
| Advertiser            | advertiser            | Dimension | STRING  |
| Advertiser ID         | advertiser_id         | Dimension | STRING  |
| Advertiser Industries | advertiser_industries | Dimension | STRING  |
| API Type              | ad_server_api_code    | Dimension | STRING  |
| App Bundle            | app_bundle            | Dimension | STRING  |
| Auction CPM           | auction_rcpm          | Metric    | STRING  |
| Auction CPM (Net)     | net_auction_rcpm      | Metric    | STRING  |



|                               |                       |           |            |
|-------------------------------|-----------------------|-----------|------------|
| Auction Package Name          | auction_package_name  | Dimension | STRING     |
| Auction Package Token         | auction_package_token | Dimension | STRING     |
| Auction Rate                  | auction_rate          | Metric    | PERCENTAGE |
| Auction Win Rate              | auction_win_rate      | Metric    | PERCENTAGE |
| Auctions                      | auctions              | Metric    | INTEGER    |
| Average Multiplier            | avg_multiplier        | Metric    | INTEGER    |
| Average Ad Response CPM       | ad_response_cpm       | Metric    | STRING     |
| Average Ad Response CPM (Net) | net_ad_response_cpm   | Metric    | STRING     |
| Average Bid CPM               | avg_bid_cpm           | Metric    | MONEY      |
| Bid Requests                  | bid_requests          | Metric    | INTEGER    |
| Bid Responses                 | bid_responses         | Metric    | INTEGER    |
| Blocked Responses             | blocked_responses     | Metric    | INTEGER    |



|                           |                     |           |           |
|---------------------------|---------------------|-----------|-----------|
| Browser Name              | browser_name        | Dimension | STRING    |
| Buyer                     | buyer               | Dimension | STRING    |
| Buyer Deal ID             | deal_token          | Dimension | STRING    |
| Buyer ID                  | buyer_seat_id       | Dimension | STRING    |
| Buyer Spend               | buyer_spend         | Metric    | MONEY     |
| Buyer Token               | seat_token          | Dimension | STRING    |
| Campaign                  | campaign            | Dimension | STRING    |
| Campaign ID               | campaign_id         | Dimension | STRING    |
| Campaign Type             | campaign_type       | Dimension | STRING    |
| Curator ID                | curator_id          | Dimension | STRING    |
| Date                      | date                | Dimension | DATE      |
| Date/Hour                 | hour                | Dimension | DATE/TIME |
| Deal                      | deal                | Dimension | STRING    |
| Deal ID                   | deal_id             | Dimension | STRING    |
| Demand Type (Ad Response) | demand_type_ad_resp | Dimension | STRING    |
| Device OS                 | device_os_name      | Dimension | STRING    |



|                                  |                                  |           |            |
|----------------------------------|----------------------------------|-----------|------------|
| Device Type                      | device_type_name_v1              | Dimension | STRING     |
| Doubleverify Viewability Present | doubleverify_viewability_present | Dimension | INTEGER    |
| Doubleverify Viewability Score   | doubleverify_viewability_score   | Metric    | INTEGER    |
| DSP                              | partner                          | Dimension | STRING     |
| DSP ID                           | network_id                       | Dimension | STRING     |
| DSP Win Rate                     | win_rate                         | Metric    | PERCENTAGE |
| eCPM                             | ecpm                             | Metric    | MONEY      |
| eCPM (Net)                       | net_ecpm                         | Metric    | MONEY      |
| External Creative ID             | external_creative_id             | Dimension | STRING     |
| Fee                              | total_fee                        | Metric    | MONEY      |
| Fill Rate                        | ad_request_fill_rate             | Metric    | PERCENTAGE |
| GAV Viewability present          | gav_viewability_present          | Dimension | INTEGER    |
| GAV Viewability score            | gav_viewability_score            | Metric    | INTEGER    |



|                                  |                                  |           |         |
|----------------------------------|----------------------------------|-----------|---------|
| Has Companion Ad                 | has_companion_ad                 | Metric    | STRING  |
| Has Storage ID                   | has_storage_id                   | Dimension | STRING  |
| Impressions                      | impressions                      | Metric    | INTEGER |
| Impressions (PSA)                | psa_impressions                  | Metric    | INTEGER |
| Inventory Keys                   | inventory_keys                   | Dimension | STRING  |
| Inventory Values                 | inventory_key_values             | Dimension | STRING  |
| Keyword                          | keyword                          | Dimension | STRING  |
| Marketplace                      | marketplace                      | Dimension | STRING  |
| Marketplace ID                   | marketplace_id                   | Dimension | STRING  |
| Marketplace Deal Token           | marketplace_deal_token           | Dimension | STRING  |
| Marketplace Deal Name            | marketplace_deal_name            | Dimension | STRING  |
| Marketplace Vendor               | marketplace_vendor               | Dimension | INTEGER |
| Marketplace Vendor Gross Revenue | marketplace_vendor_gross_revenue | Metric    | MONEY   |



|                              |                              |           |            |
|------------------------------|------------------------------|-----------|------------|
| Marketplace Vendor Rev Share | marketplace_vendor_rev_share | Metric    | PERCENTAGE |
| MEM Flag                     | mem_flag                     | Dimension | STRING     |
| Month                        | month                        | Dimension | INTEGER    |
| No Bid Responses             | no_bid_responses             | Metric    | INTEGER    |
| Paid Impressions             | paid_impression              | Metric    | FLOAT      |
| Publisher Gross Revenue      | publisher_gross_revenue      | Metric    | Money      |
| Publisher Net Revenue        | seller_net_revenue           | Metric    | Money      |
| rCPM                         | rcpm                         | Metric    | MONEY      |
| Referral Domain              | referring_domain             | Dimension | INTEGER    |
| Render Rate                  | render_rate                  | Metric    | PERCENTAGE |
| Revenue Source               | revenue_source               | Dimension | STRING     |
| RTB Rule Class               | rtb_rule_class               | Dimension | STRING     |
| Seller Fee                   | seller_fee                   | Metric    | MONEY      |





|                             |                         |           |            |
|-----------------------------|-------------------------|-----------|------------|
| Seller Fee Rate             | seller_fee_rate         | Metric    | PERCENTAGE |
| Seller Integration Type     | seller_integration_type | Dimension | STRING     |
| Site                        | site                    | Dimension | STRING     |
| Site (URL)                  | site_url                | Dimension | STRING     |
| Site Groups                 | site_groups             | Dimension | STRING     |
| Site ID                     | site_id                 | Dimension | STRING     |
| Size                        | size                    | Dimension | STRING     |
| Size ID                     | size_id                 | Dimension | STRING     |
| Status Code                 | status_code             | Dimension | STRING     |
| Supply Type                 | supply_type             | Dimension | STRING     |
| Synthetic ID                | synthetic_app_id        | Dimension | STRING     |
| Unique Visitors             | unique_visitors         | Metric    | INTEGER    |
| VAST Error Code Description | vast_error_desc         | Dimension | STRING     |
| VAST Internal Error Code    | beacon_error_code       | Dimension | STRING     |



|                                               |                    |           |         |
|-----------------------------------------------|--------------------|-----------|---------|
| VAST<br>Internal<br>Error Code<br>Description | beacon_error_desc  | Dimension | STRING  |
| VAST Error<br>Code                            | vast_error_code    | Dimension | STRING  |
| Valid<br>Responses                            | valid_responses    | Metric    | INTEGER |
| Video 100%<br>Complete                        | completes          | Metric    | INTEGER |
| Video<br>Accept<br>Invitation                 | accept_invitations | Metric    | INTEGER |
| Video Close                                   | closes             | Metric    | INTEGER |
| Video<br>Companion<br>Ad Format               | companion_ad       | Metric    | STRING  |
| Video<br>Companion<br>Views                   | companion_views    | Metric    | INTEGER |
| Video<br>Complete<br>Rate                     | complete_rate      | Metric    | INTEGER |
| Video Full<br>Screens                         | full_screens       | Metric    | INTEGER |



|                                   |                       |           |         |
|-----------------------------------|-----------------------|-----------|---------|
| Video Max<br>Video Ad<br>Duration | max_ad_duration       | Metric    | INTEGER |
| Video<br>Media<br>Format          | media_format          | Metric    | STRING  |
| Video<br>Playback<br>Method       | playbackmethod        | Metric    | STRING  |
| Video<br>Rewinds                  | rewinds               | Metric    | INTEGER |
| Video Starts                      | starts                | Metric    | INTEGER |
| Video<br>Undefined<br>VAST event  | undefined_vast_events | Metric    | INTEGER |
| Video VAST<br>Click Rate          | vast_click_rate       | Metric    | INTEGER |
| Video VAST<br>Clicks              | vast_clicks           | Metric    | INTEGER |
| Video VAST<br>Error               | vast_errors           | Metric    | INTEGER |
| Video View                        | creative_views        | Metric    | INTEGER |
| Visitor<br>Country                | country               | Dimension | STRING  |
| Visitor Keys                      | visitor_keys          | Dimension | STRING  |



|                     |                    |           |         |
|---------------------|--------------------|-----------|---------|
| Visitor Values      | visitor_key_values | Dimension | STRING  |
| VPAID               | vpaid              | Metric    | STRING  |
| Week                | week               | Dimension | INTEGER |
| Winning RTB Rule    | rtb_rule           | Dimension | STRING  |
| Winning RTB Rule ID | rtb_rule_id        | Dimension | STRING  |
| Year                | year               | Dimension | INTEGER |
| Zone                | zone               | Dimension | STRING  |
| Zone Group          | zone_group         | Dimension | STRING  |
| Zone ID             | zone_id            | Dimension | STRING  |

Data Availability in First Party Data Set

The following data attributes are available in the First Party data set and in Performance Analytics UI and API.

Please note that attributes in a data set is self-contained i.e. one cannot mix/combine attributes from difference data sets (General, First Party, Prebid, or keyword data) in an API call.

Filter API key represent the API key needed to perform the filtering i.e. to filter for site one should use site ID.



| Attribute Name | API Name | Filterable in UI? | Filterable in API? | Filter API Key |
|----------------|----------|-------------------|--------------------|----------------|
|----------------|----------|-------------------|--------------------|----------------|

|                  |                      |   |   |                    |
|------------------|----------------------|---|---|--------------------|
| Account          | account              | 1 | 1 | account_id         |
| Account ID       | account_id           | 1 | 1 | account_id         |
| API Type         | ad_server_api_code   | 1 | 1 | ad_server_api_code |
| Date             | date                 | 0 | 0 |                    |
| Date Hour        | hour                 | 0 | 0 |                    |
| Device OS        | device_os_name       | 0 | 1 | device_os_name     |
| Device Type      | device_type_name     | 1 | 1 | device_type_name   |
| Inventory Keys   | inventory_keys       | 1 | 1 | inventory_keys     |
| Inventory Values | inventory_key_values | 0 | 0 |                    |
| Month            | month                | 0 | 0 |                    |
| Quarter          | quarter              | 0 | 0 |                    |
| Site             | site                 | 1 | 1 | site_id            |
| Site Groups      | site_groups          | 1 | 1 | site_groups        |
| Site ID          | site_id              | 0 | 0 | site_id            |



|                 |                    |   |   |              |
|-----------------|--------------------|---|---|--------------|
| Site URL        | site_url           | 1 | 1 | site_id      |
| Visitor Country | country            | 1 | 1 | country_id   |
| Visitor Keys    | visitor_keys       | 1 | 1 | visitor_keys |
| Visitor Values  | visitor_key_values | 0 | 0 |              |
| Week            | week               | 0 | 0 |              |
| Year            | year               | 0 | 0 |              |
| Zone            | zone               | 1 | 1 | zone_id      |
| Zone Group      | zone_group         | 1 | 1 | zone_group   |
| Zone ID         | zone_id            | 0 | 1 | zone_id      |

Best Practices

Please note that our data (barring any errors) does not change once it has been initially processed. Please optimize queries to only pull the same call one time in order to get the best results without duplicating calls.

Please pull from yesterdays and not todays data. We do have some latency with our data being available in the same day, so best practice is to pull for yesterdays as the most recent data available.

Because we have a limit of 500K rows per call, please check to ensure you are getting the full data you have requested and break out calls accordingly. Some calls that include high cardinality fields (such as zone\_id) may not return all results.



Was this article helpful?



## Related Articles

[Performance Analytics Guide \(/help/reporting-insights-performance-analytics-guide\)](/help/reporting-insights-performance-analytics-guide)

[Performance Dashboard User Guide \(/help/performance-dashboard-user-guide\)](/help/performance-dashboard-user-guide)

[Finding Reporting API Key and Secret \(/help/finding-reporting-api-key-and-secret\)](/help/finding-reporting-api-key-and-secret)

[Reporting FAQ \(/help/reporting-insights-reporting-faq\)](/help/reporting-insights-reporting-faq)

[Glossary of Standard Reporting Dimensions \(/help/glossary-of-standard-reporting-dimensions\)](/help/glossary-of-standard-reporting-dimensions)

[Transparency Initiative Data \(/help/transparency-initiative-data\)](/help/transparency-initiative-data)

[Bid Landscape Transparency Data \(/help/bid-landscape-transparency-data\)](/help/bid-landscape-transparency-data)

[Preferred Analytics Partnerships \(/help/preferred-analytics-partnerships\)](/help/preferred-analytics-partnerships)

## Trending Articles

[XAPI Specifications \(/help/xapi-specifications-xapi-specifications\)](/help/xapi-specifications-xapi-specifications)


[Performance Analytics API \(/help/dvplus-performance-analytics-api\)](/help/dvplus-performance-analytics-api)

[Performance Analytics Guide \(/help/reporting-insights-performance-analytics-guide\)](/help/reporting-insights-performance-analytics-guide)

[In Development \(/help/magnite-streaming-buyers-coming-soon\)](/help/magnite-streaming-buyers-coming-soon)

[DV+ Quick Start Guide \(/help/dv-quick-start-guide\)](/help/dv-quick-start-guide)

[See more... \(/help/popular-articles\)](/help/popular-articles)



Get connected. Stay connected. Subscribe to our most recent news and insights.

Your email address

Sign Up

Already subscribed? [Click here \(https://resources.magnite.com/preferences.html\)](https://resources.magnite.com/preferences.html) to manage your preferences.

Other Magnite Sites

- DV+ [⏏ \(http://platform.rubiconproject.com/\)](http://platform.rubiconproject.com/)
- Streaming [⏏ \(https://streaming.magnite.com\)](https://streaming.magnite.com)
- SpringServe UI [⏏ \(https://console.springserve.com/\)](https://console.springserve.com/)
- Investor Relations [⏏ \(https://investor.magnite.com/\)](https://investor.magnite.com/)
- Magnite Explorer [⏏ \(https://www.magnite.com/explorer/#/\)](https://www.magnite.com/explorer/#/)
- Magnite Help Center [⏏ \(https://help.magnite.com/help\)](https://help.magnite.com/help)
- SpringServe Documentation [⏏ \(https://springserve.atlassian.net/wiki/\)](https://springserve.atlassian.net/wiki/)

Follow Us

- Instagram [\(https://www.instagram.com/heimagnite/\)](https://www.instagram.com/heimagnite/)
- Linkedin [\(https://www.linkedin.com/company/magnite/\)](https://www.linkedin.com/company/magnite/)
- X  [\(https://twitter.com/magnite\)](https://twitter.com/magnite)

Copyright 2026 Magnite, Inc.  
All rights reserved

- Website Privacy [\(https://www.magnite.com/legal/magnite-website-privacy-policy/\)](https://www.magnite.com/legal/magnite-website-privacy-policy/)
- Advertising Platform Privacy Policy [\(https://www.magnite.com/legal/advertising-platform-privacy-policy/\)](https://www.magnite.com/legal/advertising-platform-privacy-policy/)
- Your Privacy Choices [✔✕ \(https://www.magnite.com/legal/user-choice-portal/\)](https://www.magnite.com/legal/user-choice-portal/)
- Legal & Privacy Policies [\(https://www.magnite.com/legal/\)](https://www.magnite.com/legal/)

